



# Deep Security 11.1

Azure Marketplace

# Legal Notices

Trend Micro Incorporated reserves the right to make changes to this document and to the products described herein without notice. Before installing and using the software, please review the release notes and the latest version of the applicable user documentation, which are available from the Trend Micro Web site at:

<https://help.deepsecurity.trendmicro.com/software.html>

Trend Micro, and the Trend Micro t-ball logo are trademarks or registered trademarks of Trend Micro Incorporated. All other company or product names may be trademarks or registered trademarks of their owners. Information contained in this document is subject to change without notice.

© 2018 Trend Micro Incorporated. All rights reserved

Protected by U.S. Patent No. 7,630,982 B2.

Privacy Policy

Trend Micro, Inc. is committed to protecting your privacy. Please read the Trend Micro Privacy Policy available at [www.trendmicro.com](http://www.trendmicro.com).

**Document Number:** APEM118328/180614

**Publication Date:** 8/24/2020 2:57 PM

# Contents

---

<b>Contents</b> .....	<b>3</b>
<b>Get Started</b> .....	<b>54</b>
Privacy and personal data collection disclosure .....	54
Deep Security Software .....	54
Buy Deep Security Manager from the Azure Marketplace .....	55
What's new? .....	55
Deep Security 11.1 .....	55
Before you install .....	57
Feature releases .....	57
Version numbers .....	58
Feature release life cycle .....	58
Platform support .....	59
Support services .....	59
About the Deep Security components .....	60
System requirements .....	61
Deep Security Manager .....	62
Deep Security Agent .....	64
Deep Security Notifier .....	64
Deep Security Manager - Agent compatibility by platform .....	64
Docker support .....	66
Deep Security Agent Linux kernel support .....	67
Supported features by platform .....	69
Microsoft Windows (11.1 agent) .....	70
Red Hat Enterprise Linux (11.1 agent) .....	73
CentOS Linux (11.1 agent) .....	74
Oracle Linux (11.1 agent) .....	75

SUSE Linux (11.1 agent) .....	76
Ubuntu Linux (11.1 agent) .....	77
Debian Linux (11.1 agent) .....	77
Cloud Linux (11.1 agent) .....	78
Amazon Linux (11.1 agents) .....	79
Deep Security Virtual Appliance (NSX) (with embedded 11.1 agent) .....	80
Sizing .....	84
Deep Security Manager sizing .....	84
Multiple server nodes .....	85
Database sizing .....	85
Disk space estimates .....	86
Database sizing considerations .....	87
Deep Security Agent and Relay sizing .....	88
Sizing for Azure Marketplace .....	88
Deep Security Manager .....	89
Database .....	89
Notes .....	90
Port numbers .....	90
Deep Security Manager ports .....	92
Incoming (listening ports) .....	92
Outgoing .....	93
Deep Security Relay ports .....	99
Incoming (listening) .....	99
Outgoing .....	100
Deep Security Agent ports .....	100
Incoming (listening ports) .....	100
Outgoing .....	101
Prepare a database for Deep Security Manager .....	109
Hardware considerations .....	110

Dedicated server .....	110
Hardware recommendations .....	110
Microsoft SQL Server .....	111
General requirements .....	111
Transport protocol .....	111
Database maintenance .....	111
Oracle Database .....	112
Oracle RAC (Real Application Clusters) support .....	112
Database maintenance .....	112
Index maintenance .....	113
Backups .....	113
PostgreSQL recommendations .....	113
General requirements .....	114
Tuning PostgreSQL settings .....	114
Logging settings .....	115
Lock management .....	116
Maximum connections .....	116
Shared buffers .....	116
Work memory and maintenance work memory .....	116
Effective cache size .....	116
Checkpoints .....	117
Write-ahead log (WAL) .....	117
Autovacuum settings .....	117
High availability .....	117
Backup and recovery .....	117
Linux recommendations .....	118
Transparent Huge Pages (Linux) .....	118
Strengthen host-based authentication (Linux) .....	118
Set up authentication for SQL Server .....	118

Active Directory .....	119
The Deep Security Manager computer .....	119
Windows .....	119
Linux .....	120
Microsoft SQL Server .....	121
Synchronize system clocks .....	121
Microsoft SQL Server Express considerations .....	121
Supported versions .....	122
Limited number of hosts .....	122
Security module limitations .....	122
Minimize the agent size .....	122
Database pruning .....	122
Deploy Deep Security .....	123
Deploy the Deep Security Manager VM for Azure Marketplace .....	123
Buy Deep Security from the Azure Marketplace .....	123
Add a Microsoft Azure account to Deep Security .....	125
Create a policy .....	125
Deploy Deep Security Agents .....	126
Run Deep Security Manager on multiple nodes .....	126
Add a node .....	127
Remove a node .....	127
Viewing node statuses .....	128
Network Map with Activity Graph .....	128
Jobs by Node .....	129
Jobs by Type .....	130
Total jobs by node and type .....	131
Update the load balancer's certificate .....	132
Configure SMTP settings for email notifications .....	134
Install the agents .....	135

Get Deep Security Agent software .....	135
Download agent software packages into Deep Security Manager .....	136
Automatically import software updates .....	136
Manually import software updates .....	136
Export the agent installer .....	137
Delete a software package from the Deep Security database .....	138
Deleting agent packages in single-tenancy mode .....	138
Deleting agent packages in multi-tenancy mode .....	138
Deleting kernel support packages .....	139
Manually install the Deep Security Agent .....	139
Install a Windows agent .....	140
Installation on Amazon WorkSpaces .....	140
Installation on Windows 2012 Server Core .....	141
Install a Red Hat, SUSE, Oracle Linux, or Cloud Linux agent .....	141
Install an Ubuntu or Debian agent .....	142
Install the agent on a Microsoft Azure VM .....	142
Generate and run a deployment script .....	142
Add a custom script extension to an existing virtual machine .....	143
Install the agent on Amazon EC2 and WorkSpaces .....	143
Add your AWS accounts to Deep Security Manager .....	144
Set the communication direction .....	145
Configure the activation type .....	145
Open ports .....	147
Which ports should be opened? .....	148
Deploy agents to your Amazon EC2 instances and WorkSpaces .....	149
Verify that the agent was installed and activated properly .....	149
Assign a policy .....	150
Bake the agent into your AMI or WorkSpace bundle .....	151
Add your AWS account to Deep Security Manager .....	152

Set the communication direction .....	152
Configure the activation type .....	152
Launch a 'master' Amazon EC2 instance or Amazon WorkSpace .....	152
Deploy an agent on the master .....	152
Verify that the agent was installed and activated properly .....	153
(Recommended) Set up policy auto-assignment .....	153
Create an AMI or custom WorkSpace bundle based on the master .....	154
Use the AMI .....	154
Configure communication between components .....	155
Agent-manager communication .....	155
Configure the heartbeat .....	155
Configure communication directionality .....	157
Supported cipher suites for agent-manager communication .....	159
SSL implementation and credential provisioning .....	160
Use agent-initiated communication with cloud accounts .....	161
Enable agent-initiated communication on the policy .....	161
Assign the policy to a deployment script .....	162
Connect agents behind a proxy .....	162
Requirements .....	162
Register the proxy in Deep Security Manager .....	163
Connect agents, appliances, and relays to security updates via proxy .....	163
Connect agents to security services via proxy .....	163
Connect agents to a relay via proxy .....	164
Connect agents to a relay's private IP address .....	164
Remove a proxy setting .....	165
Windows .....	165
Linux .....	165
Subsequent agent deployments .....	165
Configure agents that have no Internet access .....	166

Solutions .....	166
Use a proxy .....	166
Install a Smart Protection Server locally .....	167
Install a relay and supporting components in your DMZ or Internet-ready area .....	168
Disable the features that use Trend Micro security services .....	170
Proxy protocols supported by Deep Security .....	173
Proxy settings .....	173
Proxy server use .....	174
Proxy servers .....	175
Manage trusted certificates .....	175
Import trusted certificates .....	176
View trusted certificates .....	176
Remove trusted certificates .....	177
If I have disabled the connection to the Smart Protection Network, is any other information sent to Trend Micro? .....	178
Activate the agent .....	178
Deactivate the agent .....	180
Stop or start the agent .....	180
Stop or start the appliance .....	181
Diagnose problems with agent deployment (Windows) .....	181
Configure teamed NICs .....	181
Agent settings .....	182
Hostnames .....	182
Agent-Initiated Activation .....	182
Data Privacy .....	184
Agentless vCloud Protection .....	184
Linux Secure Boot support for agents .....	184
Create an Azure app for Deep Security .....	187
Record the Azure Active Directory ID .....	187

Create the Azure app .....	187
Record the Azure app ID and password .....	188
Record the Subscription ID .....	188
Assign the Azure app a reader role and add it to your Azure Subscription .....	188
Distribute security and software updates with relays .....	189
How relays work .....	189
Determine the number of relays to use .....	190
Geographic region of agents .....	190
Network configuration .....	190
Network bandwidth usage .....	191
Sizing recommendations .....	191
Configure one or more relays .....	192
Create one or more relay groups .....	192
Enable one or more relays .....	194
Assign agents to a relay group .....	194
Configure relay settings for security and software updates .....	195
Security updates .....	195
Software updates .....	195
Remove relay functionality from an agent .....	196
10.2 or later .....	196
10.1 or earlier .....	197
DevOps, automation and scaling .....	198
Command-line basics .....	198
Deep Security Agent .....	199
dsa_control .....	199
Usage .....	199
Agent-initiated activation ("dsa_control -a") .....	201
Agent-initiated activation over a private network via proxy .....	202
Agent-initiated heartbeat command ("dsa_control -m") .....	203

Activate an agent .....	211
Windows .....	212
Linux .....	212
Configure a proxy for anti-malware and rule updates .....	212
Windows .....	212
Linux .....	212
Configure a proxy for connections to the manager .....	212
Windows .....	213
Linux .....	213
Force the agent to contact the manager .....	213
Windows .....	213
Linux .....	213
Initiate a manual anti-malware scan .....	213
Windows .....	213
Linux .....	214
Create a diagnostic package .....	214
Windows .....	214
Linux .....	214
Reset the agent .....	214
Windows .....	214
Linux .....	215
dsa_query .....	215
Usage .....	215
Check CPU usage and RAM usage .....	216
Windows .....	216
Linux .....	216
Check that ds_agent processes or services are running .....	216
Windows .....	216
Linux .....	216

Restart an agent on Linux .....	216
Use the Deep Security API to automate tasks .....	216
Legacy REST and SOAP APIs .....	217
Enable the Status Monitoring API (optional) .....	217
Create a Web Service user account .....	217
Schedule Deep Security to perform tasks .....	218
Create scheduled tasks .....	218
Enable or disable a scheduled task .....	220
Set up recurring reports .....	221
Automatically perform tasks when a computer is added or changed .....	221
Create an event-based task .....	221
Edit or stop an existing event-based task .....	221
Events that you can monitor .....	222
Conditions .....	223
Actions .....	225
Order of execution .....	226
Temporarily disable an event-based task .....	226
Azure virtual machine scale sets and Deep Security .....	226
Step 1: (Recommended) Add your Azure account to Deep Security Manager .....	226
Step 2: Prepare a deployment script .....	227
Step 3: Add the agent through a custom script extension to your VMSS instances .....	227
Example 1: Create a new VMSS that includes the agent .....	228
Example 2: Add the agent to an existing VMSS .....	231
Use deployment scripts to add and protect computers .....	233
Enable agent-initiated activation .....	234
Generate a deployment script .....	234
Troubleshooting and tips .....	236
Deep Security Smart Check .....	237
<b>Protect .....</b>	<b>238</b>

Intrusion Prevention .....	238
Anti-Malware .....	238
Firewall .....	239
Web Reputation .....	239
Integrity Monitoring .....	239
Log Inspection .....	240
Application Control .....	240
Manage protected computers .....	240
Add computers and other resources to Deep Security Manager .....	240
Add computers to the manager .....	241
Group computers .....	241
Export your computers list .....	242
Delete a computer .....	242
Add local network computers .....	242
Agent-initiated activation .....	242
Manually add a computer .....	243
Discover computers .....	244
Add AWS cloud accounts .....	245
Method: IAM user and cross-account role .....	247
Configure AWS Account X .....	247
Configure AWS Account Y .....	249
Add the access keys to Deep Security Manager .....	251
Add the AWS accounts to Deep Security Manager .....	252
Method: AWS access keys .....	253
Edit a cloud account .....	255
Remove a cloud account from the manager .....	255
Add Amazon WorkSpaces .....	255
Protect Amazon WorkSpaces if you already added your AWS account .....	256
Protect Amazon WorkSpaces if you have not yet added your AWS account .....	257

How do I migrate to the new cloud connector functionality? .....	257
Add a Microsoft Azure account to Deep Security .....	258
Configure a proxy setting for the Azure account .....	259
Add virtual machines from a Microsoft Azure account to Deep Security .....	259
Quick .....	259
Advanced .....	260
Manage Azure classic virtual machines with the Azure Resource Manager connector .....	261
Remove an Azure account .....	261
Create an Azure app for Deep Security .....	262
Record the Azure Active Directory ID .....	262
Create the Azure app .....	263
Record the Azure app ID and password .....	263
Record the Subscription ID .....	263
Assign the Azure app a reader role and add it to your Azure Subscription .....	263
Why should I upgrade to the new Azure Resource Manager connection functionality? .....	264
Add virtual machines hosted on VMware vCloud .....	265
Proxy setting for cloud accounts .....	265
Create a VMware vCloud Organization account for the manager .....	266
Import computers from a VMware vCloud Organization Account .....	266
Import computers from a VMware vCloud Air data center .....	267
Configure software updates for cloud accounts .....	268
Remove a cloud account .....	268
Add computer groups from Microsoft Active Directory .....	268
Additional Active Directory options .....	270
Remove Directory .....	270
Synchronize Now .....	270
Server certificate usage .....	270
Filter Active Directory objects .....	271
Import users and contacts .....	271

Keep Active Directory objects synchronized .....	272
Disable Active Directory synchronization .....	273
Remove computer groups from Active Directory synchronization .....	273
Delete Active Directory users and contacts .....	273
Protect Docker containers .....	274
Deep Security protection for the Docker host .....	275
Deep Security protection for Docker containers .....	275
Limitation on intrusion prevention recommendation scans .....	275
Computer and agent statuses .....	276
Status column - computer states .....	276
Status column - agent or appliance states .....	277
Task(s) column .....	277
Computer errors .....	280
Protection module status .....	281
Perform other actions on your computers .....	282
Computers icons .....	286
Status information for different types of computers .....	286
Ordinary computer .....	286
Relay .....	287
Docker hosts .....	287
Using Deep Security with iptables .....	288
Rules required by Deep Security Manager .....	288
Rules required by Deep Security Agent .....	289
Prevent Deep Security from automatically adding iptables rules .....	289
Enable or disable agent self-protection .....	290
Via Deep Security Manager .....	290
Via command line .....	291
Are "Offline" agents still protected by Deep Security? .....	291
Deep Security Notifier .....	291

How the notifier works .....	292
Create policies to protect your computers and other resources .....	295
Create a new policy .....	296
Other ways to create a policy .....	297
Edit the settings for a policy or individual computer .....	298
Assign a policy to a computer .....	298
Disable automatic policy updates .....	299
Send policy changes manually .....	299
Export a policy .....	300
Policies, inheritance, and overrides .....	300
Inheritance .....	301
Overrides .....	302
Override object properties .....	303
Override rule assignments .....	304
View the overrides on a computer or policy at a glance .....	304
Manage and run recommendation scans .....	305
What gets scanned? .....	305
Scan limitations .....	306
Run a recommendation scan .....	307
Create a scheduled task to regularly run recommendation scans .....	308
Configure an ongoing scan .....	309
Manually run a recommendation scan .....	309
Cancel a recommendation scan .....	309
Exclude a rule or application type from recommendation scans .....	310
Automatically implement recommendations .....	310
Check scan results and manually assign rules .....	311
Configure recommended rules .....	313
Implement additional rules for common vulnerabilities .....	313
Troubleshooting: Recommendation Scan Failure .....	314

Communication .....	314
Server resources .....	315
Timeout values .....	315
Detect and configure the interfaces available on a computer .....	315
Configure a policy for multiple interfaces .....	315
Enforce interface isolation .....	316
Overview section of the computer editor .....	317
General tab .....	317
Computer status .....	318
Protection module status .....	319
VMware virtual machine summary .....	320
Actions tab .....	321
Activation .....	321
Policy .....	321
Agent Software .....	321
Support .....	322
TPM tab .....	322
System Events tab .....	323
Overview section of the policy editor .....	323
General tab .....	323
General .....	323
Inheritance .....	323
Modules .....	324
Computer(s) Using This Policy tab .....	324
Events tab .....	324
Network engine settings .....	324
Define rules, lists, and other common objects used by policies .....	335
Rules .....	335
Lists .....	335

Other .....	336
Create a firewall rule .....	336
Add a new rule .....	336
Select the behavior and protocol of the rule .....	337
Select a Packet Source and Packet Destination .....	339
Configure rule events and alerts .....	340
Alerts .....	341
Set a schedule for the rule .....	341
Assign a context to the rule .....	341
See policies and computers a rule is assigned to .....	341
Export a rule .....	341
Delete a rule .....	342
Configure intrusion prevention rules .....	342
See the list of intrusion prevention rules .....	343
See information about an intrusion prevention rule .....	343
General Information .....	343
Details .....	343
See the list of intrusion prevention rules .....	344
General Information .....	344
Identification (Trend Micro rules only) .....	345
See information about the associated vulnerability (Trend Micro rules only) .....	345
Assign and unassign rules .....	345
Automatically assign updated required rules .....	346
Configure event logging for rules .....	347
Generate alerts .....	348
Setting configuration options (Trend Micro rules only) .....	348
Schedule active times .....	349
Exclude from recommendations .....	349
Set the context for a rule .....	350

Override the behavior mode for a rule .....	350
Override rule and application type configurations .....	351
Export and import rules .....	351
Create an integrity monitoring rule .....	352
Add a new rule .....	353
Enter integrity monitoring rule information .....	353
Select a rule template and define rule attributes .....	353
Registry Value template .....	353
File template .....	354
Custom (XML) template .....	354
Configure Trend Micro integrity monitoring rules .....	355
Configure rule events and alerts .....	355
Real-time event monitoring .....	356
Alerts .....	356
See policies and computers a rule is assigned to .....	356
Export a rule .....	356
Delete a rule .....	356
Define a log inspection rule for use in policies .....	356
Create a new log inspection rule .....	357
Decoders .....	359
Subrules .....	360
Groups .....	360
Rules, ID, and Level .....	361
Description .....	362
Decoded As .....	363
Match .....	363
Conditional Statements .....	364
Hierarchy of Evaluation .....	365
Restrictions on the Size of the Log Entry .....	366

Composite Rules .....	367
Real world examples .....	368
Log inspection rule severity levels and their recommended use .....	377
strftime() conversion specifiers .....	378
Examine a log inspection rule .....	379
Log inspection rule structure and the event matching process .....	379
Duplicate Sub-rules .....	382
Create a list of directories for use in policies .....	383
Import and export directory lists .....	386
See which policies use a directory list .....	386
Create a list of file extensions for use in policies .....	386
Import and export file extension lists .....	387
See which malware scan configurations use a file extension list .....	387
Create a list of files for use in policies .....	387
Import and export file lists .....	389
See which policies use a file list .....	390
Create a list of IP addresses for use in policies .....	390
Import and export IP lists .....	390
See which rules use an IP list .....	391
Create a list of ports for use in policies .....	391
Import and export port lists .....	391
See which rules use a port list .....	392
Create a list of MAC addresses for use in policies .....	392
Import and export MAC lists .....	392
See which policies use a MAC list .....	393
Define contexts for use in policies .....	393
Configure settings used to determine whether a computer has internet connectivity .....	393
Define a context .....	393
Define stateful firewall configurations .....	394

Add a stateful configuration .....	395
Enter stateful configuration information .....	395
Select packet inspection options .....	395
IP packet inspection .....	396
TCP packet inspection .....	396
FTP Options .....	398
UDP packet inspection .....	398
ICMP packet inspection .....	399
Export a stateful configuration .....	399
Delete a stateful configuration .....	400
See policies and computers a stateful configuration is assigned to .....	400
Define a schedule that you can apply to rules .....	400
Lock down software with application control .....	400
Key concepts .....	401
How does application control work? .....	402
A tour of the application control interface .....	403
Application Control: Software Changes (Actions) .....	404
Application Control Rulesets .....	405
Security Events .....	406
Decision Logs .....	407
What does application control detect as a software change? .....	407
Differences in how Deep Security Agent 10.x and 11.x compare files .....	408
Set up application control .....	409
Turn on application control .....	409
Monitor new and changed software .....	410
Tips for handling changes .....	412
Turn on maintenance mode when making planned changes .....	413
Application control tips and considerations .....	414
Verify that application control is enabled .....	415

Monitor application control events .....	417
Choose which application control events to log .....	417
View application control event logs .....	418
Interpret aggregated security events .....	418
Monitor application control alerts .....	419
View and change application control rulesets .....	420
View application control rulesets .....	421
Security Events .....	422
Change the action for an application control rule .....	422
Delete an individual application control rule .....	424
Delete an application control ruleset .....	424
Reset application control after too much software change .....	424
Use the API to create shared and global rulesets .....	425
Create a shared ruleset .....	428
Change from shared to computer-specific allow and block rules .....	429
Deploy application control shared rulesets via relays .....	430
Single tenant deployments .....	430
Considerations when using relays with share rulesets .....	431
Protect against malware .....	432
Types of malware scans .....	433
Real-time scan .....	433
Manual scan .....	433
Scheduled scan .....	434
Quick scan .....	434
Scan objects and sequence .....	434
Malware scan configurations .....	435
Malware events .....	435
SmartScan .....	436
Predictive Machine Learning .....	436

Malware types .....	437
Virus .....	437
Trojans .....	437
Packer .....	438
Spyware/grayware .....	438
Cookie .....	439
Other threats .....	440
Possible malware .....	440
Enable and configure anti-malware .....	440
Turn on the anti-malware module .....	441
Select the types of scans to perform .....	441
Configure scan exclusions .....	441
Ensure that Deep Security can keep up to date on the latest threats .....	442
Configure malware scans .....	443
Create or edit a malware scan configuration .....	443
Scan for specific types of malware .....	444
Scan for spyware and grayware .....	445
Scan for compressed executable files (real-time scans only) .....	445
Scan process memory (real-time scans only) .....	445
Scan compressed files .....	446
Scan embedded Microsoft Office objects .....	446
Specify the files to scan .....	447
Inclusions .....	447
Exclusions .....	448
Syntax for directory lists .....	448
Syntax of file lists .....	450
Syntax of file extension lists .....	452
Syntax of process image file lists (real-time scans only): .....	452
Scan a network directory (real-time scan only) .....	452

Specify when real-time scans occur .....	452
Configure how to handle malware .....	453
Customize malware remedial actions .....	453
ActiveAction actions .....	454
Generate alerts for malware detection .....	454
Identify malware files by file hash digest .....	455
Configure notifications on the computer .....	455
Performance tips for anti-malware .....	456
Minimize disk usage .....	456
Optimize CPU usage .....	457
Optimize RAM usage .....	458
Disable Windows Defender after installing Deep Security anti-malware on Windows Server 2016 .....	458
Installing the Anti-Malware module when Windows Defender is already disabled .....	459
Detect emerging threats using Predictive Machine Learning .....	459
Ensure Internet connectivity .....	459
Enable Predictive Machine Learning .....	460
Enhanced anti-malware and ransomware scanning with behavior monitoring .....	460
How does enhanced scanning protect you? .....	461
How to enable enhanced scanning .....	462
What happens when enhanced scanning finds a problem? .....	463
What if my agents can't connect to the Internet directly? .....	468
Smart Protection in Deep Security .....	468
Anti-malware and Smart Protection .....	468
Enable Smart Scan .....	468
Smart Protection Server for File Reputation Service .....	469
Web Reputation and Smart Protection .....	470
Smart Feedback .....	471
Handle malware .....	471
View and restore identified malware .....	472

See a list of identified files .....	472
Working with identified files .....	473
Search for an identified file .....	474
Restore quarantined files .....	476
Create a scan exclusion for the file .....	476
Restore the file .....	479
Manually restore quarantined files .....	479
Create anti-malware exceptions .....	479
Create an exception from an anti-malware event .....	480
Manually create an anti-malware exception .....	481
Exception strategies for spyware and grayware .....	481
Scan exclusion recommendations .....	482
Increase debug logging for anti-malware in protected Linux instances .....	482
Block exploit attempts using intrusion prevention .....	483
Intrusion prevention rules .....	483
Application types .....	484
Rule updates .....	484
Recommendation scans .....	485
Use behavior modes to test rules .....	485
Override the behavior mode for rules .....	486
Intrusion prevention events .....	486
Support for secure connections .....	487
Contexts .....	487
Interface tagging .....	487
Set up intrusion prevention .....	487
Enable intrusion prevention in Detect mode .....	488
Test intrusion prevention .....	490
Apply recommended rules .....	491
Monitor your system .....	493

Monitor system performance .....	493
Check intrusion prevention events .....	493
Enable 'fail open' for packet or system failures .....	493
Switch to prevent mode .....	493
Implement best practices for specific rules .....	494
HTTP Protocol Decoding rule .....	494
Cross-site scripting and generic SQL injection rules .....	494
Configure intrusion prevention rules .....	495
See the list of intrusion prevention rules .....	496
See information about an intrusion prevention rule .....	496
General Information .....	496
Details .....	497
See the list of intrusion prevention rules .....	497
General Information .....	497
Identification (Trend Micro rules only) .....	498
See information about the associated vulnerability (Trend Micro rules only) .....	498
Assign and unassign rules .....	499
Automatically assign updated required rules .....	499
Configure event logging for rules .....	500
Generate alerts .....	501
Setting configuration options (Trend Micro rules only) .....	501
Schedule active times .....	502
Exclude from recommendations .....	502
Set the context for a rule .....	503
Override the behavior mode for a rule .....	503
Override rule and application type configurations .....	504
Export and import rules .....	505
Configure an SQL injection prevention rule .....	505
What is an SQL injection attack? .....	506

What are common characters and strings used in SQL injection attacks? .....	506
How does the Generic SQL Injection Prevention rule work? .....	508
Examples of the rule and scoring system in action .....	510
Example 1: Logged and dropped traffic .....	510
Example 2: No logged or dropped traffic .....	511
Configure the Generic SQL Injection Prevention rule .....	512
Character encoding guidelines .....	515
Application types .....	517
See a list of application types .....	517
General Information .....	518
Connection .....	518
Configuration .....	519
Options .....	519
Assigned To .....	519
Inspect SSL or TLS traffic .....	519
Configure SSL inspection .....	520
Change port settings .....	521
Use Intrusion Prevention when traffic is encrypted with Perfect Forward Secrecy (PFS) .....	521
Special considerations for Diffie-Hellman ciphers .....	522
Supported ciphers .....	523
Supported protocols .....	524
Configure anti-evasion settings .....	524
Performance tips for intrusion prevention .....	527
Maximum size for configuration packages .....	528
Control endpoint traffic using the firewall .....	529
Firewall rules .....	529
Set up the Deep Security firewall .....	530
Test firewall rules before deploying them .....	531
Test in Tap mode .....	532

Test in Inline mode .....	532
Enable 'fail open' behavior .....	533
Turn on firewall .....	534
Default firewall rules .....	535
Default Bypass rule for Deep Security Manager Traffic .....	536
Restrictive or permissive firewall design .....	536
Restrictive firewall .....	536
Permissive firewall .....	537
Firewall rule actions .....	537
Firewall rule priorities .....	538
Allow rules .....	538
Force Allow rules .....	538
Bypass rules .....	539
Recommended firewall policy rules .....	539
Reconnaissance scans .....	539
Stateful inspection .....	541
Example .....	541
Important things to remember .....	542
Create a firewall rule .....	543
Add a new rule .....	544
Select the behavior and protocol of the rule .....	544
Select a Packet Source and Packet Destination .....	547
Configure rule events and alerts .....	548
Alerts .....	548
Set a schedule for the rule .....	548
Assign a context to the rule .....	549
See policies and computers a rule is assigned to .....	549
Export a rule .....	549
Delete a rule .....	549

Allow trusted traffic to bypass the firewall .....	549
Create a new IP list of trusted traffic sources .....	550
Create incoming and outbound firewall rules for trusted traffic using the IP list .....	550
Assign the firewall rules to a policy used by computers that trusted traffic flows through .....	551
Firewall rule actions and priorities .....	551
Firewall rule actions .....	551
More about Allow rules .....	552
More about Bypass rules .....	552
Default Bypass rule for Deep Security Manager traffic .....	553
More about Force Allow rules .....	554
Firewall rule sequence .....	554
A note on logging .....	555
How firewall rules work together .....	556
Rule Action .....	556
Rule priority .....	557
Putting rule action and priority together .....	558
Firewall settings .....	558
General .....	559
Firewall .....	559
Firewall Stateful Configurations .....	559
Port Scan (Computer Editor only) .....	559
Assigned Firewall Rules .....	560
Interface Isolation .....	561
Interface Isolation .....	561
Interface Patterns .....	561
Reconnaissance .....	561
Reconnaissance Scans .....	561
Advanced .....	564
Events .....	564

Events .....	564
Firewall settings with Oracle RAC .....	564
Add a rule to allow communication between nodes .....	565
Add a rule to allow UDP port 42424 .....	565
Allow other RAC-related packets .....	567
Ensure that the Oracle SQL Server rule is assigned .....	570
Ensure that anti-evasion settings are set to "Normal" .....	570
Define stateful firewall configurations .....	571
Add a stateful configuration .....	572
Enter stateful configuration information .....	572
Select packet inspection options .....	572
IP packet inspection .....	572
TCP packet inspection .....	573
FTP Options .....	574
UDP packet inspection .....	575
ICMP packet inspection .....	575
Export a stateful configuration .....	576
Delete a stateful configuration .....	576
See policies and computers a stateful configuration is assigned to .....	576
Scan for open ports .....	577
Monitor for system changes with integrity monitoring .....	578
Set up integrity monitoring .....	578
How to enable Integrity Monitoring .....	578
Turn on Integrity Monitoring .....	579
Run a Recommendation scan .....	580
Apply the Integrity Monitoring rules .....	581
Build a baseline for the computer .....	583
Periodically scan for changes .....	583
When Integrity Monitoring scans are performed .....	583

Integrity Monitoring scan performance settings .....	584
Limit CPU usage .....	584
Change the content hash algorithm .....	585
Enable a VM Scan Cache configuration .....	585
Integrity Monitoring event tagging .....	585
Create an integrity monitoring rule .....	586
Add a new rule .....	587
Enter integrity monitoring rule information .....	587
Select a rule template and define rule attributes .....	588
Registry Value template .....	588
File template .....	588
Custom (XML) template .....	589
Configure Trend Micro integrity monitoring rules .....	589
Configure rule events and alerts .....	590
Real-time event monitoring .....	590
Alerts .....	590
See policies and computers a rule is assigned to .....	590
Export a rule .....	590
Delete a rule .....	590
Integrity monitoring rules language .....	591
Entity Sets .....	592
Hierarchies and wildcards .....	593
Syntax and concepts .....	594
Include tag .....	595
Exclude tag .....	596
Case sensitivity .....	596
Entity features .....	597
ANDs and ORs .....	599
Order of evaluation .....	600

Entity attributes .....	600
Shorthand attributes .....	601
onChange attribute .....	602
Environment variables .....	602
Environment variable overrides .....	603
Registry values .....	603
Use of ".." .....	604
Best practices .....	604
DirectorySet .....	605
Tag Attributes .....	605
Entity Set Attributes .....	606
Short Hand Attributes .....	607
Meaning of "Key" .....	607
Sub Elements .....	607
FileSet .....	608
Tag Attributes .....	608
Entity Set Attributes .....	608
Short Hand Attributes .....	610
Drives Mounted as Directories .....	610
Alternate Data Streams .....	610
Meaning of "Key" .....	611
Sub Elements .....	611
Special attributes of Include and Exclude for FileSets: .....	612
GroupSet .....	612
Tag Attributes .....	612
Entity Set Attributes .....	612
Short Hand Attributes .....	613
Meaning of "Key" .....	613
Include and Exclude .....	613

InstalledSoftwareSet .....	613
Tag Attributes .....	614
Entity Set Attributes .....	614
Short Hand Attributes .....	615
Meaning of "Key" .....	615
Sub Elements .....	615
Special attributes of Include and Exclude for InstalledSoftwareSets: .....	615
PortSet .....	616
Tag Attributes .....	616
Entity Set Attributes .....	616
Meaning of "Key" .....	617
IPV6 .....	617
Matching of the Key .....	617
Sub Elements .....	618
Special attributes of Include and Exclude for PortSets: .....	618
ProcessSet .....	619
Tag Attributes .....	619
Entity Set Attributes .....	619
Short Hand Attributes .....	620
Meaning of "Key" .....	620
Sub Elements .....	621
Special attributes of Include and Exclude for ProcessSets: .....	621
RegistryKeySet .....	622
Tag Attributes .....	622
Entity Set Attributes .....	623
Short Hand Attributes .....	623
Meaning of "Key" .....	623
Sub Elements .....	623
RegistryValueSet .....	624

Tag Attributes .....	624
Entity Set Attributes .....	624
Short Hand Attributes .....	625
Meaning of "Key" .....	625
Default Value .....	625
Sub Elements .....	626
ServiceSet .....	626
Tag Attributes .....	626
Entity Set Attributes .....	627
Short Hand Attributes .....	628
Meaning of "Key" .....	628
Sub Elements .....	628
Special attributes of Include and Exclude for ServiceSets: .....	629
UserSet .....	629
Tag Attributes .....	629
Entity Set Attributes .....	629
Common Attributes .....	629
Windows-only Attributes .....	630
Linux-only Attributes .....	631
Short Hand Attributes .....	631
Meaning of "Key" .....	632
Sub Elements .....	632
Include and Exclude .....	632
Special attributes of Include and Exclude for UserSets .....	632
WQLSet .....	633
Entity Set Attributes .....	635
Meaning of Key .....	637
Include Exclude .....	637
Analyze logs with log inspection .....	637

Set up log inspection .....	638
Turn on the log inspection module .....	639
Run a recommendation scan .....	639
Apply the recommended log inspection rules .....	640
Configure log inspection event forwarding and storage .....	641
Define a log inspection rule for use in policies .....	642
Create a new log inspection rule .....	642
Decoders .....	644
Subrules .....	646
Groups .....	646
Rules, ID, and Level .....	647
Description .....	648
Decoded As .....	648
Match .....	649
Conditional Statements .....	650
Hierarchy of Evaluation .....	650
Restrictions on the Size of the Log Entry .....	652
Composite Rules .....	652
Real world examples .....	654
Log inspection rule severity levels and their recommended use .....	663
strftime() conversion specifiers .....	664
Examine a log inspection rule .....	665
Log inspection rule structure and the event matching process .....	665
Duplicate Sub-rules .....	668
Block access to malicious URLs with web reputation .....	669
Turn on the web reputation module .....	670
Switch between inline and tap mode .....	670
Enforce the security level .....	671
To configure the security level: .....	671

Create exceptions .....	672
To create URL exceptions: .....	672
Configure the Smart Protection Server .....	673
Smart Protection Server Connection Warning .....	674
Edit advanced settings .....	674
Blocking Page .....	674
Alert .....	675
Ports .....	675
Deep Security Best Practice Guide .....	675
<b>Maintain .....</b>	<b>676</b>
Check your license information .....	676
Licensing for Azure Marketplace .....	676
Back up and restore your database .....	677
Microsoft SQL Server Database .....	677
Restore the database only .....	678
Restore both the Deep Security Manager and the database .....	678
Export objects in XML or CSV format .....	678
Import objects .....	680
Restart the Deep Security Manager .....	680
Linux .....	680
Windows .....	680
Windows desktop .....	680
Command prompt .....	681
PowerShell .....	681
Upgrade Deep Security .....	681
About upgrades .....	681
How agents validate the integrity of updates .....	682
How Deep Security Manager checks for software updates .....	682
Update the Deep Security Agent .....	683

Update available notifications .....	684
Initiate an agent update .....	684
Manually upgrade the agent .....	685
Windows .....	685
Linux .....	686
Upgrade Deep Security Manager VM for Azure Marketplace .....	686
Will my virtual machines still be protected during the upgrade? .....	686
Before you begin .....	686
Upgrade to the latest version .....	687
Error: The installer could not establish a secure connection to the database server .....	689
Get and distribute security updates .....	689
Configure a security update source and settings .....	692
Perform security updates .....	693
Special case: configure updates on a relay-enabled agent in an air-gapped environment .....	693
Check your security update status .....	694
See details about pattern updates .....	694
See details about rule updates .....	695
Use a web server to distribute software updates .....	696
Web server requirements .....	696
Copy the folder structure .....	696
Configure agents to use the new software repository .....	698
Disable emails for New Pattern Update alerts .....	699
Harden Deep Security .....	699
Protect Deep Security Manager with an agent .....	700
Protect Deep Security Agent .....	701
Bind Deep Security Agent to a specific Deep Security Manager .....	701
Replace the Deep Security Manager SSL certificate .....	702
See your trusted certificates .....	703
Replace the SSL certificate in a Windows environment .....	704

Create a new .keystore file and add your certificates to the cacerts file .....	704
Create a PKCS12 keychain file and import it into the new .keystore file .....	705
Configure Deep Security Manager to use the new .keystore file .....	706
Replace the SSL certificate in a Linux environment .....	707
Create a new .keystore file and add your certificates to the cacerts file .....	707
Create a PKCS12 keychain file and import it into the new .keystore file .....	708
Configure the Deep Security Manager to use the new .keystore file .....	709
Encrypt communication between the Deep Security Manager and the database .....	709
Encrypt communication between the manager and database .....	710
Microsoft SQL Server database (Linux) .....	710
Microsoft SQL Server (Windows) .....	711
Oracle Database .....	712
PostgreSQL .....	713
Running an agent on the database server .....	714
Disable encryption between the manager and database .....	714
Microsoft SQL Server database (Linux) .....	714
Microsoft SQL Server (Windows) .....	715
Oracle Database .....	715
PostgreSQL .....	715
Change the Deep Security Manager database password .....	716
Change your Microsoft SQL Server password .....	716
Change your Oracle password .....	717
Change your PostgreSQL password .....	717
Enable Content Security Policy and HTTP Public Key Pinning .....	718
Add a content security policy or public key pin policy .....	718
Reset your configuration .....	719
Content security policy .....	719
Public key pin policy .....	719
Enforce user password rules .....	719

Specify password requirements .....	719
Use another identity provider for sign-on .....	721
Add a message to the Deep Security Manager Sign In page .....	721
Present users with terms and conditions .....	721
Other Security settings .....	721
Set up multi-factor authentication .....	721
Enable multi-factor authentication .....	722
Disable multi-factor authentication .....	724
Supported multi-factor authentication (MFA) applications .....	724
Troubleshooting MFA .....	725
What if my MFA is enabled but not working? .....	725
What if my MFA device is lost or stops working? .....	725
Configure alerts .....	726
View alerts in Deep Security Manager .....	726
Configure alert settings .....	727
Set up email notification for alerts .....	727
Turn alert emails on or off .....	728
Configure an individual user to receive alert emails .....	729
Configure recipients for all alert emails .....	729
Generate reports about alerts and other activity .....	730
Set up a single report .....	730
Set up a recurring report .....	733
Customize the dashboard .....	734
Date and time range .....	735
Computers and computer groups .....	735
Filter by tags .....	736
Select dashboard widgets .....	737
Change the layout .....	737
Save and manage dashboard layouts .....	738

Event collection in Deep Security .....	739
Where are event logs on the agent? .....	739
When are events sent to the manager? .....	739
How long are events stored? .....	740
System events .....	740
Security events .....	740
See the events associated with a policy or computer .....	741
View details about an event .....	741
Filter the list to search for an event .....	742
Export events .....	743
Improve logging performance .....	743
Log and event storage best practices .....	743
Troubleshooting .....	745
Limit log file sizes .....	746
Event logging tips .....	747
Apply tags to identify and group events .....	748
Manual tagging .....	748
Auto-tagging .....	749
Set the precedence for an auto-tagging rule .....	750
Auto-tagging log inspection events .....	750
Trusted source tagging .....	751
Local trusted computer .....	751
How does Deep Security determine whether an event on a target computer matches an event on a trusted source computer? .....	752
Tag events based on a local trusted computer .....	752
Tag events based on the Trend Micro Certified Safe Software Service .....	753
Tag events based on a trusted common baseline .....	753
Delete a tag .....	754
Reduce the number of logged events .....	754

Rank events to quantify their importance .....	757
Web reputation event risk values .....	757
Firewall rule severity values .....	757
Intrusion prevention rule severity values .....	757
Integrity monitoring rule severity values .....	758
Log inspection rule severity values .....	758
Asset values .....	758
Forward Deep Security events to an external syslog or SIEM server .....	758
Forward system events to a syslog or SIEM server .....	759
Forward security events to a syslog or SIEM server .....	760
Forward security events directly from agent computers to a syslog or SIEM server .....	760
Forward security events from the agent computers via the Deep Security Manager .....	761
Define a syslog configuration .....	761
Troubleshooting .....	764
"Failed to Send Syslog Message" alert .....	764
Can't edit syslog configurations .....	764
Can't see the syslog configuration sections of Deep Security Manager .....	764
Syslog not transferred due to an expired certificate .....	765
Syslog not delivered due to an expired or changed server certificate .....	765
Syslog or SIEM servers used for testing .....	765
Syslog message formats .....	765
CEF syslog message format .....	766
LEEF 2.0 syslog message format .....	768
Events originating in the Manager .....	768
System event log format .....	768
Events originating in the agent .....	769
Anti-malware event format .....	769
Application control event format .....	783
Firewall event log format .....	789

Integrity monitoring log event format .....	793
Intrusion prevention event log format .....	796
Log inspection event format .....	802
Web reputation event format .....	804
Configure Red Hat Enterprise Linux to receive event logs .....	807
Set up a Syslog on Red Hat Enterprise Linux 6 or 7 .....	807
Set up a Syslog on Red Hat Enterprise Linux 5 .....	808
Access events with Amazon SNS .....	808
Create an AWS user .....	809
Create an Amazon SNS topic .....	810
Enable SNS .....	810
Create subscriptions .....	811
JSON SNS configuration .....	811
Version .....	811
Statement .....	811
Topic .....	812
Condition .....	812
Bool .....	813
Exists .....	813
IpAddress .....	814
NotIpAddress .....	815
NumericEquals .....	816
NumericNotEquals .....	816
NumericGreaterThan .....	817
NumericGreaterThanEquals .....	818
NumericLessThan .....	819
NumericLessThanEquals .....	819
StringEquals .....	820
StringNotEquals .....	821

StringEqualsIgnoreCase .....	821
StringNotEqualsIgnoreCase .....	822
StringLike .....	822
StringNotLike .....	822
Event Description .....	824
Event Data Types .....	824
Event Properties .....	825
Example events in JSON format .....	841
Example Configurations .....	843
Send all critical intrusion prevention events to an SNS topic .....	843
Send different events to different SNS topics .....	843
Multiple statements vs. multiple conditions .....	844
Multiple statements .....	844
Multiple conditions .....	845
DevOps, automation and scaling .....	846
DevOps, automation and scaling .....	846
Forward system events to a remote computer via SNMP .....	847
Lists of events and alerts .....	847
Predefined alerts .....	847
Agent events .....	858
System events .....	862
Anti-malware events .....	886
What information is displayed for anti-malware events? .....	886
List of all anti-malware events .....	888
Firewall events .....	888
What information is displayed for firewall events? .....	889
List of all firewall events .....	890
Intrusion prevention events .....	897
What information is displayed for intrusion prevention events? .....	897

List of all intrusion prevention events .....	899
Integrity monitoring events .....	901
What information is displayed for integrity monitoring events? .....	901
List of all integrity monitoring events .....	902
Log inspection events .....	904
What information is displayed for log inspection events? .....	904
List of log inspection security events .....	906
Web reputation events .....	906
What information is displayed for web reputation events? .....	906
Add a URL to the list of allowed URLs .....	907
Troubleshoot common events, alerts, and errors .....	907
Why am I seeing firewall events when the firewall module is off? .....	908
Why am I getting "Unrecognized Client" events? .....	908
Troubleshoot "Smart Protection Server disconnected" errors .....	909
Check the error details .....	909
Error: Activation Failed .....	909
Activation Failed - Protocol Error .....	909
Agent-initiated communication .....	910
Bidirectional communication .....	910
Activation Failed - Unable to resolve hostname .....	910
Activation Failed - No Agent/Appliance .....	910
Error: Agent version not supported .....	911
Error: Installation of Feature 'dpi' failed: Not available: Filter .....	911
Additional information .....	911
Error: Interface out of sync .....	912
Check the specific virtual computer interfaces .....	912
Check the virtual computer interface information in vCenter .....	912
Check the vmx file and the virtual computer interface information in Deep Security Manager .....	913
Check the virtual computer interface information in the Deep Security Virtual Appliance .....	913

Workaround Options .....	914
Option 1 .....	914
Option 2 .....	914
Option 3 .....	914
Further Troubleshooting .....	914
Error: Integrity Monitoring Engine Offline and other errors occur after activating a virtual machine .....	916
Error: Module installation failed (Linux) .....	916
Error: There are one or more application type conflicts on this computer .....	917
Resolution .....	917
Consolidate ports .....	918
Disable the inherit option .....	918
Error: Unable to connect to the cloud account .....	919
Your AWS account access key ID or secret access key is invalid .....	919
The incorrect AWS IAM policy has been applied to the account being used by Deep Security .....	919
NAT, proxy, or firewall ports are not open, or settings are incorrect .....	920
Error: Unable to resolve instance hostname .....	920
Error: Anti-malware engine offline .....	920
Agent-based protection .....	921
If your agent is Windows: .....	921
If your agent is Linux: .....	922
Agentless protection .....	922
Error: Check Status Failed .....	923
Error: Log Inspection Rules Require Log Files .....	924
If the file's location is required: .....	924
If the files listed do not exist on the protected machine: .....	924
Alert: Integrity Monitoring information collection has been delayed .....	925
Alert: The memory warning threshold of Manager Node has been exceeded .....	925
Increase the allocated memory on a Windows server .....	926
Increase the allocated memory on a Linux server .....	926

Verify the memory allocation change .....	926
Alert: Manager Time Out of Sync .....	926
Event: Max TCP connections .....	927
Warning: Census, Good File Reputation, and Predictive Machine Learning Service Disconnected .....	927
Cause 1: The agent or relay-enabled agent doesn't have Internet access .....	928
Cause 2: A proxy was enabled but not configured properly .....	928
Warning: Reconnaissance Detected .....	929
Types of reconnaissance scans .....	929
Suggested actions .....	930
Warning: Insufficient disk space .....	931
Tips .....	931
Create and manage users .....	931
Synchronize with an Active Directory .....	932
Filtering the Active Directory .....	933
Add or edit an individual user .....	933
Change a user's password .....	936
Lock out a user or reset a lockout .....	936
View system events associated with a user .....	936
Delete a user .....	937
Define roles for users .....	937
Add or edit a role .....	938
Default settings for full access, auditor, and new roles .....	944
Add users who can only receive reports .....	952
Add or edit a contact .....	952
Delete a contact .....	952
Create an API key for a user .....	953
Lock out an existing API key .....	953
Unlock a locked out user name .....	954
Unlock users as an administrator .....	954

Unlock administrative users from a command line .....	954
Implement SAML single sign-on .....	955
What are SAML and single sign-on? .....	955
How SAML single sign-on works in Deep Security .....	955
Establishing a trust relationship .....	955
Creating Deep Security accounts from user identities .....	956
Implement SAML single sign-on in Deep Security .....	957
Getting started with SAML single sign-on .....	957
Configure pre-set up requirements .....	958
Configure Deep Security as a SAML service provider .....	958
Configure SAML in Deep Security .....	960
Import your identity provider's SAML metadata document .....	960
Create Deep Security roles for SAML users .....	960
Provide information for your identity provider administrator .....	960
Download the Deep Security Manager service provider SAML metadata document .....	960
Send URNs and the Deep Security SAML metadata document to the identity provider administrator .....	961
SAML claims structure .....	961
Deep Security user name (required) .....	961
Sample SAML data (abbreviated) .....	962
Deep Security user role (required) .....	962
Sample SAML data (abbreviated) .....	962
Maximum session duration (optional) .....	963
Sample SAML data (abbreviated) .....	963
Preferred language (optional) .....	963
Sample SAML data (abbreviated) .....	963
Test SAML single sign-on .....	964
Review the set-up .....	964
Create a Diagnostic Package .....	964
Service and identity provider settings .....	964

Navigate and customize Deep Security Manager .....	965
Group computers dynamically with smart folders .....	965
Create a smart folder .....	966
Edit a smart folder .....	968
Clone a smart folder .....	968
Focus your search using sub-folders .....	968
Automatically create sub-folders .....	969
Searchable Properties .....	970
General .....	970
AWS .....	972
Azure .....	974
vCenter .....	975
vCloud .....	975
Folder .....	976
Operators .....	976
View active Deep Security Manager nodes .....	978
Customize advanced system settings .....	980
Primary Tenant Access .....	980
Load Balancers .....	980
Multi-tenant Mode .....	981
Deep Security Manager Plug-ins .....	981
SOAP Web Service API .....	982
Status Monitoring API .....	982
Export .....	982
Whois .....	982
Licenses .....	983
Scan Cache Configurations .....	983
CPU Usage During Recommendation Scans .....	983
Logo .....	983

Manager AWS Identity .....	983
Application control .....	984
Accelerate compliance .....	989
Meet PCI DSS requirements with Deep Security .....	990
GDPR .....	990
FIPS 140-2 support .....	991
Differences when operating Deep Security in FIPS mode .....	992
System requirements for FIPS mode .....	993
Deep Security Manager requirements .....	993
Deep Security Agent requirements .....	994
Enable FIPS mode for your Deep Security Manager .....	994
Enable FIPS mode for a Deep Security Manager on Windows .....	994
Enable FIPS mode for a Deep Security Manager on Linux .....	994
Connect to external services when in FIPS mode .....	995
Enable FIPS mode for the operating system of the computers you are protecting .....	995
Enable FIPS mode for the Deep Security Agent on the computers you are protecting .....	996
Enable FIPS mode for a Windows 7 agent .....	996
Enable FIPS mode for an RHEL 7 or CentOS 7 agent .....	996
Using FIPS mode with a PostgreSQL database .....	996
Using FIPS mode with a Microsoft SQL Server database .....	999
Disable FIPS mode .....	1001
Bypass vulnerability management scan traffic in Deep Security .....	1001
Create a new IP list from the vulnerability scan provider IP range or addresses .....	1002
Create firewall rules for incoming and outbound scan traffic .....	1002
Assign the new firewall rules to a policy to bypass vulnerability scans .....	1003
Use TLS 1.2 with Deep Security .....	1003
Benefits of TLS 1.2 .....	1005
TLS 1.2 architectures .....	1006
Upgrade components to use TLS 1.2 .....	1010

Verify and upgrade your Deep Security Manager .....	1010
Verify your Deep Security Manager database .....	1010
Verify your Deep Security Agents .....	1011
Verify your Deep Security Relays .....	1011
Enforce TLS 1.2 .....	1012
Where can TLS 1.2 be enforced? .....	1012
What happens when TLS 1.2 enforced? .....	1012
Is TLS 1.2 enforced by default? .....	1013
Under what circumstances is TLS 1.2 enforcement possible? .....	1013
Enforce TLS 1.2 on Deep Security Manager .....	1013
Enforce TLS 1.2 on the Deep Security Relay .....	1014
Enforce TLS 1.2 on just the manager's GUI port (4119) .....	1014
Test that TLS 1.2 is enforced .....	1015
Re-enable early TLS (1.0) .....	1016
Re-enable TLS 1.0 on Deep Security Manager and the Deep Security Relay .....	1016
Re-enable TLS 1.0 on the manager's GUI port (4119) .....	1017
Determine whether TLS 1.2 is enforced .....	1017
Guidelines for deploying agents, and relays after TLS 1.2 is enforced .....	1018
Guidelines for deploying agents, and relays when TLS 1.2 is enforced .....	1018
Guidelines for using deployment scripts when TLS 1.2 is enforced .....	1018
Workaround .....	1019
Migrate a Microsoft SQL Server Express database to Enterprise .....	1021
Uninstall Deep Security .....	1022
Uninstall Deep Security Relay .....	1022
Uninstall a relay (Windows) .....	1023
Uninstall a relay (Linux) .....	1023
Uninstall Deep Security Agent .....	1024
Uninstall an agent (Windows) .....	1024
Uninstall an agent (Linux) .....	1024

Uninstall an agent (Solaris 9 or 10) .....	1025
Uninstall an agent (Solaris 11) .....	1025
Uninstall an agent (AIX) .....	1025
Uninstall an agent (HP-UX) .....	1026
Uninstall Deep Security Notifier .....	1026
Uninstall Deep Security Manager .....	1026
Uninstall the manager (Windows) .....	1026
Uninstall the manager (Linux) .....	1027
<b>FAQs .....</b>	<b>1027</b>
Deep Security release life cycle and support policy .....	1027
Support milestones for major releases .....	1028
Major release support services .....	1028
Why does my Windows machine lose network connectivity when I turn on protection? .....	1029
How do I get news about Deep Security? .....	1030
How can I minimize heartbeat alerts for offline environments in an AWS Elastic Beanstalk environment? .....	1030
Why can't I add my Azure server using the Azure cloud connector? .....	1031
Why can't I view all of the VMs in an Azure subscription in Deep Security? .....	1032
<b>Troubleshooting .....</b>	<b>1032</b>
"Activation Failed" agent status .....	1032
"Offline" agent .....	1033
Causes .....	1033
Verify that the agent is running .....	1034
Verify DNS .....	1034
Allow outbound ports (agent-initiated heartbeat) .....	1035
Allow inbound ports (manager-initiated heartbeat) .....	1036
Allow ICMP on Amazon AWS EC2 instances .....	1037
High CPU usage .....	1037
Security update connectivity .....	1038
Purple screen of death .....	1038

Prevent MTU-related agent communication issues across Amazon Virtual Private Clouds (VPC) .....	1039
Create a diagnostic package and logs .....	1041
Deep Security Manager diagnostics .....	1041
Create a diagnostic package for Deep Security Manager .....	1041
Enable debug logs for Deep Security Manager .....	1041
Deep Security Agent diagnostics .....	1042
Create an agent diagnostic package via Deep Security Manager .....	1042
Create an agent diagnostic package via CLI on a protected computer .....	1043
Collect debug logs with DebugView .....	1043



# Get Started

## Privacy and personal data collection disclosure

Certain features available in Trend Micro products collect and send feedback regarding product usage and detection information to Trend Micro. Some of this data is considered personal in certain jurisdictions and under certain regulations. If you do not want Trend Micro to collect personal data, you must ensure that you disable the related features.

The following link outlines the types of data that Trend Micro Deep Security collects and provides detailed instructions on how to disable the specific features that feed back the information.

<https://success.trendmicro.com/data-collection-disclosure>

Data collected by Trend Micro is subject to the conditions stated in the Trend Micro Privacy Policy:

[https://www.trendmicro.com/en\\_us/about/legal/privacy-policy-product.html](https://www.trendmicro.com/en_us/about/legal/privacy-policy-product.html)

[Skip To Main Content](#)

Filter:

- All Files

Submit Search

# D eep Security Software

Long Term Support (LTS)  
[Subscribe via RSS](#)

Feature Releases (FR) Earlier Versions

© 2020 Trend Micro  
Incorporated. All rights reserved.

## Buy Deep Security

## Manager from the Azure Marketplace

To buy Deep Security Manager from the Azure Marketplace, you first need to obtain a license for Deep Security. For help with obtaining one, contact [azure@trendmicro.com](mailto:azure@trendmicro.com).

Once you have a license, see "[Deploy the Deep Security Manager VM for Azure Marketplace](#)" on [page 123](#) for instructions on how to purchase and install the Deep Security Manager VM, and deploy Deep Security Agents to your Azure virtual machines.

## What's new?

### Deep Security 11.1

Below are major changes in the **feature release** Deep Security 11.1. For the support life cycle, see "[Feature releases](#)" on [page 57](#). For a detailed change log, see the [Deep Security release notes](#).

- **New RESTful API:** Deep Security 11.1 provides a new RESTful API that enables you to automate the provisioning and maintenance of security via Deep Security. Go to the [Deep Security Automation Center](#) to download the SDKs in the language of your choice and learn how to use the API.

The focus of the new API, which is continuously updated with new features and improvements, is on improving the functionality that exists in the SOAP API. When you start new automation projects, you should use the new API to benefit from continued support and maintenance in the long term.

**Note:** The REST and SOAP APIs that were provided before Deep Security 11.1 have not changed. They are still provided and function as usual. Support also has not changed

for the older APIs. For details, see ["Use the Deep Security API to automate tasks" on page 216](#).

- **Application control hash-based rules:** With Deep Security Agent 11.1, application control rules are based on a software file's SHA-256 hash value, and not by file name and/or path. This enhancement greatly improves the coverage of each rule and reduces the operational overhead of creating and managing multiple rules for files with the same hash value. For example, if a file with a particular hash executes repeatedly on a machine but with a different file name each time, a single hash-based allow or block rule controls its execution. Previously, rules also evaluated the file name and file path, so a new rule would be needed each time the software was executed. For details, see ["What does application control detect as a software change?" on page 407](#) Or, if you are using the Deep Security API to create shared rulesets, see ["Use the API to create shared and global rulesets " on page 425](#).
- **Application control simplification:** The application control user interface has been simplified by removing the redundant decision log view. For information on how to reverse an application control decision, see ["View and change application control rulesets" on page 420](#).
- **Alert improvement:** The 'Relay Update Service Unavailable' alert has been renamed to 'A Deep Security Relay cannot download security components' and now includes a more accurate description and solution.
- **Command improvement:** The `dsa_query`, and `dsa_control` commands now show the agent version and Deep Security protection module information. See ["Command-line basics" on page 198](#) for details.
- **Smart Protection Server security improvement:** The Smart Protection Server CloudFormation Template in AWS now includes an HTTPS URL for the web reputation service. For details, see [Deploy a Smart Protection Server in AWS](#).
- **TLS 1.2 change:** TLS 1.2 is now the default for all new Deep Security 11.1 deployments. If third-party applications or agents that do not support TLS 1.2 are used you'll need to re-enable TLS 1.0 to allow those applications to connect to Deep Security Manager. For backward compatibility, use of TLS 1.0 will be preserved on upgrades to Deep Security 11.1. See ["Use TLS 1.2 with Deep Security" on page 1003](#) for details.

## Trend Micro Deep Security for Azure Marketplace 11.1

- **TLS 1.2 command addition:** The `dsm_c` command includes a new `-action` parameter called `settlsprotocol`. This parameter allows you to set and view the minimum TLS version accepted by Deep Security Manager. See "[Command-line basics](#)" on page 198 for details.
- **Trend Micro licensing and registration server security improvement:** As of Deep Security 11.1, all communication with the Trend Micro licensing and registration server must be secured using HTTPS. This will be the only supported configuration from this release forward. If you currently use HTTP, you must move to HTTPS as soon as possible.

**Note:** The Deep Security Agent for AIX and Solaris have not been tested for use with this feature release. The AIX and Solaris platforms continue to be fully supported using Deep Security Manager 11.0 and will continue to be supported in the next major release (Deep Security 12.0). If you have AIX and/or Solaris platforms in your deployment, please continue to use Deep Security Manager 11.0.

## Before you install

### Feature releases

Major releases of Deep Security Manager, such as Deep Security Manager 10.0, are made available on an annual basis, and include new functionality and enhancements for existing functionality. Feature releases are interim versions of Deep Security that provide early access to new functionality and are made available at regular intervals between major releases. This means that with feature releases you can immediately benefit from new functionality without having to wait for the next major release of Deep Security. Feature releases meet the same quality and release criteria as major releases, and are intended for use in production environments.

Feature releases are comprised of new versions of Deep Security Manager and Agent. The new manager is compatible with both the new and older versions of agent. However, new features in a feature release can require that both the new manager and the new agent are used. For information about which new features require an agent update, see "What's New".

While several feature releases may become available between major releases, the functionality of all feature releases is cumulative and is ultimately rolled into the next major release, which continue to be made available on an annual basis. For example, if you are now using the latest major release of Deep Security, you can obtain the Deep Security feature release to immediately take advantage of new functionality that it provides.

**Note:** If you are constrained to longer adoption cycles, wait for the next major release to benefit from the new functionality.

For more information about major releases and support services, see "[Deep Security release life cycle and support policy](#)" on page 1027.

## Version numbers

You can easily distinguish major releases and feature releases by the version number:

- Major releases use the x.0.z version pattern, for example the 10.0 GM version number is 10.0.3259, where 10 is the major version, 0 is the minor version, and 3259 is the build number:
  - Maintenance update versions are distinguished on the [Deep Security Software](#) page with a "U" suffix, for example 10.0\_U1.
  - Maintenance updates have the build number incremented, for example the first maintenance update of 10.0 is 10.0.3271.
- Feature releases increment the minor version number, for example 10.1.z, or 10.2.z, where z is the build number.


You can obtain feature releases from the feature releases tab on the [Deep Security Software](#) page.

## Feature release life cycle

Deep Security feature releases have a shorter life cycle than major releases, and you should upgrade to the next major release when it becomes available. If you do not upgrade, you risk running an unsupported version of Deep Security. To ease the challenges of scheduling the upgrade in your production environment, support for feature releases is provided until 6 months

## Trend Micro Deep Security for Azure Marketplace 11.1

after the next major release is available. The following diagram illustrates the timing of feature release availability and the support duration with respect to that of the major releases.



## Platform support

Feature releases support the same platforms that the next major release supports. Do not equate the platform support of the current major release with that of feature releases. To see a list of older operating system versions and Deep Security Agents that are supported, see ["Supported features by platform" on page 69](#).

## Support services

Most support items are provided for feature releases.

Support item	Major release	Feature release	Delivery mechanism
Small enhancements (no change to core functionality)	✓		Update
Linux kernel updates	✓	✓	Linux Kernel Package (LKP)
General bug fixes	✓		Update
Critical bug fixes (system crash or hang, or loss of major functionality)	✓	✓	Update or Hot-fix
Critical and high vulnerability fixes	✓	✓	Update or Hot-fix
Medium and low vulnerability fixes	✓		Update
Anti-Malware pattern updates	✓	✓	iAU (Active

Support item	Major release	Feature release	Delivery mechanism
			Update)
Intrusion prevention system, integrity monitoring, and log inspection rules updates	✓	✓	iAU
Support for Agents and Deep Security Manager on new versions of supported operating systems	✓		Update

Although updates that include small enhancements, general bug fixes, and support for new versions of operating systems are not provided for feature releases, these improvements are included in new feature release versions. For example, if you use 10.1, to benefit from any of these support items you need to obtain 10.2 when it is released. You should use the currently available feature release to benefit from these continual improvements.

## About the Deep Security components

Trend Micro Deep Security provides advanced server security for physical, virtual, and cloud servers. It protects enterprise applications and data from breaches and business disruptions without requiring emergency patching. This comprehensive, centrally managed platform helps you simplify security operations while enabling regulatory compliance and accelerating the ROI of virtualization and cloud projects.

For information on the protection modules that are available for Deep Security, see ["Protect" on page 238](#).

Deep Security consists of the following set of components that work together to provide protection:

- **Deep Security Manager**, the centralized web-based management console that administrators use to configure security policy and deploy protection to the enforcement components: the Deep Security Virtual Appliance and the Deep Security Agent.
- **Deep Security Virtual Appliance** is a security virtual machine built for VMware vSphere environments that agentlessly provides anti-malware and integrity monitoring protection modules for virtual machines in a vShield environment. In an NSX environment, the anti-

malware, integrity monitoring, firewall, intrusion prevention, and web reputation modules are available agentlessly.

- **Deep Security Agent** is a security agent deployed directly on a computer which provides application control, anti-malware, web reputation service, firewall, intrusion prevention, integrity monitoring, and log inspection protection to computers on which it is installed.
- The Deep Security Agent contains a **Relay** module. A relay-enabled agent distributes software and security updates throughout your network of Deep Security components.
- **Deep Security Notifier** is a Windows System Tray application that communicates information on the local computer about security status and events, and, in the case of relay-enabled agents, also provides information about the security updates being distributed from the local machine.

## System requirements

Each part of a Deep Security deployment has its own system requirements.

- ["Deep Security Manager" on the next page](#)
- ["Deep Security Agent" on page 64](#)
- ["Deep Security Notifier" on page 64](#)

Requirements vary by version. For older versions of Deep Security Manager, agents, or relays, see their documentation:

- [Deep Security 9.6 SP1 or earlier](#)
- [Deep Security 10.0](#)
- [Deep Security 10.1](#)
- [Deep Security 10.2](#)
- [Deep Security 10.3](#)
- [Deep Security 11.0](#)

**Note:** If you plan to operate Deep Security in FIPS mode, see ["FIPS 140-2 support" on page 991](#) for additional requirements.

## Deep Security Manager

For a list of agents versions that are compatible with this version of Deep Security Manager, see "[Deep Security Manager - Agent compatibility by platform](#)" on page 64.

System component	Requirements
<b>Minimum memory (RAM)</b>	<p>Minimum RAM requirements depend on the number of agents that are being managed. See "<a href="#">Deep Security Manager sizing</a>" on page 84.</p> <p><b>Note:</b> On Linux, reserved system memory is separate from process memory. Therefore, although the installer's estimate might be similar, it will detect less RAM than the computer actually has. To verify the computer's actual total RAM, log in with a superuser account and enter:</p> <pre>grep MemTotal /proc/meminfo</pre>
<b>Minimum disk space</b>	<p>1.5 GB (200 GB recommended)</p>
<b>Operating system</b>	<ul style="list-style-type: none"> <li>• Red Hat Enterprise Linux 7 (64-bit)</li> <li>• Red Hat Enterprise Linux 6 (64-bit)</li> <li>• Windows Server 2016 (64-bit)</li> <li>• Windows Server 2012 or 2012 R2 (64-bit)</li> <li>• Windows Server 2008 or 2008 R2 (64-bit)</li> </ul>
<b>Database</b>	<ul style="list-style-type: none"> <li>• Microsoft SQL Server 2016</li> <li>• Microsoft SQL Server 2014</li> <li>• Microsoft SQL Server 2012</li> <li>• Microsoft SQL Server 2008</li> <li>• Microsoft SQL Server 2008 R2</li> <li>• Oracle Database 12c</li> </ul>

System component	Requirements
	<ul style="list-style-type: none"> <li>• Oracle Database 11g</li> <li>• PostgreSQL 9.6.x (only <a href="#">Core</a> or <a href="#">Amazon RDS</a> distributions)</li> <li>• Microsoft SQL RDS or Oracle RDS</li> <li>• Azure SQL Database (SaaS) multi-tenancy is not supported)</li> </ul> <p>Disk space required varies by the size of the deployment, data retention, and frequency of logging. See <a href="#">"Sizing" on page 84</a>.</p> <p>Minimum free disk space = (2 x database size) + transaction log</p> <p>For example, if your database plus transaction log is 40 GB, you must have 80 GB (40 x 2) of free disk space for database schema upgrades. To free disk space, delete any unnecessary event log data and transaction logs.</p> <p><b>Note:</b></p> <ul style="list-style-type: none"> <li>• Co-locate the database and all Deep Security Manager nodes in the same physical data center, with a 1 Gb link or better to ensure 2 ms latency or less between them.</li> <li>• Microsoft SQL Server Express is supported in very limited deployments. See <a href="#">"Microsoft SQL Server Express considerations" on page 121</a> for important details.</li> <li>• Trend Micro tests Deep Security with each Microsoft SQL Server service pack when it is released. Although not explicitly stated, the service packs for the Microsoft SQL versions listed above are also supported.</li> <li>• Oracle Database Express (XE) is <b>not</b> supported.</li> <li>• Oracle container database (CDB) configuration is <b>not</b> supported with Deep Security Manager multi-tenancy.</li> <li>• Apache Derby, which provided an embedded database for proof-of-concept and testing in previous versions of Deep Security, is <b>not</b> supported anymore.</li> </ul>

## Deep Security Agent

Requirements vary by OS version and the features that you enable. See "[Deep Security Agent and Relay sizing](#)" on page 88.

For a list of all operating systems and agent versions that are compatible with Deep Security Manager 11.1, see "[Deep Security Manager - Agent compatibility by platform](#)" below.

**Note:** [Supported Deep Security features vary by platform.](#)

**Note:** On supported versions of Microsoft Windows, you must have at least Powershell version 4.0 to run the agent deployment script.

## Deep Security Notifier

If installed, Deep Security Notifier appears in the Windows system tray. If anti-malware is licensed and enabled, it indicates the statuses of Deep Security Agent. Supported platforms include:

- Windows Server 2016 (64-bit)
- Windows Server 2012 or 2012 R2 (64-bit)
- Windows Server 2008 R2 (64-bit)
- Windows Server 2008 (32-bit and 64-bit)
- Windows 10 (32-bit and 64-bit)
- Windows 8.1 (32-bit and 64-bit)
- Windows 8 (32-bit and 64-bit)
- Windows 7 (32-bit and 64-bit)
- Windows XP (32-bit and 64-bit)

## Deep Security Manager - Agent compatibility by platform

Deep Security Manager 11.1 supports the Deep Security Agents in the table below.

## Trend Micro Deep Security for Azure Marketplace 11.1

**Note:** The Deep Security Agent for AIX and Solaris have not been tested for use with Deep Security Manager 11.1, which is a feature release. The AIX and Solaris platforms continue to be fully supported using Deep Security Manager 11.0 and will continue to be supported in the next major release (Deep Security 12.0). If you have AIX and/or Solaris platforms in your deployment, please continue to use Deep Security Manager 11.0. For more information on support for Solaris, see <https://success.trendmicro.com/solution/1120706>.

**Note:** The Deep Security Agent can be installed and is fully supported on any of the below platforms running in Amazon AWS or Microsoft Azure.

**Note:** Not all Deep Security features are available on all platforms. See "[Supported features by platform](#)" on page 69.

Deep Security Agent Platform	Deep Security Agent Version				
	11.1	11.0	10.1, 10.2, or 10.3 Feature release (1)	10.0	9.6
Windows 2000					✓ (2)
Windows XP (32 and 64-bit)				✓	✓
Windows Server 2003 SP1 (32 and 64-bit)				✓	
Windows Server 2003 SP2 (32 and 64-bit)				✓	
Windows Server 2003 R2 SP2 (32 and 64-bit)				✓	✓
Windows 7 (32 and 64-bit)	✓	✓	✓	✓	✓
Windows Server 2008 (Full) (32 and 64-bit)	✓	✓	✓	✓	✓
Windows Server 2008 R2 (Full) (64-bit)	✓	✓	✓	✓	✓
Windows 8 (32 and 64-bit)	✓	✓	✓	✓	✓
Windows 8.1 (32 and 64-bit)	✓	✓	✓	✓	✓
Windows 10 (32 and 64-bit) (3)	✓	✓	✓	✓	✓
Windows Server (Full) 2012 (64-bit)	✓	✓	✓	✓	✓
Windows Server (Full or Core) 2012 R2 (64-bit)	✓	✓	✓	✓	✓
Windows Server 2016 (64-bit)	✓	✓	✓	✓	✓
Windows Server 2016 RS3 (64-bit)	✓	✓			
Red Hat Enterprise Linux 5 (32 and 64-bit)				✓	✓
Red Hat Enterprise Linux 6 (32 and 64-bit)	✓	✓	✓	✓	✓
Red Hat Enterprise Linux 7 (64-bit)	✓	✓	✓	✓	✓
Ubuntu 10.04 LTS (64-bit)					✓
Ubuntu 12.04 LTS (64-bit)					✓
Ubuntu 14.04 LTS (64-bit)				✓	✓
Ubuntu 16.04 LTS (64-bit)	✓	✓	✓	✓	✓

## Trend Micro Deep Security for Azure Marketplace 11.1

Deep Security Agent Platform	Deep Security Agent Version				
	11.1	11.0	10.1, 10.2, or 10.3 Feature release <a href="#">(1)</a>	10.0	9.6
CentOS 5 (32 and 64-bit)				✓	✓
CentOS 6 (32 and 64-bit)	✓	✓	✓	✓	✓
CentOS 7 (64-bit)	✓	✓	✓	✓	✓
Debian 6 (64-bit)					✓
Debian 7 (64-bit)	✓	✓		✓	✓
Debian 8 (64-bit)	✓	✓	✓	✓ <a href="#">(4)</a>	
Debian 9 (64-bit)	✓				
Amazon Linux (64-bit)	✓	✓	✓	✓	✓
Amazon Linux 2 (64-bit)	✓	✓		✓ <a href="#">(5)</a>	
Oracle Linux 5 (32 and 64-bit)					✓
Oracle Linux 6 (32 and 64-bit)	✓	✓	✓	✓	✓
Oracle Linux 7 (64-bit)	✓	✓	✓	✓	✓
SUSE Linux Enterprise Server 10 SP3 & SP4 (32 and 64-bit)					✓
SUSE Linux Enterprise Server 11 SP1, SP2, SP3, SP4 (32 and 64-bit)	✓	✓	✓	✓	✓
SUSE Linux Enterprise Server 12 (64-bit)	✓	✓	✓	✓	✓
Cloud Linux 5 (32 and 64-bit)					✓
Cloud Linux 6 (32 and 64-bit)				✓	✓
Cloud Linux 7 (64-bit)			✓	✓	✓

(1) Support for the 10.1, 10.2, and 10.3 feature releases ends six months after the release of Deep Security 11.0. For details, see ["Feature releases" on page 57](#).

(2) Requires Deep Security Agent 9.6 SP1 Patch 1 Update 17

(3) Microsoft releases regular, semi-annual releases for Microsoft Windows 10. For details about which specific releases are supported, see [Deep Security Support for Windows 10](#).

(4) Requires Deep Security Agent 10.0 Update 1

(5) Requires Deep Security Agent 10.0 Update 8

## Docker support

You can use Deep Security 10.0 or later to protect Docker hosts and containers running on Linux distributions. Windows is not supported.

## Trend Micro Deep Security for Azure Marketplace 11.1

With each Deep Security release, Deep Security supports the last two stable releases of Docker Community Edition (CE) and Docker Enterprise Edition (EE). (See [Announcing Docker Enterprise Edition](#).) We do not officially support Docker Edge releases, but strive to test against Docker Edge releases to the best of our ability.

Support for new stable Docker releases is introduced with each release of Deep Security. We recommend that you refrain from upgrading to the latest stable release of Docker until Trend Micro documents the support statements for the latest Deep Security release.

Deep Security release	Supported Docker Releases
Deep Security 10.0	Docker v1.12.x, v1.13.x
Deep Security 10.1	Docker 17.03-ce, v1.13.x
Deep Security 10.2	Docker 17.03, 17.06
Deep Security 10.3	Docker 17.03, 17.06
Deep Security 11.0	Docker 17.03-ee, 17.06-ee, 17.09-ce, 17.12-ce
Deep Security 11.1	Docker 17.12-ce, 18.03-ce, 17.06-ee

Before deploying Deep Security into your target environment, you should ensure that Docker supports your target environment and platform configuration.

## Deep Security Agent Linux kernel support

- [Deep Security Agent 11.1 Linux kernel support](#)
- [Deep Security Agent 11.0 Linux kernel support](#)
- [Deep Security Agent 10.3 Linux kernel support](#)
- [Deep Security Agent 10.2 Linux kernel support](#)
- [Deep Security Agent 10.1 Linux kernel support](#)
- [Deep Security Agent 10.0 Linux kernel support](#)
- [Deep Security Agent 9.6 SP1 Linux kernel support](#)
- [Deep Security Agent 9.5 SP1 Linux kernel support](#)

## Trend Micro Deep Security for Azure Marketplace 11.1

You can also use a [JSON version](#) of the complete list of the supported Linux kernels for Deep Security Agent 10.0 and higher with scripts and automated workflows.

## Supported features by platform

The tables below list the features available for each OS platform of **Deep Security Agent 11.1**:

- ["Microsoft Windows \(11.1 agent\)" on the next page](#)
- ["Red Hat Enterprise Linux \(11.1 agent\)" on page 73](#)
- ["CentOS Linux \(11.1 agent\)" on page 74](#)
- ["Oracle Linux \(11.1 agent\)" on page 75](#)
- ["SUSE Linux \(11.1 agent\)" on page 76](#)
- ["Ubuntu Linux \(11.1 agent\)" on page 77](#)
- ["Debian Linux \(11.1 agent\)" on page 77](#)
- ["Cloud Linux \(11.1 agent\)" on page 78](#)
- ["Amazon Linux \(11.1 agents\)" on page 79](#)

### Note:

*Older* agents are compatible with other platforms (although they don't support new features on Deep Security Manager 11.1). See their ["Deep Security Manager - Agent compatibility by platform" on page 64](#), [Deep Security Agent release notes](#), and supported features lists:

- Deep Security Agent 10.0 (and newer) supported features: In the drop-down menu above, select that version of Deep Security. [Deep Security Agent 10.0 \(and newer\) supported features](#)
- [Deep Security Agent 9.6 Service Pack 1 supported features](#)

Trend Micro Deep Security for Azure Marketplace 11.1

Microsoft Windows (11.1 agent)

	Anti-Malware				Web Reputation Service	Firewall	Intrusion Prevention System		Integrity Monitoring					Log Inspection	Application Control	Recommendation Scan	Relay	FIPS mode
	Real-time		On-demand				Unencrypted Traffic	SSL Encrypted Traffic	Real-time		On-demand							
	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>					File and Directory Scans	Scans of Running Services, Processes, Listening Ports	File and Directory Scans	Registry Scans	Scans of Running Services, Processes, Listening Ports					
Windows 7 32	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓				
Windows 7 64	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Windows Server 2008 32	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Windows Server 2008 64	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Windows Server 2008 R2 64	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Windows 8 32	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓			
Windows 8 64	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

# Trend Micro Deep Security for Azure Marketplace 11.1

	Anti-Malware				Web Reputation Service	Firewall	Intrusion Prevention System		Integrity Monitoring					Log Inspection	Application Control	Recommendation Scan	Relay	FIPS mode
	Real-time		On-demand				Unencrypted Traffic	SSL Encrypted Traffic	Real-time		On-demand							
	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>					File and Directory Scans	Scans of Running Services, Processes, Listening Ports	File and Directory Scans	Registry Scans	Scans of Running Services, Processes, Listening Ports					
Windows 8.1 32	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓		✓			
Windows 8.1 64	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	
Windows 10 32**	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓		✓			
Windows 10 64**	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	
Windows Server 2012 64	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓		✓	✓	✓	
Windows Server 2012 R2 64	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Windows Server Core 2012 64	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

## Trend Micro Deep Security for Azure Marketplace 11.1

	Anti-Malware				Web Reputation Service	Firewall	Intrusion Prevention System		Integrity Monitoring					Log Inspection	Application Control	Recommendation Scan	Relay	FIPS mode
	Real-time		On-demand				Unencrypted Traffic	SSL Encrypted Traffic	Real-time		On-demand							
	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>					File and Directory Scans	Scans of Running Services, Processes, Listening Ports	File and Directory Scans	Registry Scans	Scans of Running Services, Processes, Listening Ports					
Windows Server Core 2012 R2 64	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Windows Server 2016 64	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	
Windows Server 2016 RS3 64	✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	

## Red Hat Enterprise Linux (11.1 agent)

	Anti-Malware				Web Reputation Service	Firewall	Intrusion Prevention System		Integrity Monitoring					Log Inspection	Application Control	Recommendation Scan	Relay	FIPS mode
	Real-time		On-demand				Unencrypted Traffic	SSL Encrypted Traffic	Real-time		On-demand							
	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>					File and Directory Scans	Scans of Running Services, Processes, Listening Ports	File and Directory Scans	Registry Scans	Scans of Running Services, Processes, Listening Ports					
Red Hat Enterprise Linux 6 32	✓		✓			✓	✓		✓	✓		✓		✓				
Red Hat Enterprise Linux 6 64	✓		✓		✓	✓	✓	✓*	✓	✓		✓	✓	✓	✓	✓		
Red Hat Enterprise Linux 7 64	✓		✓		✓	✓	✓	✓*	✓	✓		✓	✓	✓	✓	✓	✓	

CentOS Linux (11.1 agent)

	Anti-Malware				Web Reputation Service	Firewall	Intrusion Prevention System		Integrity Monitoring					Log Inspection	Application Control	Recommendation Scan	Relay	FIPS mode
	Real-time		On-demand				Unencrypted Traffic	SSL Encrypted Traffic	Real-time		On-demand							
	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>					File and Directory Scans	Scans of Running Services, Processes, Listening Ports	File and Directory Scans	Registry Scans	Scans of Running Services, Processes, Listening Ports					
CentOS 6 32	✓		✓			✓	✓		✓	✓		✓	✓		✓			
CentOS 6 64	✓		✓		✓	✓	✓	✓ <sup>+</sup> <sub>-</sub>	✓	✓		✓	✓	✓	✓	✓		
CentOS 7 64	✓		✓		✓	✓	✓	✓ <sup>+</sup> <sub>-</sub>	✓	✓		✓	✓	✓	✓	✓	✓	

## Oracle Linux (11.1 agent)

	Anti-Malware				Web Reputation Service	Firewall	Intrusion Prevention System		Integrity Monitoring					Log Inspection	Application Control	Recommendation Scan	Relay	FIPS mode
	Real-time		On-demand				Unencrypted Traffic	SSL Encrypted Traffic	Real-time		On-demand							
	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>					File and Directory Scans	Scans of Running Services, Processes, Listening Ports	File and Directory Scans	Registry Scans	Scans of Running Services, Processes, Listening Ports					
Oracle Linux 6 32			✓			✓	✓		✓	✓		✓		✓				
Oracle Linux 6 64	✓		✓		✓	✓	✓	✓*	✓	✓		✓	✓	✓	✓	✓		
Oracle Linux 7 64	✓		✓		✓	✓	✓	✓*	✓	✓		✓	✓	✓	✓	✓		

Trend Micro Deep Security for Azure Marketplace 11.1

SUSE Linux (11.1 agent)

	Anti-Malware				Web Reputation Service	Firewall	Intrusion Prevention System		Integrity Monitoring					Log Inspection	Application Control	Recommendation Scan	Relay	FIPS mode
	Real-time		On-demand				Unencrypted Traffic	SSL Encrypted Traffic	Real-time		On-demand							
	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>					File and Directory Scans	Scans of Running Services, Processes, Listening Ports	File and Directory Scans	Registry Scans	Scans of Running Services, Processes, Listening Ports					
SUSE Linux Enterprise Server 11 32	✓		✓			✓	✓		✓	✓		✓		✓				
SUSE Linux Enterprise Server 11 64	✓		✓		✓	✓	✓		✓	✓		✓		✓	✓			
SUSE Linux Enterprise Server 12 64	✓		✓		✓	✓	✓	✓*	✓	✓		✓		✓	✓	✓		

Trend Micro Deep Security for Azure Marketplace 11.1

Ubuntu Linux (11.1 agent)

	Anti-Malware				Web Reputation Service	Firewall	Intrusion Prevention System		Integrity Monitoring					Log Inspection	Application Control	Recommendation Scan	Relay	FIPS mode
	Real-time		On-demand				Unencrypted Traffic	SSL Encrypted Traffic	File and Directory Scans	Scans of Running Services, Processes, Listening Ports	File and Directory Scans	Registry Scans	Scans of Running Services, Processes, Listening Ports					
	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>														
Ubuntu 16.04	✓		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		

Debian Linux (11.1 agent)

	Anti-Malware				Web Reputation Service	Firewall	Intrusion Prevention System		Integrity Monitoring					Log Inspection	Application Control	Recommendation Scan	Relay	FIPS mode
	Real-time		On-demand				Unencrypted Traffic	SSL Encrypted Traffic	File and Directory Scans	Scans of Running Services, Processes, Listening Ports	File and Directory Scans	Registry Scans	Scans of Running Services, Processes, Listening Ports					
	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>														
Debian 7.64			✓		✓	✓	✓		✓	✓	✓	✓	✓	✓	✓	✓		

## Trend Micro Deep Security for Azure Marketplace 11.1

	Anti-Malware				Web Reputation Service	Firewall	Intrusion Prevention System		Integrity Monitoring					Log Inspection	Application Control	Recommendation Scan	Relay	FIPS mode
	Real-time		On-demand				Unencrypted Traffic	SSL Encrypted Traffic	File and Directory Scans	Scans of Running Services, Processes, Listening Ports	File and Directory Scans	Registry Scans	Scans of Running Services, Processes, Listening Ports					
	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>														
Debian 8 64	✓		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		
Debian 9 64	✓		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		

## Cloud Linux (11.1 agent)

	Anti-Malware				Web Reputation Service	Firewall	Intrusion Prevention System		Integrity Monitoring					Log Inspection	Application Control	Recommendation Scan	Relay	FIPS mode
	Real-time		On-demand				Unencrypted Traffic	SSL Encrypted Traffic	File and Directory Scans	Scans of Running Services, Processes, Listening Ports	File and Directory Scans	Registry Scans	Scans of Running Services, Processes, Listening Ports					
	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>														
Cloud Linux 7 64	✓		✓		✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓	✓		

## Amazon Linux (11.1 agents)

	Anti-Malware				Web Reputation Service	Firewall	Intrusion Prevention System		Integrity Monitoring					Log Inspection	Application Control	Recommendation Scan	Relay	FIPS mode
	Real-time		On-demand				Unencrypted Traffic	SSL Encrypted Traffic	Real-time		On-demand							
	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>					File and Directory Scans	Scans of Running Services, Processes, Listening Ports	File and Directory Scans	Registry Scans	Scans of Running Services, Processes, Listening Ports					
Amazon Linux 64	✓		✓		✓	✓	✓	✓	✓ <sup>+</sup> <sub>-</sub>	✓	✓		✓	✓	✓	✓		
Amazon Linux 2 64	✓		✓		✓	✓	✓	✓	✓ <sup>+</sup> <sub>-</sub>	✓	✓		✓	✓	✓	✓		

## Deep Security Virtual Appliance (NSX) (with embedded 11.1 agent)

	Anti-Malware				Web Reputation Service	Firewall	Intrusion Prevention System		Integrity Monitoring					Log Inspection	Application Control	Recommendation Scan	Relay	FIPS mode
	Real-time		On-demand				Unencrypted Traffic	SSL Encrypted Traffic	Real-time		On-demand							
	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>					File and Directory Scans	Scans of Running Services, Processes, Listening Ports	File Scans	Registry Scans	Scans of Running Services, Processes, Listening Ports					
Windows 7 32	✓		✓		✓	✓	✓				✓				✓			
Windows 7 64	✓		✓		✓	✓	✓				✓				✓			
Windows Server 2008 32	✓		✓		✓	✓	✓				✓				✓			
Windows Server 2008 64	✓		✓		✓	✓	✓				✓				✓			
Windows Server 2008 R2 64	✓		✓		✓	✓	✓				✓				✓			
Windows 8 32	✓		✓		✓	✓	✓				✓				✓			
Windows 8 64	✓		✓		✓	✓	✓				✓				✓			

## Trend Micro Deep Security for Azure Marketplace 11.1

	Anti-Malware				Web Reputation Service	Firewall	Intrusion Prevention System		Integrity Monitoring					Log Inspection	Application Control	Recommendation Scan	Relay	FIPS mode
	Real-time		On-demand				Unencrypted Traffic	SSL Encrypted Traffic	Real-time		On-demand							
	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>					File and Directory Scans	Scans of Running Services, Processes, Listening Ports	File Scans	Registry Scans	Scans of Running Services, Processes, Listening Ports					
Windows 8.1 32	✓		✓		✓	✓	✓				✓				✓			
Windows 8.1 64	✓		✓		✓	✓	✓				✓				✓			
Windows Server 2012 64	✓		✓		✓	✓	✓				✓				✓			
Windows Server 2012 R2 64	✓		✓		✓	✓	✓				✓				✓			
Windows 10 32 ** —	✓		✓		✓	✓	✓				✓				✓			
Windows 10 64 ** —	✓		✓		✓	✓	✓				✓				✓			
Windows 2016 64 (with NSX 6.3.3)	✓		✓		✓	✓	✓				✓				✓			
Red Hat Enterprise Linux					✓	✓	✓											

# Trend Micro Deep Security for Azure Marketplace 11.1

	Anti-Malware				Web Reputation Service	Firewall	Intrusion Prevention System		Integrity Monitoring					Log Inspection	Application Control	Recommendation Scan	Relay	FIPS mode
	Real-time		On-demand				Unencrypted Traffic	SSL Encrypted Traffic	Real-time		On-demand							
	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>					File and Directory Scans	Scans of Running Services, Processes, Listening Ports	File Scans	Registry Scans	Scans of Running Services, Processes, Listening Ports					
6 32																		
Red Hat Enterprise Linux 6 64					✓	✓	✓											
Red Hat Enterprise Linux 7 64					✓	✓	✓											
CentOS 6 32					✓	✓	✓											
CentOS 6 64					✓	✓	✓											
CentOS 7 64					✓	✓	✓											
Oracle Linux 6 32					✓	✓	✓											
Oracle Linux 6 64					✓	✓	✓											
Oracle Linux 7					✓	✓	✓											

## Trend Micro Deep Security for Azure Marketplace 11.1

	Anti-Malware				Web Reputation Service	Firewall	Intrusion Prevention System		Integrity Monitoring					Log Inspection	Application Control	Recommendation Scan	Relay	FIPS mode
	Real-time		On-demand				Unencrypted Traffic	SSL Encrypted Traffic	Real-time		On-demand							
	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>	<a href="#">Feature set 1</a>	<a href="#">Feature set 2</a>					File and Directory Scans	Scans of Running Services, Processes, Listening Ports	File Scans	Registry Scans	Scans of Running Services, Processes, Listening Ports					
64																		
SUSE Linux Enterprise Server 11 32					✓	✓	✓											
SUSE Linux Enterprise Server 11 64					✓	✓	✓											
SUSE Linux Enterprise Server 12 64					✓	✓	✓											
Ubuntu 16 LTS 64					✓	✓	✓											
Debian 8 64					✓	✓	✓											
Debian 9 64					✓	✓	✓											

**Feature set 1** includes signature-based file scanning, spyware scanning, and document exploit protection.

## Trend Micro Deep Security for Azure Marketplace 11.1

**Feature set 2** includes behavior monitoring, process memory scanning, and registry scanning.

\* This platform supports enhanced real-time integrity monitoring. It uses the application control driver to provide file monitoring and records information about *who* made changes to a monitored file.

(\*\*) For details about which specific Windows 10 update releases are supported, see [Deep Security Support for Windows 10](#).

## Sizing

Sizing guidelines for Deep Security deployments vary by the scale of your network, hardware, and software. See also "[Sizing for Azure Marketplace](#)" on page 88.

### Deep Security Manager sizing

The sizing recommendations for the Deep Security Manager computer depends on the number of agents that are being managed:

Number of agents	Number of CPUs	RAM	JVM process memory	Number of manager nodes	Recommended disk space
<500	2	8 GB	4 GB	2	200 GB
500-1000	4	8 GB	4 GB	2	200 GB
1000-5000	4	12 GB	8 GB	2	200 GB
5000-10000	8	16 GB	12 GB	2	200 GB
10000-20000	8	24 GB	16 GB	2	200 GB

## Trend Micro Deep Security for Azure Marketplace 11.1

- Two manager nodes are recommended to provide redundancy and ensure the availability of the manager services.
- To ensure adequate performance during concurrent operations, you should install Deep Security Manager and the database on separate, dedicated servers in the same physical location.
- Java Virtual machine (JVM) memory allocation is important for Deep Security Manager performance. To change the default allocated memory for the Deep Security Manager JVM process, see [Configure Deep Security Manager memory usage](#).
- Recommendation scans are CPU-intensive for the Deep Security Manager. The performance impact to the Deep Security Manager should be taken into consideration when determining how often to run recommendation scans. For more information, see "[Manage and run recommendation scans](#)" on page 305.
- Resource spikes may occur if a large number of virtual machines are rebooted simultaneously and agents re-establish their connection with Deep Security Manager at the same time.

## Multiple server nodes

For better availability and scalability in larger deployments, use a load balancer, and install the same version of Deep Security Manager on multiple servers ("nodes"). Connect them to the same database storage.

**Tip:** To avoid high load on database servers, don't connect more than two Deep Security Manager nodes to each database server.

Each manager node is capable of all tasks. No node is more important than any of the others. You can log in to any node, and agents, appliances, and relays can connect with any node. If one node fails, other nodes can still provide service, and no data will be lost.

## Database sizing

Several variables affect database disk space requirements:

## Trend Micro Deep Security for Azure Marketplace 11.1

- Number of computers
- Number of events (logs) recorded per second
- How long events are retained

Event retention settings can be configured in the policy, the individual computer settings, or both. (See ["Policies, inheritance, and overrides" on page 300.](#)) To configure disk space usage, see ["Limit log file sizes" on page 746](#), including which events are logged for stateful Firewall of TCP, UDP, and ICMP. See also [Deep Security Manager performance features](#).

The database sizes in the following tables are suggestions for use with the default settings for log and event retention. (See ["Log and event storage best practices" on page 743.](#)) To estimate sizing for your database:

1. Identify the security features you are enabling and the number of agents that you are deploying.
2. Add the individual recommendations for each security feature to estimate the database size.
3. Compare this value with the Full Policy recommendation and provision the lesser of the two.

For example, you could deploy 750 agents with Deep Security Anti-Malware, Intrusion Prevention System and Integrity Monitoring. The total of the individual recommendations is 320 GB (20 + 100 + 200). However, the "Full Policy" recommendation is 300 GB. Therefore, you should provision 300 GB.

### Disk space estimates

Number of agents	Anti-Malware	Web Reputation Service	Log Inspection	Firewall	Intrusion Prevention System	Application Control	Integrity Monitoring	Full Policy
1-99	10 GB	15 GB	20 GB	20 GB	40 GB	50 GB	50 GB	100 GB
100-499	10 GB	15 GB	20 GB	20 GB	40 GB	100 GB	100 GB	200 GB
500-999	20 GB	30 GB	50 GB	50 GB	100 GB	200 GB	200 GB	300 GB
1000-9999	50 GB	60 GB	100 GB	100 GB	200 GB	500 GB	400 GB	600 GB

## Trend Micro Deep Security for Azure Marketplace 11.1

Number of agents	Anti-Malware	Web Reputation Service	Log Inspection	Firewall	Intrusion Prevention System	Application Control	Integrity Monitoring	Full Policy
10,000-20,000	100 GB	120 GB	200 GB	200 GB	500 GB	750 GB	750 GB	1 TB

### Database sizing considerations

- By default, data pruning is not performed on system events, which have a large impact on the database size. Adjust pruning settings according to your compliance requirements. (See ["Log and event storage best practices" on page 743.](#))
- If you require long retention requirements for system events, use SIEM or Syslog servers for event forwarding. You can also use SEIM or Syslog servers for Security Control event forwarding. (See ["Forward Deep Security events to an external syslog or SIEM server " on page 758.](#))

**Note:** When system events and Security Control events are forwarded to SIEM or Syslog servers, they are not deleted from the database. To delete these events use data pruning.

- To conserve disk space, delete all agent configuration packages for each platform that are not in use. For more information, see ["Delete a software package from the Deep Security database" on page 138.](#) If you need to keep the configuration packages, add disk space accordingly. To help with estimating disk space requirements, consider a newly-installed Deep Security Manager with co-located relay that is assigned a policy that protects a Manager computer. When 29 agents (maximum 5 versions per agent platform) are added, the database size grows approximately 5 GB.
- The Rebuild Baseline, Scan for Integrity Changes, and Scan for Inventory Changes operations retain all records in the database and are never pruned or forwarded to external Syslog or SIEM systems. The Application Control and Integrity Monitoring security modules use these operations and therefore require more storage space than other security modules. Other types of operations, such as system or security events, are pruned or forwarded to external Syslog or SIEM systems.
- High-traffic environments that use the Firewall and Intrusion Prevention system modules can cause a large number of related events. Factors that influence the number of events are the number of applied Intrusion Prevention system rules and Firewall rule configuration. Because these events can require significant database storage, you should monitor these security events and use suitable data pruning.

## Trend Micro Deep Security for Azure Marketplace 11.1

- Intrusion Prevention rules are applied based on vulnerabilities assessed during a recommendation scan. You can reduce the number of rules assigned by regularly patching your system and keeping applications up to date.
- If you anticipate a significant number of Firewall events, consider disabling "Out of allowed policy" events. (See the ["Advanced" on page 564](#) section in ["Firewall settings" on page 558](#).)

## Deep Security Agent and Relay sizing

Platform	Features enabled	RAM	Minimum disk space
Windows	All protection	2 GB (4 GB recommended)	1 GB
Windows	Relay only	2 GB (4 GB recommended)	30 GB
Linux	All protection	1 GB (5 GB recommended)	1 GB
Linux	Relay only	1 GB (4 GB recommended)	30 GB

- Requirements vary by OS version, so some may require less RAM. Less RAM is also required if you are not enabling all of the Deep Security features.
- The Deep Security Relay must store packages for each of your agents' platforms. For more information, see ["Get Deep Security Agent software" on page 135](#). If you have many different platforms, more disk space is required. For information on the number of relays you should use, see ["Distribute security and software updates with relays" on page 189](#).

## Sizing for Azure Marketplace

Sizing guidelines for Deep Security in Azure Marketplace depend on the type of environment and other factors such as network, hardware, and software.

The recommendations have been classified into **Small** (1-10 000), **Medium** (10 000-20 000) and **Large** (20 000+) deployments.

## Deep Security Manager

Number of agents	Instance type	Number of Deep Security Manager nodes
1 - 10 000	Standard D2 v2	1 - 2
10 000 - 20 000	Standard D3 v2	2
20 000 +	Standard D12 v2	3

## Database

The default Azure SQL database is Standard S3 with a storage size of 20 GB, but if you have more than 10 000 agents, to improve performance, we recommend that you change the database scale to Premium P1 with the following recommended sizes:

Number of agents	Hard drive size
1 - 10 000	10 - 20 GB
10 000 - 20 000	20 - 30 GB
20 000 +	30 - 40 GB

The table above helps determine the initial database size to set for the Deep Security Database. These estimates are based on these assumptions:

- Log inspection and web reputation service (WRS) are not enabled.
- Intrusion prevention (IPS) is enabled efficiently with very few false positive events.

## Trend Micro Deep Security for Azure Marketplace 11.1

- Anti-malware (AM) events are insignificant in terms of size and are not part of the calculation. Anti-malware only logs events occasionally, unless there is an outbreak occurring.
- Log retention period is 30 days.
- Firewall events are around 50 per day.

**Note:** You can also [change the service tier and the pricing tier of a SQL database](#).

## Notes

1. Other factors, such as the modules in use, items such as the number of security updates held, the number of policies will affect database size. In general, centrally collected firewall and intrusion prevention event logs form the bulk of the database volume. Event retention (**Administration > System Settings > Storage**) is relevant to maintain a reasonably sized database. Make sure to review these settings as this will help determine how much space is needed.
2. For environments in which a significant number of firewall events are anticipated, consider disabling "Out of allowed policy" events. This can be configured for each agent or applied to at the Base policy level. (Open the **Computer** or **Policy** details page and go to **Firewall > Advanced**).
3. Environments with large retention requirements should consider SIEM or Syslog server for log storage. When logs are stored in SIEM or Syslog, less storage is required in the Deep Security database (see "[Forward Deep Security events to an external syslog or SIEM server](#)" on page 758).
4. Imported Deep Security software in the Deep Security Manager can affect database size. Always review the number of software versions you plan to keep in the database and remove unnecessary versions.

## Port numbers

If connecting Deep Security Manager, Relay, or Agents through a:

- firewall or AWS/Azure/NSX Security Group
- router

## Trend Micro Deep Security for Azure Marketplace 11.1

- proxy
- other network address translation (NAT) device

you'll need to know the required domain names or IP addresses, ports, and protocols.

- ["Deep Security Manager ports" on the next page](#)
  - ["Incoming \(listening ports\)" on the next page](#)
  - ["Outgoing" on page 93](#)
- ["Deep Security Relay ports" on page 99](#)
  - ["Incoming \(listening\)" on page 99](#)
  - ["Outgoing" on page 100](#)
- ["Deep Security Agent ports" on page 100](#)
  - ["Incoming \(listening ports\)" on page 100](#)
  - ["Outgoing" on page 101](#)

Firewall policies, proxies, and port forwarding often require this information. This is especially true for connections to services on the Internet, such as DNS, time servers, the Trend Micro Active Update servers, Trend Micro Smart Protection Network, and Deep Security as a Service. If a computer has other installed software that listens on the same ports, you must resolve the port conflict.

Default port numbers are in these tables. If the default port numbers don't work with your network or installation, you have a proxy, or if you require SSL or TLS secured versions of the traffic, the tables indicate if you can configure it.

## Deep Security Manager ports

## Incoming (listening ports)

Transport Protocol	Destination Port Number	Service	Source	Purpose	Configurable?	Proxy configurable?
TCP	443	HTTPS	Trend Micro Control Manager, SOAP API client, or other REST API client	<ul style="list-style-type: none"> <li>WSDL access at: https://&lt;manager FQDN or IP&gt;:443/webservice/Manager?WSDL</li> <li>Status monitoring at: https://&lt;manager FQDN or IP&gt;:443/rest/status/manager/ping</li> <li>Control Manager uploads sandboxing results from Deep Discovery Analyzer with connected threat defense.</li> </ul>	No	No
TCP	443	HTTPS	Web browser	Administrative connections to the Deep Security GUI or API.	No	No
TCP	443	HTTPS	Agent/Appliance	Deep Security Agent/Appliance installer downloads.	No	No
TCP	4120	HTTPS	Agent/Appliance	<ul style="list-style-type: none"> <li>Discovery and Agent/Appliance activation.</li> <li>Agent/Appliance to Manager heartbeat. Receives events and provides configuration updates to them. See also "<a href="#">Agent-manager communication</a>" on page 155.</li> </ul>	<a href="#">Yes</a>	<a href="#">Yes</a>
TCP	8443	HTTPS	Web installer	Software installation via the web installer. Once Deep Security Manager installation is complete, or if you use the Quick Start instead, you can		

## Trend Micro Deep Security for Azure Marketplace 11.1

Transport Protocol	Destination Port Number	Service	Source	Purpose	Configurable?	Proxy configurable?
				block this port.		

### Outgoing

Transport Protocol	Destination Port Number	Service	Destination	Purpose	Configurable?	Proxy configurable?
TCP	25	SMTP	E-mail server	<p>Alerts for events.</p> <p><b>Tip:</b> AWS throttles (rate limits) e-mail on SMTP's IANA standard port number, port 25. If you use AWS Marketplace, you may have faster alerts if you use SMTP over STARTTLS (secure SMTP) instead. For more information, see:  <a href="https://docs.aws.amazon.com/ses/latest/DeveloperGuide/smtp-connect.html">https://docs.aws.amazon.com/ses/latest/DeveloperGuide/smtp-connect.html</a>  <a href="https://docs.aws.amazon.com/ses/latest/DeveloperGuide/smtp-issues.html">https://docs.aws.amazon.com/ses/latest/DeveloperGuide/smtp-issues.html</a></p>	<a href="#">Yes</a>	No
UDP	53	DNS	DNS server	Domain name resolution of Trend Micro services, e-mail server, NTP server, and others.	Yes (configure in the	Yes (configure in the

## Trend Micro Deep Security for Azure Marketplace 11.1

Transport Protocol	Destination Port Number	Service	Destination	Purpose	Configurable?	Proxy configurable?
					operating system)	operating system)
TCP	80	HTTP	Trend Micro Smart Feedback <ul style="list-style-type: none"> <li>• deepsecurity1100-en.fbs25.trendmicro.com</li> <li>• deepsecurity1100-jp.fbs25.trendmicro.com</li> </ul>	Smart Protection feedback.	No	No
TCP	80	HTTP	Whois server (could be <a href="http://reports.internic.net/cgi/whois?whois_nic=[IP]&amp;type=nameserver">http://reports.internic.net/cgi/whois?whois_nic=[IP]&amp;type=nameserver</a> )	Reverse name resolution of IP addresses into hostnames for event logs and computer discovery.	<a href="#">Yes</a>	No
TCP	443	HTTPS	Trend Micro licensing and registration server <a href="http://licenseupdate.trendmicro.com">licenseupdate.trendmicro.com</a>	Licensing and product registration.	No	<a href="#">Yes</a>
TCP	80 or 443	HTTP or HTTPS	Trend Micro Active Update <ul style="list-style-type: none"> <li>• <a href="https://iaus.activeupdate.trendmicro.com/">https://iaus.activeupdate.trendmicro.com/</a></li> </ul>	Security package updates. Alternatively, use a <a href="#">relay</a> .	<a href="#">Yes</a>	<a href="#">Yes</a> <a href="#">SOCKS support</a>

## Trend Micro Deep Security for Azure Marketplace 11.1

Transport Protocol	Destination Port Number	Service	Destination	Purpose	Configurable?	Proxy configurable?
			<ul style="list-style-type: none"> <li><a href="https://ipv6-iaus.trendmicro.com">https://ipv6-iaus.trendmicro.com</a></li> </ul>			
TCP	80 or 443	HTTP or HTTPS	Trend Micro Download Center or <a href="#">web server</a> files.trendmicro.com	Deep Security Agent/Appliance installer downloads.	Yes (append port number to URL)	No
TCP	80 or 443	HTTP or HTTPS	Trend Micro <a href="#">Certified Safe Software Service (CSSS)</a> <ul style="list-style-type: none"> <li><a href="https://grid-global.trendmicro.com:443">https://grid-global.trendmicro.com:443</a></li> </ul>	Automatic event tagging for integrity monitoring.	No	<a href="#">Yes</a>
UDP	123	NTP	NTP server (can be Trend Micro Control Manager server)	Accurate time for SSL or TLS connections, schedules, and event logs.	Yes (configure in the operating system)	No

## Trend Micro Deep Security for Azure Marketplace 11.1

Transport Protocol	Destination Port Number	Service	Destination	Purpose	Configurable?	Proxy configurable?
UDP	162	SNMP	SNMP manager	Traps for events.	<a href="#">Yes</a>	No
TCP	389	LDAP	Microsoft Active Directory server	<ul style="list-style-type: none"> <li>Discovery of and (optionally) synchronization of computer groups in the directory.</li> </ul>	<a href="#">Yes</a>	No
TCP	389	HTTPS	AWS Marketplace, Microsoft Azure Marketplace, and other clouds	Communication with cloud accounts to retrieve a list of computers.	No	<a href="#">Yes</a>
TCP	443	HTTPS	news.deepsecurity.trendmicro.com	Deep Security news feed	No	<a href="#">Yes</a>
TCP	443	HTTPS	NSX Manager	Communication to VMware NSX Manager.	Yes	No
TCP	443	HTTPS	vCenter server	Communication to VMware vCenter server.	Yes	No
TCP	443	HTTPS	ESXi server	Communication to VMware ESXi server.	No	
UDP	514	Syslog	SIEM or log server	External logging and reporting.	<a href="#">Yes</a>	No
TCP	636	LDAPS	Microsoft Active Directory server	<ul style="list-style-type: none"> <li>Discovery and (optionally) synchronization of computer groups in the directory.</li> <li>Import and (optionally) synchronization of user groups, including contacts and passwords.</li> </ul>	<a href="#">Yes</a>	No

## Trend Micro Deep Security for Azure Marketplace 11.1

Transport Protocol	Destination Port Number	Service	Destination	Purpose	Configurable?	Proxy configurable?
TCP	1433	SQL	Microsoft SQL database	<p>Deep Security Manager application to its storage.</p> <p>Although it is not visible from the GUI, you can configure an <a href="#">encrypted database connection</a>.</p>	<a href="#">Yes</a>	No
TCP	1521	SQL	Oracle database	<p>Deep Security Manager application to its storage.</p> <p>Although it is not visible from the GUI, you can configure an <a href="#">encrypted database connection</a>.</p>	<a href="#">Yes</a>	No
TCP	5432	SQL	PostgreSQL database	<p>Deep Security Manager application to its storage.</p> <p>Although it is not visible from the GUI, you can configure an <a href="#">encrypted database connection</a>.</p>	<a href="#">Yes</a>	No
TCP	11000-11999, 14000-14999	SQL	Azure SQL Database	<p>If your Deep Security Manager runs inside the Azure cloud boundary, it uses a direct route to interact with the Azure SQL Database server. For more information, see <a href="https://docs.microsoft.com/en-us/azure/sql-database/sql-database-develop-direct-route-ports-adonet-v12">https://docs.microsoft.com/en-us/azure/sql-database/sql-database-develop-direct-route-ports-adonet-v12</a>.</p> <p>This is only required when using Azure SQL Database with Deep Security Manager deployed on Azure, for</p>	No	No

## Trend Micro Deep Security for Azure Marketplace 11.1

Transport Protocol	Destination Port Number	Service	Destination	Purpose	Configurable?	Proxy configurable?
				example, the Deep Security Manager VM for Azure Marketplace.		
TCP	4118	HTTPS	Agent/Appliance	<p>Manager to Agent/Appliance heartbeat. Send events and get configuration updates from the Manager. See also "<a href="#">Agent-manager communication</a>" on page 155.</p> <p>Depending on your deployment type, you may be able to close port 4118, and only use agent-initiated heartbeats.</p>	<a href="#">Yes</a>	No
TCP	4122	HTTPS	Relay	<p>Security package updates such as anti-malware engine and signatures via a Deep Security Relay. Alternatively, the Deep Security Manager can connect directly to the <a href="#">Trend Micro Active Update servers</a>.</p> <p>See also "<a href="#">Agent-manager communication</a>" on page 155.</p>	<a href="#">Yes</a>	<a href="#">Yes</a>
TCP UDP	All	All	Agent/Appliance	Port scan to detect open (listening) ports on computers.	<a href="#">Yes</a>	No

## Deep Security Relay ports

Relays require all of the ports for an agent *and* these port numbers. (See ["Deep Security Agent ports" on the next page.](#))

### Incoming (listening)

Transport Protocol	Destination Port Number	Service	Source	Purpose	Configurable?	Proxy configurable?
TCP	4122	HTTPS	Manager, Agent, Appliance, or Relay	<ul style="list-style-type: none"> <li>Relay-to-Relay communication and Agent-to-Relay communication for synchronizing Deep Security Agent software installers and security package updates such as anti-malware engine and signatures.</li> <li>Manager, agent, or appliance downloading security package updates such as anti-malware engine and signatures from Relay.</li> </ul> <p>See also <a href="#">"Agent-manager communication" on page 155.</a></p>	<a href="#">Yes</a>	<a href="#">Yes*</a> See <a href="#">Note.</a>
TCP	4123		Localhost Relay	<p>Communication of Agent to its own integrated Relay.</p> <p>This port should not be listening to connections from other computers, and you don't need to configure it in network firewall policies. But if you have a host firewall on the Deep Security Manager server itself, verify that it does not block this connection to itself. Also verify that other applications do not use the same port (a port conflict).</p>	No	No

### Outgoing

Transport Protocol	Destination Port Number	Service	Destination	Purpose	Configurable?	Proxy configurable?
TCP	80 or 443	HTTP or HTTPS	Trend Micro Active Update <ul style="list-style-type: none"> <li>https://iaus.activeupdate.trendmicro.com/</li> <li>https://ipv6-iaus.trendmicro.com</li> </ul>	Security package updates such as anti-malware engine and signatures.  Alternatively, use another relay.	<a href="#">Yes</a>	<a href="#">Yes</a>  <a href="#">SOCKS support</a>
TCP	4122	HTTPS	Relay	Relay-to-Relay communication for synchronizing Deep Security Agent software installers and security components such as anti-malware engine and signatures.  See also " <a href="#">Agent-manager communication</a> " on page 155.	<a href="#">Yes</a>	<a href="#">Yes*</a>  See <a href="#">Note</a> .

### Deep Security Agent ports

#### Incoming (listening ports)

Transport Protocol	Destination Port Number	Service	Source	Purpose	Configurable?	Proxy configurable?
TCP	4118	HTTPS	Manager	Manager to agent or appliance heartbeat. Send events and get	<a href="#">Yes</a>	No

## Trend Micro Deep Security for Azure Marketplace 11.1

Transport Protocol	Destination Port Number	Service	Source	Purpose	Configurable?	Proxy configurable?
				configuration updates from the Manager. See also <a href="#">"Agent-manager communication"</a> on page 155.		
TCP	5985	WinRM HTTP	deployment tools such as RightScale, Chef, Puppet, and Ansible	Remote installation of the agent (Windows only).	Yes  (configure in the operating system)	Yes  (configure in the operating system)

## Outgoing

Transport Protocol	Destination Port Number	Service	Destination	Purpose	Configurable?	Proxy configurable?
UDP	53	DNS	DNS server	Domain name resolution of the Deep Security Manager, Trend Micro Smart Protection Servers, and others.	Yes  (configure in the operating system)	Yes  (configure in the operating system)
TCP	80	HTTP	Good File Reputation Service 11.0 and 11.1	Communicates with the Good File Reputation Service during file scans started by Behavior Monitoring.	No	<a href="#">Yes</a>  <a href="#">SOCKS</a>

Trend Micro Deep Security for Azure Marketplace 11.1

Transport Protocol	Destination Port Number	Service	Destination	Purpose	Configurable?	Proxy configurable?
			<ul style="list-style-type: none"> <li>• deepsec11-en.gfrbridge.trendmicro.com</li> <li>• deepsec11-jp.gfrbridge.trendmicro.com</li> </ul> <p>10.2 and 10.3</p> <ul style="list-style-type: none"> <li>• deepsec102-en.gfrbridge.trendmicro.com</li> <li>• deepsec102-jp.gfrbridge.trendmicro.com</li> <li>• deepsec102-cn.gfrbridge.trendmicro.com</li> </ul> <p>10.1 and 10.0</p> <ul style="list-style-type: none"> <li>• deepsec10-en.grid-gfr.trendmicro.com</li> <li>• deepsec10-jp.grid-gfr.trendmicro.com</li> <li>• deepsec10-cn.grid-gfr.trendmicro.com</li> </ul>			<a href="#">support</a>

Trend Micro Deep Security for Azure Marketplace 11.1

Transport Protocol	Destination Port Number	Service	Destination	Purpose	Configurable?	Proxy configurable?
TCP	80	HTTP	<p>File Census</p> <p>11.0 and 11.1</p> <ul style="list-style-type: none"> <li>ds1100-en-census.trendmicro.com</li> <li>ds1100-jp-census.trendmicro.com</li> </ul> <p>10.2 and 10.3</p> <ul style="list-style-type: none"> <li>ds1020-en-census.trendmicro.com</li> <li>ds1020-sc-census.trendmicro.com</li> <li>ds1020-jp-census.trendmicro.com</li> </ul> <p>10.1 and 10.0</p> <ul style="list-style-type: none"> <li>ds1000-en.census.trendmicro.com</li> <li>ds1000-</li> </ul>	Communicates with the Global Census Server during file scans started by Behavior Monitoring.	No	<p><a href="#">Yes</a></p> <p><a href="#">SOCKS support</a></p>

Trend Micro Deep Security for Azure Marketplace 11.1

Transport Protocol	Destination Port Number	Service	Destination	Purpose	Configurable?	Proxy configurable?
			jp.census.trendmicro.com • ds1000-sc.census.trendmicro.com • ds1000-tc.census.trendmicro.com			
TCP	80 or 443	HTTP or HTTPS	Trend Micro Download Center or <a href="#">web server</a> files.trendmicro.com	Deep Security Agent/Appliance installer downloads.	Yes (append port number to URL)	No
TCP	80 or 443	HTTP or HTTPS	Web server	Connectivity test to determine context (whether the computer is on the private network or not) for policies	<a href="#">Yes</a>	No
TCP	80 or 443	HTTP or HTTPS	Predictive machine learning 11.0 and 11.1 • ds110-en-f.trx.trendmicro.com • ds110-jp-f.trx.trendmicro.com • ds110-sc-f.trx.trendmicro.com 10.2 and 10.3	Communicates with the Global Machine Learning Server during real-time file scans	No	<a href="#">Yes</a> <a href="#">SOCKS support</a>

## Trend Micro Deep Security for Azure Marketplace 11.1

Transport Protocol	Destination Port Number	Service	Destination	Purpose	Configurable?	Proxy configurable?
			<ul style="list-style-type: none"> <li>ds102-en-f.trx.trendmicro.com</li> <li>ds102-jp-f.trx.trendmicro.com</li> <li>ds102-sc-f.trx.trendmicro.com</li> </ul>			
TCP	80 or 443	HTTP or HTTPS	<p>Trend Micro <a href="#">Smart Protection Network</a></p> <p>11.0 and 11.1</p> <ul style="list-style-type: none"> <li>ds110.icrc.trendmicro.com</li> <li>ds110-jp.icrc.trendmicro.com</li> </ul> <p>10.2 and 10.3</p> <ul style="list-style-type: none"> <li>ds102.icrc.trendmicro.com</li> <li>ds102-jp.icrc.trendmicro.com</li> <li>ds102-sc.icrc.trendmicro.com.cn</li> </ul> <p>10.1 and 10.0</p> <ul style="list-style-type: none"> <li>ds10.icrc.trendmicro.com</li> <li>ds10.icrc.trendmicro.com/tmcss/</li> <li>ds10-</li> </ul>	<p>File reputation service and Smart Protection feedback.</p> <p>Alternatively, you can <a href="#">connect to a Smart Protection Server</a> on your local network.</p>	<a href="#">Yes</a>	<a href="#">Yes</a>

## Trend Micro Deep Security for Azure Marketplace 11.1

Transport Protocol	Destination Port Number	Service	Destination	Purpose	Configurable?	Proxy configurable?
			<p>jp.icrc.trendmicro.com/tmcss/</p> <ul style="list-style-type: none"> <li>ds10-sc.icrc.trendmicro.com/tmcss/</li> </ul>			
TCP	80 or 443	HTTP or HTTPS	<a href="#">Smart Protection Server</a>	<p>File reputation service.</p> <p>You can <a href="#">connect to a Smart Protection Server</a> on your local network.</p>	<a href="#">Yes</a>	<a href="#">Yes</a>
UDP	123	NTP	NTP server (can be Trend Micro Control Manager server)	Accurate time for SSL or TLS connections, schedules, and event logs.	Yes (configure in the operating system)	No
UDP	514	Syslog	SIEM or log server	<p>External logging and reporting.</p> <p>This is only used if you want the agents to send directly to an external SIEM, instead of uploading event logs to the Deep Security Manager.</p>	<a href="#">Yes</a>	No
TCP	4119	HTTPS	Manager	Deep Security Agent installer downloads.	<a href="#">Yes</a>	No

## Trend Micro Deep Security for Azure Marketplace 11.1

Transport Protocol	Destination Port Number	Service	Destination	Purpose	Configurable?	Proxy configurable?
TCP	4120	HTTPS	Manager	<ul style="list-style-type: none"> <li>Discovery and Agent/Appliance activation.</li> <li>Agent or Appliance to Manager heartbeat. Receives events and provides configuration updates to them. See also "<a href="#">Agent-manager communication</a>" on <a href="#">page 155</a>.</li> </ul>	<a href="#">Yes</a>	<a href="#">Yes*</a> See <a href="#">Note</a> .
TCP	4122	HTTPS	Relay	<p>Agent-to-relay communication for Deep Security Agent software installers and security package updates such as anti-malware engine and signatures.</p> <p>See also "<a href="#">Agent-manager communication</a>" on <a href="#">page 155</a>.</p>	<a href="#">Yes</a>	<a href="#">Yes*</a> See <a href="#">Note</a> .
TCP	5274	HTTPS	<p>Trend Micro <a href="#">Smart Protection Network</a></p> <p>11.0 and 11.1</p> <ul style="list-style-type: none"> <li>ds11-0-en.url.trendmicro.com</li> <li>ds11-0-jp.url.trendmicro.com</li> </ul> <p>10.2 and 10.3</p> <ul style="list-style-type: none"> <li>ds10-2-en.url.trendmicro.com</li> <li>ds10-2-sc.url.trendmicro.com.cn</li> </ul>	<p>Web reputation service.</p> <p>Alternatively, you can <a href="#">connect to a Smart Protection Server</a> on your local network.</p>	<a href="#">Yes</a>	<a href="#">Yes</a>

## Trend Micro Deep Security for Azure Marketplace 11.1

Transport Protocol	Destination Port Number	Service	Destination	Purpose	Configurable?	Proxy configurable?
			<ul style="list-style-type: none"> <li>ds10-2-jp.url.trendmicro.com</li> </ul> 10.1 and 10.0 <ul style="list-style-type: none"> <li>ds100-en.url.trendmicro.com</li> <li>ds100-sc.url.trendmicro.com</li> <li>ds100-jp.url.trendmicro.com</li> </ul>			
TCP	5274	HTTPS	Smart Protection Server	Web reputation service. You can <a href="#">connect to a Smart Protection Server</a> on your local network..	<a href="#">Yes</a>	No

**Note:** In Deep Security Agent 10.0 GM and earlier, agents didn't have support for connections through a proxy to relays. You must either:

- update agents' software (see "[Get Deep Security Agent software](#)" on page 135), then configure the proxy (see "[Connect agents behind a proxy](#)" on page 162.)
- bypass the proxy
- [change the application control rulesets relay setting](#) as a workaround

## Prepare a database for Deep Security Manager

Before you install Deep Security Manager, you must prepare a database and user account for Deep Security Manager to use. Refer to your database provider's documentation for instructions on database installation and deployment, but also consider the following for integration with Deep Security:

**Note:** The Deep Security Manager must be co-located on the same network as its database, with the connection speed of 1 GB LAN or higher. Connections over WAN are discouraged. Deep Security Manager relies on the database to function. Any increase in latency can have a serious negative impact on Deep Security Manager's performance and availability.

1. Check the "[Hardware considerations](#)" on the next page.
2. Choose your database type. For a list of supported databases, see [Database](#).

Depending on which database you choose, see "[Microsoft SQL Server](#)" on page 111, "[Oracle Database](#)" on page 112, or "[PostgreSQL recommendations](#)" on page 113 for database-specific considerations.

**Note:** Microsoft SQL Server Express is supported only in limited deployments. For details, see "[Microsoft SQL Server Express considerations](#)" on page 121.

3. For high availability, the Deep Security database is compatible with database failover protection so long as no alterations are made to the database schema. For example, some database replication technologies add columns to the database tables during replication which can result in critical failures. For this reason, database mirroring is recommended over database replication.
4. The database time must be synchronized with the time on the Deep Security Manager computer. Ensure that the database and the manager use the same time zone and that they are synchronizing their time to the same time source.
5. Allow communication from the Deep Security Manager computer to the database computer. See "[Port numbers](#)" on page 90.
6. During the Deep Security Manager installation, you will be asked for database connection details. Enter the database hostname under "Hostname" and the database that you created for Deep Security under "Database Name".

The installation supports both SQL and Windows Authentication. When using Windows Authentication, click the "Advanced" button to display additional options.

## Hardware considerations

### Dedicated server

The database should be installed on a dedicated server that is separate from the manager nodes. It is also important that the database and the Deep Security Manager be co-located on the same network with a 1 Gb LAN connection to ensure unhindered communication between the two. (WAN connections are not recommended.) The same applies to additional Deep Security Manager nodes. 2 ms latency or less is recommended for the connection from the manager to the database.

To achieve this if you install the manager and database on VMs, make sure they are always run in the same ESXi host.

1. In the vCenter Web Client, go to **Host and Clusters** and select the cluster.
2. Go to the **Manage** tab and click **VM/Host Rules > Add**.
3. Type a name for the rule.
4. Select **Enable rule**.
5. From **Type** select **Keep Virtual Machines Together**.
6. Click **Add** and select the manager and database VMs.

### Hardware recommendations

Many Deep Security Manager operations (such as updates and recommendation scans) require high CPU and memory resources. Trend Micro recommends that each manager node has four cores and sufficient RAM in high scale environments.

The database should be installed on hardware that is equal to or better than the specifications of the best Deep Security Manager node. For the best performance, the database should have 8-16 GB of RAM and fast access to the local or network attached storage. Whenever possible, a database administrator should be consulted on the best configuration of the database server and a maintenance plan should be put in effect.

## Microsoft SQL Server

### General requirements

- You must create an empty database that will be used by Deep Security.
- Enable "Remote TCP Connections"(see [https://msdn.microsoft.com/en-us/library/bb909712\(v=vs.120\).aspx](https://msdn.microsoft.com/en-us/library/bb909712(v=vs.120).aspx)).
- Grant **db\_owner** rights to the Deep Security Manager's database user.

#### Note:

If you use Microsoft SQL Server, Deep Security Manager must connect as either a Microsoft Active Directory domain or SQL user. Windows workgroup authentication is no longer supported.

See also "[Set up authentication for SQL Server](#)" on page 118

### Transport protocol

- The supported [transport protocol](#) is **TCP** for newly-installed versions of Deep Security 10.2 or later versions.
- If you are upgrading from Deep Security 10.1 or a previous version and you are using a named pipe as the transport protocol, DSM will continue to use a named pipe when you upgrade. Trend Micro recommends that you use TCP and encrypt communications. (See "[Encrypt communication between the Deep Security Manager and the database](#)" on page 709.)

### Database maintenance

It is important to have good database maintenance strategies in place. Refer to the Microsoft SQL Server documentation for guidelines, including [Options in the Back Up Database Task for Maintenance Plan](#).

## Oracle Database

- Start the "Oracle Listener" service. Verify that it accepts TCP connections.
- Don't use special characters in Deep Security Manager's database user name. Although Oracle allows special characters when configuring the database user object if they are surrounded by quotes, Deep Security does not support special characters for the database user.
- Grant the **CONNECT** and **RESOURCE** roles and **UNLIMITED TABLESPACE**, **CREATE SEQUENCE**, **CREATE TABLE** and **CREATE TRIGGER** permissions to the Deep Security Manager's database user.

If using multi-tenancy, also grant **CREATE USER**, **DROP USER**, **ALTER USER**, **GRANT ANY PRIVILEGE** and **GRANT ANY ROLE** to the Deep Security Manager's database user.

**Note:** Oracle container database (CDB) configuration is **not** supported with Deep Security Manager multi-tenancy.

## Oracle RAC (Real Application Clusters) support

Deep Security supports:

- SUSE Linux Enterprise Server 11 SP3 with Oracle RAC 12c Release 1 (v12.1.0.2.0)
- Red Hat Linux Enterprise Server 6.6 with Oracle RAC 12c Release 1 (v12.1.0.2.0)

The default Linux Server Deep Security policy is compatible with the Oracle RAC environment, with the exception of Firewall settings. You can disable Firewall or customize the Firewall settings according to the instructions in ["Firewall settings with Oracle RAC" on page 564](#).

## Database maintenance

Database maintenance is necessary to ensure the health of your Deep Security deployment.

### Index maintenance

To improve Deep Security Manager performance, we recommend that you perform regular index maintenance on the Deep Security database to keep it from becoming overly fragmented. Follow your organization's best practices for reindexing databases, or refer to your database vendor's documentation for guidance:

- **PostgreSQL:** See <https://www.postgresql.org/docs/10/sql-reindex.html> for details on the PostgreSQL reindex command. Note that this command will block some operations, so it's best to run it offline, during upgrades. When run offline on a previous snapshot, it takes approximately 45 minutes to complete.
- **Microsoft SQL:** Refer to documentation from Microsoft for index maintenance best practices: <https://docs.microsoft.com/en-us/sql/relational-databases/indexes/reorganize-and-rebuild-indexes>.
- **Oracle Database:** Follow Oracle's best practices on managing indexes. For example, see [https://docs.oracle.com/cd/B28359\\_01/server.111/b28310/indexes002.htm#ADMIN11713](https://docs.oracle.com/cd/B28359_01/server.111/b28310/indexes002.htm#ADMIN11713).

There are also open source websites that provide scripts that can help you with this task.

### Backups

It's important to have a backup strategy in place for the Deep Security database in case of failure. Consult your database vendor's documentation for instructions on how to back up your database and see "[Back up and restore your database](#)" on page 677 for instructions on how to restore the database, if necessary.

### PostgreSQL recommendations

Tuning recommendations that you should consider depend on your organization's needs (see "[Tuning PostgreSQL settings](#)" on the next page).

## General requirements

- General database setup recommendations are located in "[Prepare a database for Deep Security Manager](#)" on page 109. For information on how to install and configure a PostgreSQL database specifically, refer to the [PostgreSQL documentation](#).

If you need additional help, PostgreSQL offers [professional support](#).

- To prepare a PostgreSQL database for use with Deep Security Manager:

```
CREATE DATABASE "<database>" ;
```

```
CREATE ROLE "<username>" WITH PASSWORD '<password>' ;
```

```
GRANT ALL ON DATABASE "<database>" TO "<username>" ;
```

```
GRANT CONNECT ON DATABASE "<database>" TO "<username>" ;
```

- Based on your security requirements, consider using TLS to secure traffic between the Deep Security Manager and PostgreSQL. To turn on TLS after Deep Security Manager has been installed, see "[Encrypt communication between the Deep Security Manager and the database](#)" on page 709.
- If using multi-tenancy, users also need the right to create new databases and roles:

```
ALTER ROLE <username> CREATEDB CREATEROLE ;
```

## Tuning PostgreSQL settings

To change the settings described in this section:

1. Open the `postgresql.conf` file. [File locations depend on your PostgreSQL configuration](#).
2. Edit the parameters that you want to change.

## Trend Micro Deep Security for Azure Marketplace 11.1

3. Save and close the file.
4. Restart the PostgreSQL service.

### Logging settings

By default, PostgreSQL log files are not rotated, which can lead to the log files using a large amount of disk space. When using PostgreSQL with Deep Security, we recommend that you use these four parameters in the `postgresql.conf` file to configure log rotation:

- `log_filename`
- `log_rotation_age`
- `log_rotation_size`
- `log_truncate_on_rotation`

`log_rotation_age` and `log_rotation_size` control when a new log file is created. For example, setting `log_rotation_age` to 1440 will create a new log file every 1440 minutes (1 day), and setting `log_rotation_size` to 10000 will create a new log file when the previous one reaches 10 000 KB.

`log_filename` controls the name given to every log file. You can use time and date format conversion in the name. For a complete list, see <http://pubs.opengroup.org/onlinepubs/009695399/functions/strftime.html>.

When `log_truncate_on_rotation` is set to "on", it will overwrite any log file that has the same name as a newly created log file.

There are several combinations of parameters that you can use to achieve a log rotation to suit your requirements. Here is one example:

- `log_filename = 'postgresql-%a.log'` (every log file has the first 3 letters of the weekday in its name)
- `log_rotation_age = 1440` (a new log file is created daily)
- `log_rotation_size = 0`. (setting is disabled to prevent the overwriting of the daily log file every time this limit is exceeded)
- `log_truncate_on_rotation = on` (enable log file overwrite)

### Lock management

By default, the `deadlock_timeout` setting in the `postgresql.conf` file is configured to 1 second. This means every time a query waits on a lock for more than 1 second, PostgreSQL will launch a check for deadlock condition and will log an error if the logging setting has been configured that way (by default, it is). This can lead to performance degradation on bigger systems, where it can be normal for queries to wait for more than 1 second during load times. On large systems, consider increasing the `deadlock_timeout` setting. The PostgreSQL documentation contains this recommendation: "Ideally the setting should exceed your typical transaction time [...]".

### Maximum connections

The `max_connections` setting in the `postgresql.conf` file specifies the maximum number of open connections to the database. The default value is 100. We recommend increasing this value to 500.

### Shared buffers

The `shared_buffers` setting in the `postgresql.conf` file specifies how much memory PostgreSQL can use to cache data. A system with 1 GB of RAM must have one quarter of its memory value for shared buffer, which means the shared buffer should be set to 256 MB (the default is 32 MB).

### Work memory and maintenance work memory

The `work_mem` setting in the `postgresql.conf` file specifies the amount of memory that can be used by internal sort operations and hash tables before writing to temporary disk files. The default value is 1 MB, but it should be increased when running complex queries. The `maintenance_work_mem` setting determines the maximum amount of memory used for maintenance operations such as ALTER TABLE.

### Effective cache size

The `effective_cache_size` setting in the `postgresql.conf` file is used to estimate cache effects by a query. This setting only affects cost estimates during query planning and does not result in higher memory consumption. Consider increasing this setting.

### Checkpoints

Checkpoints are usually the main source of writes to data files. To get the smoothest performance, most checkpoints should be "timed" (triggered by `checkpoint_timeout`) and not "requested" (triggered by filling all the available WAL segments or by an explicit CHECKPOINT command). We strongly recommend that you make checkpoints less frequent.

Setting	Default value	Recommended value
<code>checkpoint_timeout</code>	5min	15min
<code>checkpoint_completion_target</code>	0.5	0.9
<code>max_wal_size</code>	1GB	16GB

### Write-ahead log (WAL)

The default value for the `wal_level` setting is 'minimal', which is appropriate when replication is not in place. Consider changing it if you plan to set up replicas.

### Autovacuum settings

PostgreSQL requires periodic maintenance called "vacuuming". Auto vacuuming is recommended in many cases, so there is no need to change the default setting:

```
autovacuum_max_workers = 3.
```

### High availability

High availability (HA) is not set by default and was not enabled in our test environment, but it is highly recommended to ensure business continuity in the case of a database malfunction or server inaccessibility. Refer to your PostgreSQL documentation for information on how to enable and configure HA.

### Backup and recovery

Backup and recovery is not set by default, but it's absolutely essential in a production environment.

**Note:** Basic tools like `pg_dump` or `pg_basebackup` are not suitable for backups in an enterprise environment. Consider using other tools like Barman (<https://www.pgbarman.org/index.html>) for backup and recovery.

## Linux recommendations

### Transparent Huge Pages (Linux)

Transparent Huge Pages (THP) is a Linux memory management system that reduces the overhead of Translation Lookaside Buffer (TLB) lookups on machines with large amounts of memory by using larger memory pages. THP is enabled by default on Linux, but it is not recommended for computer running a database and should be disabled if PostgreSQL is installed on a Linux computer. Refer to your OS vendor's documentation for details.

### Strengthen host-based authentication (Linux)

By default, Linux does not have restricted host-based authentication (HBA) for databases. Strengthening the HBA settings on a database appliance helps to prevent unauthorized access from external hosts. The HBA settings restrict access to an IP address range so that only hosts within that range have access. HBA settings were not used on our test environment and we do not recommend them.

## Set up authentication for SQL Server

When using Microsoft SQL Server as the Deep Security Manager database, you must use Kerberos as the authentication protocol. You must configure the following components to use Kerberos:

- ["Active Directory" on the next page](#)
- ["The Deep Security Manager computer" on the next page](#)
- ["Microsoft SQL Server" on page 121](#)

You also need to make sure that system clocks are synchronized. See ["Synchronize system clocks" on page 121](#).

### Active Directory

1. Ensure that Active Directory Domain Controller is installed.
2. Open Server Manager and ensure that the following services are running:
  - DNS Service
  - Kerberos Key Distribution Service
3. Ensure that the SQL Server computer has joined the domain.
4. Create an Active Directory user for Deep Security Manager to use to connect with SQL Server. Configure the account so that the password never expires.
5. To open ADSI Edit, type the following command in Command Prompt:  
`ADSIEdit.msc`
6. Right-click the SQL Server computer and select **Properties**.
7. Edit the **servicePrincipalNames** attribute and add the following strings, or ensure that existing strings use this format:
  - `MSSQLSvc/<SQL Server fully qualified name>`
  - `MSSQLSvc/<SQL Server fully qualified name>:<Port>`

### The Deep Security Manager computer

The configuration steps differ for Windows and Linux computers.

#### Windows

1. To ensure that the DNS forward lookup and reverse lookup services resolve to the Active Directory and MS SQL computers, type the following commands in Command Prompt:
  - `nslookup <SQL Server IP address>`
  - `nslookup <Active Directory Controller IP address>`

## Trend Micro Deep Security for Azure Marketplace 11.1

- `nslookup <SQL Server fully qualified domain name>`
- `nslookup <Active Directory Controller fully qualified domain name>`

2. When you install Deep Security Manager, when you are specifying the database connection settings, specify the credentials of the user account that you created in Active Directory. In the Advanced options, specify the correct domain.

## Linux

1. Open the `/etc/krb5.conf` file in a text editor to configure Kerberos.
2. Add the following text to the `libdefaults` section:

```
default_realm = <DOMAIN>
[realms]
<DOMAIN> = {
kdc = <ACTIVE_DIRECTORY_CONTROLLER_FQDN>
admin_server = <ACTIVE_DIRECTORY_CONTROLLER_FQDN>
}
[domain_realm]
.<DOMAIN FQDN> = <DOMAIN>
<DOMAIN FQDN> = <DOMAIN>
```

3. Save and close the file.
4. To ensure that the DNS forward lookup and reverse lookup services resolve to the Active Directory and MS SQL computers, type the following commands in Terminal:

- `nslookup <SQL Server IP address>`
- `nslookup <Active Directory Controller IP address>`
- `nslookup <SQL Server fully qualified domain name>`
- `nslookup <Active Directory Controller fully qualified domain name>`

## Microsoft SQL Server

1. Add a Login for the Active Directory user that you created for Deep Security Manager (See [https://docs.microsoft.com/en-us/previous-versions/sql/sql-server-2008-r2/aa337562\(v=sql.105\)](https://docs.microsoft.com/en-us/previous-versions/sql/sql-server-2008-r2/aa337562(v=sql.105))):
  - Select Windows authentication.
  - For Server Roles, select dbcreator. (The public role should be selected by default.)
  - For User Mapping, map the db\_owner role membership to the Deep Security Manager database.
2. Ensure that the DNS forward lookup and reverse lookup services resolve to the SQL Server computer. Type the following commands in Command Prompt:
  - `nslookup <SQL Server IP address>`
  - `nslookup <SQL Server fully qualified domain name>`

## Synchronize system clocks

Kerberos authentication requires that the system clocks of authenticating computers are within five minutes of the Active Directory system clock. Ensure that you synchronize the Active Directory and SQL Server system clocks.

## Microsoft SQL Server Express considerations

You can use Microsoft SQL Server Express as your Deep Security database in certain scenarios, but there are important limitations due to the 10 GB size limit for Microsoft SQL Server Express databases. If you think your deployment may exceed these limitations, use Microsoft SQL Server, Oracle database, or PostgreSQL instead.

**Warning:** If you exceed the 10 GB size limit, you will experience a service outage and you will need to upgrade to a paid version of Microsoft SQL Server.

## Supported versions

- Microsoft SQL Server Express 2008 R2
- Microsoft SQL Server Express 2012
- Microsoft SQL Server Express 2014
- Microsoft SQL Server Express 2016
- Amazon RDS SQL Server Express

## Limited number of hosts

Do not use Microsoft SQL Server Express if your deployment has more than 50 hosts.

## Security module limitations

Only the anti-malware and intrusion prevention modules are supported for use with Microsoft SQL Server Express, due to its database size limitation. If you require any other protection modules, use Microsoft SQL Server, Oracle, or PostgreSQL instead.

## Minimize the agent size

Remove any unneeded agent software packages from the Deep Security Manager to save disk space.

## Database pruning

Security updates and events require additional space in the database. Monitor your deployment on an ongoing basis to ensure that you stay below to 10 GB limit. For information on database pruning, see "[Log and event storage best practices](#)" on page 743. You may also choose to use the SQL Server settings described in

[Considerations for the "autogrow" and "autoshrink" settings in SQL Server.](#)

## Deploy Deep Security

### Deploy the Deep Security Manager VM for Azure Marketplace

To start protecting your Azure virtual machines (VM) with Deep Security Manager VM for Azure Marketplace, basic steps include:

1. ["Buy Deep Security from the Azure Marketplace" below.](#)
2. ["Add a Microsoft Azure account to Deep Security" on page 125.](#)
3. ["Create a policy" on page 125.](#)
4. ["Deploy Deep Security Agents" on page 126.](#)

If you are upgrading an existing Deep Security Manager VM for Azure Marketplace, see ["Upgrade Deep Security Manager VM for Azure Marketplace" on page 686](#)

### Buy Deep Security from the Azure Marketplace

You can buy Deep Security from the Azure Marketplace as *Deep Security Manager (BYOL)*.

**Note:** To buy Deep Security Manager (BYOL) , you need to have already obtained a license for Deep Security. If you need a license, contact [azure@trendmicro.com](mailto:azure@trendmicro.com) for help with obtaining one.

1. Log in to your Azure portal and click the **Marketplace** blade.
2. Click the **Security + Identity** blade and search for "Deep Security".
3. In the search results, click Deep Security (BYOL).
4. Review the information provided and click **Create**.

## Trend Micro Deep Security for Azure Marketplace 11.1

5. Follow the seven steps of the Create Deep Security Manager journey to create a Deep Security virtual machine.
  - a. Specify the name of the Deep Security Manager VM and configure other general settings on the Basics blade and then click **OK**.
    - The credentials you specify in this blade are what you will use to log on to the Deep Security Manager virtual machine.
    - Depending on the type of authentication you select, you have to enter a strong password or an SSH public key.
    - Type in a name into **Resource group** to create a new [Resource group](#).

**Note:** Azure does not allow Deep Security Manager VM to be deployed on existing Resource groups. A new Resource group must be created.

- Select an [Azure region](#) from the **Location** list.
- b. Select a virtual machine size, configure the Deep Security Manager URL and [port numbers](#) on the Deep Security Manager VM blade, and then click **OK**.
  - Use the DNS name you enter in **Deep Security Manager URL** (for example, azurevmdemo01).
  - Specify the [port number](#) for the **Deep Security Manager console port** to access and log into Deep Security Manager (for example, https://azurevmdemo01.eastus.cloudapp.azure.com:443).
  - Specify the heartbeat [port number](#) used by the Deep Security Agents to communicate with Deep Security Manager.
- c. Create a new database or enter the name of an existing one on the Database Settings blade and then click **OK**.
  - Do not type anything into **Database Hostname** if you create a new database. However, if you click **Use Existing** then the database host name is required.
  - You can view the names of existing Azure SQL databases by going to the SQL databases blade and viewing the properties of a database (**Settings blade > Properties blade > Server name**).
- d. Enter the name of the administrator account you will use to sign in to Deep Security Manager on the Deep Security Credentials blade and enter and confirm the password for that account and click **OK**.
- e. Click the arrows to review the settings for the new virtual network and the subnet for the Deep Security Manager VM on the Network Settings blade and click **OK** twice.

## Trend Micro Deep Security for Azure Marketplace 11.1

- f. Review the information on the Summary blade and click **OK** when Validation passed appears at the top of the summary to finish creating the virtual machine.



- g. Click **Terms of use**, **privacy policy**, and **Azure Marketplace Terms** on the Buy blade to review them and then click **Create**.

It will take approximately 30-40 minutes before your new virtual machine is running.

6. When installation is complete, open a browser and go to:

`https://<DNS name>:8443`

where the DNS name is the name you specified on the Deep Security Manager blade (for example, `azurevmdemo01.eastus.cloudapp.azure.com`). To view the DNS name for your Deep Security virtual machine, select the virtual machine in the **Public IP address** blade, and then click **Overview**. It will be in the **DNS name** field.

7. Enter the Subscription ID for the virtual machine and click **Sign in**.

If the installation succeeded, you will be redirected to Deep Security Manager. If the installation failed you will see an error message. If this happens, click **Install Deep Security Manager again** and verify all settings as you step through the installation again.

## Add a Microsoft Azure account to Deep Security

Once you've installed Deep Security Manager, you can add and protect Microsoft Azure virtual machines by connecting a Microsoft Azure account to the Deep Security Manager. For instructions, see ["Add a Microsoft Azure account to Deep Security" on page 258](#).

## Create a policy

After you have added Microsoft Azure virtual machines to Deep Security, you need to create a policy that specifies how Deep Security should protect them.

## Trend Micro Deep Security for Azure Marketplace 11.1

You have two options for creating a policy:

- You can make a duplicate copy of one of the server policies that comes with Deep Security and modify it as required.
- You can build your own policy using the Base Policy as your starting point.

For more information on how to create a policy, see ["Create policies to protect your computers and other resources" on page 295](#).

For more information on how policies work in Deep Security, see ["Policies, inheritance, and overrides" on page 300](#).

## Deploy Deep Security Agents

To start protecting your Microsoft Azure virtual machines with Deep Security, you need to deploy Deep Security Agents to them. You can do this in multiple ways. See ["Install the agent on a Microsoft Azure VM" on page 142](#) for details.

## Run Deep Security Manager on multiple nodes

Instead of running Deep Security Manager on *one* server, you can install Deep Security Manager on *multiple* servers ("nodes") and connect them to one shared database. This provides better:

- Reliability
- Availability
- Scalability
- Performance

You can log in to any node. Each node can do all types of tasks. No node is more important than any of the others. A node failure does not cause service downtime, and does not result in data loss. Deep Security Manager processes many concurrent activities in a distributed pool that all online nodes execute. All activity that does not

## Trend Micro Deep Security for Azure Marketplace 11.1

happen due to user input is packaged as a job, and runs on any available manager (with some exceptions for "local" jobs that are executed on each node, like cache clearing).

**Each node must run the same Deep Security Manager software version.** When you upgrade, the first manager you upgrade will temporarily take over all duties and shut down the other nodes. On **Administration > System Information**, in the **Network Map with Activity Graph** of the **System Activity** area, other nodes' status will be "Offline" with an indication that an upgrade is required. Once upgrade, nodes will automatically return online and begin processing again.

## Add a node

Running multiple nodes requires either a Microsoft SQL Server or Oracle Database.

To add a Deep Security Manager node to the system, run the Deep Security Manager installer on a new computer. When prompted, type the location of and login credentials for the database. Once the installer connects to the database, you can continue to add the node.

**Warning:** Never run more than one instance of the installer at the same time. Doing so can lead to unpredictable results including corruption of the database.

**Note:** Set the system clock of each manager node to use the same time zone. The database must also use the same time zone. If the time zone is different, this causes Manager Time Out of Sync errors.

## Remove a node

Before you remove or replace a server, you should remove it from the pool of Deep Security Manager nodes.

1. Halt the service or uninstall Deep Security Manager on the node that you want to remove.

Its status must change to "Offline".

2. Log into Deep Security Manager on another node.
3. Go to **Administration > Manager Nodes**.

## Trend Micro Deep Security for Azure Marketplace 11.1

4. Double-click the node that you want to remove.

The node's Properties window should appear.

5. In the **Options** area, click **Decommission**.

## Viewing node statuses

To display all Deep Security Manager nodes along with their status, combined activity, and jobs being processed, go to **Administration > System Information**. From the drop-down menu, select which graph you want to view.


### Network Map with Activity Graph

The **Network Map with Activity Graph** in the **System Activity** area displays a map of all installed manager nodes and their current status as well their relative activity over the last hour. The nodes can be in the following states:

- **Online**
- **Offline**
- **Offline (Upgrade Required)**

## Trend Micro Deep Security for Azure Marketplace 11.1

### System Activity (Over The Last Hour)




**Note:** All Deep Security Manager nodes periodically check the health of all other nodes. If any manager node loses network connectivity for more than 3 minutes, it is considered offline. The remaining nodes assume its tasks.

### Jobs by Node

This chart displays the number of jobs carried out over the last hour by each node.

## Trend Micro Deep Security for Azure Marketplace 11.1

### System Activity (Over The Last Hour)




### Jobs by Type

This chart displays the jobs carried out over the last hour by type.

## Trend Micro Deep Security for Azure Marketplace 11.1

### System Activity (Over The Last Hour)



## Total jobs by node and type

This chart displays the number of job types for each node over the last hour.

## Trend Micro Deep Security for Azure Marketplace 11.1

### System Activity (Over The Last Hour)



## Update the load balancer's certificate

Usually, your browser should warn you with a certificate validation error whenever you try to connect to a server with a self-signed certificate. This is because with any *self*-signed certificate, the browser cannot automatically validate the certificate's signature with a trusted *third party* certificate authority (CA), and therefore the browser doesn't know if the certificate was sent by an attacker or not. When installed, Deep Security Manager is initially configured to use a self-signed certificate for HTTPS connections (SSL or TLS), so you must manually verify that the server certificate fingerprint used to secure the connection belongs to your Deep Security server. This is normal until you replace the self-signed certificate with a CA-signed certificate.

The same error will occur if you have an AWS Elastic Load Balancer (ELB) or other load balancer, and it presents a self-signed certificate to the browser.



## Your connection is not private

Attackers might be trying to steal your information from **deepsecurity.example.com** (for example, passwords, messages, or credit cards). NET::ERR\_CERT\_AUTHORITY\_INVALID

[Automatically report](#) details of possible security incidents to Google. [Privacy policy](#)

HIDE ADVANCED

Back to safety

This server could not prove that it is **deepsecurity.example.com**; its security certificate is not trusted by your computer's operating system. This may be caused by a misconfiguration or an attacker intercepting your connection. [Learn more](#).

[Proceed to deepsecurity.example.com \(unsafe\)](#)



## Trend Micro Deep Security for Azure Marketplace 11.1

You can still access Deep Security Manager if you ignore the warning and proceed (method varies by browser). However, this error will occur again each time you connect, unless you either:

- add the certificate to your computer's store of trusted certificates (not recommended) or
  - replace the load balancer's certificate with one signed by a trusted CA (strongly recommended)
1. With a CA that is trusted by all HTTPS clients, register the fully qualified domain name (*not IP address*) that administrators, relays, and agents will use to connect to Deep Security Manager.

Specify the sub-domain (for example, deepsecurity.example.com) that will uniquely identify Deep Security Manager. For nodes behind an SSL terminator load balancer, this certificate will be presented to browsers and other HTTPS clients by the load balancer, not by each Deep Security Manager node.

When the CA signs the certificate, download both the certificate (with public key) and the private key.

**Warning:** Store and transmit the private key securely. If file permissions or unencrypted connections allow a third party to access your private key, then all connections secured by that certificate and key are compromised. You must revoke that certificate, remove the key, and get a new certificate and key.

2. [Add the certificate to your certificate store](#) (optional if your computer trusts the CA that signed the certificate).
3. [Update the DNS settings of the load balancer to use the new domain name](#).
4. [Replace the SSL certificate of the load balancer](#).

## Configure SMTP settings for email notifications

Deep Security Manager can send emails to users when selected alerts are triggered (see "[Configure alerts](#)" on page 726). Before setting up the email notifications, you will need to give Deep Security Manager access to an SMTP mail server.

1. Go to **Administration > System Settings > SMTP**.
2. Type the IP address or host name of your SMTP e-mail server. Include the port number if it's not the [default port number](#).

## Trend Micro Deep Security for Azure Marketplace 11.1

**Tip:** AWS throttles (rate limits) e-mail on SMTP's IANA standard port number, port 25. If you use AWS Marketplace, you may have faster alerts if you use SMTP over STARTTLS (secure SMTP) instead. For more information, see:

<https://docs.aws.amazon.com/ses/latest/DeveloperGuide/smtp-connect.html>.

3. Enter a "From" email address from which the emails should be sent.

**Note:** If you are using Amazon SES, the sender email address must be verified. To learn how to verify your email address in Amazon SES and view a list of addresses you've already verified, see:

<https://docs.aws.amazon.com/ses/latest/DeveloperGuide/verify-email-addresses.html>

4. Optionally, type a "bounce" address to which delivery failure notifications (DSN) should be sent if the alert emails can't be delivered to one or more users.
5. If your SMTP mail server requires outgoing authentication, type the user name and password credentials.
6. Select **STARTTLS** if your SMTP server supports the protocol. (STARTTLS is not supported in FIPS mode. See "[FIPS 140-2 support](#)" on page 991.)
7. After you've entered the necessary information, click **Test SMTP Settings** to test the connection.

## Install the agents

### Get Deep Security Agent software

To install Deep Security Agent, you must download the agent installer and load packages for the agent's protection modules into Deep Security Manager. To view a list of software that has been imported into Deep Security Manager, go to **Administration > Updates > Software > Local**.

Deep Security is modular. Initially, Deep Security Agent only has core functionality. When you enable a protection module, then the agent downloads that plug-in and installs it. So before you activate any agents, first download the agent software packages into Deep Security Manager's database("import" them) so that they will be available to the agents and relays.

## Trend Micro Deep Security for Azure Marketplace 11.1

**Warning:** Even if you use a third party deployment system, you **must** import all installed Deep Security Agent software into the Deep Security Manager's database. When a Deep Security Agent is first activated, it only installs protection modules that are currently enabled in the security policy. If you enable a new protection module later, Deep Security Agent will try to download its plug-in from Deep Security Manager. If that software is missing, the agent may not be able to install the protection module.

Once you import the agent installer package, depending on your preferred deployment method, you can then export and load the installers into a third party deployment system such as Ansible, Chef, or Puppet which will install it on your computers.

### Download agent software packages into Deep Security Manager

Even if you don't use Deep Security Manager to deploy agent updates, you should still import the software into the Deep Security Manager's database. You can do this manually or automatically.

#### Automatically import software updates

You can configure Deep Security Manager to automatically download any updates to software that you've already imported into Deep Security. To enable this feature, go to **Administration > System Settings > Updates** and select **Automatically download updates to imported software**.

**Note:** This setting will download the software to the Deep Security but will *not* automatically update your agent software. Continue with "[Update the Deep Security Agent](#)" on page 683.

#### Manually import software updates

You can manually import software updates as they become available on the Download Center.

1. In Deep Security Manager, go to **Administration > Updates > Software > Download Center**.

The Trend Micro Download Center displays the latest versions of agent software.

2. To download your agent software package to the manager's local storage, select the installer from the list, and then click **Import** .

## Trend Micro Deep Security for Azure Marketplace 11.1

Deep Security Manager connects to the internet to download the software from Trend Micro. When the manager has finished, a green check mark will appear in the **Imported** column for that agent. Software packages will appear on **Administration > Updates > Software > Local**.

If a package cannot be imported directly, a popup note will indicate that. For these packages, download them from the Trend Micro Download Center website to a local folder, then go to **Administration > Updates > Software > Local** and manually import them.

**Tip:** Alternatively, if your Deep Security Manager is "air-gapped" (not connected to the Internet) and cannot connect *directly* to the Download Center web site, you can load them *indirectly*. Download the ZIP packages to your management computer first, and then log into the Deep Security Manager and upload them.

## Export the agent installer

You can download the agent installer from Deep Security Manager.

1. In Deep Security Manager, go to **Administration > Updates > Software > Local**.
2. Select your agent from the list.
3. Click **Export > Export Installer**.

If you have older versions, the latest version of the software will have a green check mark in the **Is Latest** column.

4. Save the agent installer. If you will install the agent manually, save it on the computer where you want to install Deep Security Agent. Otherwise, if you use a third party deployment system (such as Ansible, Chef, Puppet, PowerShell, or others), load the agent installer into that system.

**Tip:** To install Deep Security Agent, only use the exported agent installer (the .msi or the .rpm file) - *not* the full agent ZIP package. If you run the agent installer from the same folder that holds the other zipped agent components, all protection modules will be installed, even if you haven't enabled them on the computer. This consumes extra disk space. (For comparison, if you use the .msi or .rpm file, the agent will download and install protection modules *only if your configuration requires them.*)

**Tip:** Installing an agent, activating it, and applying protection with a security policy can be done using a command line script. For more information, see ["Use deployment scripts to add and protect computers" on page 233](#).

### Delete a software package from the Deep Security database

To save disk space, Deep Security Manager will periodically remove unused packages from the Deep Security database. To configure the maximum number of old packages kept, go to **System Settings > Storage**.

**Note:** Deep Security Virtual Appliance uses protection module plug-ins in the 64-bit Red Hat Enterprise Linux Agent software package. Therefore if you have an activated Deep Security Virtual Appliance, and try to delete the 64-bit Red Hat Enterprise Linux Agent software package from the database, an error message will tell you that the software is in use.

There are two types of packages that can be deleted:

- agent
- kernel support

#### Deleting agent packages in single-tenancy mode

In single tenancy mode, Deep Security automatically deletes agent packages (*Agent-platform-version.zip*) that are not currently being used by agents. Alternatively, you can manually delete unused agent packages. Only unused software packages can be deleted.

**Note:** For the Windows and Linux agent packages, only the currently used package (whose version is the same as the agent installer) cannot be deleted.

#### Deleting agent packages in multi-tenancy mode

In multi-tenancy mode, unused agent packages (*Agent-platform-version.zip*) are **not** deleted automatically. For privacy reasons, Deep Security cannot determine whether software is currently in use by your tenants, even though you and your tenants share the same software repository in the Deep Security database. As the primary tenant, Deep Security does not prevent you from deleting software that is not currently running on any of your own account's computers, but before deleting a software package, be very sure that no other tenants are using it.

## Trend Micro Deep Security for Azure Marketplace 11.1

### Deleting kernel support packages

In both single and multi-tenancy mode, Deep Security automatically deletes unused kernel support packages (*KernelSupport-*platform-version*.zip*). A kernel support package can be deleted if both of these conditions are true:

- No agent package has the same group identifier.
- Another kernel support package has the same group identifier and a later build number.

You can also manually delete unused kernel support packages. For Linux kernel support packages, only the latest one cannot be deleted.

### Manually install the Deep Security Agent

**Tip:** For easier agent installation and activation, use a deployment script instead. For more information, see ["Use deployment scripts to add and protect computers" on page 233](#).

Before installing the Deep Security Agent, you must import the software into Deep Security Manager and export the installer. See ["Get Deep Security Agent software" on page 135](#).

After installation, the agent must be activated before it can protect its computer or be converted into a relay. See ["Activate the agent" on page 178](#).

In this topic:

- ["Install a Windows agent" on the next page](#)
- ["Install a Red Hat, SUSE, Oracle Linux, or Cloud Linux agent" on page 141](#)
- ["Install an Ubuntu or Debian agent" on page 142](#)
- ["Install the agent on a Microsoft Azure VM" on page 142](#)

## Trend Micro Deep Security for Azure Marketplace 11.1

### Install a Windows agent

1. Copy the installer file to the computer.
2. Double-click the installation file (.MSI file) to run the installer package.

**Note:** On Windows Server 2012 R2 Server Core, launch the installer using this command instead: `msiexec /i Agent-Core-Windows-11.1.x-xxxx.x86_64.msi`

3. At the Welcome screen, click **Next** to begin the installation.
4. **End-User License Agreement:** If you agree to the terms of the license agreement, select **I accept the terms of the license agreement** and click **Next**.
5. **Destination Folder:** Select the location where you would like Deep Security Agent to be installed and click **Next**.
6. **Ready to install Trend Micro Deep Security Agent:** Click **Install** to proceed with the installation.
7. **Completed:** when the installation has completed successfully, click **Finish**.

The Deep Security Agent is now installed and running on this computer, and will start every time the machine boots.

**Note:** When installing the agent on Windows 2012 Server Core, the notifier will not be included.

**Note:** During an install, network interfaces will be suspended for a few seconds before being restored. If you are using DHCP, a new request will be generated, potentially resulting in a new IP address for the restored connection.

### Installation on Amazon WorkSpaces

- If you are unable to install Deep Security Agent .msi file due to error code '2503' then you must do one of the following:
  - Edit your C:\Windows\Temp folder and allow the write permission for your user
  - OR
  - Open the command prompt as an administrator and run the .msi file

**Note:** Amazon has fixed this issue for newly-deployed Amazon WorkSpaces.

## Trend Micro Deep Security for Azure Marketplace 11.1

### Installation on Windows 2012 Server Core

- Deep Security does not support switching the Windows 2012 server mode between Server Core and Full (GUI) modes after the Deep Security Agent is installed.
- If you are using Server Core mode in a Hyper-V environment, you will need to use Hyper-V Manager to remotely manage the Server Core computer from another computer. When the Server Core computer has the Deep Security Agent installed and Firewall enabled, the Firewall will block the remote management connection. To manage the Server Core computer remotely, turn off the Firewall module.
- Hyper-V provides a migration function used to move a guest VM from one Hyper-V server to another. The Deep Security Firewall module will block the connection between Hyper-V servers, so you will need to turn off the Firewall module to use the migration function.

### Install a Red Hat, SUSE, Oracle Linux, or Cloud Linux agent

1. Copy the installer file to the computer.
2. Install the agent.

```
# sudo rpm -i <package name>
Preparing... ##### [100%]
1:ds_agent ##### [100%]
Loading ds_filter_im module version ELx.x [ OK ]
Starting ds_agent: [ OK ]
```

To upgrade from a previous install, use "rpm -U" instead. This will preserve your profile settings.

The Deep Security Agent will start automatically upon installation.

## Trend Micro Deep Security for Azure Marketplace 11.1

### Install an Ubuntu or Debian agent

1. Go to **Administration > Updates > Software > Download Center**.
2. Import the agent package into Deep Security Manager.
3. , and then export the installer (.deb file).
4. Copy the installer file to the computer.
5. Install the agent.

```
sudo dpkg -i <installer file>
```

To start, stop, or reset the agent:

- **Start:** `/etc/init.d/ds_agent start`
- **Stop:** `/etc/init.d/ds_agent stop`
- **Reset:** `/etc/init.d/ds_agent reset`
- **Restart:** `/etc/init.d/ds_agent restart`

### Install the agent on a Microsoft Azure VM

To install the agent on VM instances running in the Microsoft Azure cloud, you need to deploy Deep Security Agents to them. You can do this in multiple ways:

- ["Generate and run a deployment script" below](#)
- ["Add a custom script extension to an existing virtual machine" on the next page](#)

#### Generate and run a deployment script

You can generate Deep Security deployment scripts for automatically deploying agents using deployment tools such as RightScale, Chef, Puppet, and SSH.


## Trend Micro Deep Security for Azure Marketplace 11.1

For more information on how to do so, see ["Use deployment scripts to add and protect computers"](#) on page 233.

### Add a custom script extension to an existing virtual machine

You can also add a custom script extension to an existing virtual machine to deploy and activate the Deep Security Agent. To do this, navigate to your existing virtual machine in the Azure management portal and follow the steps below to upload and execute the deployment script on your Azure VM.

1. Log in to the Azure portal.
2. Switch to the preview portal, and then click the virtual machine that you want to add the custom script to.
3. In the **Settings** blade, click **Extensions**, in the **Extensions** blade, click **Add extension**, in the **New Resource** blade, select **Custom Script**, and then click **Create**.
4. In the **Add Extension** blade under **Script File (required)**, click **upload**, select the saved .ps1 deployment script, and then click **OK**.



## Install the agent on Amazon EC2 and WorkSpaces

**Note:** The Deep Security Agent only supports Amazon WorkSpaces Windows desktops—it does not support Linux desktops.

Read this page if you want to protect *existing* Amazon EC2 instances and Amazon WorkSpaces with Deep Security.

If instead you want to:

## Trend Micro Deep Security for Azure Marketplace 11.1

- launch *new* Amazon EC2 instances and Amazon WorkSpaces with the agent 'baked in', see ["Bake the agent into your AMI or Workspace bundle" on page 151](#).
- protect Amazon WorkSpaces after already protecting your Amazon EC2 instances, see instead ["Protect Amazon WorkSpaces if you already added your AWS account" on page 256](#).

To protect your existing Amazon EC2 instances and Amazon WorkSpaces with Deep Security, follow these steps:

1. ["Add your AWS accounts to Deep Security Manager" below](#)
2. ["Set the communication direction" on the next page](#)
3. ["Configure the activation type" on the next page](#)
4. ["Open ports" on page 147](#)
5. ["Deploy agents to your Amazon EC2 instances and WorkSpaces" on page 149](#)
6. ["Verify that the agent was installed and activated properly" on page 149](#)
7. ["Assign a policy" on page 150](#)

### Add your AWS accounts to Deep Security Manager

You'll need to add your AWS account or accounts to Deep Security Manager. These AWS accounts contain the Amazon EC2 instances and Amazon WorkSpaces that you want to protect with Deep Security.

Follow the instructions in ["Add AWS cloud accounts" on page 245](#) to add your AWS accounts.

After adding your AWS accounts:

- your existing Amazon EC2 instances and Amazon WorkSpaces appear in Deep Security Manager. If no agent is installed on them, they appear with a **Status of Unmanaged (Unknown)** and a grey dot next to them. If an agent was already installed, they appear with a **Status of Managed (Online)** and green dot next to them.
- any new Amazon EC2 instances or Amazon WorkSpaces that you launch through AWS under this AWS account are auto-detected by Deep Security Manager and displayed in the list of computers.

### Set the communication direction

You'll need to set the communication direction: either agent-initiated, manager-initiated, or bi-directional.

1. Log in to Deep Security Manager.
2. Set the communication direction following the instructions in ["Configure communication directionality" on page 157](#). Follow these guidelines:
  - **Agent/Appliance Initiated** does not require you to open inbound ports on the Amazon EC2 instance or Amazon WorkSpace, while **Bidirectional** and **Manager-Initiated** do.
  - **Agent/Appliance Initiated** is the safest option since no inbound ports need to be opened on the Amazon EC2 instance or Amazon WorkSpace.
3. If you're using Amazon WorkSpaces, and you chose to set the communication direction to **Bidirectional** or **Manager-Initiated**, [manually assign an elastic IP address to each WorkSpace](#) before proceeding with further steps on this page. This gives the WorkSpace a public IP that can be contacted by the Deep Security Manager. This is not required for EC2 instances because they already use public IP addresses. WorkSpaces use private IP addresses.

### Configure the activation type

'Activation' is the process of registering an agent with a manager. You'll need to indicate whether you'll allow agent-initiated activation. If not, only manager-initiated activation is allowed.

1. Log in to Deep Security Manager.
2. Click **Administration** at the top.
3. On the left, click **System Settings**.
4. In the main pane, make sure the **Agents** tab is selected.
5. Select or deselect **Allow Agent-Initiated Activation**, noting that:
  - Agent-initiated activation does not require you to open up inbound ports to your Amazon EC2 instances or Amazon WorkSpaces, while manager-initiated activation does.

## Trend Micro Deep Security for Azure Marketplace 11.1

- If agent-initiated activation is enabled, manager-initiated activation continues to work.
  - Agent-initiated activation works even if you set the communication direction to **Manager-Initiated**.
6. If you selected **Allow Agent-Initiated Activation**, also select **Reactivate cloned Agents**, and **Enable Reactivate unknown Agents**. See "[Agent settings](#)" on page 182 for more information.
  7. Click **Save**.
  8. If you're using Amazon WorkSpaces, and you *didn't* allow agent-initiated activation, [manually assign an elastic IP address to each Workspace now](#), before proceeding with further steps on this page. This gives each Amazon Workspace a public IP that can be contacted by other computers. This is not required for EC2 instances because they already use public IP addresses.

## Trend Micro Deep Security for Azure Marketplace 11.1

The screenshot displays the 'System Settings' interface for Trend Micro Deep Security. The left sidebar contains a navigation menu with categories like 'System Settings', 'Scheduled Tasks', 'Event-Based Tasks', 'Manager Nodes', 'Tenants', 'Licenses', 'User Management', 'Users', 'Roles', 'Contacts', 'Identity Providers', 'System Information', 'Updates', 'Security', 'Rules', 'Patterns', 'Software', 'Download Center', 'Local', and 'Relay Groups'. The main content area is titled 'System Settings' and has tabs for 'Tenants', 'Agents', 'Alerts', 'Contexts', 'Event Forwarding', 'Ranking', 'System Events', 'Security', 'Updates', 'Smart Feedback', 'Connected Threat Defense', 'SMTP', 'Storage', 'Proxies', and 'Advanced'. The 'Agents' tab is selected. Under the 'Hostnames' section, there is a checkbox for 'Update the "Hostname" entry if an IP is used as a hostname and a change in IP is detected on the computer after Agent/Appliance-initiated communication or discovery'. The 'Agent-Initiated Activation' section is highlighted with a red box and contains the following options: 'Allow Agent-Initiated Activation' (checked), 'For Any Computers' (selected), 'For Existing Computers', and 'For Computers on the following IP List:'. Below this, there is a 'Policy to assign (if Policy not assigned by activation script):' section with a dropdown menu set to 'None'. The 'If a computer with the same name already exists:' section has a checkbox for 'Allow Agent to specify hostname' and a dropdown menu set to 'Re-activate the existing Computer'. The 'Agent activation token:' field is empty. The 'Data Privacy' section has a checkbox for 'Allow packet data capture on encrypted traffic (SSL)'. The 'Agentless vCloud Protection' section has a checkbox for 'Allow Appliance protection of vCloud VMs'.

### Open ports

You'll need to make sure that the necessary ports are open to your Amazon EC2 instances or Amazon WorkSpaces.

To open ports:

## Trend Micro Deep Security for Azure Marketplace 11.1

1. Open ports to your Amazon EC2 instances, as follows:
  - a. Log in to your [Amazon Web Services Console](#).
  - b. Go to **EC2 > Network & Security > Security Groups**.
  - c. Select the security group that is associated with your EC2 instances, then select **Actions > Edit outbound rules**.
  - d. Open the necessary ports. See "[Which ports should be opened?](#)" below below.
2. Open ports to your Amazon WorkSpaces, as follows:
  - a. Go to the firewall software that is protecting your Amazon WorkSpaces, and open the ports listed above.

You have now opened the necessary ports so that Deep Security Agent and Deep Security Manager can communicate.

### Which ports should be opened?

Generally-speaking:

- agent-to-manager communication requires you to open the outbound TCP port (443 or 80, by default), while
- manager-to-agent communication requires you to open an inbound TCP port (4118).

More specifically:

- If you set the communication direction to **Agent/Appliance-Initiated**, you'll need to open the *outbound* TCP port (443 or 80, by default).
- If you set the communication direction to **Manager-Initiated**, you'll need to open the *inbound* TCP port of 4118.
- If you set the communication direction to **Bidirectional**, you'll need to open both the *outbound* TCP port (443 or 80, by default) AND the *inbound* TCP port of 4118.
- If you enabled **Allow Agent-Initiated Activation**, you'll need to open the *outbound* TCP port (443 or 80, by default) regardless of how you set the communication direction.
- If you disabled **Allow Agent-Initiated Activation**, you'll need to open the *inbound* TCP port of 4118 regardless of how you set the communication direction.

## Deploy agents to your Amazon EC2 instances and WorkSpaces

You'll need to deploy agents onto your Amazon EC2 instances and Amazon WorkSpaces. Below are a couple of options.

- **Option 1: Use a deployment script to install, activate, and assign a policy**

Use Option 1 if you need to deploy agents to many Amazon EC2 instances and Amazon WorkSpaces.

With this option, you must run a deployment script on the Amazon EC2 instances or Amazon WorkSpaces. The script installs and activates the agent and then assigns a policy. See ["Use deployment scripts to add and protect computers" on page 233](#) for details.

OR

- **Option 2: Manually install and activate**

Use Option 2 if you only need to deploy agents to a few EC2 instances and Amazon WorkSpaces.

- a. Get the Deep Security Agent software, copy it to the Amazon EC2 instance or Amazon WorkSpace, and then install it. For details, see ["Get Deep Security Agent software" on page 135](#), and ["Manually install the Deep Security Agent" on page 139](#).
- b. Activate the agent. You can do so on the agent (if agent-initiated activation was enabled) or on the Deep Security Manager. For details, see ["Activate the agent" on page 178](#)

You have now installed and activated Deep Security Agent on an Amazon EC2 instance or Amazon WorkSpace. A policy may or may not have been assigned, depending on the option you chose. If you chose Option 1 (you used a deployment script), a policy was assigned to the agent during activation. If you chose Option 2 (you manually installed and activated the agent), then no policy has been assigned, and you will need to assign one following the instructions further down on this page.

### Verify that the agent was installed and activated properly

You should verify that your agent was installed and activated properly.

## Trend Micro Deep Security for Azure Marketplace 11.1

1. Log in to Deep Security Manager.
2. Click **Computers** at the top.
3. On the navigation pane on the left, make sure your Amazon EC2 instance or Amazon WorkSpace appears under **Computers** > *your\_AWS\_account* > *your\_region* .  
(Look for WorkSpaces in a **WorkSpaces** sub-node.)
4. In the main pane, make sure your Amazon EC2 instances or Amazon WorkSpaces appear with a **Status of Managed (Online)** and a green dot next to them.

### Assign a policy

Skip this step if you ran a deployment script to install and activate the agent. The script already assigned a policy so no further action is required.

If you installed and activated the agent manually, you must assign a policy to the agent. Assigning the policy sends the necessary protection modules to the agent so that your computer is protected.

To assign a policy, see "[Assign a policy to a computer](#)" on page 298.

After assigning a policy, your Amazon EC2 instance or Amazon WorkSpace is now protected.

## Bake the agent into your AMI or WorkSpace bundle

Read this page if you want to launch *new* Amazon EC2 instances and Amazon WorkSpaces with the agent 'baked in'.

If instead you want to:

- protect *existing* Amazon EC2 instances and Amazon WorkSpaces with Deep Security, see ["Install the agent on Amazon EC2 and WorkSpaces" on page 143](#).
- protect Amazon WorkSpaces after already protecting your Amazon EC2 instances, see instead ["Protect Amazon WorkSpaces if you already added your AWS account" on page 256](#).

'Baking the agent' is the process of launching an EC2 instance based on a public AMI, installing the agent on it, and then saving this custom EC2 image as an AMI. This AMI (with the agent 'baked in') can then be selected when launching new Amazon EC2 instances.

Similarly, if you want to deploy the Deep Security Agent on multiple Amazon WorkSpaces, you can create a custom 'WorkSpace bundle' that includes the agent. The custom bundle can then be selected when launching new Amazon WorkSpaces.

To bake an AMI and create a custom WorkSpace bundle with a pre-installed and pre-activated agent, follow these steps:

1. ["Add your AWS account to Deep Security Manager" on the next page](#)
2. ["Set the communication direction" on the next page](#)
3. ["Configure the activation type" on the next page](#)
4. ["Launch a 'master' Amazon EC2 instance or Amazon WorkSpace" on the next page](#)
5. ["Deploy an agent on the master" on the next page](#)
6. ["Verify that the agent was installed and activated properly" on page 153](#)
7. ["\(Recommended\) Set up policy auto-assignment" on page 153](#)
8. ["Create an AMI or custom WorkSpace bundle based on the master" on page 154](#)
9. ["Use the AMI" on page 154](#)

## Trend Micro Deep Security for Azure Marketplace 11.1

### Add your AWS account to Deep Security Manager

You'll need to add your AWS accounts to Deep Security Manager. These are the AWS accounts that will contain the Amazon EC2 instances and Amazon WorkSpaces that you want to protect.

See ["Add AWS cloud accounts" on page 245](#) for instructions.

### Set the communication direction

You'll need to set the communication direction: either agent-initiated, manager-initiated, or bidirectional.

See ["Install the agent on Amazon EC2 and WorkSpaces" on page 143](#) > ["Set the communication direction" on page 145](#) for instructions.

### Configure the activation type

You'll need to indicate whether you'll allow agent-initiated activation.

See ["Install the agent on Amazon EC2 and WorkSpaces" on page 143](#) > ["Configure the activation type" on page 145](#) for instructions.

### Launch a 'master' Amazon EC2 instance or Amazon WorkSpace

You'll need to launch a 'master' Amazon EC2 instance or Amazon WorkSpace. The master instance is the basis for the EC2 AMI or WorkSpace bundle that you will create later.

1. In AWS, launch an Amazon EC2 instance or Amazon WorkSpace. See the [Amazon EC2 documentation](#) and [Amazon WorkSpaces documentation](#) for details.
2. Call the instance 'master'.

### Deploy an agent on the master

You'll need to install and activate the agent on the master. During this process, you can optionally install a policy.

See ["Install the agent on Amazon EC2 and WorkSpaces" on page 143](#) > ["Deploy agents to your Amazon EC2 instances and WorkSpaces" on page 149](#) for instructions.

### Verify that the agent was installed and activated properly

You should verify that the agent was installed and activated properly on the master before proceeding.

See ["Install the agent on Amazon EC2 and WorkSpaces" on page 143](#) > ["Verify that the agent was installed and activated properly" on page 149](#) for instructions.

### (Recommended) Set up policy auto-assignment

You may need to set up policy auto-assignment depending on how you deployed the agent on the master:

- If you used a deployment script, then a policy has already been assigned, and no further action is required.
- If you manually installed and activated the agent, no policy was assigned to the agent, and one should be assigned now so that the master is protected. The Amazon EC2 instances and Amazon WorkSpaces that are launched based on the master will also be protected.

If you want to assign a policy to the master, as well as auto-assign a policy to future EC2 instances and WorkSpaces that are launched using the master, follow these instructions:

1. In Deep Security Manager, create an event-based task with these parameters:
  - Set the **Event** to **Agent-Initiated Activation**.
  - Set **Assign Policy** to the policy you want to assign.
  - (Optional) Set a condition to **Cloud Instance Metadata**, with
    - a **tagKey** of **EC2** and a **tagValue.\*** of **True** (for an EC2 instance)  
OR
    - a **tagKey** of **WorkSpaces** and a **tagValue.\*** of **True** (for WorkSpaces)

The above event-based task says:

*When an agent is activated, assign the specified policy, on condition that `EC2=true` or `WorkSpaces=true` exists in the Amazon EC2 instance or WorkSpace.*

If that key/value pair does not exist in the EC2 instance or WorkSpace, then the policy is not assigned (but the agent is still activated). If you do not specify a condition, then

the policy is assigned on activation unconditionally.

For details on creating event-based tasks, see [Automatically assign policies based on AWS EC2 instance tags](#).

2. If you added a key/value pair in Deep Security Manager in the previous step, do the following:

- a. Go to AWS.
- b. Find your master EC2 instance or WorkSpace.
- c. Add tags to the master with a **Key** of **EC2** or **WorkSpaces** and a **Value** of **True**.  
For details, see this [Amazon EC2 documentation on tagging](#), and this [Amazon WorkSpace documentation on tagging](#).

You have now set up policy auto-assignment. New Amazon EC2 instances and Amazon WorkSpaces that are launched using the master are activated automatically (since the agent is pre-activated on the master), and then auto-assigned a policy through the event-based task.

3. On the master EC2 instance or WorkSpace, reactivate the agent by re-running the activation command on the agent, or by clicking the **Reactivate** button in Deep Security Manager. For details, see ["Activate the agent" on page 178](#)

The re-activation causes the event-based task to assign the policy to the master. The master is now protected.

You are now ready to bake your AMI or create a custom WorkSpace bundle.

### Create an AMI or custom WorkSpace bundle based on the master

- To create an AMI on Linux, see [this Amazon documentation](#).
- To create an AMI on Windows, see [this Amazon documentation](#).
- To create a custom WorkSpace bundle, see [this Amazon documentation](#).

You now have an AMI or WorkSpace bundle that includes a pre-installed and pre-activated agent.

### Use the AMI

Now that you have a custom AMI or WorkSpace bundle, you can use it as the basis for future Amazon EC2 instances and Amazon WorkSpaces. With the custom AMI or bundle, Deep

Security Agent starts up automatically, activates itself, and applies the protection policy assigned to it. It appears in Deep Security Manager with a **Status** of **Managed** and a green dot next to it.

### Configure communication between components

Generally, communication-related settings only need to be configured once and then rarely changed.

- ["Agent-manager communication" below](#)
- ["Use agent-initiated communication with cloud accounts" on page 161](#)
- ["Connect agents behind a proxy" on page 162](#)
- ["Proxy protocols supported by Deep Security" on page 173](#)
- ["Proxy settings" on page 173](#)
- ["Configure SMTP settings for email notifications" on page 134](#)
- ["Manage trusted certificates" on page 175](#)

### Agent-manager communication

Deep Security Manager and the agent communicate using the latest mutually-supported version of TLS.

Topics in this article:

- ["Configure the heartbeat" below](#)
- ["Configure communication directionality" on page 157](#)
- ["Supported cipher suites for agent-manager communication" on page 159](#)

### Configure the heartbeat

A 'heartbeat' is a periodic communication between the Deep Security Manager and agent or appliance. During a heartbeat, the manager collects this information:

- the status of the drivers (on- or off-line)
- the status of the agent or appliance (including clock time)
- agent or appliance logs since the last heartbeat

## Trend Micro Deep Security for Azure Marketplace 11.1

- data to update counters
- a fingerprint of the agent or appliance security configuration (used to determine if it is up to date)

The heartbeat can be configured on a base or parent policy, on a sub-policy, or on an individual computer.

You can configure the following properties of the heartbeat:

- **Heartbeat Interval:** How much time passes between heartbeats.
- **Number of Heartbeats that can be missed before an alert is raised:** The number of consecutively missed heartbeats that triggers an alert. For example, a value of three causes the manager to trigger an alert on the fourth missed heartbeat.)

**Note:** If the computer is a server, too many missed heartbeats in a row may indicate a problem with the agent/ or appliance or the computer itself. However if the computer is a laptop or any other system that is likely to experience a sustained loss of connectivity, this setting should be set to "unlimited".

- **Maximum change (in minutes) of the local system time on the computer between heartbeats before an alert is raised:** For agents that are capable of detecting changes to the system clock (Windows agents only) these events are reported to the manager as agent event 5004. If the change exceeds the clock change listed here then an alert is triggered. For agents that do not support this capability, the manager monitors the system time reported by the agent at each heartbeat operation and triggers an alert if it detects a change greater than the permissible change specified in this setting.

**Note:** Once a **Computer-Clock-Changed** alert is triggered, it must be dismissed manually.

- **Raise Offline Errors For Inactive Virtual Machines:** Sets whether an offline error is raised if the virtual machine is stopped.

1. Open the **Policy editor**<sup>1</sup> or the **Computer editor**<sup>2</sup> for the policy or computer to configure.
2. Go to **Settings > General > Heartbeat**.
3. Change the properties as required.
4. Click **Save** .

### Configure communication directionality

Configure whether the agent or appliance or the manager initiates communication.

'Communication' includes the heartbeat and all other communications. The following options are available:

**Bidirectional:** By default, communications are bidirectional. The agent or appliance normally initiates the heartbeat and also listens on the agent's listening port number for connections from the Deep Security Manager. (See "[Deep Security Agent ports](#)" on [page 100](#).) The manager can contact the agent or appliance to perform required operations. The manager can apply changes to the security configuration of the agent or appliance.

**Note:** The Deep Security Virtual Appliance can only operate in bidirectional mode. Changing this setting to any other mode for a virtual appliance will disrupt functionality.

- **Manager Initiated:** The manager initiates all communication with the agent or appliance. These communications include security configuration updates, heartbeat operations, and requests for event logs. If you choose this option, we strongly recommend that you "[Protect Deep Security Agent](#)" on [page 701](#) so that it only accepts connections from known Deep Security Managers.
- **Agent/Appliance Initiated:** The agent or appliance does not listen for connections from the manager. Instead they contact the manager on the port number where the Manager listens for agent heartbeats. (See "[Deep Security Manager ports](#)" on [page 92](#).) Once the agent or appliance has established a TCP connection with the manager, all normal communication takes place: the manager first asks the agent or appliance for its status and for any events. (This is the heartbeat operation.) If there are outstanding operations that need to be

---

<sup>1</sup>To open the Policy editor, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details).

<sup>2</sup>To open the Computer editor, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

performed on the computer (for example, the policy needs to be updated), these operations are performed before the connection is closed. Communications between the manager and the agent or appliance only occur on every heartbeat. If an agent or appliance's security configuration has changed, it is not updated until the next heartbeat.

**Note:** Before configuring an agent or appliance to initiate communication, ensure that the agent or appliance can reach the manager URL and heartbeat port. If the agent or appliance cannot resolve the manager URL or cannot reach the IP and port, agent- or appliance-initiated communications will fail for this agent or appliance. The Manager URL and the heartbeat port are listed in the **System Details** area in **Administration > System Information** .

**Note:** To enable communications between the Manager and the agents and appliances, the manager automatically implements a (hidden) firewall rule (priority four, Bypass) that opens the listening port number for heartbeats on the agents and appliances to incoming TCP/IP traffic. By default, it will accept connection attempts from any IP address and any MAC address. You can restrict incoming traffic on this port by creating a new priority 4, Force Allow or Bypass firewall rule that only allows incoming TCP/IP traffic from specific IP or MAC addresses, or both. This new firewall rule would replace the hidden firewall rule if the settings match these settings:

**action:** force allow or bypass

**priority:** 4 - highest

**packet's direction:** incoming

**frame type:** IP

**protocol:** TCP

**packet's destination port:** agent's listening port number for heartbeat connections from the Manager, or a list that includes the port number.

While these settings are in effect, the new rule will replace the hidden rule. You can then type packet source information for IP or MAC addresses, or both, to restrict traffic to the computer.

## Trend Micro Deep Security for Azure Marketplace 11.1

1. Open the **Policy editor**<sup>1</sup> or the **Computer editor**<sup>2</sup> for the policy or computer to configure.
2. Go to **Settings > General > Communication Direction**.
3. In the **Direction of Deep Security Manager to Agent/Appliance communication** menu, select one of the three options ("Manager Initiated", "agent/appliance Initiated", or "Bidirectional"), or choose "Inherited". If you select "Inherited", the policy or computer inherits the setting from its parent policy. Selecting one of the other options overrides the inherited setting.
4. Click **Save** to apply the changes.

**Note:** Agents and appliances look for the Deep Security Manager on the network by the Manager's hostname. Therefore the Manager's hostname **must** be in your local DNS for agent- or appliance-initiated or bidirectional communication to work.

### Supported cipher suites for agent-manager communication

Deep Security Manager and the agent communicate using the latest mutually-supported version of TLS.

The Deep Security Agent supports the following ciphers for communication with the manager. If you need to know the ciphers supported by the Deep Security Manager, contact Trend Micro.

The ciphers consist of a key exchange asymmetric algorithm, a symmetric data encryption algorithm and a hash function.

Deep Security Agent 9.5 supports these TLSv1.0 ciphers:

- TLS\_RSA\_WITH\_AES\_256\_CBC\_SHA
- TLS\_RSA\_WITH\_AES\_128\_CBC\_SHA

Deep Security Agent 9.6 supports these TLSv1.0 ciphers:

- TLS\_RSA\_WITH\_AES\_256\_CBC\_SHA
- TLS\_RSA\_WITH\_AES\_128\_CBC\_SHA

---

<sup>1</sup>To open the Policy editor, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details).

<sup>2</sup>To open the Computer editor, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

## Trend Micro Deep Security for Azure Marketplace 11.1

Deep Security Agent 10.0 supports these TLSv1.2 ciphers:

- TLS\_RSA\_WITH\_AES\_256\_CBC\_SHA256
- TLS\_RSA\_WITH\_AES\_128\_CBC\_SHA256

Deep Security Agent 10.3 supports these TLSv1.2 ciphers:

- TLS\_ECDHE\_RSA\_WITH\_AES\_128\_CBC\_SHA256
- TLS\_ECDHE\_RSA\_WITH\_AES\_256\_CBC\_SHA384
- TLS\_RSA\_WITH\_AES\_256\_CBC\_SHA256
- TLS\_RSA\_WITH\_AES\_128\_CBC\_SHA256

Deep Security Agent 11.0 supports these TLSv1.2 ciphers:

- TLS\_ECDHE\_RSA\_WITH\_AES\_128\_CBC\_SHA256
- TLS\_ECDHE\_RSA\_WITH\_AES\_256\_CBC\_SHA384
- TLS\_RSA\_WITH\_AES\_128\_CBC\_SHA256
- TLS\_RSA\_WITH\_AES\_256\_CBC\_SHA256

## SSL implementation and credential provisioning

The Deep Security Agent may initiate communication to Deep Security Manager or it may be contacted by the manager if the computer object is set to operate in bi-directional mode. Deep Security Manager treats all connections to agents in a similar way. If the agent has not been activated, a limited set of interactions are possible. If the agent has been activated (either by an administrator or via the agent-initiated activation feature), the full set of interactions are enabled. The Deep Security Manager acts as an HTTP client in all cases, regardless of whether it was the client when forming the TCP connection. Agents cannot ask for data or initiate operations themselves. The manager requests information such as events and status, invokes operations, or pushes configuration to the agent. This security domain is highly controlled to ensure that agents have no access to Deep Security Manager or its host.

Both agent and manager use two different security contexts to establish the secure channel for HTTP requests:

## Trend Micro Deep Security for Azure Marketplace 11.1

1. Before activation, the agent accepts the bootstrap certificate to form the SSL or TLS channel.
2. After authentication, mutual authentication is required to initiate the connection. For mutual authentication, the manager's certificate is sent to the agent and the agent's certificate is sent to the manager. The agent validates that the certificates come from the same certificate authority (which is the Deep Security Manager) before privileged access is granted.

Once the secure channel is established, the agent acts as the server for the HTTP communication. It has limited access to the manager and can only respond to requests. The secure channel provides authentication, confidentiality through encryption, and integrity. The use of mutual authentication protects against man-in-the-middle (MiTM) attacks where the SSL communication channel is proxied through a malicious third party. Within the stream, the inner content uses GZIP and the configuration is further encrypted using PKCS #7.

### Use agent-initiated communication with cloud accounts

If any of the computers you are protecting with Deep Security are in cloud accounts, we recommend that you use agent-initiated communication to prevent communication issues between the Deep Security Manager and agents.

If you are using Deep Security as a Service, agent-initiated communication is enabled by default. The full list of Deep Security default communication direction settings is as follows:

Deep Security	bidirectional
Deep Security AMI from AWS Marketplace	bidirectional
Deep Security as a Service	Agent-initiated

To use agent-initiated communication, you must first enable it on a policy, and then assign that policy to a deployment script.

### Enable agent-initiated communication on the policy

You can enable agent-initiated communication by either modifying an existing policy or by creating a new one.

**Tip:** You can quickly create a new policy from an existing policy by right-clicking it and selecting **Duplicate**.

## Trend Micro Deep Security for Azure Marketplace 11.1

1. On the **Policies** page, double-click the policy.
2. Go to **Settings > General**.
3. Under Communication Direction, select **Agent/Appliance Initiated**.
4. Click **Save**.

### Assign the policy to a deployment script

1. In the upper-right corner, click **Support > Deployment Script**.
2. Select your platform from the list.
3. Select **Activate Agent automatically after installation**, and then select your policy from the list.
4. Click **Close**.

To learn how to use deployment scripts to apply protection to your computers, see ["Use deployment scripts to add and protect computers"](#) on page 233.

### Connect agents behind a proxy

To protect computers that require a proxy to access the Internet, Deep Security Manager, or relays, you need to configure Deep Security Manager with the proxy's address. It will give this information to agents. (Alternatively, you can [use the CLI to configure proxy settings locally on the agent](#).)

In this topic:

- ["Requirements" below](#)
- ["Register the proxy in Deep Security Manager" on the next page](#)
- ["Connect agents, appliances, and relays to security updates via proxy" on the next page](#)
- ["Connect agents to security services via proxy" on the next page](#)
- ["Connect agents to a relay via proxy" on page 164](#)
- ["Remove a proxy setting" on page 165](#)
- ["Subsequent agent deployments" on page 165](#)

### Requirements

Deep Security Agent 10.0 or later (not GA) is required if connecting agents to a relay or manager via proxy (especially for application control rulesets).

### Register the proxy in Deep Security Manager

1. In Deep Security Manager, go to **Administration > System Settings > Proxies**.
2. In the **Proxy Servers** area, create a new HTTP proxy by clicking **New** in the menu bar.
3. Enter the protocol, IP Address, port number, user name and password.

### Connect agents, appliances, and relays to security updates via proxy

Alternatively, you can [use the command line to configure proxy use](#) instead.

1. Still on the **Proxies** tab, in the **Proxy Server Use** area, change the **Primary Security Update Proxy used by Agents, Appliances, and Relays** setting to point to the new proxy.
2. Click **Save**.

### Connect agents to security services via proxy

1. On Deep Security Manager, click **Policies** at the top.
2. On the left, click **Policies**.
3. In the main pane, double-click the policy that you use to protect computers that are behind the proxy.
4. Set up a proxy to the Global Census, Good File Reputation, and Predictive Machine Learning Services as follows:
  - a. Click **Settings** on the left.
  - b. In the main pane, click the **General** tab.
  - c. In the main pane, look for the **Network Setting for Census and Good File Reputation Service, and Predictive Machine Learning** section.
  - d. If the **Inherited** check box is selected, the proxy settings are inherited from the parent policy. To change the settings for this policy or computer, clear the check box.
  - e. Select **When accessing Global Server, use proxy** and in the list, select your proxy, or select **New** to specify another proxy.
  - f. Save your settings.
5. Set up a proxy to the Smart Protection Network for use with anti-malware:
  - a. Click **Anti-Malware** on the left.
  - b. In the main pane, click the **Smart Protection** tab.
  - c. Under **Smart Protection Server for File Reputation Service**, if the **Inherited** check box is selected, the proxy settings are inherited from the parent policy. To change the settings for this policy or computer, clear the check box.

- d. Select **Connect directly to Global Smart Protection Service**.
  - e. Select **When accessing Global Smart Protection Service, use proxy** and in the list, select your proxy or select **New** to specify another proxy.
  - f. Specify your proxy settings and click **OK**.
  - g. Save your settings.
6. Set up a proxy to the Smart Protection Network for use with web reputation:
    - a. Click **Web Reputation** on the left.
    - b. In the main pane, click the **Smart Protection** tab.
    - c. Under **Smart Protection Server for Web Reputation Service**, set up your proxy, the same way you did under **Anti-Malware** in a previous step.
    - d. With **Web Reputation** still selected on the left, click the **Advanced** tab.
    - e. In the **Ports** section, select a group of port numbers that includes your proxy's listening port number, and then click **Save**. For example, if you're using a Squid proxy server, you would select the **Port List Squid Web Server**. If you don't see an appropriate group of port numbers, go to **Policies > Common Objects > Lists > Port Lists** and then click **New** to set up your ports.
    - f. Save your settings.

Your agents can now connect to Trend Micro security services over the Internet through a proxy.

### Connect agents to a relay via proxy

1. In the top right-hand corner of Deep Security Manager, click **Support > Deployment Scripts**.
2. From **Proxy to contact Relay(s)**, select a proxy.
3. Copy the script or save it.
4. Run the script on the computer. You can either do this manually or with a third party deployment system such as Ansible, Chef, Powershell, or others.

### Connect agents to a relay's private IP address

If your relay has an elastic IP address, agents within an AWS VPC may not be able to reach the relay via that IP address. Instead, they must use the private IP address of the relay group.

1. Go to **Administration > System Settings**.
2. In the **System Settings** area, click the **Updates** tab.

## Trend Micro Deep Security for Azure Marketplace 11.1

3. Under **Software Updates**, in the window **Alternate software update distribution server(s) to replace Deep Security Relays**, type:

```
https://<IP>:<port>/
```

where `<IP>` is the private network IP address of the relay, and `<port>` is the [relay port number](#)

4. Click **Add**.
5. Click **Save**.

**Note:** If your relay group's private IP changes, you must manually update this setting. It will not be updated automatically.

### Remove a proxy setting

If you've installed an agent with a deployment script that adds proxy settings that you no longer require, you can remove the setting by entering the following commands in a command line:

## Windows

```
>C:\Program Files\Trend Micro\Deep Security\dsa_control -x ""
```

```
C:\Program Files\Trend Micro\Deep Security\dsa_control -y ""
```

## Linux

```
/opt/ds_agent/dsa_control -x ""
```

```
/opt/ds_agent/dsa_control -y ""
```

### Subsequent agent deployments

After your initial deployment, if you add more agents, modify their deployment scripts to use the proxy in the **Deployment Scripts Generator**.

### Configure agents that have no Internet access

If your agents or relays don't have access to the Internet (also called "air-gapped agents"), then they won't be able to access several of the security services provided by the Trend Micro Smart Protection Network. These security services are necessary for the full and successful operation of the Deep Security anti-malware and web reputation features.

These Trend Micro security services are:

Service name	Required for these features
Smart Scan Service	<a href="#">Smart Scan</a>
Web Reputation Service	<a href="#">web reputation</a>
Global Census Service	<a href="#">behavior monitoring</a> , <a href="#">predictive machine learning</a>
Good File Reputation Service	<a href="#">behavior monitoring</a> , <a href="#">predictive machine learning</a> , <a href="#">process memory scans</a>
Predictive Machine Learning Service	<a href="#">predictive machine learning</a>

If the above services can't be reached by the agent or relay-enabled agent, you have several solutions, described below.

### Solutions

- Solution 1: ["Use a proxy" below](#)
- Solution 2: ["Install a Smart Protection Server locally " on the next page](#)
- Solution 3: ["Install a relay and supporting components in your DMZ or Internet-ready area" on page 168](#)
- Solution 4: ["Disable the features that use Trend Micro security services" on page 170](#)

### Use a proxy

If your agents or relay-enabled agents can't connect to the Internet, you can install a proxy that can. Your Deep Security Agents and relays connect to the proxy, and the proxy then connects outbound to the Trend Micro security services in the Smart Protection Network.

**Note:** With a proxy, each Smart Scan or web reputation request goes out over the Internet to the Smart Protection Network. Consider instead [using a Smart Protection Server inside your LAN](#) to keep these requests within your network and reduce extranet bandwidth usage.

To use a proxy, see "[Connect agents behind a proxy](#)" on page 162

### Install a Smart Protection Server locally

If your agents and relay-enabled agents can't connect to the Internet, you can install a Smart Protection Server in your local area network (LAN) to which they *can* connect. The local Smart Protection Server periodically connects outbound over the Internet to the Smart Protection Network to retrieve the latest Smart Scan anti-malware patterns and web reputation information. This information is cached on the Smart Protection Server and disseminated to your agents and relay-enabled agents.

If you decide to use this solution, remember that:

- Only the [Smart Scan](#) and [web reputation](#) features are supported with a local Smart Protection Server.
- Use the proxy solution if you need the [behavior monitoring](#), [predictive machine learning](#), and [process memory scanning](#) features. See "[Use a proxy](#)" on the previous page above for details. If you decide not to use these features, you must disable them to prevent a query failure and to improve performance. For instructions on disabling these features, see "[Disable the features that use Trend Micro security services](#)" on page 170

To deploy a Smart Protection Server:

- install it manually. See the [Smart Protection Server documentation](#) for details.

OR

- if your agents or relay-enabled agents are inside AWS, install it using an AWS CloudFormation template created by Trend Micro. See [Deploy a Smart Protection Server in AWS](#) for details.

## Trend Micro Deep Security for Azure Marketplace 11.1

Install a relay and supporting components in your DMZ or Internet-ready area

If your agents or relay-enabled agents can't connect to the Internet, you can install a relay-enabled Deep Security Agent, Deep Security Manager, and Deep Security Manager's database in your [demilitarized zone \(DMZ\)](#) or another area of your network where Internet access is available. These Deep Security components must be installed *in addition* to your existing air-gapped components.

Once all the components are installed, the relay-enabled agent automatically obtains the latest malware scan updates from the Update Server in the Smart Protection Network. These updates must be extracted to a .zip file, and then manually copied to your air-gapped relay or directly to your air-gapped agents, if you do not have an air-gapped relay. (Detailed instructions follow.)

If you decide to use this solution, remember that:

- The .zip file contains traditional (large) malware patterns, which give you basic anti-malware capabilities.
- The following advanced anti-malware features are *not* available: [Smart Scan](#), [behavior monitoring](#), [predictive machine learning](#), [process memory scans](#), and [web reputation](#). These features all require access to Trend Micro security services.
- You should [disable the advanced anti-malware features](#) (Solution 4) since they cannot be used.
- You should have a plan in place to periodically update the .zip file on your air-gapped relay to ensure you always have the latest malware patterns.

To deploy this solution, follow these steps:

1. Install a Deep Security Manager and its associated database in your DMZ. We'll call these Internet-facing components the 'DMZ manager' and 'DMZ database'.
2. Install a Deep Security Agent in your DMZ and configure it as a relay. We'll call this agent the 'DMZ relay'. For information on setting up relays, see "[Distribute security and software updates with relays](#)" on page 189.

The following items are now installed:

- a DMZ manager
  - a DMZ database
  - a DMZ relay
  - an air-gapped manager
  - an air-gapped database
  - an air-gapped relay
  - multiple air-gapped agents
3. On the DMZ relay, create a .zip file containing the latest malware patterns by running this command:

```
dsa_control -b
```

The command line output shows the name and location of the .zip file that was generated.

4. Copy the .zip file to the air-gapped relay, or, if you are not using an air-gapped relay, copy the .zip directly to each of your air-gapped agents. Place the file in the relay or agent's installation directory.
- On Windows the default directory is `C:\Program Files\Trend Micro\Deep Security Agent`.
  - On Linux the default directory is `/opt/ds_agent`.

**Note:** Do not rename the .zip file.

5. On the air-gapped manager, initiate a security update download:
- a. Click **Computers** at the top.
  - b. In the list of computers, find your air-gapped relay or agent where you copied the .zip file, right-click it and select **Download Security Update**.

The air-gapped relay or agent checks its configured update source (typically the Update Server in the Trend Micro Smart Protection Network on the Internet). Since it can't connect to this server, it checks the .zip file in its installation directory. When it finds the .zip file, it extracts it and imports the updates. If an air-gapped relay is used, the updates are then disseminated to the air-gapped agents that are configured to connect to the relay.

- c. Delete the .zip file after the updates are imported to the air-gapped agent or relay.
6. Configure the air-gapped relay to connect to itself instead of the Trend Micro Update Server (to prevent connection error alerts):
  - a. Log in to the air-gapped manager.
  - b. Click **Administration** on the top.
  - c. On the left, click **System Settings**.
  - d. In the main pane, click the **Updates** tab.
  - e. Under **Primary Security Update Source**, select **Other update source** and enter `https://localhost:[port]` where `[port]` is the [configured port number for security updates](#), by default `4122`.
  - f. Click **OK**.

The air-gapped relay no longer tries to connect to the Update Server in the Trend Micro Smart Protection Network.
7. (Optional but recommended.) To improve performance, "[Disable the features that use Trend Micro security services](#)" below.
8. On a periodic basis, download the latest updates to your DMZ relay, zip them up, copy them to your air-gapped relay or agents, and initiate a security update download on the relay (if you're using one).

You have now deployed a Deep Security Manager, associated database and relay in your DMZ from which to obtain malware scan updates.

### Disable the features that use Trend Micro security services

You can disable the features that use Trend Micro security services. Doing so improves performance because the air-gapped agent no longer tries (and fails) to query the services.

**Note:** Without Trend Micro security services, your malware detection is downgraded significantly, ransomware is not detected at all, and process memory scans are also affected. It is therefore strongly recommended that you use one of the other solutions to allow access to Trend Micro security services. If this is impossible, only then should you disable features to realize performance gains.

- To disable Smart Scans:
  - a. Open the **Computer or Policy editor**<sup>1</sup>.
  - b. On the left, click **Anti-Malware**.
  - c. In the main pane, click **Smart Protection**.
  - d. Under **Smart Scan**, deselect **Inherited** (if it is selected) and then select **Off**.
  - e. Click **Save**.
- To disable web reputation:
  - a. Open the **Computer or Policy editor**<sup>2</sup>.
  - b. On the left, click **Web Reputation**.
  - c. In the main pane, make sure the **General** tab is selected.
  - d. From the **Configuration** drop-down list, select **Off**.
  - e. Click **Save**.
- To disable Smart Feedback:
  - a. In Deep Security Manager, click **Administration** at the top.
  - b. Click **System Settings** on the left.
  - c. In the main pane, click the **Smart Feedback** tab.
  - d. Deselect **Enable Trend Micro Smart Feedback (recommended)**.
  - e. Click **Save**.

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

<sup>2</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

## Trend Micro Deep Security for Azure Marketplace 11.1

- To disable process memory scans:
  - a. In Deep Security Manager, click **Policies** at the top.
  - b. On the left, expand **Common Objects > Other** and then click **Malware Scan Configurations**.
  - c. Double-click a malware scan configuration with a **SCAN TYPE** of **Real-Time**.
  - d. On the **General** tab, under **Process Memory Scan**, deselect **Scan process memory for malware**.
  - e. Click **OK**.
- To disable predictive machine learning:
  - a. Make sure you still have a real-time malware scan configuration open.
  - b. On the **General** tab, under **Predictive Machine Learning**, deselect **Enable Predictive Machine Learning**.
  - c. Click **OK**.
- To disable behavior monitoring:
  - a. Make sure you still have a real-time malware scan configuration open.
  - b. On the **General** tab, under **Behavior Monitoring**, deselect both options, namely, **Detect suspicious activity and unauthorized changes (incl. ransomware)** and **Back up and restore ransomware-encrypted files**.
  - c. Click **OK**.

Also disable the census and grid queries if you want performance gains. If you leave them enabled, a lot of unnecessary background processing takes place. To disable these queries:

1. Disable the census query:

```
dsm_c -action changesetting -name settings.configuration.enableCensusQuery -value false
```

2. Disable the grid query:

```
dsm_c -action changesetting -name settings.configuration.enableGridQuery -value false
```

## Proxy protocols supported by Deep Security

You can view and edit the list of proxy servers available to you on the Proxies tab on **Administration > System Settings**.

This table lists the proxy [protocols supported](#) by Deep Security.

Traffic Originating From	To Service	HTTP Support	SOCKS4 Support	SOCKS5 Support
Manager	Software Updates, CSS, News Updates, Product Registration and Licensing	Yes	No	No
Manager	Smart Feedback	Yes	No	Yes
Manager	Cloud Accounts	Yes	No	No
Manager	Control Manager	Yes	No	No
Manager	Deep Discovery Analyzer	Yes	No	No
Agents or relays	Manager (activation and heartbeats)	Yes	No	No
Agents or relays	Relays (software and security updates)	Yes	Yes	Yes
Agents	Network Setting for Census, Good File Reputation, and Predictive Machine Learning	Yes	No	No
Agents	Global Smart Protection Server	Yes	No	No

## Proxy settings

If your network uses a proxy, you can configure Deep Security to use it instead of the [default port numbers](#). Proxy settings are in a few locations.

### Proxy server use

To view and edit the list of available proxies, go to **Administration > System Settings > Proxies**.

- **Primary Security Update Proxy used by Agents, Appliances, and Relays:** Select a proxy server that the Deep Security Relays will use to connect to the **Update Source** specified in the **Relays** area on the **Updates** tab (either a **Trend Micro Update Server** or **Other Update Source**).

**Note:** By default, **agents and appliances**<sup>1</sup> download anti-malware components of their security updates from Deep Security Relays. However, if agents or appliances cannot connect to their assigned Relays, and the **Allow Agents/Appliances to download Security Updates from this source if Deep Security Relays are not available** option is selected, agents and appliances will also use this proxy.

**Warning:** In Deep Security Agent 10.0 GM and earlier, agents didn't have support for connections through a proxy to relays. If a [ruleset download fails](#) due to a proxy, and if your agents [require a proxy to access the relay or manager \(including Deep Security as a Service\)](#), then you must either:

- update agents' software (see "[Get Deep Security Agent software](#)" on page 135), then [configure the proxy](#)
  - bypass the proxy
  - [change the application control rulesets relay setting](#) as a workaround
- **Deep Security Manager (Software Updates, CSSS, Product Registration and Licensing):** Select a proxy that the Deep Security Manager will use to connect to Trend Micro to validate your Deep Security licenses, to connect to the Certified Safe Software Service (a feature of the Integrity Monitoring module), and for connecting to Amazon Web Services (AWS) and VMware vCloud Cloud Accounts.

**Note:** Changes to the proxy settings for CSSS will not take effect until the Deep Security Manager and all Manager nodes are restarted. (You must restart the services manually.)

---

<sup>1</sup>The Deep Security Agent and Deep Security Virtual Appliance are the components that enforce the Deep Security policies that you have defined. Agents are deployed directly on a computer. Appliances are used in VMware vSphere environments to provide agentless protection. They are not available with Deep Security as a Service.

## Trend Micro Deep Security for Azure Marketplace 11.1

- **Deep Security Manager (Cloud Accounts - HTTP Protocol Only):** Select a proxy for Deep Security Manager to use when connecting to cloud-based instances that have been added to Deep Security Manager using the "Add Cloud Account" procedure.

**Note:** After you select a proxy, restart agents that must use it.

### Proxy servers

Define the proxy servers that will be available for use by various Deep Security clients and services (for example, the proxy servers for Smart Protection on [Computer or Policy editor](#)<sup>1</sup> > [Anti-Malware](#) > [Smart Protection](#)).

The table lists the proxy protocols supported by the Deep Security services and clients:

Service	Origin	HTTP Support	SOCKS4 Support	SOCKS5 Support
Software Updates, CSS, News Updates, Product Registration and Licensing	Manager	Yes	No	No
Smart Feedback	Manager	Yes	No	Yes
Cloud Accounts	Manager	Yes	No	No
Control Manager	Manager	Yes	No	No
Deep Discovery Analyzer	Manager	Yes	No	No
Manager (activation and heartbeats)	Agents/Relays	Yes	No	No
Relays (software and security updates)	Agents/Relays	Yes	Yes	Yes
Network Setting for Census, Good File Reputation, and Predictive Machine Learning	Agents	Yes	No	No
Global Smart Protection Server	Agents	Yes	No	No

### Manage trusted certificates

Trusted certificates are used for code signing and SSL connections to external services such as a Microsoft Active Directory or VMware vCenter.

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

### Import trusted certificates

**Note:** If you are importing a trusted certificate to establish trust with an Amazon Web Services region, you must use the `dsm_c` command-line tool.

#### To import trusted certificates using the Deep Security Manager:

1. In the Deep Security Manager, go to **Administration > System Settings > Security**.
2. Under **Trusted Certificates**, click **View Certificate List** to view a list of all security certificates accepted by Deep Security Manager.
3. Click **Import From File** to start the Import Certificate wizard.

#### To import a trusted certificate using `dsm_c`:

1. On the Deep Security Manager server, run the following command:

```
dsm_c -action addcert -purpose PURPOSE -cert CERTFILE
```

where the parameters are:

Parameter	Description	Sample value
PURPOSE	What type of connections the certificate will be used for. This value must be selected from one of the sample values listed on the right.	AWS - Amazon Web Services
		DSA - code signing
		SSL - SSL connections
CERTFILE	The (user-defined) name of the file containing the certificate you want to import.	/path/to/cacert.pem

**Note:** If you are running the Deep Security Manager in a Linux environment, you will need to run the `dsm_c` command as the root user.

### View trusted certificates

**Note:** To view trusted certificates for Amazon Web Services connections, you must use the `dsm_c` command-line tool.

#### To view trusted certificates using the Deep Security Manager:

1. In the Deep Security Manager, go to **Administration > System Settings > Security**.
2. Under **Trusted Certificates**, click **View Certificate List**.

### To view trusted certificates using `dsm_c`:

1. On the Deep Security Manager server, run the following command:

```
dsm_c -action listcerts [-purpose PURPOSE]
```

The `-purpose PURPOSE` parameter is optional and can be omitted to see a list of all certificates. If you specify a value for `PURPOSE`, then only the certificates used for that purpose will be shown.

Parameter	Description	Sample value
PURPOSE	What type of connections the certificate will be used for.	AWS - Amazon Web Services
		DSA - code signing
		SSL - SSL connections

**Note:** If you are running the Deep Security Manager in a Linux environment, you will need to run the `dsm_c` command as the root user.

### Remove trusted certificates

**Note:** To remove trusted certificates for Amazon Web Services connections, you must use the `dsm_c` command-line tool.

### To remove a trusted certificate using the Deep Security Manager:

1. In the Deep Security Manager, go to **Administration > System Settings > Security**.
2. Under **Trusted Certificates**, click **View Certificate List**.
3. Select the certificate you want to remove and click **Delete**.

### To remove a trusted certificate using `dsm_c`:

1. Log in to Deep Security Manager .
2. Run the following command:

```
dsm_c -action listcerts [-purpose PURPOSE]
```

The `-purpose PURPOSE` parameter is optional and can be omitted to see a list of all

certificates. If you specify a value for `PURPOSE`, then only the certificates used for that purpose will be shown.

Parameter	Description	Sample value
PURPOSE	What type of connections the certificate will be used for.	AWS - Amazon Web Services
		DSA - code signing
		SSL - SSL connections

- Find the `ID` value for the certificate you want to remove in the list.
- Run the following command:

```
dsm_c -action removecert -id ID
```

The `ID` parameter value is required.

Parameter	Description	Sample value
ID	The ID value assigned by Deep Security Manager for the certificate you want to delete.	3

**Note:** If you are running the Deep Security Manager in a Linux environment, you will need to run the `dsm_c` commands as the root user.

If I have disabled the connection to the Smart Protection Network, is any other information sent to Trend Micro?

When Smart Protection Network is disabled, the Deep Security Agents will not send any threat intelligence information to Trend Micro.

## Activate the agent

Before the installed agent can protect its computer or be converted to a relay, you must activate the agent with Deep Security Manager. Activation registers the agent with the manager during an initial communication. To do this, you can either:

- Activate the agent from the manager. Go to **Computers**, right-click the computer whose agent you want to activate or reactivate and select **Actions > Activate/Reactivate**.

(Alternatively, click **Activate** or **Reactivate** in the computer's **Details** window.)

- Activate the agent on the agent. Run this command:

```
dsa_control -a dsm://<dsm_host_or_IP>:<port>/
```

where:

<dsm\_host\_or\_IP> is replaced with the Deep Security Manager hostname or IP address, and

<port> is replaced with the Deep Security Manager heartbeat port, which is 4120, by default.

For details on this command, see ["Command-line basics" on page 198](#).

- Activate the agent through a deployment script. See ["Use deployment scripts to add and protect computers" on page 233](#) for details.
- Activate the agent through an event-based task ("Computer Created (by System)" event) to automatically activate computers when they connect to the manager or when the manager syncs with an LDAP directory, cloud account, or vCenter. For more information, see ["Automatically perform tasks when a computer is added or changed" on page 221](#).

Before activation, the agent will have one of these [statuses](#):

- **No Agent:** Indicates one of the following situations:
  - No agent is running or listening on the default port.
  - An agent is installed and running but is working with another manager and communications are configured as agent-initiated. In this case, the agent is not listening for this manager. To correct this situation, deactivate the agent from the computer.
- **Activation Required:** The agent is installed and listening, and is ready to be activated by the manager.
- **Reactivation Required:** The agent is installed and listening and is waiting to be reactivated by the manager.
- **Deactivation Required:** The agent is installed and listening, but has already been activated by another manager.
- **Unknown:** The computer has been imported (as part of an imported Computers list) without state information, or has been added by way of an LDAP directory discovery process.

## Trend Micro Deep Security for Azure Marketplace 11.1

After a successful activation, the agent state is Online. If the activation failed, the computer status is Activation Failed with the reason for the failure in brackets. Click this link to display the system event for more details on the reason for the activation failure.

**Note:** Although IPv6 traffic is supported by Deep Security 8.0 and earlier agents, it is blocked by default. To allow IPv6 traffic on Deep Security 8.0 Agents, open a **Computer or Policy editor**<sup>1</sup> and go to **Settings > Advanced > Advanced Network Engine Settings**. Set the **Block IPv6 for 8.0 and Above Agents** option to **No**.

### Deactivate the agent

If you want to transfer control of a computer from one Deep Security Manager installation to another, you must deactivate the agent with its current manager, and then re-activate it with the new manager.

You can normally deactivate the agent from the Deep Security Manager that is currently managing the agent. If the Deep Security Manager cannot communicate with the agent, you may have to perform the deactivation manually. To run the commands below, you must have administrator privileges on the local machine.

#### To deactivate the agent on Windows:

1. From a command line, change to the agent directory (Default is C:\Program Files\Trend Micro\Deep Security Agent)
2. Run the following: `dsa_control -r`

#### To deactivate the agent on Linux:

1. Run the following: `/opt/ds_agent/dsa_control -r`

### Stop or start the agent

#### To start or stop the agent on Windows:

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

## Trend Micro Deep Security for Azure Marketplace 11.1

- Stop: from the command line, run the following: **sc stop ds\_agent**
- Start: from the command line, run the following: **sc start ds\_agent**

### To start or stop the agent on Linux:

- Stop: run the following: **/etc/init.d/ds\_agent stop**
- Start: run the following: **/etc/init.d/ds\_agent start**

## Stop or start the appliance

Stopping or starting the appliance can only be done locally on the host computer.

### To start or stop the appliance on Linux:

## Diagnose problems with agent deployment (Windows)

If a Deep Security Agent on Windows fails to install or activate, look in the deployment logs to find the cause and troubleshoot it.

1. Log in to the computer where you were trying to install the agent.
2. Go to `%appdata%\Trend Micro\Deep Security Agent\installer`.
3. Examine:
  - **dsa\_deploy.txt** - Log from the PowerShell script. Contains agent activation issues.
  - **dsa\_install.txt** - Log from the MSI installer. Contains agent installation issues.

## Configure teamed NICs

"Teamed NICs" or "link aggregation" describes forming a network link on a computer by using multiple network interface cards (NICs) together. This is useful to increase the total network bandwidth, or to provide link redundancy.

You can configure teamed NICs on Windows so that they are compatible with Deep Security Agent.

On Windows, when you team NICs, it creates a new master virtual interface. This virtual interface adopts the MAC address of its first teamed physical interface.

## Trend Micro Deep Security for Azure Marketplace 11.1

By default, during installation or upgrade, the Windows Agent will bind to *all* virtual and physical interfaces. This includes the virtual interface created by NIC teaming. However, Deep Security Agent doesn't function properly if multiple interfaces have the same MAC address, which happens with NIC teaming on Windows

To avoid that, bind the agent *only* to the teamed virtual interface - *not* the physical interfaces.

**Note:** NIC teaming with Deep Security Agent requires Windows 2003 requires SP 2 or later.

**Warning:** Don't add or remove network interfaces from a teamed NIC *except* immediately before running the installer. If you do that, network connectivity may fail or the host computer may not be correctly detected. The agent's network driver is bound to network interfaces when you install or upgrade; the agent does not continuously monitor for changes after.

## Agent settings

Agent settings are located on **Administration > System Settings > Agents**.

**Tip:** You can automate Agent-related system setting changes using the Deep Security API. For examples, see the [Configure Policy, Computer, and System Settings](#) guide.

## Hostnames

Update the "Hostname" entry if an IP is used as a hostname and a change in IP is detected on the computer after Agent/Appliance-initiated communication or discovery: Updates the IP address displayed in the computer's "Hostname" property field if an IP change is detected.

**Note:** The Deep Security Manager always identifies computers by using a unique fingerprint, not their IP addresses or hostnames.

## Agent-Initiated Activation

**Note:** For more information on Agent-Initiated Activation, see Command-Line Utilities and ["Use deployment scripts to add and protect computers" on page 233](#).

## Allow Agent-Initiated Activation

## Trend Micro Deep Security for Azure Marketplace 11.1

- **For Any Computers:** Any computers, whether they are already listed on the Deep Security Manager's **Computers** page or not.
- **For Existing Computers:** Only computers already listed on the **Computers** page.
- **For Computers on the following IP List:** Only computers whose IP address has a match on the specified IP List.

**Policy to assign (if Policy not assigned by activation script):** The security policy to assign to the computer if no policy has been specified in the activation script.

**Note:** If an event-based task exists which assigns policies to computers where activation is agent-initiated, the policy specified in the event-based task will override the policy assigned here or in the activation script.

**Allow Agent to specify hostname:** Select this option to allow the agent to specify the hostname by providing it to the Deep Security Manager during the agent activation process.

**If a computer with the same name already exists:** If a computer, VMware virtual machine, AWS instance, or Azure VM with the same Agent GUID or certificate is already listed on the **Computers** page, you can configure the Deep Security Manager to take the following actions:

- **Do not allow activation:** The computer object will not be activated.
- **Activate a new Computer with the same name:** The Deep Security Manager will create a new computer object with a new name.
- **Re-activate the existing Computer:** The existing computer object will be re-activated.

**Reactivate cloned Agents:** When a new computer (computer, VMware virtual machine, AWS instance, or Azure VM) that is running an already activated Deep Security Agent sends a heartbeat to the Deep Security Manager, the Deep Security Manager will recognize it as a clone. It will be reactivated as a new computer without the policies or rules of the original computer .

**Reactivate unknown Agents:** Select this setting to allow activated computers that were deleted from Deep Security Manager to reactivate if they reconnect.

**Note:** When a removed computer reconnects, it will not have a policy, and will be added as a new computer. Any direct links to the computer will be removed from the Deep Security Manager event data.

**Agent activation token:** When a value is specified here, the same value must be provided when agents activate themselves in the Deep Security Manager. You can provide this agent activation secret in the **token** parameter in the agent activation script. For example, the script for agent-initiated activation on a Linux machine might look like this:

```
/opt/ds_agent/dsa_control -a dsm://172.31.2.247:4120/ "token:secret"
```

**Note:** In a multi-tenant environment, the **Agent activation token** setting applies only to the primary tenant.

### Data Privacy

**Allow packet data capture on encrypted traffic (SSL):** The Intrusion Prevention module allows you to record the packet data that triggers Intrusion Prevention Rules. This setting lets you turn on data capture when Intrusion Prevention rules are being applied to encrypted traffic.

### Agentless vCloud Protection

**Allow Appliance protection of vCloud VMs:** Allow virtual machines in a vCloud environment to be protected by a Deep Security Virtual Appliance and let the security of those virtual machines be managed by tenants in a multi-tenancy Deep Security environment.

### Linux Secure Boot support for agents

When Linux Secure Boot is enabled on a Deep Security Agent computer, the Linux kernel performs a signature check on kernel modules before they are installed. These Deep Security features install kernel modules:

- anti-malware
- web reputation
- firewall
- intrusion prevention
- application control

**Note:** The Deep Security Agent is only compatible with Secure Boot on RHEL 7.

## Trend Micro Deep Security for Azure Marketplace 11.1

If you intend to use any of those modules on a Linux computer where Secure Boot is enabled, you must enroll the Trend Micro public key for RHEL 7 (provided during install as DS11.der) into the Linux computer's firmware so that it recognizes the Trend Micro kernel module's signature. Otherwise, the kernel module can't be installed.

**Note:** Deep Security refreshes the kernel module signing key in every major release (for example, 10.0 and 11.0). To keep security features functioning when you upgrade a Deep Security Agent to a new major release, you must enroll the new public key into any Linux computers that have Secure Boot enabled. You may see "Engine Offline" error message in the Deep Security Manager console because the operating system will not load the upgraded kernel module until the new public key is enrolled.

Use the Unified Extensible Firmware Interface (UEFI) Secure Boot feature to enroll the public key. If you are protecting VMware virtual machines, the Secure Boot feature is available for VMware vSphere 6.5 or newer. For instructions on how to enable it, see [Enable or Disable UEFI Secure Boot for a Virtual Machine](#) on the VMware Docs site.

**Note:** The Secure Boot feature is not available for AWS instances and Azure VMs.

To enroll the Trend Micro public key:

1. On the RHEL 7 computer that you want to protect, install the Deep Security Agent, if it isn't installed already.

After installation, the Trend Micro public key is in `/opt/ds_agent/DS10.der`.

2. Install the Machine Owner Key (MOK) facility, if it isn't already installed

```
yum install mokutil
```


3. Add the public key, `DS10.der`, to the MOK list:

```
mokutil --import DS10.der
```

**Note:** For details about manually adding the public key to the MOK list, see the [Red Hat documentation](#).

4. When prompted, enter a password that you will use later in this procedure.
5. Reboot the system.

6. After the computer restarts, the Shim UEFI key management console opens:



7. Press any key to get started.
8. On the **Perform MOK management** screen, select **Enroll MOK**.
9. On the **Enroll MOK** screen, select **View key 0**.
10. On the **Enroll the key(s)?** screen, select **Yes** and then enter the password you set in step 4, above.
11. On the **The system must now be rebooted** screen, select **OK** to confirm your changes and reboot.
12. Next, use the `keyctl` utility to check that key is on the system key ring. If the `keyctl` utility is not already installed, use this command to install it:

```
yum install keyutils
```

13. To list the keys that are on the system key ring:

```
keyctl list %:.system_keyring
```

You should see the Trend Micro signing key listed.

## Create an Azure app for Deep Security

In your operating environment, it may not be desirable to allow the Deep Security Manager to access Azure resources with an account that has both the Global Administrator role for the Azure Active Directory and the Subscription Owner role for the Azure subscription. As an alternative, you can create an Azure app for the Deep Security Manager that provides read-only access to Azure resources.

**Note:** To create an Azure app, your account must have been assigned the User Administrator role for the Azure Active Directory and the User Access Administrator role for the Azure subscription.

To do this you will need to:

1. ["Record the Azure Active Directory ID" below.](#)
2. ["Create the Azure app" below.](#)
3. ["Record the Azure app ID and password" on the next page.](#)
4. ["Record the Subscription ID" on the next page.](#)
5. ["Assign the Azure app a reader role and add it to your Azure Subscription" on the next page.](#)

### Record the Azure Active Directory ID

1. On the Hub menu, click **Azure Active Directory** and select your Azure Active Directory.
2. In the **Azure Active Directory** blade, click **Properties**.
3. Record the **Directory ID**.

### Create the Azure app

1. In the **Azure Active Directory** blade, click **App registrations**.
2. Click **Add**.
3. Enter a **Name** (for example, Deep Security Azure Connector).
4. For the **Application Type**, select **Web app/API**.

5. Enter a **Sign-on URL**. The URL can be any value, but it must begin with the `http` prefix.

**Note:** You must enter a URL in the **Sign-on URL** field, even though it is not used by Deep Security Azure integration. The value does not need to resolve to a valid address.

6. Click **Create**. The **Deep Security Azure Connector** app will appear in the **App registrations** list.

### Record the Azure app ID and password

1. In the **App registrations** list, click on the **Deep Security Azure Connector**.
2. Record the **Application ID**.
3. Click on **All settings**.
4. On the **Settings** blade, click **Keys**.
5. Enter a **Description** for the key.
6. Select an appropriate **Duration**.
7. Click **Save**.

The key **Value** will appear.

8. Record the key **Value**. This will be used as the Application Password when registering the Azure app with Deep Security.

### Record the Subscription ID

1. On the Hub menu, go to **All Services** and click **Subscriptions**, then select the subscription you added the Deep Security Azure Connector app to.
2. Record the **Subscription ID**.

### Assign the Azure app a reader role and add it to your Azure Subscription

1. In the **Subscriptions** blade, click on **Access Control (IAM)**.
2. Click **Add**.
3. Click on the **Reader** role.
4. Select the **Deep Security Azure Connector** app. If it is not already in the list, enter it in the search field and select it when it appears.
5. Click **OK**.

You can now continue configuring Deep Security to add Azure virtual machines by following the remaining steps of the Advanced procedure in ["Add a Microsoft Azure account to Deep Security" on page 258](#).

## Distribute security and software updates with relays

To ensure maximum protection for your Deep Security deployment, there are two components that you must periodically update. **Software updates** add new features and improvements to the Deep Security Agent, while **security updates** provide immediate protection against emerging threats.

Deep Security **relays** help to optimize the distribution of these updates. A relay is an agent that is capable of distributing the software and security updates to other agents . Relays can:

- Reduce WAN bandwidth costs by shaping update traffic.
- Provide redundancy to update distribution.

**Note:** Relays are a mandatory part of a Deep Security deployment. Your deployment must include at least 1 relay.

First learn about ["How relays work" below](#), then how to ["Determine the number of relays to use" on the next page](#), and finally how to ["Configure one or more relays" on page 192](#).

You can also ["Remove relay functionality from an agent" on page 196](#) if needed.

### How relays work

Relays download security updates from the Trend Micro Active Update servers directly through your WAN connection, and software updates from the Deep Security Manager. When you use relays, security and software updates only need to be downloaded once through your WAN connection. Relays then function as update distribution centers and the security and software updates are downloaded by other agents when they are directed to do so by the Deep Security Manager.

**Note:** If a relay cannot connect to a Deep Security Manager to download updates, it will download them directly from the Deep Security Download Center.

For more detailed information on security updates and how relays distribute them, see ["Get and distribute security updates" on page 689](#).

Relays are organized into **relay groups**. Organizing relays into groups ensures that the update load is distributed across multiple relays, and also adds redundancy to your Deep Security deployment.

Relay groups can also be part of a distribution hierarchy. By creating distribution hierarchies for your relay groups, you can further improve performance and bandwidth usage by specifying:

- Which relay groups an agent should download security and software updates from.
- The order that relay groups should download security and software updates from each other.

## Determine the number of relays to use

Although a Deep Security deployment requires a minimum of 1 relay, as a baseline Trend Micro recommends using at least 2 relays for your deployment. However, you may need to use additional relays depending on:

- ["Geographic region of agents " below](#).
- ["Network configuration " below](#).
- ["Network bandwidth usage " on the next page](#).

### Geographic region of agents

Trend Micro recommends that agents download updates from a relay group in the same geographic region. If you have agents in multiple regions, each region should have its own relay group with at least one relay.

### Network configuration

Your network configuration may include a low bandwidth WAN connection, routers, firewalls, or proxies between the network segments of agents and a remote Deep Security Manager or Trend

## Trend Micro Deep Security for Azure Marketplace 11.1

Micro Active Update server. These configurations may cause bottlenecks that slow down the distribution of software and security updates. To reduce the impact of these configurations, you should place a relay inside each network segment.

### Network bandwidth usage

The download of security and software updates to the agents can be network intensive. You can use relays to shape how your network bandwidth is used to distribute updates. By placing a relay inside a network segment, it becomes the single download source for security and software updates for that segment. Agents will then update from the local relay, reducing the overall bandwidth required to download updates from the WAN connection to the local internal connection.

### Sizing recommendations

**Note:** Before you enable more relays, check that the computers that you want to enable as relays meet the requirements in ["Deep Security Agent and Relay sizing" on page 88](#). Also check that the agent you are using supported the relay feature (see ["Supported features by platform" on page 69](#)).

In most deployments, Trend Micro recommends deploying a minimum of 2 relays for redundancy, which can be co-located with a Deep Security Manager. However, as noted above, you should also consider factors such as geographical location, network configuration and network bandwidth when determining how many relays to deploy. If your deployment has a large number of agents (more than 10,000), relays should be deployed on a dedicated system.

You might also want to add more relays if:

- The network configuration of your environment has changed.
- You want to provide additional redundancy to update distribution.

**Warning:** You should **only use as many relays as is necessary**, because deploying unneeded relays on your network will actually decrease performance. A relay requires more system resources than an ordinary agent.

## Configure one or more relays

To configure a relay, you need to:

1. ["Create one or more relay groups" below.](#)
2. ["Enable one or more relays" on page 194.](#)
3. ["Assign agents to a relay group" on page 194.](#)
4. ["Configure relay settings for security and software updates" on page 195.](#)

## Create one or more relay groups

Every relay must belong to a relay group. If you installed the Deep Security Relay during the Deep Security Manager installation, a default relay group will have been automatically created. You can also create additional relay groups.

**Note:** Each agent will try to download updates from a randomly arranged list of the relays in the group it is assigned to. If there's no response from a particular relay, the agent will try another from the list until it can successfully download the update. The list is random for each agent so that the update load is shared evenly across relays in a group.

1. Go to **Administration > Updates > Relay Management**.
2. On the Relay Management window, click **New Relay Group**. In the Relay Group Properties pane that appears, configure the settings for the relay group:
  - Enter a **Name** for the relay group.
  - Select an **Update Source**. The update source determines where the relay group will download and distribute security updates from. The update source can be either:
    - The Primary Security Update Source  
By default, the Primary Security Update Source is the Trend Micro Active Update servers, but you can configure it to be a local mirror instead. A default relay group will always use the Primary Security Update Source. For more information, see ["Configure a security update source and settings" on page 692.](#)
    - A parent relay group  
If you have already created other relay groups, you can configure a relay group to use one of them as the update source.

**Tip:** When selecting an update download source for a relay group, you should select the source that best matches your cost and speed requirements. Even if a relay group is part of a distribution hierarchy, it does not necessarily need to download updates from a relay in a parent group if downloading updates from the Primary Security Update Source would be cheaper or faster.

**Tip:** To improve performance in very large deployments, create multiple relay groups and arrange relays in a hierarchy: one or more first-level relay groups download updates directly from the Trend Micro Active Update servers, and then second-level relay groups download updates from the first-level group, and so on. However, each group level adds latency, and if there are too many levels of relay groups, the total latency can be greater than the bandwidth optimization provided by relays, resulting in decreased performance.

- Select the **Update Source Proxy** (if any) that relays must use to access the primary security update source.

Every relay group can be configured to download security updates through a proxy server, except the Default Relay Group. The Default Relay Group uses the same proxy as Deep Security Manager. See ["Connect agents behind a proxy" on page 162](#) and ["Configure a proxy for anti-malware and rule updates" on page 212 \(CLI\)](#).

If the relay group is configured to use the Primary Security Update Source, relays will use this proxy. Otherwise, if this relay group is configured to download security updates from another relay group, relays won't use the proxy unless they can't connect to the parent relay group, and therefore are trying to connect to the Primary Security Update Source.

**Warning:** Deep Security Agents version 10.0 and earlier do not have support for connections through a proxy to relays. If an application control [ruleset download fails](#) due to a proxy, and if your agents require a proxy to access the relay or manager (this includes Deep Security as a Service), then you must either:

- update agents' software (See ["Get Deep Security Agent software" on page 135](#)) and then [configure the proxy](#)

- bypass the proxy
- [change the application control rulesets relay setting](#) as a workaround

3. Repeat the above steps if you need to create more relay groups.

### Enable one or more relays

1. Go to **Administration > Updates > Relay Management**.
2. Click on a relay group to select it.
3. Click **Add Relay**.
4. Select a computer from the Available Agents list and click **Enable Relay and Add to Group**. You can use the search field to filter the list of computers.

The computer is added to the relay group, and displays a relay icon ( ).

5. If Windows Firewall or iptables is enabled on the computer, add a firewall rule that allows incoming connections to the [relay's listening port number](#).
6. If relays must connect through a proxy, see "[Connect agents, appliances, and relays to security updates via proxy](#)" on page 163.

**Note:** Newly activated relays will be automatically notified by the Manager to update their security update content.

### Assign agents to a relay group

You can either assign an agent to a relay group manually, or you can set up an [event-based task](#) to assign agents automatically.

1. In Deep Security Manager, go to **Computers**.
2. Right click the computer and select **Actions > Assign Relay Group**.

To assign multiple computers, Shift-click or Ctrl-click computers in the list, and then select **Actions > Assign Relay Group**.

3. Select the relay group to use from the list, or from the Computer Details window, use **Download Updates From** to select the relay group.

### Configure relay settings for security and software updates

Deep Security Manager provides additional settings on the **Administration > System Settings > Updates** page that affect how relays are used to perform security and software updates.

#### Security updates

- **Download Patterns for all Regions:** If you are operating in multi-tenancy mode and any of your tenants are in other regions, select this option. If this option is deselected, a relay will only download and distribute patterns for the region (locale) that Deep Security Manager was installed in.
- **Use the Primary Tenant Relay Group as my Default Relay Group (for unassigned Relays):** Use the Primary Tenant Relay group. By default, the primary tenant gives other tenants access to its relays. This way, tenants don't need to set up their own relays. If you don't want other tenants to share the primary tenant's relays, deselect this option and create separate relays for other tenants.

**Note:** If this option is deselected, when you click **Administration > Updates > Relay Groups**, the relay group name will be "Default Relay Group" rather than "Primary Tenant Relay Group".

**Note:** This setting appears only if you have enabled multi-tenant mode.

For information about other security update settings, see "[Get and distribute security updates](#)" on [page 689](#).

#### Software updates

- The **Allow Relays to download software updates from Trend Micro Download Center when Deep Security Manager is not accessible** option is useful when your Deep Security Manager is in an enterprise environment and you are managing computers in a cloud environment. If you enable this option and configure a relay in the cloud, the relay will be able to get software updates directly from the Download Center, removing the need for

manual software upgrades or opening [port numbers](#) into your enterprise environment from the cloud.

For information about other software update settings, see ["About upgrades" on page 681](#).

## Remove relay functionality from an agent

You might want to remove the relay functionality from a relay-enabled agent if:

- You are noticing communication delays because there are too many relay-enabled agents in your environment.
- The computer where the agent is installed does not meet the minimum system requirements for relay functionality.

**Note:** Deep Security uses relays to store data when a virtual machine protected by a Deep Security Virtual Appliance is being migrated by vMotion. If your deployment uses vMotion to migrate virtual machines, removing the relay functionality from a given agent may result in a loss of protection to the migrated virtual machine as well as loss of the security events of the virtual appliance .

The procedure for removing relay functionality differs depending on if the agent version is ["10.2 or later" below](#) or ["10.1 or earlier" on the next page](#).

### 10.2 or later

1. Go to **Administration > Updates > Relay Management**.
2. Click the arrow next to the relay group with the computer you want to remove relay functionality from.
3. Click on the computer, and then click **Remove Relay**.

The agent status will change to "Disabling" and the relay functionality will be removed from the agent.

**Note:** It may take up to 15 minutes for the relay functionality to be removed from the agent. If the agent is in the "disabling" state for significantly longer than this, deactivate and reactivate the agent to finish removing relay functionality from the agent.

### 10.1 or earlier

**Note:** If you use multi-factor authentication with Deep Security Manager, you will need to temporarily disable it before proceeding. For information on how to do this, see "[Set up multi-factor authentication](#)" on page 721.

1. Go to **Administration > System Settings > Advanced** in the Deep Security Manager, click **Enabled - Access the WSDL at:** in the SOAP Web Service API section, and click **Save**.
2. Download the Disable Relay Tool: <https://s3.amazonaws.com/customerscripts/Deep-Security-Disable-Relays.exe>.
3. Run the tool on any Windows computer that can communicate with the computer where the Deep Security Manager is installed.
4. Enter the IP address and port of the Deep Security Manager and your administrator user name and password when prompted.
5. If you are using Deep Security as a Service or a multi-tenant Deep Security Manager, you also have to enter the tenant name.
6. Click **OK** when you have finished entering the information required for the tool to communicate with the Deep Security Manager.
7. Select all of the servers with relay-enabled agents that you want to downgrade from the list retrieved by the Disable Relay Tool and click **Disable Relay On Select Hosts** in the lower left corner.
8. Leave the tool open and click **Refresh Relay List** to monitor the progress of the downgrade. It can take up to 15 minutes to downgrade the agents on the servers you selected.
9. After a relay-enabled agent has been downgraded to a normal agent and no longer appears in the list of servers in the Disable Relay Tool, you should remove the relay files in the following locations for that agent:
  - **Windows:** `C:\ProgramData\Trend Micro\Deep Security Agent\relay`
  - **Linux:** `/var/opt/ds_agent/relay`

## DevOps, automation and scaling

To support DevOps workflows, Deep Security offers APIs to automate, monitor, and manage security throughout the release lifecycle. (See ["Use the Deep Security API to automate tasks"](#) on [page 216](#).)

To accelerate integration with popular DevOps tools, we've provided the following resources in Github for Chef, Puppet, and Ansible:

- <https://github.com/deep-security/puppet>
- <https://github.com/deep-security/chef>
- <https://github.com/deep-security/ansible>

These resources provide a starting point to integrate Deep Security with your specific deployment, including agent deployment and configuration and support for elastic workloads.

Deep Security also offers many other ways to speed up the protection of your computers and other resources:

- ["Schedule Deep Security to perform tasks"](#) on [page 218](#)
- ["Automatically perform tasks when a computer is added or changed"](#) on [page 221](#)
- [Auto Scaling and Deep Security](#)
- ["Use deployment scripts to add and protect computers"](#) on [page 233](#)
- [Automatically assign policies based on AWS EC2 instance tags](#)
- ["Command-line basics"](#) below

In addition, Deep Security provides the ability to forward events to SIEMs such as Splunk, QRadar, ArcSight, as well as Amazon SNS. For details, see:

- ["Access events with Amazon SNS"](#) on [page 808](#)

## Command-line basics

You can use the local command-line interface (CLI) to command both Deep Security Agents and the Deep Security Manager to perform many actions. The CLI can also configure some settings,

and to display system resource usage.

**Tip:** You can also automate many of the CLI commands below using the Deep Security API. To get started with the API, see the [First Steps Toward Deep Security Automation](#) guide.

Below are command syntax and examples.

## Deep Security Agent

**Note:** On Windows, when self-protection is enabled (`-s <num>`, `--selfprotect=<num>` where 1 is enable, and 0 is disable), local users cannot uninstall, update, stop, or otherwise control the agent. Your CLI commands must include the authentication password.

### dsa\_control

You can use `dsa_control` to configure some agent settings, and to manually trigger it to perform some actions such as an anti-malware scan or baseline rebuild.

In Windows:

- Open a Command Prompt as Administrator
- `cd C:\Program Files\Trend Micro\Deep Security Agent\`
- `dsa_control -m "AntiMalwareManualScan:true"`

In Linux:

- `/opt/ds_agent/dsa_control -m "AntiMalwareManualScan:true"`

## Usage

```
dsa_control [-a <str>] [-b] [-c <str>] [-d] [-g <str>] [-s <num>] [-m] [-p <str>] [-r] [-R <str>] [-t <num>] [-u <str>:<str>] [-w <str>:<str>] [-x dsm_proxy://<str>] [-y relay_proxy://<str>] [--buildBaseline] [--scanForChanges] [Additional keyword:value data to send to Manager during activation or heartbeat...]
```

- `-a <str>`, `--activate=<str>` Activate agent with Manager at specified URL. URL format must be:

```
dsm://<host or IP>:<port>/
```

where port is the manager's discovery and heartbeat [port number](#).

- `-b, --bundle` Create update bundle.
- `-c <str>, --cert=<str>` Identify the certificate file.
- `-d, --diag` Generate an agent diagnostic package.
- `-g <str>, --agent=<str>` Agent URL. Defaults to:

```
https://localhost:<port>/
```

where port is the Manager's listening [port number](#).

- `-m, --heartbeat` Ask the Agent to contact the Manager now.
- `-p <str>, --passwd=<str>` Authentication password. If you type the password directly into the command line, it will be displayed on screen. To hide the password with asterisks (\*) while you type, enter the interactive form of the command, which will prompt you for the password:

```
dsa_control -p *
```

- `-r, --reset` Reset agent configuration.
- `-R <str>, --restore=<str>` Restore quarantined file. (Deep Security)
- `-s <num>, --selfprotect=<num>` enable self-protection on the Agent by preventing local end-users from uninstalling, stopping, or otherwise controlling the Agent. Command-line instructions must include the authentication password when self-protection is enabled. (1: enable, 0: disable). This is a Windows-only feature.

**Note:** In Deep Security 9.0 and earlier, this option was `-H <num>, --harden=<num>`

- `-t <num>, --retries=<num>` If `dsa_control` cannot contact the Agent service to carry out accompanying instructions, this parameter instructs `dsa_control` to retry `<num>` number of times. There is a one second pause between retries.
- `-u <user>:<password>` If the agent connects through a proxy to the manager, provide the proxy user name and password, separated by a colon (:).

## Trend Micro Deep Security for Azure Marketplace 11.1

- `-w <user>:<password>` If the agent connects through a proxy to a relay for security updates and software, provide the proxy user name and password, separated by a colon (:).
- `-x dsm_proxy://<str>:<num>` If the agent connects through a proxy to the manager, provide the proxy's IP address or FQDN and [port number](#), separated by a colon (:).
- `-y relay_proxy://<str>:<num>` If the agent connects through a proxy to a relay for security updates and software, provide the proxy's IP address or FQDN and [port number](#), separated by a colon (:).
- `--buildBaseline` Build baseline for Integrity Monitoring
- `--scanForChanges` Scan for changes for Integrity Monitoring
- `--max-dsm-retries` Number of times to retry an activation. Valid values are 0 to 100, inclusive. The default value is 30.
- `--dsm-retry-interval` Approximate delay in seconds between retrying activations. Valid values are 1 to 3600, inclusive. The default value is 300.

### Agent-initiated activation ("dsa\_control -a")

An Agent installed on a computer needs to be activated before the Manager can assign Rules and Policies to protect the computer. The activation process includes the exchange of unique fingerprints between the Agent and the Manager. This ensures that only one Manager (or one of its Manager Nodes) can send instructions to and communicate with the Agent.

You can manually activate an Agent from the Manager by right-clicking on the computer in the Computers screen and selecting **Actions > Activate/Reactivate**.

Agents can initiate the activation process using a locally-run command-line tool. This is useful when a large number of computers will be added to an installation and you want to write a script to automate the activation process. To enable agent-initiated activation, go to **Administration > System Settings > Agents** and select **Allow Agent-Initiated Activation**.

The minimum activation instruction contains the activation command and the Manager's URL (including the [port number](#)):

```
dsa_control -a dsm://<host>:<port>/
```

where:

## Trend Micro Deep Security for Azure Marketplace 11.1

- `-a` is the command to activate the Agent, and
- `dsm://<host>:<port>/` is the parameter that points the Agent to the Manager. (<host> could be the Manager's fully qualified domain name (FQDN), IPv4 address, or IPv6 address, and <port> is the Agent-to-Manager communication [port number](#).) For example:

```
dsa_control -a dsm://fe80::ad4a:af37:17cf:8937:4120
```

The host name is the only required parameter. Additional parameters are also available (see the table of available parameters below). They must be entered as key:value pairs (with a colon as a separator). There is no limit to the number of key:value pairs you can enter but the key:value pairs must be separated from each other by a space. For example:

```
dsa_control -a dsm://dsm-example-com:4120/ hostname:www12 "description:Long  
Description With Spaces"
```

(Quotation marks are only required if your value includes spaces or special characters.)

### Agent-initiated activation over a private network via proxy

Agents on a private network can perform agent-initiated communication with a manager through a proxy server.

1. In Deep Security Manager, go to **Administration > System Settings > Agents**.
2. In the **Agent-Initiated Activation** area:
  - Select **Allow Agent-Initiated Activation**.
  - Select **Allow Agent to specify hostname**.
  - In the **If a computer with the same name exists** list, select "Activate a new Computer with the same name".
3. Click **Save**.

Use the following command-line options to instruct the Agent to communicate with the Manager through a proxy server:

Syntax	Notes
<code>dsa_control -x "dsm_proxy://&lt;host or IP&gt;/"</code>	Sets the address of the proxy server which the Agent uses to communicate with the Manager.

## Trend Micro Deep Security for Azure Marketplace 11.1

Syntax	Notes
<code>dsa_control -x ""</code>	Clears the proxy server address.
<code>dsa_control -u "&lt;username:password&gt;"</code>	Sets the proxy user name and password.
<code>dsa_control -u ""</code>	Clears the proxy user name and password.

### Examples

<code>dsa_control -x "dsm_proxy://172.21.3.184:808/"</code>	Proxy IPv4 address.
<code>dsa_control -x "dsm_proxy://squid:808/"</code>	Proxy host name.
<code>dsa_control -x "dsm_proxy://[fe80::340a:7671:64e7:14cc]:808/"</code>	Proxy IPv6 address.
<code>dsa_control -u "root:Passw0rd!"</code>	Proxy authentication is "root" and password is "Passw0rd!" (basic authentication only, digest and NTLM are not supported).

When used in the context of agent-initiated activation, the proxy commands must be issued first, followed by the agent-initiated activation commands. The following example shows a complete sequence for setting a proxy address, setting proxy credentials, and activating the Agent:

```
dsa_control -x "dsm_proxy://172.21.3.184:808/"
dsa_control -u "root:Passw0rd!"
dsa_control -a "dsm://dsm.example.com:4120/"
Required Setting in Deep Security Manager
```

### Agent-initiated heartbeat command ("dsa\_control -m")

The agent-initiated heartbeat command will instruct the agent to perform an immediate heartbeat operation to the manager. Although this may be useful on its own, like the activation command above, the heartbeat command can be used to pass along a further set of parameters to the manager.

The following table lists the parameters that are available to the activation and heartbeat commands. Note that some parameters can only be used either during activation, or after activation during heartbeat exclusively.

## Trend Micro Deep Security for Azure Marketplace 11.1

Parameter	Description	Example	Use during Activation	Use during Heartbeat
<b>AntiMalwareCancelManualScan</b>	Boolean. Cancels an on-demand ("manual") scan that is currently occurring on the computer.	"AntiMalwareCancelManualScan:true"	no	yes
<b>AntiMalwareManualScan</b>	Boolean. Initiates an on-demand ("manual") anti-malware scan on the computer.	"AntiMalwareManualScan:true"	no	yes
<b>description</b>	String. Sets <code>description</code> value. Maximum length 2000 characters.	"description:Extra information about the host"	yes	yes
<b>displayname</b>	String. Sets <code>displayname</code> value. (Shown in parentheses	"displayname:the_name"	yes	yes

## Trend Micro Deep Security for Azure Marketplace 11.1

Parameter	Description	Example	Use during Activation	Use during Heartbeat
	next to the hostname.) Maximum length 2000 characters.			
<b>externalid</b>	Integer.  Sets the <code>externalid</code> value. This value can be used to uniquely identify an Agent. The value can be accessed using the SOAP Web Service API.	"externalid:123"	yes	yes
<b>group</b>	String.  Sets the computers page <code>Group</code> the computer belongs in. Maximum length 254 characters per	"group:Zone A web servers"	yes	yes

Parameter	Description	Example	Use during Activation	Use during Heartbeat
	<p>group name per hierarchy level.</p> <p>The forward slash ("/") indicates a group hierarchy. The <code>group</code> parameter can read or create a hierarchy of groups. This parameter can only be used to add computers to standard groups under the main "Computers" root branch. It cannot be used to add computers to groups belonging to Directories</p>			

## Trend Micro Deep Security for Azure Marketplace 11.1

Parameter	Description	Example	Use during Activation	Use during Heartbeat
	(MS Active Directory), VMware vCenters, or Cloud Provider accounts.			
<b>groupid</b>	Integer.	"groupid:33"	yes	yes
<b>hostname</b>	String.  Maximum length 254 characters.  The hostname can specify an IP address, hostname or FQDN that is best used to contact the computer in the <b>Computers</b> list in the Manager.	"hostname:www1"	yes	no
<b>IntegrityScan</b>	Boolean.  Initiates an integrity scan on the	"IntegrityScan:true"	no	yes

Parameter	Description	Example	Use during Activation	Use during Heartbeat
	computer.			
<b>policy</b>	<p>String.</p> <p>Maximum length 254 characters.</p> <p>The policy name is a case-insensitive match to the policy list. If the policy is not found, no policy will be assigned.</p> <p>A policy assigned by an event-based task will override a policy assigned during agent-initiated activation.</p>	"policy:Policy Name"	yes	yes
<b>policyid</b>	Integer.	"policyid:12"	yes	yes
<b>relaygroup</b>	String.	"relaygroup:Custom Relay Group"	yes	yes

Parameter	Description	Example	Use during Activation	Use during Heartbeat
	<p>Links the computer to a specific relay group. Maximum length 254 characters.</p> <p>The relay group name is a case-insensitive match to existing relay group names. If the relay group is not found the default relay group will be used.</p> <p>This does not affect relay groups assigned during event-based tasks. Use either this option or</p>			

## Trend Micro Deep Security for Azure Marketplace 11.1

Parameter	Description	Example	Use during Activation	Use during Heartbeat
	event-based tasks, not both.			
<b>relaygroupid</b>	Integer.	"relaygroupid:123"	yes	yes
<b>relayid</b>	Integer.	"relayid:123"	yes	yes
<b>tenantIDand token</b>	String.  If using agent-initiated activation as a tenant, both <b>tenantID</b> and <b>token</b> are required. The <b>tenantID</b> and <b>token</b> can be obtained from the deployment script generation tool.	"tenantID:12651ADC-D4D5"  and  "token:8601626D-56EE"	yes	yes
<b>RecommendationScan</b>	Boolean.  Initiate a recommendation scan on the computer.	"RecommendationScan:true"	no	yes
<b>UpdateComponent</b>	Boolean.  Instructs the	"UpdateComponent:true"	no	yes

Parameter	Description	Example	Use during Activation	Use during Heartbeat
	Manager to perform a security update.			
<b>RebuildBaseline</b>	Boolean. Rebuilds the integrity monitoring baseline on the computer.	"RebuildBaseline:true"	no	yes
<b>UpdateConfiguration</b>	Boolean. Instructs the Deep Security Manager to perform a "Send Policy" operation.	"UpdateConfiguration:true"	no	yes

### Activate an agent

To activate an agent from the command line, you need to know the tenant ID and password. You can get them from the deployment script.

1. In the top right-hand corner of Deep Security Manager, click **Support > Deployment Scripts**.
2. Select your platform.
3. Select **Activate Agent automatically after installation**.
4. In the deployment script, locate the strings for `tenantID` and `token`.

## Trend Micro Deep Security for Azure Marketplace 11.1

### Windows

#### In PowerShell:

```
& $Env:ProgramFiles"\Trend Micro\Deep Security Agent\dsa_control" -a <manager URL>  
<tenant ID> <token>
```

#### In cmd.exe:

```
C:\Windows\system32>"\Program Files\Trend Micro\Deep Security Agent\dsa_control" -a  
<manager URL> <tenant ID> <token>
```

### Linux

```
/opt/ds_agent/dsa_control -a <manager URL> <tenant ID> <token>
```

### Configure a proxy for anti-malware and rule updates

If the agent must connect to its relay through a proxy, you must configure the proxy connection.

### Windows

1. Open a command prompt (cmd.exe) as Administrator.
2. Enter these commands:

```
cd C:\Program Files\Trend Micro\Deep Security Agent\  
dsa_control -w myUserName:MTPassw0rd  
dsa_control -y relay_proxy://squid.example.com:443
```

### Linux

```
/opt/ds_agent/dsa_control -w myUserName:MTPassw0rd  
/opt/ds_agent/dsa_control -y relay_proxy://squid.example.com:443
```

### Configure a proxy for connections to the manager

If the agent must connect to its manager through a proxy, you must configure the proxy connection.

### Windows

1. Open a command prompt (cmd.exe) as Administrator.
2. Enter these commands:

```
cd C:\Program Files\Trend Micro\Deep Security Agent\  
dsa_control -u myUserName:MTPassw0rd  
dsa_control -x dsm_proxy://squid.example.com:443
```

### Linux

```
/opt/ds_agent/dsa_control -u myUserName:MTPassw0rd  
/opt/ds_agent/dsa_control -x dsm_proxy://squid.example.com:443
```

### Force the agent to contact the manager

#### Windows

##### In PowerShell:

```
& "& "\Program Files\Trend Micro\Deep Security Agent\dsa_control" -m
```

##### In cmd.exe:

```
C:\Windows\system32>"\Program Files\Trend Micro\Deep Security Agent\dsa_control" -m
```

#### Linux

```
/opt/ds_agent/dsa_control -m
```

### Initiate a manual anti-malware scan

#### Windows

1. Open a command prompt (cmd.exe) as Administrator.
2. Enter these commands:

```
cd C:\Program Files\Trend Micro\Deep Security Agent\  
dsa_control -m "AntiMalwareManualScan:true"
```

## Trend Micro Deep Security for Azure Marketplace 11.1

### Linux

```
/opt/ds_agent/dsa_control -m "AntiMalwareManualScan:true"
```

### Create a diagnostic package

Deep Security Technical Support might ask you to create a diagnostic package to help them troubleshoot and diagnose your issue. The diagnostic package is created in a zip file which is downloaded locally on the endpoint in operation. From there you can send it to Technical Support. For more detailed instructions, see ["Create a diagnostic package and logs" on page 1041](#).

**Note:** You can produce a diagnostic package for a managed computer through the Deep Security Manager but if the computer is in agent-initiated activation (AIA) mode it cannot collect all of the required logs. So when Technical Support asks for a diagnostic package you need to run the command directly on the managed computer.

### Windows

In PowerShell:

```
& "& "\Program Files\Trend Micro\Deep Security Agent\dsa_control" -d
```

In cmd.exe:

```
C:\Windows\system32>"\Program Files\Trend Micro\Deep Security Agent\dsa_control" -d
```

### Linux

```
/opt/ds_agent/dsa_control -d
```

### Reset the agent

This command will remove the activation information from the target agent and deactivate it.

### Windows

In PowerShell:

```
& "& "\Program Files\Trend Micro\Deep Security Agent\dsa_control" -r
```

In cmd.exe:

## Trend Micro Deep Security for Azure Marketplace 11.1

```
C:\Windows\system32>"\Program Files\Trend Micro\Deep Security Agent\dsa_control" -r
```

### Linux

```
/opt/ds_agent/dsa_control -r
```

### dsa\_query

You can use the `dsa_query` command to display agent information:

- License-status of each component
- Scan progress
- Version information of security update components

### Usage

```
dsa_query [-c <str>] [-p <str>] [-r <str>]
```

- `-p, --passwd <string>`: authentication password. Required when agent self-protection is enabled.

**Note:** For some query-commands, authentication can be bypassed directly, in such case, password is not required.

- `-c, --cmd <string>`: execute query-command against the agent. The following commands are supported:
  - `GetHostInfo`: to query which identity is returned to the Manager during a heartbeat
  - `GetAgentStatus`: to query which protection modules are enabled and other miscellaneous information
  - `GetComponentInfo`: to query version information of anti-malware patterns and engines
  - `GetPluginVersion`: to query version information about the agent and protection modules
- `-r, --raw <string>`: returns the same query-command information as `"-c"` but in raw data format for third party software interpretation.

`pattern`: Wild card pattern to filter result. Optional.

### Example:

```
dsa_query -c "GetComponentInfo" -r "au" "AM*"
```

### Check CPU usage and RAM usage

#### Windows

Use the Task Manager or procmon.

#### Linux

```
top
```

### Check that ds\_agent processes or services are running

#### Windows

Use the Task Manager or procmon.

#### Linux

```
ps -ef | grep ds_agent
```

### Restart an agent on Linux

```
service ds_agent restart
```

or

```
/etc/init.d/ds_agent restart
```

Some actions require either a `-tenantname` parameter or a `-tenantid` parameter. If execution problems occur when you use the tenant name, try the command using the associated tenant ID.

## Use the Deep Security API to automate tasks

Deep Security 11.1 provides a new RESTful API that enables you to automate the provisioning and maintenance of security via Deep Security. Go to the [Deep Security Automation Center](#) to download the SDKs in the language of your choice and learn how to use the API:

- API Reference
- Task-oriented guides with ample code examples
- Support resources

## Trend Micro Deep Security for Azure Marketplace 11.1

The API is continuously updated with new features and improvements. When you start new automation projects, if the new API meets your needs you should use it to benefit from continued support and maintenance in the long term.

To get started with the API, see the [First Steps Toward Deep Security Automation](#) guide.

## Legacy REST and SOAP APIs

**Note:** The REST and SOAP APIs that were provided before Deep Security 11.1 have not changed. They have been deprecated, so new features will not be added but the existing API functionality will continue to function as usual.

Deep Security still includes the legacy REST and SOAP APIs. For guidance on using them, see the following guides on the Deep Security Automation Center:

- [Transition From the SOAP API](#)
- [Use the Legacy REST API](#)

The following tasks explain how to use Deep Security Manager to accomplish tasks that are related to using the SOAP and REST API. For more information about when you need to perform these tasks, see the guides listed above.

### Enable the Status Monitoring API (optional)

To use status monitoring with the legacy REST API, you must enable it. The API is disabled by default as it does not require authentication.

**Note:** On Deep Security as a Service, the status monitoring API is already enabled for the primary tenant (t0), so you don't need to enable it. It is not configurable for other tenants.

1. On Deep Security Manager, go to **Administration > System Settings > Advanced**.
2. In the Status Monitoring API section, select **Enabled**, then click **Save**.

### Create a Web Service user account

Create a role for Web Service-only access, and assign it to a new user.

1. On Deep Security Manager, go to **Administration > User Management > Roles** .
2. Click **New**.
3. Deselect the **Allow Access to Deep Security Manager User Interface** check box and select the **Allow Access to Web Service API** check box.
4. When all other configuration is complete, click **Save**.
5. Go to **Administration > User Management > Users** and click **New**.
6. Create a new user for use only with the Web Service API. Assign the new Role previously created to this user.

*Make note of the new user account user name and password.*

## Schedule Deep Security to perform tasks

Deep Security has many tasks that you might want to perform automatically on a regular basis. Scheduled tasks are useful when deploying Deep Security in your environment and also later, to keep your system up to date and functioning smoothly. They are especially useful for running scans on a regular basis during off-peak hours.

**Tip:** You can automate scheduled task creation and configuration using the Deep Security API. For examples, see the [Maintain Protection Using Scheduled Tasks](#) guide.

## Create scheduled tasks

To set up a scheduled task in the Deep Security Manager, click **Administration > Scheduled Tasks > New**. This opens the "New Scheduled Task Wizard", which takes you through the steps to create a scheduled task.

**Backup:** Perform regular database backups. (This option is only available if you are using a Microsoft SQL Server database.)

**Check for Security Updates:** Regularly check for security updates and import them into Deep Security when they are available. For most organizations, performing this task once daily is ideal.

**Check for Software Updates:** Regularly check for Deep Security Agent software updates and download them when they are available.

## Trend Micro Deep Security for Azure Marketplace 11.1

**Discover Computers:** Periodically check for new computers on the network by scheduling a Discovery operation. You will be prompted for an IP range to check and asked to specify which computer group the new computer will be added to. This task is useful for discovering computers that are not part of your cloud connector.

**Generate and Send Report:** Automatically generate reports and optionally have them emailed to a list of users.

**Run Script:** If the Syslog options do not meet your event notification requirements, it may be possible for Trend Micro to provide a solution using custom-written scripts. Contact Trend Micro for more information.

**Scan Computers for Integrity Changes:** Causes the Deep Security Manager to perform an Integrity Scan to compare a computer's current state against its baseline.

**Scan computers for Malware:** Schedules a Malware Scan. The configuration of the scan is specified on the Policy or Computer Editor > Anti-Malware page for each computer. For most organizations, performing this task once weekly (or according to your organization's policies) is ideal. When you configure this task, you can specify a timeout value for the scan. The timeout option is available for daily, weekly, monthly, and once-only scans. It is not available for hourly scans. When a scheduled malware scan is running and the timeout limit has been reached, any tasks that are currently running or pending are canceled.

**Tip:** When a **Scan Computers for Malware** task times out, the next scheduled scan starts over from the beginning (it does not start where the previous scan ended). The goal is to perform a complete scan, so consider making some configuration changes if your scans regularly reach the timeout limit. You can change the malware scan configuration to add some exceptions, or extend the timeout period.

**Scan Computers for Open Ports:** Schedule periodic port scans on one or more computers. You can specify individual computers or all computers belonging to a particular computer group. Deep Security Manager will scan the port numbers defined on the Scanning tab in the Policy or Computer Editor > Settings page.

**Scan Computers for Recommendations:** Causes the Deep Security Manager to scan the computer(s) for common applications and then make recommendations based on what is detected. Performing regular recommendation scans ensures that your computers are protected

by the latest relevant rule sets and that those that are no longer required are removed. If you have set the "Automatically implement Recommendations" option for each of the three protection modules that support it, Deep Security will assign and unassign rules that are required. If rules are identified that require special attention, an alert will be raised to notify you. For most organizations, performing this task once a week is ideal.

**Note:** Recommendation Scans can be CPU-intensive, so when scheduling Recommendation Scans, it is best practice to set the task by group (for example, per policy or for a group of computers, no more than 1,000 machines per group) and spread it in different days (for example, database server scans scheduled every Monday; mail server scans scheduled every Tuesday, and so on). Schedule Recommendation Scans more frequently for systems that change often.

**Send Outstanding Alert Summary:** Generate an email listing all outstanding (unresolved) alerts.

**Send Policy:** Regularly check for and send updated policies. Scheduled updates allow you to follow an existing change control process. Scheduled tasks can be set to update machines during maintenance windows, off hours, etc.

**Synchronize Cloud Account:** Synchronize the Computers list with an added cloud account. (only available if you have added a cloud account to the Deep Security Manager.)

**Synchronize Directory:** Synchronize the Computers list with an added LDAP directory. (Only available if you have added an LDAP directory to the Deep Security Manager.)

**Synchronize Users/Contact:** Synchronize the Users and Contacts lists with an added Active Directory. (Only available if you have added an Active Directory to the Deep Security Manager.)

## Enable or disable a scheduled task

Existing scheduled tasks can be enabled or disabled. For example, you might want to temporarily disable a scheduled task while you perform certain administrative duties during which you don't want any activity to occur. The control to enable or disable a scheduled task is on the General tab of the Task's Properties window.

## Set up recurring reports

Recurring Reports are simply scheduled tasks that periodically generate and distribute reports to users and contacts. Most of the options are identical to those for single reports, with the exception of the time filter.

**Tip:** To generate a report on specific computers from multiple computer groups, create a user who has viewing rights only to the computers in question and then either create a scheduled task to regularly generate an "All Computers" report for that user or sign in as that user and run an "All Computers" report. Only the computers to which that user has viewing rights will be included in the report.

## Automatically perform tasks when a computer is added or changed

**Note:** In this article, references to protecting virtual machines apply only to Deep Security On-Premise software installations.

Event-based tasks let you monitor protected computers for specific events and perform tasks based on certain conditions.

### Create an event-based task

In Deep Security Manager, click **Administration > Event-Based Tasks > New**. The wizard that appears will guide you through the steps of creating a new task. You will be prompted for different information depending on the type of task.

### Edit or stop an existing event-based task

To change the properties for an existing event-based task, go to click **Administration > Event-Based Tasks**. Select the event-based task from the list and click **Properties**.

## Events that you can monitor

- **Computer Created (by System):** A computer being added to the manager during synchronization with an Active Directory or Cloud Provider account, or the creation of a virtual machine on a managed ESXi server running a virtual appliance.
- **Computer Moved (by System):** A virtual machine being moved from one vApp to another within the same ESXi, or a virtual machine on an ESXi being moved from one datacenter to another or from one ESXi to another (including from an unmanaged ESXi server to a managed ESXi server running a virtual appliance.)
- **Agent-Initiated Activation:** An agent is activated using agent-initiated activation.
- **IP Address Changed:** A computer has begun using a different IP.
- **NSX Security Group Changed:** The following situations will trigger this event (the event will be recorded on each affected VM):
  - A VM is added to a group that is (indirectly) associated with the NSX Deep Security Service Profile
  - A VM is removed from an NSX Group that is associated with the NSX Deep Security Service Profile
  - An NSX Policy associated with the NSX Deep Security Service Profile is applied to an NSX Group
  - An NSX Policy associated with the NSX Deep Security Service Profile is removed from an NSX Group
  - An NSX Policy is associated with the NSX Deep Security Service Profile
  - An NSX Policy is removed from the NSX Deep Security Service Profile
  - An NSX Group that is associated with an NSX Deep Security Service Profile changes name
- **Computer Powered On (by System):** Enables users to trigger activation by the VMware Virtual Machine power on event.

**Note:** The Computer Powered On event is only compatible with virtual machines hosted on ESX environments in VMWare. Use this event cautiously because if a large number of computers are turned on at the same time, this event could cause a slowdown.

## Conditions

You can require specific match conditions to be met in order for the task to be carried out. (Add additional conditions by pressing the "plus" button.) If you specify multiple conditions, each of the conditions must be met for the task to be carried out. (In other words, multiple conditions are "AND" conditions, not "OR".)

Use **Java regular expression syntax**

(<https://docs.oracle.com/javase/6/docs/api/java/util/regex/Pattern.html>) to match patterns in the following fields:

- **Cloud Instance Image ID:** AWS cloud instance AMI ID.

**Note:** This match condition is only available for AWS cloud instances.

- **Cloud Instance Metadata:** The metadata being matched corresponds to AWS "tags" in the Amazon environment.

**Note:** This match condition is only available for AWS cloud instances. Metadata currently associated with a computer is displayed on the **Overview** page in its editor window. To define the conditions to match for, you must provide two pieces of information: the metadata tag key and the metadata tag value. For example, to match a computer which has a metadata key named "**AlphaFunction**" that has a value of "**DServer**", you would enter "**AlphaFunction**" and "**DServer**" (without the quotes). If you wanted match more than one possible condition, you could use regular expressions and enter "**AlphaFunction**" and **".\*Server"**, or "**AlphaFunction**" and **"D.\*"**.

- **Cloud Instance Security Group Name:** The security group the cloud instance applies to.

**Note:** This match condition is only available for AWS cloud instances.

- **Cloud Account Name:** The "Display Name" field in the Cloud Account properties window.
- **Computer Name:** The "Hostname" field in the computer properties window.
- **ESXi Name:** The "Hostname" field of the ESXi server on which the VM computer is hosted.  
**ESXi Name:** The "Hostname" field of the ESXi server on which the VM computer is hosted.
- **Folder Name:** The name of the folder or directory in which the computer is located in its local environment.

**Note:** This match condition looks for a match against the name of **any** parent folder of the computer, including the root datacenter for vCenter server integrations. If you add a "" character to the beginning of the regular expression, the condition must match the name on **all** parent folders. This is particularly useful when combined with negation in a regular expression. For example, if you want to match computers in folders that do not include "Linux" in the folder name, you could use a regular expression like `*^((?!Linux).)*$`.

- **NSX Security Group Name:** The list of potential groups in this condition refers only to NSX Groups associated with NSX Policies associated with the NSX Deep Security Service Profile. The VM may be a member of other NSX Groups but for the purposes of this match, condition it is not relevant.
- **Platform:** The operating system of the computer.
- **vCenter name:** The "Name" field of the computer's vCenter properties that was added to Deep Security Manager.

### Java regular expression examples:

To match:	Use this:
any string (but not nothing)	.+
empty string (no text)	^\$
Folder Alpha	Folder\ Alpha
FIN-1234	FIN-\d+ or FIN-.*
RD-ABCD	RD-\w+ or RD-.*
AB or ABC or ABCCCCCCCCC	ABC*
Microsoft Windows 2003 or Windows XP	.*Windows.*
Red Hat 7 or Some_Linux123	.*Red.* .Linux.*

These next two conditions match True or False conditions:

## Trend Micro Deep Security for Azure Marketplace 11.1

- **Appliance Protection Available:** A Deep Security Virtual Appliance is available to protect VMs on the ESXi on which the VM is hosted. The VM may or may not be in a "Activated" state.
- **Appliance Protection Activated:** A Deep Security Virtual Appliance is available to protect VMs on the ESXi on which the VM is hosted and the VM is "Activated".

The last condition option looks for matches to an IP in an IP list:

- **Last Used IP Address:** The current or last known IP address of the computer.

**Note:** Depending on the source of the new computer, some fields may not be available. For example, "Platform" would not be available for computers added as a result of the synchronization with an Active Directory.

## Actions

The following actions can be taken depending on which of the above events is detected:

- **Activate Computer:** Deep Security protection is activated on the computer.
  - **Delay activation by (minutes):** Activation is delayed by a specified number of minutes.

- **Note:** If the event-based task is intended to apply protection to a VM that is being vMotioned to an ESXi protected by a Deep Security Virtual Appliance, add a delay before activation to allow any pending VMware administrative tasks to complete. The amount of delay varies depending on your environment.

- **Deactivate Computer:** Deep Security protection is deactivated on the computer.
- **Assign Policy:** The new computer is automatically assigned a policy. (The computer must be activated first.)
- **Assign Relay Group:** The new computer is automatically assigned a relay group from which to receive security updates.
- **Assign to Computer Group:** The computer is placed in one of the computer groups on the Computers page.

## Order of execution

If multiple event-based tasks are triggered by the same condition, the tasks are executed in alphabetical order by task name.

## Temporarily disable an event-based task

To prevent an existing event-based task from running, right-click it and then click **Disable** . For example, you may want to temporarily disable an event-based task while you perform certain administrative duties during which you don't want any activity to occur.

To re-enable an event-based task, right-click it and then click **Enable**.

## Azure virtual machine scale sets and Deep Security

Azure virtual machine scale sets (VMSS) provide the ability to deploy and manage a set of identical VMs. The number of VMs can increase or decrease automatically based on configurable scaling rules. For more information, see [What are virtual machine scale sets in Azure?](#)

You can set up your VMSS to include a base VM image that has the Deep Security Agent pre-installed and pre-activated. As the VMSS scales up, the new VM instances in the scale set automatically include the agent.

To add the agent to your VMSS:

- ["Step 1: \(Recommended\) Add your Azure account to Deep Security Manager"](#) below
- ["Step 2: Prepare a deployment script"](#) on the next page
- ["Step 3: Add the agent through a custom script extension to your VMSS instances"](#) on the next page

### Step 1: (Recommended) Add your Azure account to Deep Security Manager

When you add your Azure account to Deep Security Manager, all the Azure instances created under that account are loaded into Deep Security Manager and appear under **Computers**. The

instances appear regardless of whether they have an agent installed or not. The ones that do not include an agent have a **Status** of **No Agent**. After you install and activate the agent on them, their **Status** changes to **Managed (Online)**.

If the scale set is manually or automatically scaled up after adding your Azure account, Deep Security detects the new Azure instances and adds them to its list under **Computers**. Similarly, if the scale set is scaled down, the instances are removed from view. Thus, Deep Security Manager always shows the current list of available Azure instances in your scale set.

However, if you do not add your Azure account to Deep Security Manager, but instead add individual Azure instances using another method, then Deep Security does not detect any scaling down that might occur, and does not remove the non-existent Azure instances from its list. To prevent an ever-expanding list of Azure VMs in your Deep Security Manager, and to always show exactly which Azure instances are available in your scale set at any one time, it is highly recommended that you add your Azure account to Deep Security Manager.

For instructions on adding your Azure account, see ["Add a Microsoft Azure account to Deep Security" on page 258](#).

### Step 2: Prepare a deployment script

In Deep Security Manager, prepare a deployment script from Deep Security Manager. For instructions, see ["Use deployment scripts to add and protect computers" on page 233](#). This deployment script will be referenced in a custom script extension that you'll configure next.

**Note:** To run a custom script with the following VMSS script, the script must be stored in Azure Blob storage or in any other location accessible through a valid URL. For instructions on how to upload a file to Azure Blob storage, see [Perform Azure Blob storage operations with Azure PowerShell](#).

### Step 3: Add the agent through a custom script extension to your VMSS instances

Below are a couple of examples on how to use PowerShell to add the agent.

## Trend Micro Deep Security for Azure Marketplace 11.1

- [Example 1](#) shows how to create a new VMSS that includes the agent
- [Example 2](#) shows how to add the agent to an existing VMSS

Both examples:

- use the [Add-AzureRmVmssExtension cmdlet](#) to add an extension to the VMSS
- use Azure PowerShell version 5.1.1

**Note:** For instructions on creating a new VMSS using PowerShell cmdlets, refer to [this Microsoft tutorial](#). For the Linux platform, see <https://github.com/Azure/custom-script-extension-linux>.

### Example 1: Create a new VMSS that includes the agent

```
$resourceGroupName = <The resource group of the VMSS>

$vmssname = <The name of the VMSS>

# Create ResourceGroup

New-AzureRmResourceGroup -ResourceGroupName $resourceGroupName -Location EastUS

# Create a config object

$vmssConfig = New-AzureRmVmssConfig `
    -Location EastUS `
    -SkuCapacity 2 `
    -SkuName Standard_DS2 `
    -UpgradePolicyMode Automatic

# Define the script for your Custom Script Extension to run on the Windows Platform

$customConfig = @{
    "fileUris" = (,"A URL of your copy of deployment script, ex.
    deploymentscript.ps1");
```

## Trend Micro Deep Security for Azure Marketplace 11.1

```
"commandToExecute" = "powershell -ExecutionPolicy Unrestricted -File
deploymentscript.ps1"
}

# Define the script for your Custom Script Extension to run on the Linux Platform
#$customConfig = @{
# "fileUri" = ("A URL of your copy of deployment script, ex.
deploymentscript.sh");
# "commandToExecute" = "bash deploymentscript.sh"
#}

# The section is required only if deploymentscript has been located within Azure
StorageAccount
$storageAccountName = <StorageAccountName if deploymentscript is locate in Azure
Storage>
$key = (Get-AzureRmStorageAccountKey -Name $storageAccountName -ResourceGroupName
$resourceGroupName).Value[0]
$protectedConfig = @{
    "storageAccountName" = $storageAccountName;
    "storageAccountKey" = $key
}

# Use Custom Script Extension to install Deep Security Agent (Windows)
Add-AzureRmVmssExtension -VirtualMachineScaleSet $vmssConfig `
    -Name "customScript" `
    -Publisher "Microsoft.Compute" `
    -Type "CustomScriptExtension" `
    -TypeHandlerVersion 1.8 `
    -Setting $customConfig `
```

## Trend Micro Deep Security for Azure Marketplace 11.1

```
-ProtectedSetting $protectedConfig

# Use Custom Script Extension to install Deep Security Agent (Linux)
#Add-AzureRmVmssExtension -VirtualMachineScaleSet $vmssConfig `
# -Name "customScript" `
# -Publisher "Microsoft.Azure.Extensions" `
# -Type "customScript" `
# -TypeHandlerVersion 2.0 `
# -Setting $customConfig `
# -ProtectedSetting $protectedConfig

# Create a public IP address
# Create a frontend and backend IP pool
# Create the load balancer
# Create a load balancer health probe on port 80
# Create a load balancer rule to distribute traffic on port 80
# Update the load balancer configuration
# Reference a virtual machine image from the gallery
# Set up information for authenticating with the virtual machine
# Create the virtual network resources
# Attach the virtual network to the config object

# Create the scale set with the config object (this step might take a few minutes)
New-AzureRmVmss `
  -ResourceGroupName $resourceGroupName `
  -Name $vmssname `
  -VirtualMachineScaleSet $vmssConfig
```

### Example 2: Add the agent to an existing VMSS

```
$resourceGroupName = <The resource group of the VMSS>

$vmssname = <The name of the VMSS>

# Get the VMSS model
$vmssobj = Get-AzureRmVmss -ResourceGroupName $resourceGroupName -VMSScaleSetName
$vmssname

# Show model data if you prefer
# Write-Output $vmssobj

# Define the script for your Custom Script Extension to run on the Windows platform
$customConfig = @{
    "fileUri" = (,"A URL of your copy of deployment script, ex.
deploymentscript.ps1");
    "commandToExecute" = "powershell -ExecutionPolicy Unrestricted -File
deploymentscript.ps1"
}

# Define the script for your Custom Script Extension to run on the Linux platform
#$customConfig = @{
# "fileUri" = (,"A URL of your copy of deployment script, ex.
deploymentscript.sh");
# "commandToExecute" = "bash deploymentscript.sh"
#}

# The section is required only if deploymentscript has been located within Azure
StorageAccount
```

## Trend Micro Deep Security for Azure Marketplace 11.1

```
$storageAccountName = <StorageAccountName if deploymentscript is locate in Azure Storage>
```

```
$key= (Get-AzureRmStorageAccountKey -Name $storageAccountName -ResourceGroupName $resourceGroupName).Value[0]
```

```
$protectedConfig = @{
```

```
    "storageAccountName" = $storageAccountName;
```

```
    "storageAccountKey" = $key
```

```
}
```

```
# Use Custom Script Extension to install Deep Security Agent (Windows)
```

```
$newvmssobj = Add-AzureRmVmssExtension `
```

```
    -VirtualMachineScaleSet $vmssobj `
```

```
    -Name "customScript" `
```

```
    -Publisher "Microsoft.Compute" `
```

```
    -Type "CustomScriptExtension" `
```

```
    -TypeHandlerVersion 1.8 `
```

```
    -Setting $customConfig `
```

```
    -ProtectedSetting $protectedConfig
```

```
# Use Custom Script Extension to install Deep Security Agent (Linux)
```

```
#$newvmssobj = Add-AzureRmVmssExtension `
```

```
#    -VirtualMachineScaleSet $vmssobj `
```

```
#    -Name "customScript" `
```

```
#    -Publisher "Microsoft.Azure.Extensions" `
```

```
#    -Type "customScript" `
```

```
#    -TypeHandlerVersion 2.0 `
```

```
#    -Setting $customConfig `
```

```
#    -ProtectedSetting $protectedConfig
```

## Trend Micro Deep Security for Azure Marketplace 11.1

```
# Update the virtual machine scale set model

Update-AzureRmVmss -ResourceGroupName $resourceGroupName -name $vmssname -
VirtualMachineScaleSet $newvmssobj -Verbose

# Get Instance ID for all instances in this VMSS, and decide which instance you'd
like to update

# Get-AzureRmVmssVM -ResourceGroupName $resourceGroupName -VMSScaleSetName $vmssname

# Now start updating instances

# If upgradePolicy is Automatic in the VMSS, do NOT execute the next command
Update-AzureRmVmssInstance. Azure will auto-update the VMSS.

# There's no PowerShell command to update all instances at once. But you could
refer to the output of Update-AzureRmVmss, and loop all instances into this
command.

Update-AzureRmVmssInstance -ResourceGroupName $resourceGroupName -VMSScaleSetName
$vmssname -InstanceId 0
```

## Use deployment scripts to add and protect computers

Adding a computer to your list of protected resources in Deep Security and implementing protection is a multi-step process. Almost all of these steps can be performed from the command line on the computer and can therefore be scripted. The Deep Security Manager contains a deployment script writing assistant which can be accessed from the **Support** menu.

**Note:** If you want to deploy an agent to an early version of Windows or Linux that doesn't include PowerShell 4.0 or curl 7.3.4 at a minimum, you'll have to use a different deployment script from the one offered through the Deep Security Manager 10.1 and above. It is provided in [this article](#). You can't use the one in Deep Security Manager 10.1+ because it includes a `--tlsv1.2` (Linux) or `Tls12;` (Windows) tag. This tag enforces the use of TLS 1.2 communication between agent and manager, which is not supported by older operating systems.

## Enable agent-initiated activation

If your deployment script will automatically activate the Deep Security Agent after it is installed, you must configure Deep Security Manager to allow agent-initiated activation. For information on this setting, see ["Use agent-initiated communication with cloud accounts" on page 161](#) and ["Agent settings" on page 182](#).

1. Go to **Administration > System Settings > Agents**.
2. Select **Allow Agent-Initiated Activation**.

## Generate a deployment script

1. In the upper right corner of the Deep Security Manager console, click **Support > Deployment Scripts**.
2. Select the platform on which you are deploying the software.

The platforms in the list correspond to the agent software that you have imported into Deep Security Manager. For information on importing Deep Security software, see ["Get Deep Security Agent software" on page 135](#).

3. Select **Activate agent automatically after installation**.

Agents must be activated before you apply a policy to protect the computer. Activation registers the agent with the manager during an initial communication.

4. Optionally, select the **Security Policy, Computer Group, Relay Group, Proxy to contact Deep Security Manager**, and **Proxy to contact Relay(s)**.
5. Optionally (but highly recommended), select **Validate Deep Security Manager TLS certificate**.

When this option is selected, it checks that Deep Security Manager is using a valid TLS certificate from a trusted certificate authority (CA) when downloading the agent software, which can help prevent a "man in the middle" attack. You can check whether Deep Security Manager is using a valid CA certificate by looking at the browser bar in the Deep Security Manager console. By default, Deep Security Manager uses a self-signed certificate, which is not compatible with the **Validate Deep Security Manager TLS certificate** option. If your Deep Security Manager is not behind a load balancer, see

"[Replace the Deep Security Manager SSL certificate](#)" on page 702 for instructions on replacing the default self-signed certificate with a certificate from a trusted certificate authority. If the manager is behind a load balancer, you will need to replace the load balancer's certificates.

- The deployment script generator displays the script. Click **Copy to Clipboard** and paste the deployment script in your preferred deployment tool, or click **Save to File**.

### Deployment Scripts

Deep Security Agents can be deployed using tools such as RightScale, Chef, Puppet, or SSH. Use this deployment script generator to generate the scripts required.

For platforms other than Windows and Linux, please see the installation guide.

Platform:

**NOTE** Deployment scripts contain instructions to download agent software from the Deep Security Manager. The agent software must be imported into Deep Security Manager prior to running the deployment script. Please note that you will have to run the script with administrator privileges.[Import More Software...](#)

Activate Agent automatically after installation. (Required if you want to assign a security policy)

Validate Deep Security Manager TLS certificate. [Learn More](#)

```
#!/bin/bash
# This script detects platform and architecture, then downloads and installs the matching Deep Security Agent package
if [[ $(/usr/bin/id -u) -ne 0 ]]; then echo You are not running as the root user. Please try again with root privileges.;
  logger -t You are not running as the root user. Please try again with root privileges.;
  exit 1;
fi;
if type curl >/dev/null 2>&1; then
SOURCEURL='https://10.203.183.69:4119'
curl $SOURCEURL/software/deploymentscript/platform/linux/ -o /tmp/DownloadInstallAgentPackage --insecure --silent --tlsv1.2

if [-s /tmp/DownloadInstallAgentPackage ]; then
  ./tmp/DownloadInstallAgentPackage
```

[Save to File...](#) [Copy to Clipboard](#) [Close](#)

**Note:** The deployment scripts generated by Deep Security Manager for Windows agent deployments require Windows PowerShell version 4.0 or later. You must run PowerShell as an Administrator and you may have to run the following command to be able to run scripts:

```
Set-ExecutionPolicy RemoteSigned
```

**Note:** If you want to deploy an agent to an early version of Windows or Linux that doesn't include PowerShell 4.0 or curl 7.3.4 at a minimum, you'll have to use a different deployment script from the one offered through the Deep Security Manager. This deployment script is provided [in this article](#). You can't use the one in Deep Security Manager because it includes a

## Trend Micro Deep Security for Azure Marketplace 11.1

`--tlsv1.2` (Linux) or `Tls12;` (Windows) tag. This tag enforces the use of TLS 1.2 communication between agent and manager, which is not supported by older OSs.

If you are using Amazon Web Services and deploying new Amazon EC2, Amazon WorkSpace, or VPC instances, copy the generated script and paste it into the **User Data** field. This will let you launch existing Amazon Machine Images (AMIs) and automatically install and activate the agent at startup. The new instances must be able to access the URLs specified in the generated deployment script. This means that your Deep Security Manager must be either Internet-facing, connected to AWS via VPN or Direct Link, or that your Deep Security Manager be deployed on Amazon Web Services too.

When copying the deployment script into the **User Data** field for a **Linux** deployment, copy the deployment script as-is into the "User Data" field and CloudInit will execute the script with `sudo`. (If there are failures, they will be noted in `/var/log/cloud-init.log`.)

**Note:** The **User Data** field is also used with other services like CloudFormation. For more information, see:

<https://docs.aws.amazon.com/AWSCloudFormation/latest/UserGuide/aws-properties-waitcondition.html>

## Troubleshooting and tips

- If you are attempting to run a deployment script and see exit code 2 **"TLS certificate validation for the agent package download has failed. Please check that your Deep Security Manager TLS certificate is signed by a trusted root certificate authority. For more information, search for "deployment scripts" in the Deep Security Help Center."**, the deployment script was created with the **Validate Deep Security Manager TLS certificate** checkbox selected. This error appears if Deep Security Manager is using a certificate that is not publicly trusted (such as the default self-signed certificate) for the connection between Deep Security Manager and its agents, or if there is a problem with a third-party certificate, such as a missing certificate in the trust chain between your certificate and the trusted CA. For information on certificates, see **"Replace the Deep Security Manager SSL certificate" on page 702**. As an alternative to replacing the trusted certificate, you can clear the **Validate Deep Security Manager TLS certificate** checkbox

when generating a deployment script. Note that this is not recommended for security reasons.

- If you are attempting to deploy the agent from PowerShell (x86), you will receive the following error: `C:\Program Files (x86)\Trend Micro\Deep Security Agent\dsa_control' is not recognized as the name of a cmdlet, function, script file, or operable program. Check the spelling of the name, or if a path was included, verify that the path is correct and try again.`

The PowerShell script expects the environment variable for `ProgramFiles` to be set to "Program Files", not "Program Files (x86)". To resolve the issue, close PowerShell (x86) and run the script in PowerShell as an administrator.

- If you do not intend to enable anti-malware protection on your computers, you may want to prevent the installation of the anti-malware engine entirely. To do so, delete the string "ADDLOCAL=ALL" from the deployment script.
- On Windows computers, the deployment script will use the same proxy settings as the local operating system. If the local operating system is configured to use a proxy and the Deep Security Manager is accessible only through a direct connection, the deployment script will fail.

## Deep Security Smart Check

Deep Security Smart Check is a container image scanner from Trend Micro. It performs pre-runtime scans of Docker images to detect OS vulnerabilities and malware, enabling you to fix issues before they reach the orchestration environment (for example, Kubernetes).

Deep Security Smart Check has two types of documentation:

- The [Deployment Guide](#) describes how Smart Check works and provides instructions on how to install and configure it.
- The [API documentation](#) provides information on using the Smart Check API.

# Protect

Trend Micro Deep Security has tightly integrated modules that easily expand your security capabilities:

- ["Intrusion Prevention " below](#)
- ["Anti-Malware " below](#)
- ["Firewall " on the next page](#)
- ["Web Reputation " on the next page](#)
- ["Integrity Monitoring " on the next page](#)
- ["Log Inspection " on page 240](#)
- ["Application Control" on page 240](#)

## Intrusion Prevention

The Intrusion Prevention module inspects incoming and outgoing traffic to detect and block suspicious activity. This prevents exploitation of known and zero-day vulnerabilities. Deep Security supports "virtual patching": you can use Intrusion Prevention rules to shield from known vulnerabilities until they can be patched, which is required by many compliance regulations. You can configure Deep Security to automatically receive new rules that shield newly discovered vulnerabilities within hours of their discovery.

The Intrusion Prevention module also protects your web applications and the data that they process from SQL injection attacks, cross-site scripting attacks, and other web application vulnerabilities until code fixes can be completed.

For more information, see ["Set up intrusion prevention" on page 487](#).

## Anti-Malware

The Anti-Malware module protects your Windows and Linux workloads against malicious software, such as malware, spyware, and Trojans. Powered by the Trend Micro™ Smart

## Trend Micro Deep Security for Azure Marketplace 11.1

Protection Network™, the Anti-Malware module helps you instantly identify and remove malware and block domains known to be command and control servers.

For more information, see ["Enable and configure anti-malware" on page 440](#).

## Firewall

The Firewall Module is for controlling incoming and outgoing traffic and it also maintains firewall event logs for audits.

For more information, see ["Set up the Deep Security firewall" on page 530](#).

## Web Reputation

The majority of today's attacks start with a visit to a URL that's carrying a malicious payload. The Web Reputation module provides content filtering by blocking access to malicious domains and known communication and control (C&C) servers used by criminals. The Web Reputation module taps into the Trend Micro Smart Protection Network, which identifies new threats quickly and accurately.

For more information, see ["Block access to malicious URLs with web reputation" on page 669](#).

## Integrity Monitoring

The Integrity Monitoring module provides the ability to track both authorized and unauthorized changes made to an instance and enables you to receive alerts about unplanned or malicious changes. The ability to detect unauthorized changes is a critical component in your cloud security strategy because it provides visibility into changes that could indicate the compromise of an instance.

For more information, see ["Set up integrity monitoring" on page 578](#).

## Log Inspection

The Log Inspection module captures and analyzes system logs to provide audit evidence for PCI DSS or internal requirements that your organization may have. It helps you to identify important security events that may be buried in multiple log entries. You can configure Log Inspection to forward suspicious events to an SIEM system or centralized logging server for correlation, reporting, and archiving (see ["Forward Deep Security events to an external syslog or SIEM server " on page 758](#)).

For more information, see ["Set up log inspection" on page 638](#).

## Application Control

The Application Control module monitors changes - "drift" or "delta" - compared to the computer's original software. Once application control is enabled, all software changes are logged and events are created when it detects new or changed software on the file system. When Deep Security Agent detects changes, you can allow or block the software, and optionally lock down the computer.

For more information, see ["Verify that application control is enabled" on page 415](#).

## Manage protected computers

Perform the following tasks to protect and monitor computers using Deep Security:

- ["Add computers and other resources to Deep Security Manager" below](#)
- ["Computer and agent statuses" on page 276](#)
- ["Connect agents behind a proxy" on page 162](#)

## Add computers and other resources to Deep Security Manager

The **Computers** page in Deep Security Manager enables you to manage and monitor the computers you are protecting with Deep Security.

This page regularly refreshes itself to display the most current information. (You can modify the refresh rate on a per-user basis. Go to **Administration > User Management > Users** and then double-click on a user account to open its **Properties** window. On the **Settings** tab, in the **Refresh Rate** section, modify the page refresh rate.)

## Add computers to the manager

**Note:** After being installed on a computer, an agent must be activated by the Deep Security Manager. During activation, the Deep Security Manager sends a fingerprint to the agent, after which the agent accepts instructions only from a manager with that unique fingerprint.

You can add computers in many different ways.

- ["Add local network computers" on the next page](#)  
If you are protecting computers on a locally accessible network you can add them individually by supplying their IP address or hostname or you can perform a Discovery operation to search for all computers visible to the Deep Security Manager.
- ["Add computer groups from Microsoft Active Directory" on page 268](#)  
You can import computer groups from Microsoft Active Directory or any other LDAP-based directory service.
- ["Add virtual machines hosted on VMware vCloud" on page 265](#)
- ["Add a Microsoft Azure account to Deep Security" on page 258](#)
- ["Use deployment scripts to add and protect computers" on page 233](#)  
If you are going to be adding and protecting a large number of computers you may want to automate the process of installing and activating agents. You can use the Deep Security Manager's deployment script generator to generate scripts you can run on your computers which will install the agents and optionally perform subsequent tasks like activation and policy assignment. The scripts are also useful as a starting template to create your own customized scripts to execute various additional available commands.

## Group computers

Creating computer groups is useful from an organizational point of view and it speeds up the process of applying and managing policies. Groups are displayed in the tree structure on the left

side of the Computers page. To create a new group, select the computer group under which you want to create the new computer group and then click **Add > Create Group(s)**.

To move a computer to a group, select the computer and click **Actions > Move to Group**. Keep in mind that policies are applied at the computer level, not the computer group level. Moving a computer from one computer group to another has no effect on the policy assigned to that computer.

To remove a group, right-click it and click **Remove Group**. You can only remove a computer group if it contains no computers and has no sub-groups.

You can also "[Group computers dynamically with smart folders](#)" on page 965.

### Export your computers list

You can click **Export** on the Computers page to export your computers list to an XML or CSV file. Exporting is useful when you want to back up your computer information, integrate it with other reporting systems, or to migrate computers to another Deep Security Manager. (If you export, you do not have to re-discover and scan computers from the new manager.)

**Note:** The exported computers file does **not** include any assigned policies, firewall rules, firewall stateful configurations or intrusion prevention rules. To export this configuration information use the Policy export option in the **Policies** page.

### Delete a computer

If you delete a computer (by selecting it and clicking **Delete**), all information pertaining to that computer is deleted along with it. If you re-discover the computer, you will have to re-assign a policy and whatever rules were assigned previously.

### Add local network computers

#### Agent-initiated activation

If the Deep Security Manager is hosted outside of your local network and cannot initiate communication with the computers on your network, you will need to instruct the computers to perform agent-initiated activation. With agent-initiated activation, you must install the Deep

## Trend Micro Deep Security for Azure Marketplace 11.1

Security Agent on the computer and then run a set of command-line instructions which tell the Agent to communicate with the Deep Security Manager. During the communication, the Deep Security Manager activates the agent and can be further instructed to perform a number of other actions such as assigning a security policy, making the computer a member of a computer group, and so on.

If you are going to add a large number of computers to the Deep Security Manager at one time, you can use the command-line instructions to create scripts to automate the process. For more information on agent-initiated activation, scripting, and command line options, see "[Command-line basics](#)" on page 198.

### Manually add a computer

You can manually add an individual computer by specifying its IP address or hostname.

1. Go to the **Computers** page and click **Add > Add Computer** in the toolbar to display the **New Computer** wizard.
2. Enter the new computer's IP address or hostname.
3. Select a policy to assign to it from the list.
4. Select a relay group from which the new computer will download security updates.
5. Click **Next** to begin the search for the computer.

If the computer is detected and an agent is installed and running on that computer, the computer will be added to your computers list and the agent will be activated.

**Note:** "Activating" an agent means that the manager communicates with the agent sending it a unique "fingerprint". The agent will then use this fingerprint to uniquely identify the Deep Security Manager and will not accept instructions from any other managers that might try to contact it.

If a policy has been assigned to the computer, the policy will be deployed to the agent and the computer will be protected with all the rules and configurations that make up the policy.

By default, the security updates delivered by relay groups include new malware patterns. If you have enabled the **Support 9.0 (and earlier) agents** option (on the **Administration > System Settings > Updates** page), updates to the engines will also be included.

## Trend Micro Deep Security for Azure Marketplace 11.1

If the computer is detected but no Deep Security Agent is present, you will be told that the computer can still be added to your computers list but that you still have to install an agent on the computer. Once you install an agent on the computer, you will have to find the computer in your computers list, right-click it, and choose **Activate/Reactivate** from the context menu.

If the computer is not detected (not visible to the manager), you will be told that you can still add the computer but that when it becomes visible to the manager you will have to activate it as above.

### Discover computers

A discovery operation scans the network for visible computers. To initiate a discovery operation, go to the **Computers** page, click **Add > Discover**. The Discover Computers dialog will appear.

You are provided several options to restrict the scope of the scan. You can choose to perform a port scan of each discovered computer.

**Note:** If you are discovering or scanning a large number of computers, a port scan can take time and reduce performance until it is complete.

When discovering computers, you can specify a computer group to which they should be added. Depending on how you have chosen to organize your computer groups, it may be convenient to create a computer group called "Newly Discovered Computers", or "Newly Discovered Computers on Network Segment X" if you will be scanning multiple network segments. You can then move your discovered computers to other computer groups based on their properties and activate them.

During discovery, the manager searches the network for any visible computers that are not already listed. When a computer is found, the manager attempts to detect whether an agent is present. When discovery is complete, the manager displays all the computers it has detected and displays their status in the **Status** column.

**Note:** The Discovery operation only checks the status of newly-discovered computers. To update the status of already-listed computers, right-click the selected computer(s) and click **Actions > Check Status**.

After discovery operations, a computer can be in one of the following states:

- **Discovered (No Agent):** The computer has been detected but no agent is present. The computer may also be in this state if an agent is installed but has been previously activated and is configured for agent initiated communications. In this case, you will have to deactivate and then reactivate the agent. ("No Agent" will also be reported if the agent is installed but not running.)
- **Discovered (Activation Required):** The agent is installed and listening, and has been activated, but is not yet being managed by the manager. This state indicates that this manager was at one point managing the agent, but the agent's public certificate is no longer in the manager's database. This may be the case if the if the computer was removed from the manager and then discovered again. To begin managing the agent on this computer, right-click the computer and select **Activate/Reactivate**. Once reactivated, the **Status** will change to "Online".
- **Discovered (Deactivation Required):** The agent is installed and listening, but it has already been activated by another manager. In this case, the agent must be deactivated (reset) prior to activation by this manager. Deactivating an agent can be done using the manager that originally activated it or it can be reset through the command line. To deactivate the agent from the manager, right-click the computer and choose **Actions > Deactivate**. To deactivate the agent from the command line, see ["Reset the agent" on page 214](#).

The discovery operation will not discover computers running as virtual machines in a vCenter or computers in an LDAP directory or Active Directory.

**Note:** The Discovery operation does not discover computers running as virtual machines in a vCenter. The Discovery operation does not discover computers in a Microsoft Active Directory.

## Add AWS cloud accounts

You can add your AWS account to Deep Security. This imports all your Amazon EC2 instances into Deep Security Manager. Optionally, you can also ["Add Amazon WorkSpaces" on page 255](#). They'll appear in one of the following locations:

- EC2 instances appear on the left under **Computers > your\_AWS\_account > your\_region > your\_VPC > your\_subnet**

## Trend Micro Deep Security for Azure Marketplace 11.1

- Amazon WorkSpaces appear on the left under **Computers** > *your\_AWS\_account* > *your\_region* > **WorkSpaces**

From there, you can manage them like any other computer.

You can add multiple AWS accounts if your Amazon EC2 instances and Amazon WorkSpaces are hosted under different AWS accounts.

**Note:** If you previously added Amazon EC2 instances or Amazon WorkSpaces as individual computers, and they are part of your AWS account, after importing the account, the instances are moved into the tree structure described above.

There are several ways to add AWS accounts to Deep Security Manager:

- **"Method: IAM user and cross-account role" on the next page.** Use this method if you want to add several AWS accounts, and your Deep Security Manager is hosted outside of AWS. With this method, you designate one of your AWS accounts as the 'primary' account, and create an IAM user in this account that is configured to assume cross account roles to your other AWS accounts.

You can use this method with:

- Deep Security VM for Azure Marketplace
- Deep Security on-premise, hosted outside AWS
- **"Method: AWS access keys" on page 253.** This method works with all deployment types, but is only recommended if your Deep Security Manager is hosted outside of AWS and you only have one AWS account to add, or if you have tried another method and it doesn't work.

For all other scenarios, we recommend you use another method. Specifying access keys in Deep Security Manager is discouraged because the keys need to be updated periodically (for security reasons), which creates management overhead. With this method, you log in to the AWS account that holds your Amazon EC2 instances and Amazon WorkSpaces and you create an IAM user and access keys. You then specify the access keys in Deep Security Manager, which uses them to access the IAM user and associated AWS account. You can repeat these steps for each AWS account you want to add.

## Trend Micro Deep Security for Azure Marketplace 11.1

You can use this method with:

- Deep Security as a Service
- Deep Security AMI from AWS Marketplace
- Deep Security on-premise
- Deep Security Manager VM for Azure Marketplace

### Method: IAM user and cross-account role

The instructions below assume that your Deep Security Manager is outside of AWS and that you have two different AWS accounts...

- AWS Account X (primary)
- AWS Account Y

...and you want to protect the Amazon EC2 instances and Amazon WorkSpaces in these two accounts with Deep Security.

Follow these high-level steps, which are described in detail below:

1. ["Configure AWS Account X" below](#): Log in to AWS Account X (the primary account), configure an IAM policy, create an IAM user with an access keys.
2. ["Configure AWS Account Y" on page 249](#): Log in to AWS Account Y, configure an IAM policy, and create a cross account role to AWS Account X.
3. ["Add the access keys to Deep Security Manager" on page 251](#): In Deep Security Manager, add AWS Account X's access key ID and secret
4. ["Add the AWS accounts to Deep Security Manager" on page 252](#): In Deep Security Manager, add AWS Account X and Y.

After completing these steps, Deep Security Manager can use AWS Account X's access key ID and secret to log in to AWS Account X and see its Amazon EC2 and Amazon WorkSpace instances. Additionally, Deep Security Manager can access the resources under AWS Account Y (indirectly) by way of the cross account roles that reference AWS Account X.

### Configure AWS Account X

First, while logged in to AWS Account X, configure an IAM policy:

## Trend Micro Deep Security for Azure Marketplace 11.1

1. Log in to your Amazon Web Services Console and go to the **IAM** service.
2. In the left navigation pane, click **Policies**.

**Note:** If this is your first time on this page, you'll need to click **Get Started**.

3. Click **Create policy**.
4. Select the **JSON** tab.
5. Copy the following JSON code into the text box:

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "cloudconnector",
      "Action": [
        "ec2:DescribeImages",
        "ec2:DescribeInstances",
        "ec2:DescribeRegions",
        "ec2:DescribeSubnets",
        "ec2:DescribeTags",
        "ec2:DescribeVpcs",
        "ec2:DescribeAvailabilityZones",
        "ec2:DescribeSecurityGroups",
        "workspaces:DescribeWorkspaces",
        "workspaces:DescribeWorkspaceDirectories",
        "workspaces:DescribeWorkspaceBundles",
        "workspaces:DescribeTags",
        "iam:ListAccountAliases",
        "iam:GetRole",
        "iam:GetRolePolicy",
        "sts:AssumeRole"
      ],
      "Effect": "Allow",
      "Resource": "*"
    }
  ]
}
```

**Note:** The "`sts:AssumeRole`" permission is required only if you are using cross account roles.

**Note:** The "`iam:GetRole`" and "`iam:GetRolePolicy`" permissions are optional, but recommended because they allow Deep Security to determine whether you have the correct policy when an update to the manager occurs that requires additional AWS permissions.

6. Click **Review policy**.
7. Give the policy a name and description. Example name: `Deep_Security_Policy`.
8. Click **Create policy**. Your policy is now ready to use.

Next, create an IAM user with an access key ID and secret:

1. Go to the **IAM** service.
2. Click **Users**.
3. Click **Add user**.
4. Enter a user name. Example: `Deep_Security_IAM_User`.
5. For **Access type**, select **Programmatic access**.
6. Click **Next: Permissions**.
7. Click the **Attach existing policies directly** box.
8. Find the IAM policy you just created and select the check box next to it.
9. Click **Next: Review**.
10. Click **Create user**. Your access key ID and secret access key are shown in the table.
11. Copy the access key ID and secret access key to a safe location. You'll need them later.

Next, determine AWS Account X's account ID:

1. At the top-right of AWS, click **Support > Support Center**.
2. Note the **Account Number** shown at the top-right (1234567890, in this example). You'll need it later to create the cross account role.

### Configure AWS Account Y

First, while logged in to AWS Account Y, configure an IAM policy. It is the same as the policy for AWS Account X, except it does not require the `sts:AssumeRole` permission:

## Trend Micro Deep Security for Azure Marketplace 11.1

1. Log in to your Amazon Web Services Console and go to the **IAM** service.
2. In the left navigation pane, click **Policies**.

**Note:** If this is your first time on this page, you'll need to click **Get Started**.

3. Click **Create policy**.
4. Select the **JSON** tab.
5. Copy the following JSON code into the text box:

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "cloudconnector",
      "Action": [
        "ec2:DescribeImages",
        "ec2:DescribeInstances",
        "ec2:DescribeRegions",
        "ec2:DescribeSubnets",
        "ec2:DescribeTags",
        "ec2:DescribeVpcs",
        "ec2:DescribeAvailabilityZones",
        "ec2:DescribeSecurityGroups",
        "workspaces:DescribeWorkspaces",
        "workspaces:DescribeWorkspaceDirectories",
        "workspaces:DescribeWorkspaceBundles",
        "workspaces:DescribeTags",
        "iam:ListAccountAliases",
        "iam:GetRole",
        "iam:GetRolePolicy"
      ],
      "Effect": "Allow",
      "Resource": "*"
    }
  ]
}
```

**Note:** The "iam:GetRole" and "iam:GetRolePolicy" permissions are optional, but recommended because they allow Deep Security to determine whether you have the

## Trend Micro Deep Security for Azure Marketplace 11.1

correct policy when an update to the manager occurs that requires additional AWS permissions.

6. Click **Review policy**.
7. Give the policy a name and description. Example name: `Deep_Security_Policy_2`.
8. Click **Create policy**. Your policy is now ready to use.

Next, create a cross account role that references the Account X:

1. Go to the **IAM** service.
2. In the left navigation pane, click **Roles**.
3. In the main pane, click **Create role**.
4. Click the **Another AWS account** box.
5. In the **Account ID** field, enter the account ID of AWS Account X (`1234567890`, in this example).
6. Next to **Options**, enable **Require external ID**. In the **External ID** field, enter a long, random secret string.
7. Note the external ID. You'll need this information later when adding this account to Deep Security Manager.
8. Click **Next: Permissions**.
9. Select the IAM policy that you created previously and then click **Next: Review**.
10. On the **Review** page, enter a role name and description. Example role name: `Deep_Security_Role`.
11. On the main role page, search for the role you just created (`Deep_Security_Role`).
12. Click it.
13. Find the **Role ARN** field at the top and note the value. You'll need it later when adding this account to Deep Security Manager. It looks similar to:  
`arn:aws:iam::544739704774:role/Deep_Security_Role`

## Add the access keys to Deep Security Manager

1. Log in to Deep Security Manager.
2. Click **Administration** at the top.
3. Click **System Setting** on the left.
4. Click the **Advanced** tab in the main pane.
5. Scroll to the bottom and look for the **Manager AWS Identity** heading.

## Trend Micro Deep Security for Azure Marketplace 11.1

6. Next to **Access Key - The Access Key of an AWS User used for the manager identity**, enter the access key of the IAM user you created previously.
7. Next to **Secret Key - The Secret Access Key of an AWS User used for the manager identity**, enter the secret key of the IAM user that you created previously.
8. Click **Save**.

### Add the AWS accounts to Deep Security Manager

First, add Account X using its access keys:

1. Click **Computers** at the top.
2. Click **Add > Add AWS Account**.
3. Select **Use AWS Access Keys**.
4. Enter AWS Account X's IAM user **Access Key ID** and **Secret Access Key** that you created previously.
5. If your AWS account includes Amazon WorkSpaces, select **Include Amazon WorkSpaces** to include them with your Amazon EC2 instances. By enabling the check box, you ensure that your Amazon WorkSpaces appear in the correct location in the tree structure in Deep Security Manager and are billed at the correct rate.  
AWS Account X's Amazon EC2 instances and Amazon WorkSpaces are loaded.

Next, add AWS Account Y using its cross account role:

1. Click **Computers** at the top.
2. Click **Add > Add AWS Account**.
3. Select **Use Cross Account Role**.
4. Enter AWS Account Y's **Cross Account Role ARN** and **External ID**.
5. If your AWS account includes Amazon WorkSpaces, select **Include Amazon WorkSpaces** to include them with your Amazon EC2 instances. By enabling the check box, you ensure that your Amazon WorkSpaces appear in the correct location in the tree structure in Deep Security Manager and are billed at the correct rate.
6. Click **Next**.  
AWS Account Y's Amazon EC2 instances and Amazon WorkSpaces are loaded.

You have now added AWS Account X and Y to Deep Security Manager.

### Method: AWS access keys

First, log in to AWS using the account that holds the Amazon EC2 instances and Amazon WorkSpaces that you want to protect.

Next, configure an IAM policy:

1. Log in to your Amazon Web Services Console and go to the **IAM** service.
2. In the left navigation pane, click **Policies**.

**Note:** If this is your first time on this page, you'll need to click **Get Started**.

3. Click **Create policy**.
4. Select the **JSON** tab.
5. Copy the following JSON code into the text box:

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "cloudconnector",
      "Action": [
        "ec2:DescribeImages",
        "ec2:DescribeInstances",
        "ec2:DescribeRegions",
        "ec2:DescribeSubnets",
        "ec2:DescribeTags",
        "ec2:DescribeVpcs",
        "ec2:DescribeAvailabilityZones",
        "ec2:DescribeSecurityGroups",
        "workspaces:DescribeWorkspaces",
        "workspaces:DescribeWorkspaceDirectories",
        "workspaces:DescribeWorkspaceBundles",
        "workspaces:DescribeTags",
        "iam:ListAccountAliases",
        "iam:GetRole",
        "iam:GetRolePolicy"
      ],
      "Effect": "Allow",
      "Resource": "*"
    }
  ]
}
```

```
    }  
  ]  
}
```

**Note:** The "iam:GetRole" and "iam:GetRolePolicy" permissions are optional, but recommended because they allow Deep Security to determine whether you have the correct policy when an update to the manager occurs that requires additional AWS permissions.

6. Click **Review policy**.
7. Give the policy a name and description. Example name: Deep\_Security\_Policy\_2.
8. Click **Create policy**. Your policy is now ready to use.

Next, create an IAM user account:

1. Go to the **IAM** service.
2. Click **Users**.
3. Click **Add user**.
4. Enter a user name. Example: Deep\_Security\_IAM\_User.
5. For **Access type**, select **Programmatic access**.
6. Click **Next: Permissions**.
7. Click the **Attach existing policies directly** box.
8. Find the IAM policy you just created and select the check box next to it.
9. Click **Next: Review**.
10. Click **Create user**. Your access key ID and secret access key are shown in the table.
11. Copy the access key ID and secret access key to a safe location. You'll need them later.

Finally, add your AWS account to Deep Security:

1. In the Deep Security Manager, click **Computers** at the top.
2. In the main pane, click **Add > Add AWS Account**.
3. Select **Use AWS Access Keys**.
4. Specify the **Access Key ID** and **Secret Access Key** that you generated when you created the IAM user.
5. If your AWS account includes Amazon WorkSpaces, select **Include Amazon WorkSpaces** to include them with your Amazon EC2 instances. By enabling the check box, you ensure that your Amazon WorkSpaces appear in the correct location in the tree structure in Deep

## Trend Micro Deep Security for Azure Marketplace 11.1

Security Manager and are billed at the correct rate.

6. Click **Next**.

Your Amazon EC2 instances and Amazon WorkSpaces under your AWS account are loaded.

### Edit a cloud account

You can edit a cloud account's settings in Deep Security Manager. You might need to do this if, for example, your AWS account needs to be configured to include Amazon WorkSpaces. To edit a cloud account:

1. Log in to Deep Security Manager.
2. Click **Computers** at the top.
3. On the left, right-click your cloud account name and select **Properties**.
4. Edit the settings and click **OK**.

### Remove a cloud account from the manager

Removing a cloud account from Deep Security Manager permanently removes the account from the Deep Security database as well as its underlying computers. Your account with your cloud provider is unaffected and any Deep Security Agents that were installed on the instances are still installed, running, and providing protection (although they will no longer receive security updates). If you decide to re-import computers from the cloud account, the Deep Security Agents download the latest security updates at the next scheduled opportunity.

1. In Deep Security Manager, click **Computers** at the top.
2. In the navigation panel, right-click the cloud account and select **Remove Cloud Account**.
3. Confirm that you want to remove the account.

The account is removed from the Deep Security Manager.

### Add Amazon WorkSpaces

Amazon WorkSpaces are virtual cloud desktops that run in Amazon Web Services (AWS). You can protect them with Deep Security following the instructions in one of these sections:

- ["Protect Amazon WorkSpaces if you already added your AWS account" on the next page](#)
- ["Protect Amazon WorkSpaces if you have not yet added your AWS account" on page 257](#)

**Note:** The Deep Security Agent only supports Amazon WorkSpaces Windows desktops—it does not support Linux desktops.

After completing the steps in one of the above-mentioned sections:

- your Amazon WorkSpaces are displayed in Deep Security Manager on the left under **Computers** > *your\_AWS\_account* > *your\_region* > **WorkSpaces**
- your Amazon WorkSpaces are protected by the Deep Security Agent

### Protect Amazon WorkSpaces if you already added your AWS account

If you already added your AWS account to Deep Security Manager (to protect your Amazon EC2 instances), complete the steps in this section to configure Deep Security to work with Amazon WorkSpaces.

1. Upgrade Deep Security Manager VM for Azure Marketplace to version 10.3. See ["Upgrade Deep Security Manager VM for Azure Marketplace" on page 686](#).
2. Launch an Amazon WorkSpace, and then install and activate Deep Security Agent 10.2 or later on it. See ["Install the agent on Amazon EC2 and WorkSpaces" on page 143](#) for details. Optionally, create a custom WorkSpace bundle so that you can deploy it to many people. See ["Bake the agent into your AMI or WorkSpace bundle" on page 151](#) for details on installation, activation, and bundle creation.
3. Modify your IAM policy to include Amazon WorkSpaces permissions:
  - a. Log in to AWS with the account that was added to Deep Security Manager.
  - b. Go to the **IAM** service.
  - c. Find the Deep Security IAM policy. You can find it under **Policies** on the left, or you can look for the Deep Security IAM role or IAM user that references the policy and then click the policy within it.
  - d. Modify the Deep Security IAM policy to look like the one shown in ["Add AWS cloud accounts" on page 245](#). The policy includes Amazon WorkSpaces permissions. If you added more than one AWS account to Deep Security, the IAM policy must be updated under all the AWS accounts.
4. In Deep Security Manager, edit your AWS account:
  - a. On the left, right-click your AWS account and select **Properties**.
  - b. Enable **Include Amazon WorkSpaces**.

- c. Click **Save**.

You have now added Amazon WorkSpaces to Deep Security.

### Protect Amazon WorkSpaces if you have not yet added your AWS account

If you have not yet added your AWS account to Deep Security Manager, complete the steps in one of the following sections:

- If you want to protect existing Amazon WorkSpaces, read ["Install the agent on Amazon EC2 and WorkSpaces" on page 143](#)
- If you want to be able to launch new Amazon WorkSpaces with the agent 'baked in', read ["Bake the agent into your AMI or Workspace bundle" on page 151](#).

### How do I migrate to the new cloud connector functionality?

If you previously used the "Add Cloud Account" wizard to import Amazon Web Services resources into Deep Security Manager, those resources are organized by AWS region on **Computers**. You may have run the wizard more than once if you have multiple AWS regions.

The latest versions of Deep Security provide the ability to display your AWS instances under your AWS account name, organized in a hierarchy that includes the AWS Region, VPC, and subnet.

Before migrating your AWS resources, you will need to edit the policy that allows Deep Security to access your AWS account:

1. Log in to your Amazon Web Services Console and go to **Identity and Access Management (IAM)**.
2. In the left navigation pane, click **Policies**.
3. In the list of policies, select the policy that allows Deep Security to access your AWS account.
4. Go to the **Policy Document** tab and click **Edit**.
5. Edit the policy document to include this JSON code:

```
{  
  "Version": "2012-10-17",  
  "Statement": [  
    {  
      "Action": "iam:List*",  
      "Effect": "Allow",  
      "Resource": "*" }  
  ]  
}
```

```
{
  "Sid": "cloudconnector",
  "Effect": "Allow",
  "Action": [
    "ec2:DescribeImages",
    "ec2:DescribeInstances",
    "ec2:DescribeRegions",
    "ec2:DescribeSubnets",
    "ec2:DescribeTags",
    "ec2:DescribeVpcs",
    "iam:ListAccountAliases",
    "sts:AssumeRole"
  ],
  "Resource": [
    "*"
  ]
}
```

**Note:** The "sts:AssumeRole" permission is required only if you are using cross-account role access. For more information on IAM roles, see [Tutorial: Delegate Access Across AWS Accounts Using IAM Roles](#).

6. Select **Save as default version**.

### To migrate your AWS resources in the Deep Security Manager:

1. In the Deep Security Manager, go to the **Computers** page.
2. In the Computers tree, right-click an AWS region and select **Upgrade to Amazon Account**.
3. Click **Finish** and then **Close**. Your AWS instances will now appear under your AWS account name, organized in a hierarchy that includes the AWS Region, VPC, and subnet.

## Add a Microsoft Azure account to Deep Security

Once you've installed Deep Security Manager, you can add and protect Microsoft Azure virtual machines by connecting a Microsoft Azure account to the Deep Security Manager. Virtual machines appear on the Computers page, where you can manage them like any other computer.

**Note:** When FIPS mode is enabled, you cannot add a Microsoft Azure account to Deep Security. See "[FIPS 140-2 support](#)" on page 991.

Topics in this article:

- "[Configure a proxy setting for the Azure account](#)" below
- "[Add virtual machines from a Microsoft Azure account to Deep Security](#)" below
- "[Manage Azure classic virtual machines with the Azure Resource Manager connector](#)" on page 261
- "[Remove an Azure account](#)" on page 261

### Configure a proxy setting for the Azure account

You can configure the Deep Security Manager to [use a proxy server](#) to access resources in Azure accounts.

1. Go to **Administration > System Settings > Proxies**.
2. In the **Proxy Server Use** section, select your proxy from the **Deep Security Manager (Cloud Accounts - HTTP Protocol Only)** list.

### Add virtual machines from a Microsoft Azure account to Deep Security

You can add virtual machines to the Deep Security Manager using either the Quick or Advanced method. The **Quick** method requires an Azure account that has been assigned the Global Administrator role for the Azure Active Directory and the Subscription Owner role for the Azure subscription to access your Azure resources. The **Advanced** method involves creating an Azure app for the Deep Security Manager that provides read-only access to Azure resources.

1. On the Computers page, click **Add > Add Azure Account**.
2. Select either the **Quick** method or the **Advanced** method, and then click **Next**. Follow the corresponding procedure below:

#### Quick

**Note:** Trend Micro recommends creating a dedicated Azure account for adding Azure resources into the Deep Security Manager. This allows you to change the user rights of the

## Trend Micro Deep Security for Azure Marketplace 11.1

dedicated account independently of Azure accounts used to access and manage Azure resources.

1. Enter your Azure portal account credentials and click **Sign in**.

**Note:** The account must have been assigned the Global Administrator role for the Azure Active Directory and the Subscription Owner role for the Azure subscription. These privileges are required for Deep Security to automate the provisioning of a Service Principal object in the Azure Active Directory. Deep Security uses the Service Principal object to authenticate itself to your Azure subscription so that it can invoke the necessary Azure APIs to synchronize your Azure virtual machines in the Deep Security Manager console. For information on creating a user with a Global Administrator role, see Microsoft's [Add new users or users with Microsoft accounts to Azure Active Directory](#) article.

2. On the Deep Security Azure Connector permissions page, click **Accept**.
3. Select the **Azure Active Directory** and **Subscription Name**, and then click **Next**.
4. Review the summary information, and then click **Finish**.

**Note:** If you have previously added virtual machines from this Azure account, they will be moved under this account in the Computers tree.

### Advanced

1. Log in to the Azure portal.
2. Follow the procedures in "[Create an Azure app for Deep Security](#)" on page 262 to create a new Azure app for the Deep Security Manager.
3. Enter a **Display name**, and then enter the following Azure access information you recorded in step 2:
  - **Active Directory ID**
  - **Subscription ID**
  - **Application ID**
  - **Application Password**

## Trend Micro Deep Security for Azure Marketplace 11.1

**Note:** If you are upgrading from the Azure classic connector to the Azure Resource Manager connector, the Display name and the Subscription ID of the existing connector will be used.

4. Click **Next**.
5. Review the summary information, and then click **Finish**.

The Azure virtual machines will appear in the Deep Security Manager under their own branch on the Computers page.

**Tip:** You will see all the virtual machines in the account. If you'd like to only see certain virtual machines, use smart folders to limit your results. See "[Group computers dynamically with smart folders](#)" on page 965 for more information.

**Note:** If you have previously added virtual machines from this Azure account, they will be moved under this account in the Computers tree.

### Manage Azure classic virtual machines with the Azure Resource Manager connector

You can also manage virtual machines that were added with the Azure classic connector with the Azure Resource Manager connector, allowing you to manage both your Azure classic and Azure Resource Manager virtual machines with a single connector.

For more information, see "[Why should I upgrade to the new Azure Resource Manager connection functionality?](#)" on page 264

1. On the **Computers** page, in the **Computers tree**, right-click the **Azure classic portal** and then click **Properties**.
2. Click **Enable Resource Manager connection**.
3. Select either the **Quick** method or the **Advanced** method, and then click **Next**. Follow the corresponding procedure above.

### Remove an Azure account

Removing an Azure account from the Deep Security Manager will permanently remove the account from the Deep Security database. This will not affect the Azure account. Virtual machines with Deep Security agents will continue to be protected, but will not receive security

updates. If you later import these virtual machines from the same Azure account, the Deep Security agents will download the latest security updates at the next scheduled update.

1. Go to the **Computers** page, right-click on the Microsoft Azure account in the navigation panel, and select **Remove Cloud Account**.
2. Confirm that you want to remove the account.
3. The account is removed from the Deep Security Manager.

## Create an Azure app for Deep Security

In your operating environment, it may not be desirable to allow the Deep Security Manager to access Azure resources with an account that has both the Global Administrator role for the Azure Active Directory and the Subscription Owner role for the Azure subscription. As an alternative, you can create an Azure app for the Deep Security Manager that provides read-only access to Azure resources.

**Note:** To create an Azure app, your account must have been assigned the User Administrator role for the Azure Active Directory and the User Access Administrator role for the Azure subscription.

To do this you will need to:

1. ["Record the Azure Active Directory ID" below](#).
2. ["Create the Azure app" on the next page](#).
3. ["Record the Azure app ID and password" on the next page](#).
4. ["Record the Subscription ID" on the next page](#).
5. ["Assign the Azure app a reader role and add it to your Azure Subscription" on the next page](#).

## Record the Azure Active Directory ID

1. On the Hub menu, click **Azure Active Directory** and select your Azure Active Directory.
2. In the **Azure Active Directory** blade, click **Properties**.
3. Record the **Directory ID**.

### Create the Azure app

1. In the **Azure Active Directory** blade, click **App registrations**.
2. Click **Add**.
3. Enter a **Name** (for example, Deep Security Azure Connector).
4. For the **Application Type**, select **Web app/API**.
5. Enter a **Sign-on URL**. The URL can be any value, but it must begin with the `http` prefix.

**Note:** You must enter a URL in the **Sign-on URL** field, even though it is not used by Deep Security Azure integration. The value does not need to resolve to a valid address.

6. Click **Create**. The **Deep Security Azure Connector** app will appear in the **App registrations** list.

### Record the Azure app ID and password

1. In the **App registrations** list, click on the **Deep Security Azure Connector**.
2. Record the **Application ID**.
3. Click on **All settings**.
4. On the **Settings** blade, click **Keys**.
5. Enter a **Description** for the key.
6. Select an appropriate **Duration**.
7. Click **Save**.

The key **Value** will appear.

8. Record the key **Value**. This will be used as the Application Password when registering the Azure app with Deep Security.

### Record the Subscription ID

1. On the Hub menu, go to **All Services** and click **Subscriptions**, then select the subscription you added the Deep Security Azure Connector app to.
2. Record the **Subscription ID**.

### Assign the Azure app a reader role and add it to your Azure Subscription

1. In the **Subscriptions** blade, click on **Access Control (IAM)**.
2. Click **Add**.

3. Click on the **Reader** role.
4. Select the **Deep Security Azure Connector** app. If it is not already in the list, enter it in the search field and select it when it appears.
5. Click **OK**.

You can now continue configuring Deep Security to add Azure virtual machines by following the remaining steps of the Advanced procedure in ["Add a Microsoft Azure account to Deep Security" on page 258](#).

### Why should I upgrade to the new Azure Resource Manager connection functionality?

The next time you try to add an Azure cloud account to Deep Security Manager you will be shown a message suggesting that you upgrade to the new Resource Manager connection functionality. Basically, this new functionality allows Deep Security to connect to Azure virtual machines using the Resource Manager interface. As an Azure user, you are probably aware that the new Azure deployment model Resource Manager is now the default deployment model, replacing the classic model. Since new resources are deployed using this model by default, Deep Security is only able to display these VM resources on the Computers page if it is able to communicate with the Resource Manager interface. So, if you allow Deep Security to upgrade to this new functionality then VM resources deployed with either the Resource Manager deployment model or the classic deployment model will be visible on the Computers page.

Three things to note:

- The account must be the owner of the Azure subscription and must have the Global Admin role in your Azure Active Directory. These privileges are required so that Deep Security can automate the provisioning of a Service Principal object in your Azure Active Directory. Deep Security uses that Service Principal object to authenticate itself to your Azure subscription so that it can invoke the necessary Azure APIs to synchronize your Azure VMs in the Deep Security Manager console. For instructions on creating a user with global administrator rights, see Microsoft's [Add new users or users with Microsoft accounts to Azure Active Directory](#).

## Trend Micro Deep Security for Azure Marketplace 11.1

- You can upgrade to this new functionality in Deep Security as a Service (DSaaS) and in Deep Security 10. It is already available in the new Deep Security Manager VM for Azure Marketplace console and no upgrade is needed.
- Until you perform this upgrade VMs deployed using Resource Manager are still being fully protected by Deep Security but for you to see them on the Computers page they have to be added as a computer object. For more information, see ["Why can't I view all of the VMs in an Azure subscription in Deep Security?" on page 1032](#)

## Add virtual machines hosted on VMware vCloud

To import cloud resources into their Deep Security Manager, Deep Security users must first have an account with which to access the cloud provider service resources. For each Deep Security user who will import a cloud account into the Deep Security Manager, Trend Micro recommends creating dedicated account for that Deep Security Manager to access the cloud resources. That is, users should have one account to access and control the virtual machines themselves, and a separate account for their Deep Security Manager to connect to those resources.

**Note:** Having a dedicated account for Deep Security ensures that you can refine the rights and revoke this account at any time. It is recommended to give Deep Security an access key or secret key with read-only rights at all times.

**Note:** The Deep Security Manager only requires read-only access to import the cloud resources and manage their security.

**Note:** When FIPS mode is enabled, you cannot add virtual machines hosted on VMware vCloud. See ["FIPS 140-2 support" on page 991](#).

### Proxy setting for cloud accounts

You can configure Deep Security Manager to use a proxy server specifically for connecting to instances being protected in cloud accounts. The proxy setting can be found in **Administration > System Settings > Proxies > Proxy Server Use > Deep Security Manager (Cloud Accounts - HTTP Protocol Only)**.

## Create a VMware vCloud Organization account for the manager

1. Log in to VMware vCloud Director.
2. On the **System** tab, go to **Manage And Monitor**.
3. In the left navigation pane, click **Organizations**.
4. Double-click the Organization you wish to give the Deep Security user access to.
5. On the **Organizations** tab, click **Administration**.
6. In the left navigation pane, go to **Members > Users**.
7. Click the " plus " sign to create a new user.
8. Enter the new user's credentials and other information, and select **Organization Administrator** as the user's **Role**.

**Note:** **Organization Administrator** is a simple pre-defined Role you can assign to the new user account, but the only privilege required by the account is **All Rights > General > Administrator View** and you should consider creating a new vCloud role with just this permission.

9. Click **OK** to close the new user's properties window.

The vCloud account is now ready for access by a Deep Security Manager.

**Note:** To import the VMware vCloud resources into the Deep Security Manager, users will be prompted for the **Address** of the vCloud, their **User name** , and their **Password** .

The **User name** must include "@orgName". For example if the vCloud account's username is **kevin** and the vCloud Organization you've given the account access to is called **CloudOrgOne**, then the Deep Security user must enter **kevin@CloudOrgOne** as their username when importing the vCloud resources.

(For a vCloud administrator view, use **@system.**)

## Import computers from a VMware vCloud Organization Account

1. In the Deep Security Manager, go to the **Computers** section, right-click **Computers** in the navigation panel and select **Add vCloud Account** to display the **Add vCloud Cloud Account** wizard.

2. Enter a **Name** and **Description** of the resources you are adding. (These are only used for display purposes in the Deep Security Manager.)
3. Enter the vCloud **Address**. (The hostname of the vCloud Director host machine.)
4. Enter your **user name** and **Password**.

**Note:** Your **user name** must be in the form **username@vcloudorganization**.

5. Click **Next**.
6. Deep Security Manager will verify the connection to the cloud resources and display a summary of the import action. Click **Finish**.

The VMware vCloud resources now appear in the Deep Security Manager under their own branch on the **Computers** page.

### Import computers from a VMware vCloud Air data center

1. In the Deep Security Manager, go to the **Computers** section, right-click **Computers** in the navigation panel and select **Add vCloud Account** to display the **Add vCloud Account** wizard.
2. Enter a **Name** and **Description** of the vCloud Air data center you are adding. (These are only used for display purposes in the Deep Security Manager.)
3. Enter the **Address** of the vCloud Air data center.

**Note:** To determine the address of the vCloud Air data center:

- a. Log in to your vCloud Air portal.
- b. On the **Dashboard** tab, click on the data center you want to import into Deep Security. This will display the **Virtual Data Center Details** information page.
- c. In the Related Links section of the **Virtual Data Center Details** page, click on **vCloud Director API URL**. This will display the full URL of the vCloud Director API.
- d. Use the hostname only (not the full URL) as the Address of the vCloud Air data center that you are importing into Deep Security.

4. Enter your **user name** and **Password**.

**Note:** Your **user name** must be in the form **username@virtualdatacenterid**.

5. Click **Next**.
6. Deep Security Manager will verify the connection to the vCloud Air data center and display a summary of the import action. Click **Finish**.

## Trend Micro Deep Security for Azure Marketplace 11.1

The VMware vCloud Air data center now appears in the Deep Security Manager under its own branch on the **Computers** page.

### Configure software updates for cloud accounts

Relays are modules within Deep Security Agents that are responsible for the download and distribution of Security and Software updates. Normally, the Deep Security Manager informs the relays when new updates are available, the relays get the updates and then the agents get their updates from the relays.

However, if your Deep Security Manager is in an enterprise environment and you are managing computers in a cloud environment, relays in the cloud may not be able to communicate with Deep Security Manager. You can solve this problem by allowing the relays to obtain software updates directly from the Trend Micro Download Center when they cannot connect to the Deep Security Manager. To enable this option, go to **Administration > System Settings > Updates** and under **Software Updates**, select **Allow Relays to download software updates from Trend Micro Download Center when Deep Security Manager is not accessible**.

### Remove a cloud account

Removing a cloud provider account from Deep Security Manager permanently removes the account from the Deep Security database. Your account with your cloud provider is unaffected and any Deep Security agents that were installed on the instances will still be installed, running, and providing protection (although they will no longer receive security updates.) If you decide to re-import computers from the Cloud Provider Account, the Deep Security Agents will download the latest Security Updates at the next scheduled opportunity.

1. Go to the **Computers** page, right-click on the Cloud Provider account in the navigation panel, and select **Remove Cloud Account**.
2. Confirm that you want to remove the account.
3. The account is removed from the Deep Security Manager.

### Add computer groups from Microsoft Active Directory

Deep Security can use an LDAP server such as Microsoft Active Directory for computer discovery and to create user accounts and their contacts. Deep Security Manager queries the server, and then displays computer groups according to the structure in the directory.

**Note:** If you are using Deep Security in FIPS mode, you must import the Active Directory's SSL certificate into Deep Security Manager before connecting the manager with the directory. See "[Manage trusted certificates](#)" on page 175.

1. Right-click **Computers** in the navigation panel and select **Add Active Directory**
2. Type a name and description for your imported directory (it doesn't have to match the directory's name in Active Directory), the IP and [port number of the Active Directory server](#), and then your access method and credentials.

**Note:** You must include your domain name with your username in the **User Name** field.

**Note:** If you are using Deep Security in FIPS mode, click **Test Connection** in the Trusted Certificate section to check whether the Active Directory's SSL certificate has been imported successfully into Deep Security Manager.

Click **Next** to continue.

3. Specify your directory's schema. (If you haven't customized the schema, you can use the default values for a Microsoft Active Directory server.)

**Note:** The **Details** window of each computer in the Deep Security Manager has a "Description" field. To use an attribute of the "Computer" object class from your Active Directory to populate the "Description" field, type the attribute name in the **Computer Description Attribute** text box.

Select **Create a Scheduled Task to Synchronize this Directory** if you want to automatically keep this structure in the Deep Security Manager synchronized with your Active Directory server. A **Scheduled Task** wizard will appear when you are finished adding the directory. (You can set this up later using the **Scheduled Tasks** wizard: **Administration > Scheduled Tasks**.)

4. Click **Next** to continue.
5. When the Manager has imported your directory, it will display a list of computers that it added. Click **Finish**.

The directory structure will appear on the **Computers** page.

### Additional Active Directory options

Right-clicking an Active Directory structure gives you options that are not available for non-directory computer groups:

- **Remove Directory**
- **Synchronize Now**

#### Remove Directory

When you remove a directory from the Deep Security Manager, you have these options:

- **Remove directory and all subordinate computers/groups from DSM:** Remove all traces of the directory.
- **Remove directory but retain computer data and computer group hierarchy:** Turn the imported directory structure into identically organized regular computer groups, no longer linked with the Active Directory server.
- **Remove directory, retain computer data, but flatten hierarchy:** Remove links to the Active Directory server, discards directory structure, and places all the computers into the same computer group.

#### Synchronize Now

You can manually trigger Deep Security Manager to synchronize with the Active Directory server to refresh information on computer groups.

**Tip:** You can automate this procedure by creating a scheduled task.

#### Server certificate usage

If it is not already enabled, enable SSL on your Active Directory server.

Computer discovery can use either SSL or TLS or unencrypted clear text, but importing user accounts (including passwords and contacts) requires authentication and SSL or TLS.

SSL or TLS connections require a server certificate on your Active Directory server. During the SSL or TLS handshake, the server will present this certificate to clients to prove its identity. This certificate can be either self-signed or signed by a certificate authority (CA). If you don't know if

your server has a certificate, on the Active Directory server, open the Internet Information Services (IIS) Manager, and then select **Server Certificates**. If the server doesn't have a signed server certificate, you must install it.

### Filter Active Directory objects

When importing Active Directory objects, search filters are available to manage the objects that will be returned. By default the wizard will only show groups. You can add additional parameters to the filter to further refine the selections. For additional information about search filter syntax, refer to [https://msdn.microsoft.com/en-us/library/aa746475\(v=vs.85\).aspx](https://msdn.microsoft.com/en-us/library/aa746475(v=vs.85).aspx)

### Import users and contacts

Deep Security can import user account information from Active Directory and create corresponding Deep Security users or contacts. This offers the following advantages:

- Users can use their network passwords as defined in Active Directory.
- Administrators can centrally disable accounts from within Active Directory.
- Maintenance of contact information is simplified (e.g., email, phone numbers, etc.) by leveraging information already in Active Directory.

Both users and contacts can be imported from Active Directory. Users have configuration rights on the Deep Security Manager. Contacts can only receive Deep Security Manager notifications. The synchronization wizard allows you to choose which Active Directory objects to import as users and which to import as contacts.

**Note:** To successfully import an Active Directory user account into Deep Security as a Deep Security user or contact, the Active Directory user account must have a **userPrincipalName** attribute value. (The **userPrincipalName** attribute corresponds to an Active Directory account holder's "User logon name".)

1. Click **Administration > User Management** and then click either **Users** or **Contacts**.
2. Click **Synchronize with Directory**.

If this is the first time user or contact information is imported, the server information page is displayed. Otherwise, the Synchronize with Directory wizard is displayed.

3. Select the appropriate access options, provide logon credentials, and click **Next**.

4. Select the groups you want to synchronize by selecting them from the left column and clicking >> to add them to the right column and then click **Next**.

**Tip:** You can select multiple groups by holding down shift or control while clicking on them.

5. Select whether to assign the same Deep Security role to all Directory group members or to assign Deep Security roles based on Directory Group membership and then select a default role from the list and click **Next**.
6. If you assigned Deep Security roles based on Directory Group membership, specify the synchronization options for each group and click **Next**.

After synchronization, the wizard generates a report showing the number of objects imported.

**Tip:** Before you finish the synchronization, you can choose to create a scheduled task to regularly synchronize users and contacts.

7. Click **Finish**.

Once imported, you will be able to tell the difference between organic (non-imported) Deep Security accounts and imported accounts because you will not be able to change any general information for these accounts.

### Keep Active Directory objects synchronized

Once imported, Active Directory objects must be continually synchronized with their Active Directory servers to reflect the latest updates for these objects. This ensures, for example, that computers that have been deleted in Active Directory are also deleted in Deep Security Manager. To keep the Active Directory objects that have been imported to the Deep Security Manager synchronized with Active Directory, it is essential to set up a scheduled task that synchronizes directory data. The host importation wizard includes the option to create these scheduled tasks.

It is also possible to create this task using the Scheduled Task wizard. On-demand synchronization can be performed using the **Synchronize Now** option for hosts and **Synchronize with Directory** button for users and contacts.

**Note:** You do not need to create a scheduled task to keep users and contacts synchronized. At log in, Deep Security Manager checks whether the user exists in Active Directory. If the username and password are valid, and the user belongs to a group that has synchronization enabled, the user will be added to Deep Security Manager and allowed to log in.

### Disable Active Directory synchronization

You can stop Deep Security Manager from synchronizing with Active Directory for both computer groups and user accounts.

### Remove computer groups from Active Directory synchronization

1. Go to **Computers**.
2. Right-click the directory, and select **Remove Directory**.
3. Select a removal option:
  - **Remove directory and all subordinate computers/groups from Deep Security Manager:** All host records will be removed from the computers list
  - **Remove directory but retain computer data and group hierarchy:** The existing Active Directory structure will be retained, but this will no longer be synchronized with Active Directory. Since the structure is unaffected, user and role access to folders and hosts will be retained
  - **Remove directory, retain computer data, but flatten hierarchy:** Host records will be stripped of their original hierarchy, but will all be stored in a group named after the directory. User and role access to the directory will be transferred to the group so you can still access the hosts.
4. Confirm the action.

### Delete Active Directory users and contacts

Unlike when you remove directory queries for computer groups, if you delete the query for users and contacts, all those accounts will be deleted from Deep Security Manager. As a result, you can't delete while logged into Deep Security Manager with a user account that was imported from the directory server. Doing so will result in an error.

1. On either **Users** or **Contacts**, click **Synchronize with Directory**.
2. Select **Discontinue Synchronization** then click **OK**.
3. Click **Finish**.

## Protect Docker containers

The benefits of a Docker deployment are real but so is the concern about the significant attack surface of the Docker host operating system (OS) itself. Like any well-designed software deployment, OS hardening and the use of best practices for your deployment, such as the [Center for Internet Security \(CIS\) Docker Benchmark](#), provide a solid foundation as a starting point. Once you have a secure foundation in place, adding Deep Security to your deployment gives you access to Trend Micro's extensive experience protecting physical, virtual, and cloud workloads as well as to real-time threat information from the [Trend Micro Smart Protection Network](#). Deep Security is supported for use in a wide range of container deployments that include, but is not restricted to, Amazon ECS, Docker Datacenter, Kubernetes, Docker Swarm, Rancher and more. Deep Security both protects your deployment as well as helps meet and maintain continuous compliance requirements. As you can see, Deep Security manages and protects both traditional and Docker workloads across physical, virtual, and cloud environments.

Deep Security protects your Docker hosts and containers running on Linux distributions:

- Identify, find, and protect Docker hosts within your deployment through the use of [badges](#) and [smart folders](#)
- Shield Docker hosts and containers from vulnerabilities to [protect them against known and zero-day exploits](#) by virtually patching new found vulnerabilities
- Provide [real-time anti-malware detection](#) for the file systems used on Docker hosts and within the containers
- Assert the integrity of the Docker host for continuous compliance and to protect your deployment using the following techniques:
  - Prevent the unauthorized execution of applications on Docker hosts by helping you [control which applications are allowed to run](#) in addition to the Docker daemon

- Monitor Docker hosts for [unexpected changes to system files](#)
- [Notify you of suspicious events in your OS logs](#)

**Note:** Deep Security Docker protection controls work at the host system level and this means that the Deep Security Agent has to be installed on the Docker host system and not in the containers.

Beginning with Deep Security 10.1, Deep Security supports Docker in swarm mode while using an overlay network.

### Deep Security protection for the Docker host

- Virtual patching/ Intrusion prevention service (IPS)
- Anti-malware
- Integrity monitoring
- Log inspection
- Application control
- Firewall protection
- Web reputation

### Deep Security protection for Docker containers

- Virtual patching via the intrusion prevention module
- Anti-malware

### Limitation on intrusion prevention recommendation scans

Although Deep Security intrusion prevention controls work at the host level it will also protect container traffic on the exposed container port numbers. Since Docker allows multiple applications to run on the same Docker host, a single intrusion prevention policy will be applied to all Docker applications. This means that recommendation scans should not be relied upon for Docker deployments.

## Computer and agent statuses

On the **Computers** page in Deep Security Manager:

- The **Status** column displays the state of the computer's network connectivity and the state (in parentheses) of the agent providing protection, if present. The status column might also display system or agent events. See ["Status column - computer states" below](#) and ["Status column - agent or appliance states" on the next page](#)
- The **Task(s)** column displays the state of the tasks. See ["Task\(s\) column" on the next page](#).

For a list of the events, see ["Agent events" on page 858](#) and ["System events" on page 862](#).

Also on this page:

- ["Computer errors" on page 280](#)
- ["Protection module status" on page 281](#)
- ["Perform other actions on your computers" on page 282](#)
- ["Computers icons" on page 286](#)
- ["Status information for different types of computers" on page 286](#)

### Status column - computer states

State	Description
Activated	The agent is activated. See <a href="#">"Perform other actions on your computers" on page 282</a> .
Discovered	Computer has been added to the computers list via the discovery process. (See <a href="#">"Discover computers" on page 244</a> .)
Managed	An agent is present and activated, with no pending operations or errors.
Multiple Errors	Multiple errors have occurred on this computer. See the computer's system events for details.
Multiple Warnings	Multiple warnings are in effect on this computer. See the computer's system events for details.
Reactivation Required	The agent is installed and listening and is waiting to be reactivated a Deep Security Manager.
Unmanaged	The computer's agent is not managed by this Deep Security Manager because it hasn't been activated. Deep Security Manager can't communicate with the agent until you activate it.
Upgrade Recommended	A newer version of the agent or appliance is available. A software upgrade is recommended.
Upgrading Agent	The agent software on this computer is in the process of being upgraded to a newer version.

## Status column - agent or appliance states

State	Description
Activated	The agent has been successfully activated and is ready to be managed by the Deep Security Manager.
Activation Required	An unactivated agent has been detected on the target machine. It must be activated before it can be managed by the Deep Security Manager.
Deactivation Required	The manager has attempted to activate an agent that has already been activated by another Deep Security Manager. The original Deep Security Manager must deactivate the agent before it can be activated by the new manager.
No Agent	No agent was detected on the computer.
Offline	<p>The agent has not connected to the manager for the number of heartbeats specified on <a href="#">Computer or Policy editor</a><sup>1</sup> &gt; Settings &gt; General.</p> <p>This can occur when connectivity is interrupted by a network firewall or proxy, AWS security group, agent software update, or when a computer is powered down for repair.</p> <p>Verify that firewall settings allow the <a href="#">required port numbers</a>, and that the computer is powered on. If you use Deep Security as a Service, also see <a href="#">"Use agent-initiated communication with cloud accounts"</a> on page 161.</p>
Online	The agent is online and operating as expected.
Unknown	No attempt has been made to determine whether an agent is present.

## Task(s) column

State	Description
Activating	The manager is activating the agent.
Activating (Delayed)	The activation of the agent is delayed by the amount of time specified in the relevant event-based task.
Activation Pending	A command to activate the agent has been queued.
Agent Software Deployment Pending	An instruction to deploy the agent software is queued to be sent to the computer.
Agent Software Removal Pending	An instruction to remove the agent software is queued to be sent to the computer.
Application Control Inventory	An application control inventory scan is being performed.

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

## Trend Micro Deep Security for Azure Marketplace 11.1

State	Description
Scan In Progress	
Application Control Inventory Scan Pending (Heartbeat)	An instruction to start an application control inventory scan will be sent from the manager during the next heartbeat.
Application Control Inventory Scan Pending (Offline)	The agent is currently offline. The manager will initiate an application control inventory scan when communication is reestablished.
Application Control Ruleset Update In Progress	The application control ruleset is being updated.
Application Control Ruleset Update Pending (Heartbeat)	An instruction to perform an application control ruleset update will be sent from the manager during the next heartbeat.
Application Control Ruleset Update Pending (Offline)	The agent is currently offline. The manager will initiate an application control ruleset update when communication is reestablished.
Baseline Rebuild In Progress	The Integrity Monitoring engine is currently rebuilding a system baseline.
Baseline Rebuild Paused	A baseline rebuild has been paused
Baseline Rebuild Pending	An instruction to rebuild a system baseline for Integrity Monitoring is queued to be sent.
Baseline Rebuild Pending (Offline)	The agent is currently offline. The Integrity Monitoring engine will rebuild a system baseline when communication between the manager and this computer is reestablished.
Baseline Rebuild Queued	The instruction to perform a baseline rebuild is queued.
Checking Status	The agent state is being checked.
Deactivate Pending (Heartbeat)	A deactivate instruction will be sent from the manager during the next heartbeat.
Deactivating	The manager is deactivating the agent. This means that the agent is available for activation and management by another Deep Security Manager.
Deploying Agent Software	Agent software is being deployed on the computer.
File Backup Cancellation In Progress	A file backup is being canceled.
File Backup Cancellation Pending	An instruction to cancel a file backup is queued to be sent.
File Backup Cancellation Pending (Offline)	The agent or appliance is currently offline. The manager will initiate the cancellation of the file backup when communication is reestablished.
File Backup In Progress	A file backup is being performed.
File Backup Pending	An instruction to start a file backup is queued to be sent.
File Backup Pending (Offline)	The agent or appliance is currently offline. The manager will initiate a file backup when communication is reestablished.
File Backup Queued	The instruction to perform a file backup is queued.
Getting Events	The manager is retrieving events from the agent.
Integrity Scan In Progress	An Integrity Scan is currently in progress.
Integrity Scan Paused	An integrity scan has been paused.
Integrity Scan Pending	A command to start an integrity scan is queued to be sent.
Integrity Scan Pending (Offline)	The agent is currently offline. The manager will initiate an Integrity Scan when communication is reestablished.
Integrity Scan Queued	An instruction to start an integrity scan is queued to be sent.
Malware Manual Scan Cancellation In Progress	The instruction to cancel a manually-initiated Malware Scan has been sent.
Malware Manual Scan Cancellation Pending	The command to cancel a manually-initiated malware scan is queued to be sent.

## Trend Micro Deep Security for Azure Marketplace 11.1

State	Description
Malware Manual Scan Cancellation Pending (Offline)	The appliance is offline. The instruction to cancel a manually-initiated Malware Scan will be sent when communication is reestablished.
Malware Manual Scan In Progress	A manually-initiated Malware Scan is in progress.
Malware Manual Scan Paused	A manually-initiated Malware Scan has been paused.
Malware Manual Scan Pending	The instruction to perform a manually-initiated Malware Scan has not yet been sent.
Malware Manual Scan Pending (Offline)	The agent is offline. The instruction to start a manually-initiated Malware Scan will be sent when communication is reestablished.
Malware Manual Scan Queued	The instruction to perform a manually-initiated Malware Scan is queued.
Malware Scheduled Scan Cancellation In Progress	The instruction to cancel a scheduled Malware Scan has been sent.
Malware Scheduled Scan Cancellation Pending	The instruction to cancel a scheduled Malware Scan is queued to be sent.
Malware Scheduled Scan Cancellation Pending (Offline)	The agent is offline. The instruction to cancel a scheduled Malware Scan will be sent when communication is reestablished.
Malware Scheduled Scan In Progress	A scheduled Malware Scan is in progress.
Malware Scheduled Scan Paused	A scheduled Malware Scan has been paused.
Malware Scheduled Scan Pending	The command to cancel a scheduled malware scan has not yet been sent.
Malware Scheduled Scan Pending (Offline)	The agent is offline. The instruction to start a scheduled Malware Scan will be sent when communication is reestablished.
Malware Scheduled Scan Queued	The instruction to cancel a scheduled Malware Scan is queued.
Quick Malware Scan Cancellation In Progress	A quick malware scan is being canceled.
Quick Malware Scan Cancellation Pending	An instruction to cancel a quick malware scan is queued to be sent.
Quick Malware Scan Cancellation Pending (Offline)	The agent is currently offline. The manager will initiate the cancellation of a quick malware scan when communication is reestablished.
Quick Malware Scan In Progress	A quick malware scan is being performed.
Quick Malware Scan Paused	A quick malware scan has been paused.
Quick Malware Scan Pending	An instruction to start a quick malware scan is queued to be sent.
Quick Malware Scan Pending (Offline)	The agent is currently offline. The manager will initiate a quick malware scan when communication is reestablished.
Quick Malware Scan Queued	The instruction to perform a quick malware scan is queued.

## Trend Micro Deep Security for Azure Marketplace 11.1

State	Description
Removing Agent Software	The agent software is being removed from the computer.
Rollback of Security Update In Progress	A security update is being rolled back.
Rollback of Security Update Pending	An instruction to roll back a security update is queued to be sent.
Rollback of Security Update Pending (Heartbeat)	An instruction to roll back a security update will be sent from the manager during the next heartbeat.
Rollback of Security Update Pending (Offline)	The agent is currently offline. The manager will initiate a rollback of the security update when communication is reestablished.
Scan for Recommendations Pending (Heartbeat)	The manager will initiate a recommendation scan at the next heartbeat.
Scan for Recommendations Pending (Offline)	The agent is currently offline. The manager will initiate a recommendation scan when communication is reestablished.
Scanning for Open Ports	The manager is scanning the computer for open ports.
Scanning for Recommendations	A recommendation scan is underway.
Security Update In Progress	A security update is being performed.
Security Update Pending	An instruction to perform a security update is queued to be sent.
Security Update Pending (Heartbeat)	An instruction to perform a security update will be sent from the manager during the next heartbeat.
Security Update Pending (Offline)	The agent is currently offline. The manager will initiate a security update when communication is reestablished.
Sending Policy	A policy is being sent to the computer.
Update of Configuration Pending (Heartbeat)	An instruction to update the configuration to match the policy changes will be sent from the manager during the next heartbeat.
Update of Configuration Pending (Offline)	The agent is currently offline. The manager will initiate the configuration update to match the policy changes when communication is reestablished.
Upgrading Software (In Progress)	A software upgrade is being performed.
Upgrading Software (Install Program Sent)	A software upgrade is being performed. The install program has been sent to the computer.
Upgrading Software (Pending)	An instruction to perform a software upgrade is queued to be sent.
Upgrading Software (Results Received)	A software upgrade is being performed. The results have been received.
Upgrading Software (Schedule)	A software upgrade will be performed once the computer's access schedule permits.

## Computer errors

State	Description
Communication error	General network error.

## Trend Micro Deep Security for Azure Marketplace 11.1

State	Description
No route to computer	Typically the remote host cannot be reached because of an intervening firewall or if an intermediate router is down.
Unable to resolve hostname	Unresolved socket address.
Activation required	An instruction was sent to the agent when it was not yet activated.
Unable to communicate with Agent	Unable to communicate with agent.
Protocol Error	Communication failure at the IP, TCP, or HTTP layer.  For example, if the Deep Security Manager IP address is unreachable because the connection is being blocked by a firewall, router, or AWS security group, then it would cause a connection to fail. To resolve the error, verify that the activation <a href="#">port number</a> is allowed and that a route exists.
Deactivation Required	The agent is currently activated by another Deep Security Manager.
No Agent	No agent was detected on the target.
No valid software version	Indicates that no installer can be found for the platform and version requested.
Send software failed	There was an error in sending a binary package to the computer.
Internal error	Internal error. Please contact your support provider.
Duplicate Computer	Two computers in the Deep Security Manager's computers list share the same IP address.
Unresolved software change limit reached	Software changes detected on the file system exceeded the maximum amount. Application control will continue to enforce existing rules, but will not record any more changes, and it will stop displaying any of that computer's software changes.  <a href="#">See "Reset application control after too much software change" on page 424.</a>

## Protection module status

When you hover over a computer name on the **Computers** page, the **Preview** icon () is displayed. Click the icon to display the state of the computer's protection modules.

### On and Off States:

## Trend Micro Deep Security for Azure Marketplace 11.1

State	Description
On	Module is configured in Deep Security Manager and is installed and operating on the Deep Security Agent.
Off	Module is either not configured in Deep Security Manager, not installed and operating on the Deep Security Agent, or both.
Unknown	Indicates an error with the protection modules.

### Install state:

State	Description
Not Installed	The software package containing the module has been downloaded in Deep Security Manager, but the module has not been turned on in Deep Security Manager or installed on the agent.
Installation Pending	Module is configured in the manager but is not installed on the agent.
Installation in Progress	Module is being installed on the agent.
Installed	Module is installed on the agent. This state is only displayed when the state of the module is "Off". (If the state is "On", the module has been installed on the agent.)
Matching Module Plug-In Not Found	The version of the software package containing the module imported into the manager does not match the version reported by the agent.
Not Supported/Update Not Supported	A matching software package was found on the agent, but it does not contain a module supported by the platform. "Not Supported" or "Update Not Supported" is displayed depending on whether there is already a version of this module installed on the agent.

## Perform other actions on your computers

On the **Computers** page, the **Actions** button provides several actions that you can perform on the selected computers.

Action	Description
Check Status	Checks the <a href="#">status</a> of a computer without performing a scan or activation attempt.
Activate/Reactivate	Activates or reactivates the agent on the computer. See " <a href="#">Activate the agent</a> " on page 178
Deactivate	You may want to transfer control of a computer from one Deep Security Manager installation to another. If so, the agent has to be deactivated and then activated again by the new manager.
Assign Policy	Opens a window with a list that allows you to assign a policy to the computer. The name of the policy assigned to the computer will appear in the <b>Policy</b> column on the <b>Computers</b> page.

## Trend Micro Deep Security for Azure Marketplace 11.1

Action	Description
	<p><b>Note:</b> If you apply other settings to a computer (for example, adding additional Firewall Rules, or modifying Firewall Stateful Configuration settings), the name of the policy will be in bold, indicating that the default settings have been changed.</p>
Send Policy	<p>When you use Deep Security Manager to change the configuration of an agent or appliance on a computer (apply a new intrusion prevention rule, change logging settings, etc.), the Deep Security Manager has to send the new information to the agent or appliance. This is a Send Policy instruction. Policy updates usually happen immediately but you can force an update by clicking <b>Send Policy</b>.</p>
Download Security Update	<p>Downloads the latest security update from the configured relay to the agent or appliance. See <a href="#">"Get and distribute security updates" on page 689</a>.</p>
Rollback Security Update	<p>Rolls back the latest security update for the agent or appliance.</p>
Get Events	<p>Override the normal event retrieval schedule (usually every heartbeat) and retrieve the event logs from the computer(s) now.</p>
Clear Warnings/Errors	<p>Use this command to clear all warnings and errors for the computer. This command is useful in these situations:</p> <ul style="list-style-type: none"> <li>• If the agent for the computer has been reset locally</li> <li>• If the computer has been removed from the network before you had a chance to deactivate or delete it from the list of computers</li> </ul>
Upgrade Agent Software	<p>To upgrade an agent, you first need to import a newer version of the agent software package into the Deep Security Manager (see <a href="#">"About upgrades" on page 681</a>).</p>
Scan for Recommendations	<p>Deep Security Manager can scan computers and then make recommendations for Security Rules. The results of a recommendation</p>

Action	Description
	scan appear in the computer's <b>Details</b> window in the <b>Rules</b> pages. See <a href="#">"Manage and run recommendation scans"</a> on page 305.
Clear Recommendations	<p>Clears rule recommendations resulting from a recommendation scan on this computer. Clearing also removes the computer from those listed in an alert produced as a result of a recommendation scan.</p> <p><b>Note:</b> This action will not un-assign any rules that were assigned because of past recommendations.</p>
Full Scan for Malware	Performs a full malware scan on the selected computers. The actions taken by a full scan depend on the <b>Malware Manual Scan Configuration</b> in effect on this computer. See <a href="#">"Configure malware scans"</a> on page 443.
Quick Scan for Malware	<p>Scans critical system areas for currently active threats. Quick Scan looks for currently-active malware but does not perform deep file scans to look for dormant or stored infected files. On larger drives, Quick Scan is significantly faster than a Full Scan.</p> <p><b>Note:</b> Quick Scan is only available on-demand. You cannot schedule a Quick Scan as part of a scheduled task.</p>
Scan for Open Ports	Performs a port scan on all selected computers and checks the agent installed on the computer to determine whether its state is either Deactivation Required, Activation Required, Agent Reactivate Required, or Online. The scan operation, by default, scans ports 1-1024. This range can be changed in <b>Computer or Policy editor</b> <sup>1</sup> > <b>Settings</b> > <b>General</b> .

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

Action	Description
	<p><b>Note:</b> The agent's listening port number for heartbeats is always scanned regardless of port range settings. When the Manager connects to communicate with the agent, it uses that port number. If communication direction is set to "Agent/Appliance Initiated" for a computer (<b>Computer or Policy editor</b><sup>1</sup> &gt; Settings &gt; General &gt; <b>Communication Direction</b>), however, that port number will not be open. For a list of ports used, see "<a href="#">Deep Security Agent ports</a>" on page 100.</p> <p><b>Note:</b> New computers on the network will not be detected. To find new computers, use the <b>Discover</b> tool.</p>
Cancel Currently Executing Port Scans	If you have initiated a set of port scans to a large number of computers or over a large range of ports and the scan is taking too long, use the <b>Cancel Currently Executing Port Scans</b> option to cancel the scans.
Scan for integrity	Integrity Monitoring tracks changes to a computer's system and files. It does by creating a baseline and then performing periodic scans to compare the current state of the computer to the baseline. For more information see " <a href="#">Set up integrity monitoring</a> " on page 578.
Rebuild Integrity Baseline	Rebuilds a baseline for Integrity Monitoring on this computer.
Assign Asset Value	Asset values allow you to sort computers and events by importance. The various security rules have a severity value. When rules are triggered on a computer, the severity values of the rules are multiplied by the asset value of the computer. This value is used to rank events in order of importance. See " <a href="#">Rank events to quantify their importance</a> " on page 757.
Assign a Relay	To select a relay group for this computer to download updates from, right-click the

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

Action	Description
Group	computer and choose <b>Actions &gt; Assign a Relay Group</b> .

### Computers icons



Ordinary computer



Deep Security Relay (a computer with a Relay-enabled Agent)



Docker host (physical computer)



Azure virtual machine with Docker



Amazon EC2 with Docker



Amazon WorkSpace (started)

### Status information for different types of computers

#### Ordinary computer

The preview pane for an ordinary computer displays the presence of an agent, its [status](#), and the [status of the protection modules](#).

## Trend Micro Deep Security for Azure Marketplace 11.1

	<b>Agent</b>		Managed (Online)
	Anti-Malware		On, Real Time
	Web Reputation		On
	Firewall		On, 41 rules
	Intrusion Prevention		<b>On, Prevent, 193 rules</b>
	Integrity Monitoring		On, no rules
	Log Inspection		On, 5 rules
	Application Control		Off, not supported

## Relay

The preview pane for a Deep Security relay-enabled agent displays its [status](#), the number of security update components it has available for distribution, and the status of the protection modules provided by its embedded Deep Security agent.

	<b>Agent</b>		Managed (Online)
	Anti-Malware		On, Real Time
	Web Reputation		On
	Firewall		On, 41 rules
	Intrusion Prevention		<b>On, Prevent, 316 rules</b>
	Integrity Monitoring		<b>On, 30 rules</b>
	Log Inspection		<b>On, 6 rules</b>
	Application Control		Off, not supported

 **Relay** 192 components available

## Docker hosts

The preview pane for a docker host displays the presence of an agent and its [status](#), the status of the protection modules, and the Docker status.

	 <b>Agent</b>	
	 Managed (Online)	 Docker Host detected
 Anti-Malware	 On, Real Time	
 Web Reputation	 On	
 Firewall	 On, 16 rules	
 Intrusion Prevention	 On, Prevent, 145 rules	
 Integrity Monitoring	 On, 21 rules	
 Log Inspection	 On, 4 rules	
 Application Control	 Off, not supported	

## Using Deep Security with iptables

When Deep Security Agent 10.1 or earlier was installed on Linux, it disabled the iptables service to avoid firewall conflicts unless you added a configuration file that prevented that change. However, the iptables service is used for more than just firewall (for example, Docker manages iptables rules as part of its normal operation), so disabling it sometimes had negative consequences.

With Deep Security 10.2 and higher (including Deep Security 11), the functionality around iptables has changed. Deep Security Agent no longer disables iptables. (If iptables is enabled, it stays enabled after the agent installation. If iptables is disabled, it stays disabled.) However, if the iptables service is running, Deep Security Agent and Deep Security Manager require certain iptables rules to enable communication, as described below.

## Rules required by Deep Security Manager

If iptables is enabled on the computer where Deep Security Manager is being installed, there are two required iptables rules. By default, these rules are added when Deep Security Manager starts up and removed when the manager is stopped or uninstalled. Alternatively, you can ["Prevent Deep Security from automatically adding iptables rules" on the next page](#) and add them manually instead:

## Trend Micro Deep Security for Azure Marketplace 11.1

- Allow incoming traffic on port 4119. This is required for access to the Deep Security Manager web UI and API.
- Allow incoming traffic on port 4120. This is required to listen for agent heartbeats.

**Note:** These are the default port numbers - yours may be configured differently. For a complete list of ports used in Deep Security, see ["Port numbers" on page 90](#).

## Rules required by Deep Security Agent

If iptables is enabled on the computer where Deep Security Agent is being installed, iptables may require additional rules. By default, these rules when Deep Security Agent starts up and removed when the agent is stopped or uninstalled. Alternatively, you can ["Prevent Deep Security from automatically adding iptables rules" below](#) and add them manually instead:

- Allow incoming traffic on port 4118. This is required when the agent uses manager-initiated or bidirectional communication. (For more information, see ["Agent-manager communication" on page 155](#).)
- Allow incoming traffic on port 4122. This is required when the agent is acting as a relay, so that the relay can distribute software updates. (For more information, see ["Distribute security and software updates with relays" on page 189](#).)

**Note:** These are the default port numbers - yours may be configured differently. For a complete list of ports used in Deep Security, see ["Port numbers" on page 90](#).

## Prevent Deep Security from automatically adding iptables rules

You can prevent Deep Security Manager and Deep Security Agent from modifying iptables if you would rather add the required rules manually. To prevent the automatic modification of iptables, create the following file on the computers where you plan to install Deep Security Manager and Deep Security Agent:

```
/etc/do_not_open_ports_on_iptables
```

## Enable or disable agent self-protection

**Note:** The agent self-protection feature is only available for agents on Windows. It is not available on Linux.

To update or uninstall Deep Security Agent or Relay, or to create a diagnostic package for support (see "[Create a diagnostic package and logs](#)" on page 1041), you must temporarily disable agent self-protection.

Agent self-protection prevents local users from tampering with the agent. When enabled, if a user tries to tamper with the agent, the GUI will display a message such as "Removal or modification of this application is prohibited by its security settings".

**Note:** Anti-malware protection must be "On" to prevent users from stopping the agent, and from modifying agent-related files and Windows registry entries. It isn't required, however, to prevent uninstalling the agent.

You can configure agent self-protection using either the GUI for Deep Security Manager, or the command line on the agent's computer.

### Via Deep Security Manager

1. Open the **Computer or Policy editor**<sup>1</sup> where you want to enable agent self-protection.
2. Click **Settings > General**.
3. In the **Agent Self-Protection** section, for **Prevent local end-users from uninstalling, stopping, or otherwise modifying the Agent**, select **Yes**.
4. To password-protect agent self protection, for **Local override requires password**, select **Yes** and type the password.
5. Click **Save**.
6. To disable the setting, select **No**. Click **Save**.

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

### Via command line

1. Log in to the Windows computer locally.
2. Open the Command Prompt (`cmd.exe`) as Administrator.
3. Change the current directory to the Deep Security Agent installation folder. (The default install folder is shown below.)

```
cd C:\Program Files\Trend Micro\Deep Security\Agent
```

4. Enter this command:

```
dsa_control --selfprotect=1 --passwd=<password>
```

where <password> is a password that will be required in order to override this setting. (See ["Command-line basics" on page 198.](#)) The password is optional, but strongly recommended.

**Warning:** Store this password in a safe location. If you lose or forget the password you will have to contact your support provider for assistance in overriding this protection.

5. To disable the setting, enter this command:

```
dsa_control -s=0 -p "<password>"
```

### Are "Offline" agents still protected by Deep Security?

Agents showing as "Offline" in the Deep Security Manager are still being protected according to their last known configuration. However, they will not receive any software, security or policy updates until communication with the Deep Security Manager is restored.

For more information on how to bring an agent out of "Offline" status, see [""Offline" agent" on page 1033.](#)

### Deep Security Notifier

The Deep Security Notifier is a Windows System Tray application that communicates the state of the Deep Security Agent and Deep Security Relay to client machines. The notifier displays

## Trend Micro Deep Security for Azure Marketplace 11.1

popup user notifications when the Deep Security Agent begins a scan, or blocks malware or access to malicious web pages.

The notifier has a small footprint on the client machine, requiring less than 1MB of disk space and 1MB of memory. When the notifier is running the notifier icon () appears in the system tray. The notifier is automatically installed by default with the Deep Security Agent on Windows computers. Use the **Administration > Updates > Software > Local** page to import the latest version for distribution and upgrades.

**Note:** On computers running a relay-enabled agent, the notifier displays the components that are being distributed to agents or appliances, *not* which components are in effect on the local computer.


### How the notifier works

When malware is detected or a malicious site is blocked, the Deep Security Agent sends a message to the notifier, which displays a popup message in the system tray.

If malware is detected, the notifier displays a message in a system tray popup similar to the following:




If the user clicks on the message, a dialog box with detailed information about anti-malware events is displayed:



When a malicious web page is blocked, the notifier displays a message in a system tray popup similar to the following:




If the user clicks on the message, a dialog box with detailed information about web reputation events is displayed:




## Trend Micro Deep Security for Azure Marketplace 11.1

The notifier also provides a console utility for viewing the current protection status and component information, including pattern versions. The console utility allows the user to turn on and off the popup notifications and access detailed event information.



**Tip:** You can also turn off pop-up notifications for certain computers or for computers that are assigned a particular policy by going to the Deep Security Manager **Computer/Policy editor > Settings > General** and settings **Suppress all pop-up notifications on host** to **Yes**. The messages still appear as alerts or events in Deep Security Manager.

When the notifier is running on a computer hosting Deep Security Relay, the notifier's display shows the components being distributed by the relay and not the components that in effect on the computer.



## Create policies to protect your computers and other resources

Policies allow collections of rules and configuration settings to be saved for easier assignment to multiple computers. You can use the **Policy editor**<sup>1</sup> to create and edit policies that you can then

<sup>1</sup>To open the Policy editor, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details).

apply to one or more computers. You can also use the **Computer editor**<sup>1</sup> (which is very similar to the Policy editor) to apply settings to a specific computer, but the recommended method is to create specialized policies rather than edit the settings in the Computer editor.

**Tip:** You can automate policy creation and configuration using the Deep Security API. For examples, see the [Create and Configure Policies](#) guide.

In this article:

- ["Create a new policy" below](#)
- ["Other ways to create a policy" on the next page](#)
- ["Edit the settings for a policy or individual computer" on page 298](#)
- ["Assign a policy to a computer" on page 298](#)
- ["Disable automatic policy updates" on page 299](#)
- ["Send policy changes manually" on page 299](#)
- ["Export a policy" on page 300](#)

## Create a new policy

1. Click **Policies > New > New Policy**.
2. Enter a name for the policy. If you want the new policy to inherit its settings from an existing policy, select a policy from the **Inherit from** list. Click **Next**.

**Tip:** For information on inheritance, see ["Policies, inheritance, and overrides" on page 300](#).

3. Select whether you want to base this policy on an existing computer's configuration and then click **Next**.
4. If you selected **Yes** in step 3:
  - a. Select a computer to use as the basis for the new policy and click **Next**.

---

<sup>1</sup>To open the Computer editor, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

- b. Specify which protection modules will be enabled for the new policy. If this policy is inheriting its settings from an existing policy, those settings will be reflected here. Click **Next**.
  - c. On the next screen, select the properties that you want to carry into the new policy and click **Next**. Review the configuration and click **Finish**.
5. If you selected **No** in step 3, specify which protection modules will be enabled for the new policy. If this policy is inheriting its settings from an existing policy, those settings will be reflected here. Click **Finish**.
6. Click **Close**. Next, you can edit the settings for the policy, as described in "[Edit the settings for a policy or individual computer](#)" on the next page.

## Other ways to create a policy

There are several ways to create a policies on the **Policies** page:

- Create a new policy as described above.
- Click **New > Import From File** to import policies from an XML file.
- **Note:** When importing policies, ensure that the system where you created the policies and the system that will receive them both have the latest security updates. If the system that is receiving the policies is running an older security update, it may not have some of the rules referenced in the policies from the up-to-date system.
- Duplicate (and then modify and rename) an existing policy. To do so, right-click an existing policy you want to duplicate and then click **Duplicate**.
- Create a new policy based on a recommendation scan of a computer. To do so, go to the **Computers** page, right-click a computer and select **Actions > Scan for Recommendations**. When the scan is complete, return to the **Policies** page and click **New** to display the **New Policy** wizard. When prompted, choose to base the new policy on "an existing computer's current configuration". Then select "Recommended Application Types and Intrusion Prevention Rules", "Recommended Integrity Monitoring Rules", and "Recommended Log Inspection Rules" from among the computer's properties.
- **Note:** The Policy will consist only of recommended elements on the computer, regardless of what Rules are currently assigned to that computer.

## Edit the settings for a policy or individual computer

The **Policies** page shows your existing policies in their hierarchical tree structure. To edit the settings for a policy, select it and click **Details** to open the policy editor.

These sections are available in the **Computer or Policy editor**<sup>1</sup>:

- Overview (the "Overview section of the policy editor" on page 323 and "Overview section of the computer editor" on page 317 sections are different)
- "Configure malware scans" on page 443
- [Web Reputation settings](#)
- "Firewall settings" on page 558
- [Intrusion Prevention](#)
- [Integrity Monitoring](#)
- [Log Inspection settings](#)
- "Detect and configure the interfaces available on a computer" on page 315
- "Network engine settings" on page 324
- "Overrides" on page 302

## Assign a policy to a computer

1. Go to **Computers**.
2. Select your computer from the Computers list, right click and choose **Actions > Assign Policy**.
3. Select the policy from the hierarchy tree and click **OK**.

One of the following occurs:

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

- If you set the [communication direction](#) to **Manager Initiated** or **Bidirectional**, the policy is sent immediately to the agent computer.
- If you set the communication direction to **Agent/Appliance Initiated**, then the policy is sent when the next agent heartbeat occurs.

For more information on how child policies in a hierarchy tree can inherit or override the settings and rules of parent policies, see "[Policies, inheritance, and overrides](#)" on the next page.

After assigning a policy to a computer, you should still run periodic recommendation scans on your computer to make sure that all vulnerabilities on the computer are protected. See "[Manage and run recommendation scans](#)" on page 305 for more information.

## Disable automatic policy updates

By default, any changes to a security policy are automatically sent to the computers that use the policy. You can change this so automatic sending is disabled, and you must manually send the policy.

1. Open the **Policy editor**<sup>1</sup> for the policy to configure.
2. Go to **Settings > General > Send Policy Changes Immediately**.
3. Next to **Automatically send Policy changes to computers**, select **Yes** to allow automatic sending of policy changes. To disable automatic sending, and only allow manually sending, select **No**.
4. Click **Save** to apply the changes.

## Send policy changes manually

If you make a policy change and want to send the policy changes manually to a particular computer, follow the instructions below.

1. Go to **Computers**.
2. Double-click your computer from the Computers list.
3. In the navigation pane, make sure **Overview** is selected.

---

<sup>1</sup>To open the Policy editor, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details).

4. In the main pane, click the **Actions** tab.
5. Under **Policy**, click **Send Policy**.

One of the following occurs:

- If you set the [communication direction](#) to **Manager Initiated** or **Bidirectional**, the policy is sent immediately to the agent computer.
- If you set the communication direction to **Agent/Appliance Initiated**, then the policy is sent when the next agent heartbeat occurs.

## Export a policy

To export a policy to an XML file, select a policy from the policies tree and click **Export > Export Selected to XML (For Import)**.


**Note:** When you export a selected policy to XML, any child policies that the policy may have are included in the exported package. The export package contains all the actual objects associated with the policy except: intrusion prevention rules, log inspection rules, integrity monitoring rules, and application types.

## Policies, inheritance, and overrides

Policies in Deep Security are intended to be created in a hierarchical structure. As an administrator, you begin with one or more base policies from which you create multiple levels of child policies that get progressively more granular in their detail. You can assign broadly applicable rules and other configuration settings at the top-level policies and then get more targeted and specific as you go down through levels of child policies, eventually arriving at rule and configuration assignments at the individual computer level.

As well as assigning more granular settings as you move down through the policy tree, you can also override settings from higher up the policy tree.

Deep Security provides a collection of policies that you can use as initial templates for the design of your own policies tailored to your environment:



In this topic:


- ["Inheritance" below](#)
- ["Overrides" on the next page](#)
- ["View the overrides on a computer or policy at a glance" on page 304](#)

## Inheritance

Child policies inherit their settings from their parent policies. This allows you to create a policy tree that begins with a base parent policy configured with settings and rules that will apply to all computers. This parent policy can then have a set of child and further descendant policies which have progressively more specific targeted settings. Your policy trees can be built based on any kind of classification system that suits your environment. For example, the branch in the policy tree that comes with Deep Security has two child policies, one designed for a server hosting the Deep Security Manager and one designed for the Deep Security Virtual Appliance. This is a role-based tree structure. Deep Security also has three branches designed for specific operating systems, Linux, Solaris, and Windows. The windows branch has further child policies for various sub-types of Windows operating systems.

In the **Windows** policy editor on the **Overview** page, you can see that the **Windows** policy was created as a child of the **Base** policy. The policy's anti-malware setting is **Inherited (Off)**:

## Trend Micro Deep Security for Azure Marketplace 11.1




This means that the setting is inherited from the parent **Base** policy, and that if you were to change the anti-malware setting in the **Base** policy from **Off** to **On**, the setting would change in the **Windows** policy as well. (The **Windows** policy setting would then read **Inherited (On)**. The value in parentheses always shows you what the current inherited setting is.)

## Overrides

The **Overrides** page shows you how many settings have been overridden at this policy or specific computer level. To undo the overrides at this level, click the **Remove** button.

## Trend Micro Deep Security for Azure Marketplace 11.1

In this example, the **Windows Server** policy is a child policy of the **Windows** policy. Here, the anti-malware setting is no longer inherited; it is overridden and hard-set to **On**.



**Tip:** You can automate override checking, creation, and removal using the Deep Security API. For examples, see the [Configure Computers to Override Policies](#) guide.

### Override object properties

The intrusion prevention rules that are included in this policy are copies of the intrusion prevention rules stored by the Deep Security Manager which are available for use by any other policies. If you want to change the properties of a particular rule, you have two choices: modify the properties of the rule globally so that the changes you make apply to all instances where the rule is in use, or modify the properties locally so that the changes you make only apply locally. The default editing mode in a Computer or policy editor is **local**. If you click **Properties** on the **Assigned Intrusion Prevention Rules** area toolbar, any changes you make in the Properties window that appears will only apply locally. (Some properties like the rule name can't be edited locally, only globally.)

Right-clicking a rule displays a context menu which gives you the two Properties editing mode options: selecting **Properties** will open the local editor window and **Properties (Global)** will open the global editor window.

## Trend Micro Deep Security for Azure Marketplace 11.1

Most of the shared common objects in Deep Security can have their properties overridden at any level in the policy hierarchy right down to the individual computer level.


### Override rule assignments

You can always assign additional rules at any policy or computer level. However, rules that are in effect at a particular policy or computer level because their assignment is inherited from a parent policy cannot be unassigned locally. They must be unassigned at the policy level where they were initially assigned.

**Tip:** If you find yourself overriding a large number of settings, you should probably consider branching your parent policy.

### View the overrides on a computer or policy at a glance

You can see the number of settings that have been overridden on a policy or a computer by going to the **Overrides** page in the computer or policy Editor:



Overrides are displayed by protection module. You can revert system or module overrides by clicking the **Remove** button.

## Manage and run recommendation scans

Deep Security can run recommendation scans on computers to help identify intrusion prevention, integrity monitoring, and log inspection rules that should be applied or removed.

**Tip:** Recommendation scans provide a good starting point for establishing a list of rules that you should implement, but there are some important additional rules that are not identified by recommendation scans. You should implement those rules manually. See ["Implement additional rules for common vulnerabilities" on page 313](#)

You can configure recommendation scans and implement the recommended rules for individual computers or at the policy level. For large deployments, Trend Micro recommends managing recommendations through policies. This way, you can make all your rule assignments from a single source (the policy) rather than having to manage individual rules on individual computers. This can mean that some rules are assigned to computers on which they are not required; however, the minimal effect on performance is outweighed by the ease of management that results from using policies. If you enable recommendation scans in policies, use separate policies for scanning Windows and Linux computers, to avoid assigning Windows rules to Linux computers, and vice-versa.

- ["What gets scanned?" below](#)
- ["Scan limitations" on the next page](#)
- ["Run a recommendation scan" on page 307](#)
- ["Automatically implement recommendations" on page 310](#)
- ["Check scan results and manually assign rules" on page 311](#)
- ["Configure recommended rules" on page 313](#)
- ["Implement additional rules for common vulnerabilities" on page 313](#)
- ["Troubleshooting: Recommendation Scan Failure" on page 314](#)

### What gets scanned?

During a recommendation scan, Deep Security Agents scan the operating system for:

## Trend Micro Deep Security for Azure Marketplace 11.1

- installed applications
- the Windows registry
- open ports
- the directory listing
- the file system
- running processes and services
- environment variables
- users

### Scan limitations

Certain technical or logical limitations result in the rules for some types of software not being accurately recommended, or not recommended at all:

- On Unix/Linux systems, the recommendation scan engine might have trouble detecting software that is not installed through the operating system's default package manager, for example, Apache Struts, Wordpress, or Joomla. Applications installed using standard package managers are not a problem.
- On Unix/Linux systems, rules for desktop application vulnerabilities or local vulnerabilities (for example, browsers and media players) are not included in recommendation scans.
- Generic web application protection rules are not included in recommendation scans.
- Smart rules are generally not included in recommendation scans unless they address a major threat or a specific vulnerability. Smart rules address one or more known and unknown (zero-day) vulnerabilities. Rule lists in Deep Security Manager identify smart rules with "Smart" in the Type column.
- When dealing with rules related to a content management system (CMS), the recommendation scan cannot detect the CMS installation and installed version. It also cannot detect the plug-ins installed with a CMS and their versions. As a result, whenever a recommendation scan finds a web server installed and PHP installed or running on a system, all CMS-related intrusion prevention rules get recommended. This may result in the over-recommendation of rules, but balances the need for security vs. accuracy.

- The recommendations for the following web technologies may suggest more rules than necessary, so some tailoring may be required:
  - Red Hat JBoss
  - Eclipse Jetty
  - Apache Struts
  - Oracle WebLogic
  - WebSphere
  - Oracle Application Testing Suite
  - Oracle Golden Gate
  - Nginx
- OpenSSL rules are recommended on Windows only when OpenSSL is explicitly installed. If OpenSSL is being used internally by an application but it was not installed as a separate package, a recommendation scan does not detect it.
- On Linux systems, rules for Java-related vulnerabilities do not get recommended if web browsers are the only applicable vector.
- Recommendation scans cannot detect the Adobe Flash Player plug-in that is included in a default Chrome installation. Recommendations are based on the Chrome version, which means some unnecessary rules may be recommended.

### Run a recommendation scan

Because changes to your environment can affect which rules are recommended, it's best to run recommendation scans on a regular basis (the best practice is to perform recommendation scans on a weekly basis). Trend Micro releases new intrusion prevention rules on Tuesdays, so it's recommended that you schedule recommendation scans shortly after those releases. The use of system resources, including CPU cycles, memory, and network bandwidth, increases during a recommendation scan so it's best to schedule the scans at non-peak times.

There are several ways to run recommendation scans:

- **Scheduled task:** Create a scheduled task that runs recommendation scans according to a schedule that you configure. You can assign the scheduled task to all computers, one

individual computer, a defined computer group, or all computers protected by a particular policy. See ["Create a scheduled task to regularly run recommendation scans" below](#).

- **Ongoing scans:** Configure a policy so that all computers protected by the policy are scanned for recommendations on a regular basis. You can also configure ongoing scans for individual computers. This type of scan checks the timestamp of the last scan that occurred and then follows the configured interval thereafter to perform future scans. This results in recommendation scans occurring at different times in your environment. This setting is helpful in environments where an agent might not be online for more than a few days (for example, in cloud environments that are building and decommissioning instances frequently). See ["Configure an ongoing scan" on the next page](#)
- **Manual scans:** Run a single recommendation scan on one or more computers. A manual scan is useful if you've recently made significant platform or application changes and want to force a check for new recommendations instead of waiting for a scheduled task. See ["Manually run a recommendation scan" on the next page](#).
- **Command line:** Initiate a recommendation scan via the Deep Security command-line interface. See ["Command-line basics" on page 198](#).
- **API:** Initiate a recommendation scan via the Deep Security API. See ["Use the Deep Security API to automate tasks" on page 216](#).

**Note:** Use either the scheduled tasks or ongoing scans, but not both.

Once a recommendation scan has run, alerts are raised on the all computers for which recommendations have been made.

### Create a scheduled task to regularly run recommendation scans

1. In the Deep Security Manager, go to the **Administration > Scheduled Tasks** page.
2. Click **New** on the toolbar and select **New Scheduled Task** to display the **New Scheduled Task** wizard.
3. In the **Type** list, select **Scan Computers for Recommendations** and then select how often you want the scan to occur. Click **Next**.
4. Depending on your choice in step 3, the next page lets you be more specific about the scan frequency. Make your selection and click **Next**.

5. Now select which computer(s) to scan and click **Next**.

**Note:** You can select all computers, choose one individual computer, select a group of computers, or select computers that are assigned a particular policy. For large deployments, it's best to perform all actions, including recommendation scans, through policies.

6. Give a name to your new scheduled task, select whether or not to **Run Task on 'Finish'**, click **Finish**.

### Configure an ongoing scan

1. In the Deep Security Manager, open the **Computer or Policy editor**<sup>1</sup>, depending on whether you want to configure the scan for an individual computer or for all computers that are using a policy.

**Note:** For large deployments, it's best to perform all actions, including recommendation scans, through policies.

2. Click **Settings**. On the **General** tab, under **Recommendations**, the **Perform ongoing Recommendation Scans** setting enables or disables recommendation scans. The **Ongoing Scan Interval** setting specifies how often the scans occur. Both of those settings can be inherited from the computer or policy's parent (see "[Policies, inheritance, and overrides](#)" on page 300 for details about how inheritance works).

### Manually run a recommendation scan

1. In the Deep Security Manager, go to the **Computers** page.
2. Select the computer or computers you want to scan.
3. Click **Actions > Scan for Recommendations**.

### Cancel a recommendation scan

You can cancel a recommendation scan before it starts running.

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

## Trend Micro Deep Security for Azure Marketplace 11.1

1. In the Deep Security Manager, go to the **Computers** page.
2. Select the computer or computers where you want to cancel the scans.
3. Click **Actions > Cancel Recommendation Scan**.

### Exclude a rule or application type from recommendation scans

If you don't want a particular rule or application type to be included in recommendation scan results, you can exclude it from scans.

1. In the Deep Security Manager, open the **Computer or Policy editor**<sup>1</sup>.

**Note:** For large deployments, it's best to perform all actions, including recommendation scans, through policies.

2. Depending on which type of rule you want to exclude, go to the **Intrusion Prevention**, **Integrity Monitoring**, or **Log Inspection** page.
3. On the **General** tab, click **Assign/Unassign** (for rules) or **Application Types** (for application types).
4. Double-click the rule or application type that you want to exclude.
5. Go to the **Options** tab. For rules, set **Exclude from Recommendations** to "Yes" or "Inherited (Yes)". For application types, select the **Exclude from Recommendations** checkbox.

### Automatically implement recommendations

You can configure Deep Security to automatically implement recommendation scan results when it is appropriate to do so:

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the **Policies** page and double-click the policy that you want to edit (or select the policy and click **Details**). To change the settings for a computer, go to the **Computers** page and double-click the computer that you want to edit (or select the computer and click **Details**).

1. In the Deep Security Manager, open the **Computer or Policy editor**<sup>1</sup>.

**Note:** For large deployments, it's best to perform all actions, including recommendation scans, through policies.

2. Depending on which type of rules you want to implement automatically, go to the **Intrusion Prevention, Integrity Monitoring, and/or Log Inspection** pages. (You can change the setting independently for each protection module.)
3. On the **General** tab, under **Recommendations**, change the setting to "Yes" or "Inherited (Yes)".

Not all recommendations can be implemented automatically. The exceptions are:

- Rules that require configuration before they can be applied.
- Rules that are excluded from recommendation scans.
- Rules that have been automatically assigned or unassigned but that a user has overridden. For example, if Deep Security automatically assigns a rule and you subsequently unassign it, the rule is not reassigned after the next recommendation scan.
- Rules that have been assigned at a higher level in the policy hierarchy cannot be unassigned at a lower level. A rule assigned to a computer at the policy level must be unassigned at the policy level.
- Rules that Trend Micro has issued but which may pose a risk of producing false positives. (This will be addressed in the rule description.)

## Check scan results and manually assign rules

The results of the latest recommendation scan are displayed in the **Computer or Policy editor**<sup>2</sup>, on the **General** tab of the protection module (**Intrusion Prevention, Integrity Monitoring, and Log**

---


<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

<sup>2</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

### Inspection).

The example below describes how to deal with intrusion prevention recommendation scan results via a policy:

1. Once a recommendation scan is complete, open the policy that is assigned to the computers you have just scanned.
2. Go to **Intrusion Prevention > General**. The number of unresolved recommendations (if any) is displayed in the **Recommendations** section.
3. Click **Assign/Unassign** to open the rule assignment window.
4. Sort the rules **By Application Type** and select **Recommended for Assignment** from the display filter menu:



This displays a list of rules that are recommended for assignment but that have not been assigned.

5. To assign a rule to the policy, select the checkbox next to the rule name. Rules flagged with a  icon have configuration options that you can set. Rules flagged with a  icon have settings that **must** be configured before the rule is enabled.)

Alternatively, to assign several rules at once, use the Shift or Control keys to select the rules, right-click the selection, and click **Assign Rule(s)**.

**Tip:** The results of a recommendation scan can also include recommendations to unassign rules. This can happen when applications are uninstalled, when security patches from a manufacturer are applied, or when unnecessary rules have been applied manually. To view rules that are recommended for unassignment, select **Recommended for Unassignment** from the display filter menu.

**Note:** Recommended rules are indicated by a full flag (▣). A partial flag (▢) identifies an application type where only some of the rules that are part of the application type have been recommended.

## Configure recommended rules

Some rules require configuration before they can be applied. For example, some log inspection rules require that you specify the location of the log files to be inspected for change. If this is the case, an alert is raised on the computer on which the recommendation has been made. The text of the alert will contain the information required to configure the rule. In the policy or computer editor, rules flagged with a  icon have configuration options that you can set. Rules flagged with a  icon have settings that **must** be configured before the rule is enabled.

## Implement additional rules for common vulnerabilities

Recommendation scans provide a good starting point for establishing a list of rules that you should implement, but there are some additional rules for common vulnerabilities that are not identified by recommendation scans because they need to be carefully configured and tested before being implemented in "prevent" (block) mode. Trend Micro recommends that you configure and test these rules, then manually enable them in your policies (or for individual computers):

**Tip:** This list includes the most common of the additional rules you should configure. You can find others in Deep Security Manager by searching for rules whose type is "Smart" or "Policy".

Rule name	Application type
1007598 - Identified Possible Ransomware File Rename Activity Over Network Share	DCERPC Services
1007596 - Identified Possible Ransomware File Extension Rename Activity Over Network Share	DCERPC Services
1006906 - Identified Usage Of PsExec Command Line Tool	DCERPC Services
1007064 - Executable File Uploaded On System32 Folder Through SMB Share	DCERPC Services
1003222 - Block Administrative Share	DCERPC Services
1001126 - DNS Domain Blocker	DNS Client
1000608 - Generic SQL Injection Prevention See " <a href="#">Configure an SQL injection prevention rule</a> " on page 505 for details.	Web Application Common

Rule name	Application type
1005613 - Generic SQL Injection Prevention - 2	Web Application Common
1000552 - Generic Cross Site Scripting (XSS) Prevention	Web Application Common
1006022 - Identified Suspicious Image With Embedded PHP Code	Web Application Common
1005402 - Identified Suspicious User Agent In HTTP Request	Web Application Common
1005934 - Identified Suspicious Command Injection Attack	Web Application Common
1006823 - Identified Suspicious Command Injection Attack - 1	Web Application Common
1005933 - Identified Directory Traversal Sequence In Uri Query Parameter	Web Application Common
1006067 - Identified Too Many HTTP Requests With Specific HTTP Method	Web Server Common
1005434 - Disallow Upload Of A PHP File	Web Server Common
1003025 - Web Server Restrict Executable File Uploads	Web Server Common
1007212 - Disallow Upload Of An Archive File	Web Server Common
1007213 - Disallow Upload Of A Class File	Web Server Common

## Troubleshooting: Recommendation Scan Failure

If you are receiving a Recommendation Scan Failure on your server, follow the steps below to resolve the issue. If the issue continues to persist after troubleshooting, [create a diagnostic package from the agent](#) and contact support.

### Communication

Typically for communication issues "protocol error" will appear in the body of the error message.

## Trend Micro Deep Security for Azure Marketplace 11.1

If you don't have open inbound firewall ports from the Deep Security Manager to the agent, open the [ports](#) or switch to agent-initiated communication. For more information, see "[Use agent-initiated communication with cloud accounts](#)" on page 161.

### Server resources

Monitor the CPU and memory resources on the server. If the memory or CPU is becoming exhausted during the scan, increase the resources.

### Timeout values

Increase the timeout values for the recommendation scan.

**Note:** dsm\_c commands are not available on Deep Security as a Service.

1. Open the command prompt and navigate to the Deep Security Manager installation folder.
2. Enter the commands below (if this is a multi-tenant environment, add the tenant name):

```
dsm_c -action changesetting -name  
settings.configuration.agentSocketTimeoutOverride -value 1200
```

```
dsm_c -action changesetting -name  
settings.configuration.defaultSocketChannelTimeout -value 1200000
```

```
dsm_c -action changesetting -name  
settings.configuration.recoScanKeepAliveTimeInterval -value 180000
```

## Detect and configure the interfaces available on a computer

The Computer and Policy editors contain an **Interfaces** (in the Computer editor) and **Interface Types** (in the Policy editor) section that displays the interfaces detected on the computer. If a policy with multiple interface assignments has been assigned to the computer, interfaces that match the patterns defined in the policy will be identified.

The **Interface Types** section of the Policy editor provides additional capabilities:

### Configure a policy for multiple interfaces

If you have computers with more than one interface, you can assign various elements of a policy (firewall rules, etc.) to each interface.

1. In the Policy editor, click **Interface Types**.
2. In the Network Interface Specificity section, select **Rules can apply to specific interfaces**
3. In the Interface Type sections that appear, type the names and pattern matching strings.

The interface type name is used only for reference. Common names include "LAN", "WAN", "DMZ", and "Wi-Fi", though any name can be used to map to your network's topology.

The matches define a wildcard-based interface name to auto map the interfaces to the appropriate interface type. Examples would be "Local Area Connection \*", "eth\*", or "Wireless \*". When an interface cannot be mapped automatically, an alert is triggered. You can manually map it from the **Interfaces** page in the computer editor for a particular computer.

**Note:** If Deep Security detects interfaces on the computer that don't match any of these entries, the manager will trigger an alert.

## Enforce interface isolation

When Interface Isolation is enabled, the firewall will try to match the regular expression patterns to interface names on the local computer. To enforce interface isolation, click **Enable Interface Isolation** option on the **Policy or Computer Editor > Firewall > Interface Isolation** tab and enter string patterns that will match the names of the interfaces on a computer (in order of priority).

**Warning:** Before you enable Interface Isolation make sure that you have configured the interface patterns in the proper order and that you have removed or added all necessary string patterns. Only interfaces matching the highest priority pattern will be permitted to transmit traffic. Other interfaces (which match any of the remaining patterns on the list) will be "restricted". Restricted Interfaces will block all traffic unless an Allow Firewall Rule is used to allow specific traffic to pass through.

Selecting **Limit to one active interface** will restrict traffic to only a single interface even if more than one interface matches the highest priority pattern.

**Note:** Deep Security uses POSIX basic regular expressions to match interface names. For information on basic POSIX regular expressions, see [http://pubs.opengroup.org/onlinepubs/009695399/basedefs/xbd\\_chap09.html#tag\\_09\\_03](http://pubs.opengroup.org/onlinepubs/009695399/basedefs/xbd_chap09.html#tag_09_03)

## Overview section of the computer editor

The computer editor **Overview** page has the following tabbed sections:

- ["General tab" below](#)
- ["Actions tab" on page 321](#)
- ["TPM tab" on page 322](#)
- ["System Events tab" on page 323](#)

### General tab

- **Hostname:** Appears in the **Name** column on the **Computers** page. The name must be either the IP address of the computer or the hostname of the computer. Either a fully qualified hostname or a relative hostname can be used if a hostname is used instead of an IP address. You have to specify a hostname that can be resolved or a valid IP address that the Deep Security Manager can access. This is because the communication between the Deep Security Manager and the agent computers are based on the hostname. For relay-enabled agents, all of the computers within the relay group should be able to reach the specified IP address or hostname. If the Deep Security Manager cannot access the target computer the communication direction should be set to Agent/Appliance Initiated (Settings > Computer).
- **(Last IP Used: <IP\_address>):** The last IP used by the computer. **Last IP Used** may not always show the IP address of the Deep Security Agent's host. Instead, it could be the IP address of a proxy, load balancer, elastic load balancer (ELB), etc., that the agent uses to communicate with Deep Security Manager.
- **Display Name:** Appears in the Display Name column and in brackets next to the Hostname value.
- **Description:** a description of the computer.
- **Platform:** Details of the computer's OS will appear here.
- **Group:** The computer group to which the computer belongs appears in the list. You can reassign the computer to any other existing computer group.

- **Policy:** The policy (if any) that has been assigned to this computer.

**Note:** Keep in mind that if you unassign a policy from a computer, rules may still be in effect on the computer if they were assigned independently of the policy.

- **Asset Importance:** Deep Security Manager uses a ranking system to quantify the importance of security events. Rules are assigned a severity level (high, medium, low, etc.), and assets (computers) are assigned an "asset importance" level. These levels have numerical values. When a rule is triggered on a computer the asset importance value and the severity level value are multiplied together. This produces a score which is used to sort events by importance. (Event ranking can be seen in the **Events** pages.) Use this **Asset Importance** list to assign an asset importance level to this computer. (To edit the numerical values associated with severity and importance levels, go to **Administration > System Settings > Ranking**.)
- **Download Security Updates From:** Use the dropdown list to select which relay group the agent/appliance on this computer will download security updates from. (not displayed if agent is acting as a relay.)

### Computer status

The Status area displays the latest available information about the computer and the protection modules in effect on it. Whether the computer is protected by an agent or an appliance (or both in the case of combined mode) is displayed in the top row.

- **Status:**
  - When the computer is unmanaged the status represents the state of the agent or appliance with respect to activation. The status will display either "Discovered" or "New" followed by the agent or appliance state in brackets ("No Agent/Appliance", "Unknown", "Reactivation Required", "Activation Required", or "Deactivation Required").
  - When the computer is managed and no computer errors are present, the status will display "Managed" followed by the state of the agent or appliance in brackets ("Online" or "Offline").

## Trend Micro Deep Security for Azure Marketplace 11.1

- When the computer is managed and the agent or appliance is in the process of performing an action (e.g. "Integrity Scan in Progress", "Upgrading Agent (Install Program Sent)", etc.) the task status will be displayed.
- When there are errors on the computer (e.g., "Offline", "Update Failed", etc.) the status will display the error. When more than one error is present, the status will display "Multiple Errors" and each error will be listed beneath.

### Protection module status

The software that implements Deep Security 9.5 or later protection modules is installed deployed to agents on an as-needed basis. Only core functionality is included when an agent is first installed. The software that implements Deep Security 9.5 or later protection modules is deployed to agents on an as-needed basis. Only core functionality is included when an agent is first installed.

The **Status** area provides information about the state of the Deep Security modules. The status reflects the state of a module on the agent as well as its configuration in Deep Security Manager. A status of "On" indicates that the module is configured in Deep Security Manager and is installed and operating on the Deep Security Agent.

A green status light is displayed for a module when it is "On" and working. In addition, modules that allow individual rule assignment must have at least one rule assigned before they will display a green light.

- **Anti-Malware:** Whether anti-malware protection is on or off and whether it is configured for real-time or on-demand scans.
- **Web Reputation:** Whether web reputation is on or off.
- **Firewall:** Whether the firewall is on or off and how many rules are in effect.
- **Intrusion Prevention:** Whether intrusion prevention is on or off and how many rules are in effect.
- **Integrity Monitoring:** Whether integrity monitoring is on or off and how many rules are in effect.
- **Log Inspection:** Whether log inspection is on or off and how many rules are in effect.
- **Application Control:** Whether application control is on or off.

- **Online:** Indicates whether the manager can currently communicate with the agent or appliance.
- **Last Communication:** The last time the manager successfully communicated with the agent or appliance on this computer.
- **Check Status:** This button allows you to force the manager to perform an immediate heartbeat operation to check the status of the agent or appliance. Check Status will not perform a security update of the agent or appliance. When manager to agent or appliance communications is set to "Agent/Appliance Initiated" the **Check Status** button is disabled. Checking status will not update the logs for this computer. To update the logs for this computer, go to the **Actions** tab.
- **Clear Warnings/Errors:** Dismisses any alerts or errors on this computer.
- **ESXi server:** If the computer is a virtual machine protected by a virtual appliance, the hosting ESXi server is displayed.
- **Appliance:** If the computer is a virtual machine protected by a virtual appliance, the protecting appliance is displayed.
- **ESXi Version:** If the computer is an ESXi server, the ESXi version number is displayed.
- **Filter Driver version:** If the computer is an ESXi server, the filter driver version number is displayed. If you are using DSVA 9.6 or later with ESXi 6.0 or later, "N/A" will be displayed because no filter driver is in use.
- **Guests:** If the computer is an ESXi server, the virtual appliance and guests are displayed.
- **Appliance Version:** If the computer is a virtual appliance, the appliance version number is displayed.
- **Protected Guests On:** If the computer is a virtual appliance, the IP of the ESXi server and the protected guest are displayed.

### VMware virtual machine summary

This section displays a summary of hardware and software configuration information about the virtual machine on which the agent or appliance is running (VMware virtual machines only).

### Actions tab

#### Activation

A newly installed Deep Security agent or appliance needs to be "activated" by the Deep Security Manager before policies, rules, requests for event logs, etc. can be sent to it. The activation procedure includes the exchange of SSL keys which uniquely identify a manager (or one of its nodes) and an agent/appliance to each other. Once activated by a Deep Security Manager, an agent/appliance will only accept instructions or communicate with the Deep Security Manager which activated it (or one of its nodes).

An unactivated agent or appliance can be activated by any Deep Security Manager.

Agents and appliances can only be deactivated locally on the computer or from the Deep Security Manager which activated it. If an agent or appliance is already activated, the button in this area will read **Reactivate** rather than **Activate**. Reactivation has the same effect as activation. A reactivation will reset the agent or appliance to the state it was in after first being installed and initiate the exchange of a new set of SSL keys.

#### Policy

When you change the configuration of an agent or appliance on a computer using the Deep Security Manager (apply a new intrusion prevention rule, change logging settings, etc.) the Deep Security Manager has to send the new information to the agent or appliance. This is a "Send Policy" instruction. Policy updates usually happen immediately but you can force an update by clicking the **Send Policy** button.

#### Agent Software

This displays the version of the agent or appliance currently running on the computer. If a newer version of the agent or appliance is available for the computer's platform you can click the **Upgrade Agent** or **Upgrade Appliance** button to remotely upgrade the agent or appliance from the Deep Security Manager. You can configure the Deep Security Manager to trigger an alert if new versions of the agent or appliance software running on any of your computers by going to the **Administration > System Settings > Updates** tab.

**Note:** Before updating or uninstalling a Deep Security Agent or Relay on Windows, you must disable agent self-protection. To do this, on the Deep Security Manager, go to **Computer editor**<sup>1</sup> > **Settings** > **General**. In **Agent Self Protection**, and then either deselect **Prevent local end-users from uninstalling, stopping, or otherwise modifying the Agent** or enter a password for local override.

### Support

The **Create Diagnostic Package** button creates a snapshot of the state of the agent or appliance on the computer. Your support provider may request this for troubleshooting purposes.

If you have lost communication with the computer, a diagnostics package can be created locally. For more information, see ["Create a diagnostic package and logs" on page 1041](#).

### TPM tab

**Note:** The TPM tab will appear in place of the Actions tab for ESXi servers.

A Trusted Platform Module (TPM) is a type of chip that is used for hardware authentication. VMware uses the TPM with its ESXi hypervisors. During the boot sequence, an ESXi writes a SHA-1 hash of each hypervisor component to a set of registers as it loads. An unexpected change in these values from one boot sequence to the next can indicate a possible security issue worth investigating. Deep Security can monitor the TPM on an ESXi after every boot and raise an Alert if it detects any changes. If you select the option to enable TPM monitoring on an ESXi that doesn't support it, the option will be automatically disabled.

**Enable TPM Monitoring:** Select to enable Trusted Platform Module monitoring.

**Raise an alert when TPM Monitoring fails to obtain valid register values:** Select to have Deep Security raise an alert if the Trusted Platform Module fails to obtain valid register values for the hypervisor components during the ESXi boot sequence.

**TPM Register Data Imported:** Indicates whether the Trusted Protection Module data has been imported.

---

<sup>1</sup>To open the Computer editor, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

**TPM Last Checked:** Indicates when the Trusted Protection Module was last checked. You can click **Check Now** to start a check of the Trusted Platform Module.

**Note:** The minimum requirements for TPM monitoring are

- TPM/TXT installed and enabled on the ESXi (consult your VMware documentation for details)
- The Deep Security integrity monitoring and application control module must be properly licensed.

## System Events tab

For information about events, see "[System events](#)" on page 862.

## Overview section of the policy editor

The Overview section of the policy editor has the following tabbed sections:

- "[General tab](#)" below
- "[Computer\(s\) Using This Policy tab](#)" on the next page
- "[Events tab](#)" on the next page

## General tab

### General

- **Name:** Appears in the Display Name column and in brackets next to the Hostname value.
- **Description:** a description of the computer.

### Inheritance

Identifies the parent policy (if any) from which the current policy inherits its settings.

### Modules

- **Anti-Malware:** Whether anti-malware protection is on or off and whether it is configured for real-time or on-demand scans.
- **Web Reputation:** Whether web reputation is on or off.
- **Firewall:** Whether the firewall is on or off and how many rules are in effect.
- **Intrusion Prevention:** Whether intrusion prevention is on or off and how many rules are in effect.
- **Integrity Monitoring:** Whether integrity monitoring is on or off and how many rules are in effect.
- **Log Inspection:** Whether log inspection is on or off and how many rules are in effect.
- **Application Control:** Whether application control is on or off.

### Computer(s) Using This Policy tab

Lists computers to which this policy has been assigned.

### Events tab

For information about events, see ["System events" on page 862](#).

### Network engine settings

To edit the network engine settings of a policy or computer, open the **Policy editor**<sup>1</sup> or the **Computer editor**<sup>2</sup> for the policy or computer to configure and click **Settings > Advanced** .

**Note:** The **Advanced** tab also contains **Events** settings. For information on those settings, see ["Limit log file sizes" on page 746](#). It also contains the **Generate an Alert when Agent**

---


<sup>1</sup>To open the Policy editor, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details).

<sup>2</sup>To open the Computer editor, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

configuration package exceeds maximum size setting, which controls the display of the "Agent configuration package too large" setting.

The following settings are available:

- **Network Engine Mode** : The network engine is a component within the Intrusion Prevention, Firewall, and Web Reputation modules that decides whether to block or allow packets. For the Firewall and Intrusion Prevention modules, the network engine performs a packet sanity check and also makes sure each packet passes the firewall and intrusion prevention rules (called, rules matching). The network engine can operate Inline or in tap mode. When operating Inline, the packet stream passes through the network engine. Stateful tables are maintained, firewall rules are applied and traffic normalization is carried out so that intrusion prevention and firewall rules can be applied. When operating in tap mode, the packet stream is cloned and diverted from the main stream. In tap mode, the packet stream is not modified; all operations are carried out on the cloned stream.



- **Failure Response:** The settings here determine how the network engine behaves when it finds faulty packets. The default is to block them (Fail closed), but you can let some of them through (Fail open) for the reasons explained below.
  - **Network Engine System Failure:** This setting determines whether the network engine blocks or allows faulty packets that occur as a result of system failures on the network

engine host, such as out of memory failures, allocated memory failures, and network engine (DPI) decoding failures occur. The options are:

- **Fail closed** (default): The network engine blocks the faulty packet. It does not perform rules matching. This option provides the highest level of security.
- **Fail open**: The network engine allows the faulty packet through, does not perform rules matching, and logs an event. Consider using **Fail open** if your agent or virtual appliance frequently encounters network exceptions because of heavy loads or lack of resources.
- **Network Packet Sanity Check Failure**: This setting determines whether the network engine blocks or allows packets that fail the packet sanity checks. Examples of sanity check failures: firewall sanity check failures, network layer 2, 3, or 4 attribute check failures, TCP state check failures. The options are:
  - **Fail closed** (default): The network engine blocks the failed packet. It does not perform any rules matching. This option provides the highest level of security.
  - **Fail open**: The network engine allows the failed packet, does not perform any rules matching on it, and logs an event. Consider using **Fail open** if you want to disable the packet sanity checks, but preserve rules matching functionality.
- **Anti-Evasion Posture**: The anti-evasion setting controls the network engine handling of abnormal packets that may be attempting to evade analysis. For details, see ["Configure anti-evasion settings" on page 524](#).
- **Advanced Network Engine Options**: If you deselect the **Inherited** check box, you can customize these settings:
  - **CLOSED timeout**: For gateway use. When a gateway passes on a "hard close" (RST), the side of the gateway that received the RST will keep the connection alive for this amount of time before closing it.
  - **SYN\_SENT Timeout**: How long to stay in the SYN-SENT state before closing the connection.
  - **SYN\_RCVD Timeout**: How long to stay in the SYN\_RCVD state before closing the connection.

- **FIN\_WAIT1 Timeout:** How long to stay in the FIN-WAIT1 state before closing the connection.
- **ESTABLISHED Timeout:** How long to stay in the ESTABLISHED state before closing the connection.
- **ERROR Timeout:** How long to maintain a connection in an Error state. (For UDP connections, the error can be caused by any of a variety of UDP problems. For TCP connections, the errors are probably due to packets being dropped by the firewall.)
- **DISCONNECT Timeout:** How long to maintain idle connections before disconnecting.
- **CLOSE\_WAIT Timeout:** How long to stay in the CLOSE-WAIT state before closing the connection.
- **CLOSING Timeout:** How long to stay in the CLOSING state before closing the connection.
- **LAST\_ACK Timeout:** How long to stay in the LAST-ACK state before closing the connection.
- **ACK Storm timeout:** The maximum period of time between retransmitted ACKs within an ACK Storm. In other words, if ACKs are being retransmitted at a lower frequency than this timeout, they will NOT be considered part of an ACK Storm.
- **Boot Start Timeout:** For gateway use. When a gateway is booted, there may already exist established connections passing through the gateway. This timeout defines the amount of time to allow non-SYN packets that could be part of a connection that was established before the gateway was booted to close.
- **Cold Start Timeout:** Amount of time to allow non-SYN packets that could belong to a connection that was established before the stateful mechanism was started.
- **UDP Timeout:** Maximum duration of a UDP connection.
- **ICMP Timeout:** Maximum duration of an ICMP connection.
- **Allow Null IP:** Allow or block packets with no source or destination IP address.
- **Block IPv6 on Agents and Appliances versions 8 and earlier:** Block or Allow IPv6 packets on older version 8.0 agents and appliances.

**Note:** Deep Security Agents and Appliances versions 8.0 and older are unable to apply firewall or DPI rules to IPv6 network traffic and so the default setting for these older versions is to block IPv6 traffic.

**Block IPv6 on Agents and Appliances versions 8 and earlier:** Block or Allow IPv6 packets on older version 8.0 Agents and Appliances.

**Note:** Deep Security Agents and Appliances versions 8.0 and older are unable to apply firewall or DPI Rules to IPv6 network traffic and so the default setting for these older versions is to block IPv6 traffic.

- **Block IPv6 on Agents and Appliances versions 9 and later:** Block or Allow IPv6 packets on agents and appliances that are version 9 or later.
- **Connection Cleanup Timeout:** Time between cleanup of closed connections (see next).
- **Maximum Connections per Cleanup:** Maximum number of closed connections to cleanup per periodic connection cleanup (see previous).
- **Block Same Src-Dest IP Address:** Block or allow packets with same source and destination IP address. (Doesn't apply to loopback interface.)
- **Maximum TCP Connections:** Maximum simultaneous TCP Connections.
- **Maximum UDP Connections:** Maximum simultaneous UDP Connections.
- **Maximum ICMP Connections:** Maximum simultaneous ICMP Connections.
- **Maximum Events per Second:** Maximum number of events that can be written per second.
- **TCP MSS Limit:** The MSS is the Maximum Segment Size (or largest amount of data) that can be sent in a TCP packet without being fragmented. This is usually established when two computers establish communication. However, in some occasions, the traffic goes through a router or switch that has a smaller MSS. In this case the MSS can change. This causes retransmission of the packets and the agent or appliance logs them as "Dropped Retransmit". In cases where there are large numbers of dropped retransmit event entries, you may wish to lower this limit and see if the volume is reduced.

- **Number of Event Nodes:** The maximum amount of kernel memory the driver will use to store log/event information for folding at any one time.

**Note:** Event folding occurs when many events of the same type occur in succession. In such cases, the agent/appliance will "fold" all the events into one.

- **Ignore Status Code:** This option lets you ignore certain types of events. If, for example, you are getting a lot of "Invalid Flags" you can simply ignore all instances of that event.
- **Ignore Status Code:** Same as above.
- **Ignore Status Code:** Same as above.
- **Advanced Logging Policy:**
  - **Bypass:** No filtering of events. Overrides the "Ignore Status Code" settings (above) and other advanced settings, but does not override logging settings defined in the Deep Security Manager. For example, if firewall stateful configuration logging options set from a Firewall Stateful Configuration Properties window in the Deep Security Manager will not be affected.
  - **Normal:** All events are logged except dropped retransmits.
  - **Default:** Will switch to "Tap Mode" (below) if the engine is in tap mode, and will switch to "Normal" (above) if the engine is in inline mode.
  - **Backwards Compatibility Mode:** For support use only.
  - **Verbose Mode:** Same as "Normal" but including dropped retransmits.
  - **Stateful and Normalization Suppression:** Ignores dropped retransmit, out of connection, invalid flags, invalid sequence, invalid ack, unsolicited udp, unsolicited ICMP, out of allowed policy.
  - **Stateful, Normalization, and Frag Suppression:** Ignores everything that "Stateful and Normalization Suppression" ignores as well as events related to fragmentation.
  - **Stateful, Frag, and Verifier Suppression:** Ignores everything "Stateful, Normalization, and Frag Suppression" ignores as well as verifier-related events.
  - **Tap Mode:** Ignores dropped retransmit, out of connection, invalid flags, invalid sequence, invalid ack, max ack retransmit, packet on closed connection.

**Note:** For a more comprehensive list of which events are ignored in **Stateful and Normalization Suppression**; **Stateful, Normalization, and Frag Suppression**; **Stateful, Frag, and Verifier Suppression**; and **Tap** modes, see ["Reduce the number of logged events"](#) on page 754.

- **Silent TCP Connection Drop:** When Silent TCP Connection Drop is on, a RST packet is only sent to the local stack. No RST packet is sent on the wire. This reduces the amount of information sent back to a potential attacker.

**Note:** If you enable the Silent TCP Connection Drop you must also adjust the DISCONNECT Timeout. Possible values for DISCONNECT Timeout range from 0 seconds to 10 minutes. This must be set high enough that the connection is closed by the application before it is closed by the Deep Security agent/appliance. Factors that will affect the DISCONNECT Timeout value include the operating system, the applications that are creating the connections, and network topology.

- **Enable Debug Mode:** When in debug mode, the agent/appliance captures a certain number of packets (specified by the setting below: Number of Packets to retain in Debug Mode). When a rule is triggered and debug mode is on, the agent/appliance will keep a record of the last X packets that passed before the rule was triggered. It will return those packets to the manager as debug events.

**Note:** Debug mode can very easily cause excessive log generation and should only be used under Client Services supervision.

- **Number of Packets to retain in Debug Mode:** The number of packets to retain and log when debug mode is on.
- **Log All Packet Data:** Record the packet data for events that are not associated with specific firewall or intrusion prevention rules. That is, log packet data for events such as "Dropped Retransmit" or "Invalid ACK".

**Note:** Events that have been aggregated because of event folding cannot have their packet data saved.

- **Log only one packet within period:** If this option is enabled and **Log All Packet Data** is not, most logs will contain only the header data. A full packet will be attached periodically, as specified by the **Period for Log only one packet within period** setting.
- **Period for Log only one packet within period:** When **Log only one packet within period** is enabled, this setting specifies how often the log will contain full packet data.
- **Maximum data size to store when packet data is captured:** The maximum size of header or packet data to be attached to a log.
- **Generate Connection Events for TCP:** Generates a firewall event every time a TCP connection is established.
- **Generate Connection Events for ICMP:** Generates a firewall event every time an ICMP connection is established.
- **Generate Connection Events for UDP:** Generates a firewall event every time a UDP connection is established.
- **Bypass CISCO WAAS Connections:** This mode bypasses stateful analysis of TCP sequence numbers for connections initiated with the proprietary CISCO WAAS TCP option selected. This protocol carries extra information in invalid TCP Sequence and ACK numbers that interfere with stateful firewall checks. Only enable this option if you are using CISCO WAAS and you are seeing connections with Invalid SEQ or Invalid ACK in the firewall logs. When this option is selected, TCP stateful sequence number checks are still performed for non WAAS enabled connections.
- **Drop Evasive Retransmit:** Incoming packets containing data that has already been processed will be dropped to avoid possible evasive retransmit attack techniques.
- **Verify TCP Checksum:** The segment's checksum field data will be used to assess the integrity of the segment.
- **Minimum Fragment Offset:** Defines the minimum acceptable IP fragment offset. Packets with offsets less than this will be dropped with reason "IP fragment offset too small". If set to 0 no limit is enforced. (default 60)
- **Minimum Fragment Size:** Defines the minimum acceptable IP fragment size. Fragmented packets that are smaller than this will be dropped with reason "First fragment too small" as potentially malicious. (default 120)

- **SSL Session Size:** Sets the maximum number of SSL session entries maintained for SSL session keys.
- **SSL Session Time:** Sets how long SSL session renewal keys are valid before they expire.
- **Filter IPv4 Tunnels:** Not used by this version of Deep Security.
- **Filter IPv6 Tunnels:** Not used by this version of Deep Security.
- **Strict Teredo Port Check:** Not used by this version of Deep Security.
- **Drop Teredo Anomalies:** Not used by this version of Deep Security.
- **Maximum Tunnel Depth:** Not used by this version of Deep Security.
- **Action if Maximum Tunnel Depth Exceeded:** Not used by this version of Deep Security.
- **Drop IPv6 Extension Type 0:** Not used by this version of Deep Security.
- **Drop IPv6 Fragments Lower Than minimum MTU:** Drop IPv6 fragments that do not meet the minimum MTU size specified by IETF RFC 2460.
- **Drop IPv6 Reserved Addresses:** Drop these reserved addresses:
  - IETF reserved 0000::/8
  - IETF reserved 0100::/8
  - IETF reserved 0200::/7
  - IETF reserved 0400::/6
  - IETF reserved 0800::/5
  - IETF reserved 1000::/4
  - IETF reserved 4000::/2
  - IETF reserved 8000::/2
  - IETF reserved C000::/3
  - IETF reserved E000::/4
  - IETF reserved F000::/5
  - IETF reserved F800::/6
- **Drop IPv6 Site Local Addresses:** Drop site local addresses FEC0::/10.

- **Drop IPv6 Bogon Addresses:** Drop these addresses:
  - "loopback ::1"
  - "IPv4 compatible address", ::/96
  - "IPv4 mapped address" ::FFFF:0.0.0.0/96
  - "IPv4 mapped address", ::/8
  - "OSI NSAP prefix (deprecated by RFC4048)" 0200::/7
  - "6bone (deprecated)", 3ffe::/16
  - "Documentation prefix", 2001:db8::/32
- **Drop 6to4 Bogon Addresses:** Drop these addresses:
  - "6to4 IPv4 multicast", 2002:e000:: /20
  - "6to4 IPv4 loopback", 2002:7f00:: /24
  - "6to4 IPv4 default", 2002:0000:: /24
  - "6to4 IPv4 invalid", 2002:ff00:: /24
  - "6to4 IPv4 10.0.0.0/8", 2002:0a00:: /24
  - "6to4 IPv4 172.16.0.0/12", 2002:ac10:: /28
  - "6to4 IPv4 192.168.0.0/16", 2002:c0a8:: /32
- **Drop IP Packet with Zero Payload:** Drop IP packets that have a zero-length payload.
- **Drop Unknown SSL Protocol:** Drop connection if a client attempts to connect to the Deep Security Manager with the wrong protocol. By default, any protocol other than "http/1.1" will cause an error.
- **Force Allow DHCP DNS:** Controls whether the following hidden firewall rules are enabled:

Rule type	Priority	Direction	Protocol	Source port	Destination port
Force Allow	4	Outgoing	DNS	Any	53
Force Allow	4	Outgoing	DHCP	68	67
Force Allow	4	Incoming	DHCP	67	68

When the rules are enabled, agent computers can connect with the manager using the listed protocols and ports. The following values for this property are available:

- **Inherited:** Inherits the setting from the policy
  - **Turn off rules:** Disables the rules. Note that this setting can cause agent computers to appear offline
  - **Allow DNS Query:** Enable only the DNS-related rule
  - **Allow DNS Query and DHCP Client:** Enable all 3 rules
- **Force Allow ICMP type3 code4:** Controls whether the following hidden firewall rules are enabled:

Rule type	Priority	Direction	Protocol	Type	Code
Force Allow	4	Incoming	ICMP	3	4

When enabled, these rules allow relay computers to connect with the manager so that the relay's heartbeat is transmitted. The following values are available:

- **Inherited:** Inherits the setting from the policy.
  - **Turn off rules:** Disables the rule. This value can cause connection timeouts or "Destination cannot be reached" responses.
  - **Add Force Allow rule for ICMP type3 code4:** Enables the rule.
- **Fragment Timeout:** If configured to do so, the intrusion prevention rules will inspect the content of a packet (or packet fragment) if that content is considered suspicious. This setting determines how long after inspecting to wait for the remaining packet fragments before discarding the packet.
  - **Maximum number of fragmented IP packets to keep:** Specifies the maximum number of fragmented packets that Deep Security will keep.
  - **Send ICMP to indicate fragmented packet timeout exceeded:** When this setting is enabled and the fragment timeout is exceeded, an ICMP packet is sent to the remote computer.

## Define rules, lists, and other common objects used by policies

The Common Objects pages (located under **Policies > Common Objects** in Deep Security Manager) provide a way to define objects once so that you can reuse them various policies and rules. When you use one of the common objects in the policy or computer editor, its settings can be overridden for that specific policy or computer. For more information on how common object properties can be inherited and overridden at the policy or computer level, see "[Policies, inheritance, and overrides](#)" on page 300.

**Tip:** You can automate common object creation and configuration using the Deep Security API. For examples, see the [Create and Configure Common Objects for Policies and Computers](#) guide.

### Rules

Some protection modules make use of rules:

- "[Create a firewall rule](#)" on page 543
- [Configure an intrusion prevention rule for use in policies](#)
- "[Create an integrity monitoring rule](#)" on page 586
- "[Define a log inspection rule for use in policies](#)" on page 642

### Lists

- "[Create a list of directories for use in policies](#)" on page 383
- "[Create a list of file extensions for use in policies](#)" on page 386
- "[Create a list of files for use in policies](#)" on page 387
- "[Create a list of IP addresses for use in policies](#)" on page 390
- "[Create a list of MAC addresses for use in policies](#)" on page 392
- "[Create a list of ports for use in policies](#)" on page 391

## Other

- ["Define contexts for use in policies" on page 393](#)
- ["Define stateful firewall configurations" on page 571](#)
- ["Configure malware scans" on page 443](#)
- ["Define a schedule that you can apply to rules" on page 400](#)

## Create a firewall rule

Firewall rules examine the control information in individual packets, and either block or allow them according to the criteria that you define. Firewall rules can be assigned to a policy or directly to a computer.

**Note:** This article specifically covers how to create a firewall rule. For information on how to configure the firewall module, see ["Set up the Deep Security firewall" on page 530](#).

To create a new firewall rule, you need to:

1. ["Add a new rule" below](#).
2. ["Select the behavior and protocol of the rule" on the next page](#).
3. ["Select a Packet Source and Packet Destination" on page 339](#).

When you're done with your firewall rule, you can also learn how to:

- ["Configure rule events and alerts" on page 340](#)
- ["Set a schedule for the rule" on page 341](#)
- ["See policies and computers a rule is assigned to" on page 341](#)
- ["Assign a context to the rule " on page 341](#)

## Add a new rule

There are three ways to add a new firewall rule on the **Policies > Common Objects > Rules > Firewall Rules** page. You can:

- Create a new rule. Click **New > New Firewall Rule**.
- Import a rule from an XML file. Click **New > Import From File**.

- Copy and then modify an existing rule. Right-click the rule in the Firewall Rules list and then click **Duplicate**. To edit the new rule, select it and then click **Properties**.

### Select the behavior and protocol of the rule

1. Enter a **Name** and **Description** for the rule.

**Tip:** It is good practice to document all firewall rule changes in the Description field of the firewall rule. Make a note of when and why rules were created or deleted for easier firewall maintenance.

2. Select the **Action** that the rule should perform on packets. You can select from one of the following five actions:

**Note:** Only one rule action is applied to a packet, and rules (of the same priority) are applied in the order of precedence listed below.

- The rule can allow traffic to **bypass** the firewall. A bypass rule allows traffic to pass through the firewall and intrusion prevention engine at the fastest possible rate. Bypass rules are meant for traffic using media intensive protocols where filtering may not be desired or for traffic originating from trusted sources.

**Tip:** For an example of how to create and use a bypass rule for trusted sources in a policy, see ["Allow trusted traffic to bypass the firewall" on page 549](#).

**Note:** Bypass rules are unidirectional. Explicit rules are required for each direction of traffic.

**Tip:** You can achieve maximum throughput performance on a bypass rule with the following settings:

- **Priority:** Highest
- **Frame Type:** IP
- **Protocol:** TCP, UDP, or other IP protocol. (Do not use the "Any" option.)
- **Source and Destination IP and MAC:** all "Any"

- If the protocol is TCP or UDP and the traffic direction is "incoming", the destination ports must be one or more specified ports (not "Any"), and the source ports must be "Any".
- If the protocol is TCP or UDP and the traffic direction is "outgoing", the source ports must be one or more specified ports (Not "Any"), and the destination ports must be "Any".
- **Schedule:** None.

- The rule can **log only**. This action will make entries in the logs but will not process traffic.
- The rule can **force allow** defined traffic (it will allow traffic defined by this rule without excluding any other traffic.)
- The rule can **deny** traffic (it will deny traffic defined by this rule.)
- The rule can **allow** traffic (it will exclusively allow traffic defined by this rule.)

**Note:** If you have no allow rules in effect on a computer, all traffic is permitted unless it is specifically blocked by a deny rule. Once you create a single allow rule, all other traffic is blocked unless it meets the requirements of the allow rule. There is one exception to this: ICMPv6 traffic is always permitted unless it is specifically blocked by a deny rule.

3. Select the **Priority** of the rule. The priority determines the order in which rules are applied. If you have selected "force allow", "deny", or "bypass" as your rule action, you can set a priority of 0 (low) to 4 (highest). Setting a priority allows you to combine the actions of rules to achieve a cascading rule effect.

**Note:** Log only rules can only have a priority of 4, and Allow rules can only have a priority of 0.

**Note:** High priority rules get applied before low priority rules. For example, a port 80 incoming deny rule with a priority of 3 will drop a packet before a port 80 incoming force allow rule with a priority of 2 gets applied to it.

For detailed information on how actions and priority work together, see "[Firewall rule actions and priorities](#)" on page 551.

4. Select a **Packet Direction**. Select whether this rule will be applied to **incoming** (from the network to the host) or **outgoing**(from the host to the network) traffic.

**Note:** An individual firewall rule only apply to a single direction of traffic. You may need to create incoming and outgoing firewall rules in pairs for specific types of traffic.

5. Select an Ethernet **Frame Type**. The term "frame" refers to Ethernet frames, and the available protocols specify the data that the frame carries. If you select "Other" as the frame type, you need to specify a [frame number](#).

6. **Note:** IP covers both IPv4 and IPv6. You can also select **IPv4** or **IPv6** individually

**Note:** Linux Agents will only examine packets with IP or ARP frame types. Packets with other frame types will be allowed through. Note that the Virtual Appliance does not have these restrictions and can examine all frame types, regardless of the operating system of the virtual machine it is protecting.

If you select the Internet Protocol (IP) frame type, you need to select the transport **Protocol**. If you select "Other" as the protocol, you also need to enter a [protocol number](#).

### Select a Packet Source and Packet Destination

Select a combination of **IP** and **MAC** addresses, and if available for the frame type, **Port** and **Specific Flags** for the Packet Source and Packet Destination.

**Tip:** You can use a previously created [IP](#), [MAC](#) or [port](#) list.

Support for IP-based frame types is as follows:

	IP	MAC	Port	Flags
Any	✓	✓		
ICMP	✓	✓		✓

## Trend Micro Deep Security for Azure Marketplace 11.1

	IP	MAC	Port	Flags
ICMPV6	✓	✓		✓
IGMP	✓	✓		
GGP	✓	✓		
TCP	✓	✓	✓	✓
PUP	✓	✓		
UDP	✓	✓	✓	
IDP	✓	✓		
ND	✓	✓		
RAW	✓	✓		
TCP+UDP	✓	✓	✓	✓

**Note:** ARP and REVARP frame types only support using MAC addresses as packet sources and destinations.

You can select **Any Flags** or individually select the following flags:

- URG
- ACK
- PSH
- RST
- SYN
- FIN

### Configure rule events and alerts

When a firewall rule is triggered, it logs an event in the Deep Security Manager and records the packet data.

**Note:** Note that rules using the "Allow", "Force Allow" and "Bypass" actions will not log any events.

### Alerts

You can configure rules to also trigger an alert if they log an event. To do so, open the properties for a rule, click on **Options**, and then select **Alert when this rule logs an event**.

**Note:** Only firewall rules with an action set to "Deny" or "Log Only" can be configured to trigger an alert.

### Set a schedule for the rule

Select whether the firewall rule should only be active during a scheduled time.

For more information on how to do so, see ["Define a schedule that you can apply to rules" on page 400](#).

### Assign a context to the rule

Rule contexts allow you to set firewall rules uniquely for different network environments. Contexts are commonly used to allow for different rules to be in effect for laptops when they are on and off-site.

For more information on how to create a context, see ["Define contexts for use in policies" on page 393](#).

**Tip:** For an example of a policy that implements firewall rules using contexts, look at the properties of the "Windows Mobile Laptop" Policy.

### See policies and computers a rule is assigned to

You can see which policies and computers are assigned to a firewall rule on the **Assigned To** tab. Click on a policy or computer in the list to see their properties.

### Export a rule

You can export all firewall rules to a .csv or .xml file by clicking **Export** and selecting the corresponding export action from the list. You can also export specific rules by first selecting them, clicking **Export** and then selecting the corresponding export action from the list.

### Delete a rule

To delete a rule, right-click the rule in the Firewall Rules list, click **Delete** and then click **OK**.

**Note:** Firewall Rules that are assigned to one or more computers or that are part of a policy cannot be deleted.

### Configure intrusion prevention rules

Perform the following tasks to configure and work with intrusion prevention rules:

- ["See the list of intrusion prevention rules" on the next page](#)
- ["See information about an intrusion prevention rule" on the next page](#)
- ["See information about the associated vulnerability \(Trend Micro rules only\)" on page 345](#)
- ["Assign and unassign rules" on page 345](#)
- ["Automatically assign updated required rules" on page 346](#)
- ["Configure event logging for rules" on page 347](#)
- ["Generate alerts" on page 348](#)
- ["Setting configuration options \(Trend Micro rules only\)" on page 348](#)
- ["Schedule active times" on page 349](#)
- ["Exclude from recommendations" on page 349](#)
- ["Set the context for a rule" on page 350](#)
- ["Override the behavior mode for a rule" on page 350](#)
- ["Override rule and application type configurations" on page 351](#)
- ["Export and import rules" on page 351](#)
- ["Configure an SQL injection prevention rule" on page 505](#)

For an overview of the intrusion prevention module, see ["Block exploit attempts using intrusion prevention" on page 483](#).

### See the list of intrusion prevention rules

The Policies page provides a list of intrusion prevention rules. You can search for intrusion prevention rules, and open and edit rule properties. In the list, rules are grouped by application type, and some rule properties appear in different columns.

**Tip:** The "TippingPoint" column contains the equivalent Trend Micro TippingPoint rule ID. In the Advanced Search for intrusion prevention, you can search on the TippingPoint rule ID. You can also see the TippingPoint rule ID in the list of assigned intrusion prevention rules in the policy and computer editor.

To see the list, click **Policies**, and then below **Common Objects/Rules** click **Intrusion Prevention Rules**.

### See information about an intrusion prevention rule

The properties of intrusion prevention rules include information about the rule and the exploit against which it protects.

1. Click **Policies > Intrusion Prevention Rules**.
2. Select a rule and click **Properties**.

### General Information

- **Name:** The name of the intrusion prevention rule.
- **Description:** The description of the intrusion prevention rule.
- **Minimum Agent/Appliance Version:** The minimum version of the Deep Security **Agent or Appliance**<sup>1</sup> required to support this intrusion prevention rule.

### Details

Clicking **New** () or **Properties** () displays the **Intrusion Prevention Rule Properties** window.

---

<sup>1</sup>The Deep Security Agent and Deep Security Virtual Appliance are the components that enforce the Deep Security policies that you have defined. Agents are deployed directly on a computer. Appliances are used in VMware vSphere environments to provide agentless protection. They are not available with Deep Security as a Service.

**Note:** Note the **Configuration** tab. Intrusion Prevention Rules from Trend Micro are not directly editable through Deep Security Manager. Instead, if the Intrusion Prevention Rule requires (or allows) configuration, those configuration options will be available on the **Configuration** tab. Custom Intrusion Prevention Rules that you write yourself will be editable, in which case the **Rules** tab will be visible.

### See the list of intrusion prevention rules

The Policies page provides a list of intrusion prevention rules. You can search for intrusion prevention rules, and open and edit rule properties. In the list, rules are grouped by application type, and some rule properties appear in different columns.

**Tip:** The "TippingPoint" column contains the equivalent Trend Micro TippingPoint rule ID. In the Advanced Search for intrusion prevention, you can search on the TippingPoint rule ID. You can also see the TippingPoint rule ID in the list of assigned intrusion prevention rules in the policy and computer editor.

To see the list, click **Policies**, and then below **Common Objects/Rules** click **Intrusion Prevention Rules**.

### General Information

- **Application Type:** The application type under which this intrusion prevention rule is grouped.

**Tip:** You can edit application types from this panel. When you edit an application type from here, the changes are applied to all security elements that use it.

- **Priority:** The priority level of the rule. Higher priority rules are applied before lower priority rules.
- **Severity:** Setting the severity of a rule has no effect on how the rule is implemented or applied. Severity levels can be useful as sorting criteria when viewing a list of intrusion prevention rules. More importantly, each severity level is associated with a severity value; this value is multiplied by a computer's Asset Value to determine the Ranking of an Event. (See **Administration > System Settings > Ranking**.)

- **CVSS Score:** A measure of the severity of the vulnerability according the [National Vulnerability Database](#).

### Identification (Trend Micro rules only)

- **Type:** Can be either Smart (one or more known and unknown (zero day) vulnerabilities), Exploit (a specific exploit, usually signature based), or Vulnerability (a specific vulnerability for which one or more exploits may exist).
- **Issued:** The date the rule was released. This does not indicate when the rule was downloaded.
- **Last Updated:** The last time the rule was modified either locally or during Security Update download.
- **Identifier:** The rule's unique identification tag.

### See information about the associated vulnerability (Trend Micro rules only)

Rules that Trend Micro provides can include information about the vulnerability against which the rule protects. When applicable, the Common Vulnerability Scoring System (CVSS) is displayed. (For information on this scoring system, see the CVSS page at the [National Vulnerability Database](#).)

1. Click **Policies > Intrusion Prevention Rules**.
2. Select a rule and click **Properties**.
3. Click the **Vulnerabilities** tab.

### Assign and unassign rules

To apply intrusion prevention rules during agent scans, you assign them to the appropriate policies and computers. When the rule is no longer necessary because the vulnerability has been patched you can unassign the rule.

If you cannot unassign intrusion prevention rules from a **Computer editor**<sup>1</sup>, it is likely because the rules are currently assigned in a policy. Rules assigned at the policy level must be removed using the **Policy editor**<sup>2</sup> and cannot be removed at the computer level.

When you make a change to a policy, it affects all computers using the policy. For example, when you unassign a rule from a policy you remove the rule from all computers that are protected by that policy. To continue to apply the rule to other computers, create a new policy for that group of computers. (See "[Policies, inheritance, and overrides](#)" on page 300.)

**Tip:** To see the policies and computers to which a rule is assigned, see the Assigned To tab of the rule properties.

1. Go to the **Policies** page, right-click the policy to configure and click **Details**.
2. Click **Intrusion Prevention > General**.  
The list of rules that are assigned to the policy appear in the **Assigned Intrusion Prevention Rules** list.
3. Under **Assigned Intrusion Prevention Rules**, click **Assign/Unassign**.
4. To assign a rule, select the check box next to the rule.
5. To unassign a rule, deselect the check box next to the rule.
6. Click **OK**.

### Automatically assign updated required rules

Security updates can include new or updated application types and intrusion prevention rules which require the assignment of secondary intrusion prevention rules. Deep Security can automatically assign these rules if they are required. You enable these automatic assignments in the the policy or computer properties.

1. Go to the **Policies** page, right-click the policy to configure and click **Details**.
2. Click **Intrusion Prevention > Advanced**.
3. To enable the automatic assignments, in the **Rule Updates** area, select **Yes**.
4. Click **OK**.

---

<sup>1</sup>To open the Computer editor, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

<sup>2</sup>To open the Policy editor, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details).

### Configure event logging for rules

Configure whether events are logged for a rule, and whether to include packet data in the log.

**Note:** Deep Security can display X-Forwarded-For headers in intrusion prevention events when they are available in the packet data. This information can be useful when the Deep Security Agent is behind a load balancer or proxy. The X-Forwarded-For header data appears in the event's Properties window. To include the header data, include packet data in the log. In addition, rule 1006540 " Enable X-Forwarded-For HTTP Header Logging" must be assigned.

Because it would be impractical to record all packet data every time a rule triggers an event, Deep Security records the data only the first time the event occurs within a specified period of time. The default time is five minutes, however you can change the time period using the "Period for Log only one packet within period" property of a policy's Advanced Network Engine settings. (See [Advanced Network Engine Options](#).)

The configuration performed in the following procedure affects all policies. For information about configuring a rule for one policy, see "[Override rule and application type configurations](#)" on [page 351](#).

1. Click **Policies > Intrusion Prevention Rules**.
2. Select a rule and click **Properties**.
3. On the General tab, go to the Events area and select the desired options:
  - To disable logging for the rule, select **Disable Event Logging**.
  - To log an event when a packet is dropped or blocked, select **Generate Event on Packet Drop**.
  - To include the packet data in the log entry, select **Always Include Packet Data**.
  - To log several packets that precede and follow the packet that the rule detected, select **Enable Debug Mode**. Use debug mode only when your support provider instructs you to do so.

Additionally, to include packet data in the log, the policy to which the rule is assigned must allow rules to capture packet data:

1. On the Policies page, open the policy that is assigned the rule.
2. Click **Intrusion Prevention > Advanced**.

3. In the **Event Data** area, select **Yes**.

### Generate alerts

Generate an alert when an intrusion prevention rule triggers an event.

The configuration performed in the following procedure affects all policies. For information about configuring a rule for one policy, see ["Override rule and application type configurations" on page 351](#).

1. Click **Policies > Intrusion Prevention Rules**.
2. Select a rule and click **Properties**.
3. Click the **Options** tab, and in the **Alert** area select **On**.
4. Click **OK**.

### Setting configuration options (Trend Micro rules only)

Some intrusion prevention rules that Trend Micro provides have one or more configuration options such as header length, allowed extensions for HTTP, or cookie length. Some options require you to configure them. If you assign a rule without setting a required option, an alert is generated that informs you about the required option. (This also applies to any rules that are downloaded and automatically applied by way of a Security Update.)

Intrusion prevention rules that have configuration options appear in the Intrusion Prevention Rules list with a small gear over their icon .

**Note:** Custom intrusion prevention rules that you write yourself include a **Rules** tab where you can edit the rules.

The configuration performed in the following procedure affects all policies. For information about configuring a rule for one policy, see ["Override rule and application type configurations" on page 351](#).

1. Click **Policies > Intrusion Prevention Rules**.
2. Select a rule and click **Properties**.
3. Click the **Configuration** tab.
4. Configure the properties and then click **OK**.

### Schedule active times

Schedule a time during which an intrusion prevention rule is active. Intrusion prevention rules that are active only at scheduled times appear in the Intrusion Prevention Rules page with a small clock over their icon .

**Note:** With Agent-based protection, schedules use the same time zone as the endpoint operating system. With Agentless protection, schedules use the same time zone as the Deep Security Virtual Appliance. Agentless protection is not available with Deep Security as a Service.

The configuration performed in the following procedure affects all policies. For information about configuring a rule for one policy, see ["Override rule and application type configurations" on page 351](#).

1. Click **Policies > Intrusion Prevention Rules**.
2. Select a rule and click **Properties**.
3. Click the **Options** tab.
4. In the **Schedule** area, select **New** or select a frequency.
5. Edit the schedule as required.
6. Click **OK**.

### Exclude from recommendations

Exclude intrusion prevention rules from rule recommendations of recommendation scans.

The configuration performed in the following procedure affects all policies. For information about configuring a rule for one policy, see ["Override rule and application type configurations" on page 351](#).

1. Click **Policies > Intrusion Prevention Rules**.
2. Select a rule and click **Properties**.
3. Click the **Options** tab.
4. In the **Recommendations Options** area, select **Exclude from Recommendations**.
5. Click **OK**.

### Set the context for a rule

Set the context in which the rule is applied.

The configuration performed in the following procedure affects all policies. For information about configuring a rule for one policy, see ["Override rule and application type configurations" on the next page](#).

1. Click **Policies > Intrusion Prevention Rules**.
2. Select a rule and click **Properties**.
3. Click the **Options** tab.
4. In the **Context** area, select **New** or select a context.
5. Edit the context as required.
6. Click **OK**.

### Override the behavior mode for a rule

Set the behavior mode of an intrusion prevention rule to Detect when testing new rules. In Detect mode, the rule creates a log entry prefaced with the words "detect only:" and does not interfere with traffic. Some intrusion prevention rules are designed to operate only in Detect mode. For these rules, you cannot change the behavior mode.

**Note:** If you disable logging for the rule, the rule activity is not logged regardless of the behavior mode.

For more information about behavior modes, see ["Use behavior modes to test rules" on page 485](#).

The configuration performed in the following procedure affects all policies. For information about configuring a rule for one policy, see ["Override rule and application type configurations" on the next page](#).

1. Click **Policies > Intrusion Prevention Rules**.
2. Select a rule and click **Properties**.
3. Select **Detect Only**.

### Override rule and application type configurations

From a **Computer or Policy editor**<sup>1</sup>, you can edit an intrusion prevention rule so that your changes apply only in the context of the policy or computer. You can also edit the rule so that the changes apply globally so that the changes affect other policies and computers that are assigned the rule. Similarly, you can configure application types for a single policy or computer, or globally.

1. Go to the **Policies** page, right-click the policy to configure and click **Details**.
2. Click **Intrusion Prevention**.
3. To edit a rule, right-click the rule and select one of the following commands:
  - **Properties**: Edit the rule only for the policy.
  - **Properties (Global)**: Edit the rule globally, for all policies and computers.
4. To edit the application type of a rule, right-click the rule and select one of the following commands:
  - **Application Type Properties**: Edit the application type only for the policy.
  - **Application Type Properties (Global)**: Edit the application type globally, for all policies and computers.
5. Click **OK**.

**Tip:** When you select the rule and click Properties, you are editing the rule only for the policy that you are editing.

**Note:** You cannot assign one port to more than eight application types. If they are, the rules will not function on that port.

### Export and import rules

You can export one or more intrusion prevention rules to an XML or CSV file, and import rules from an XML file.

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

1. Click **Policies > Intrusion Prevention Rules**.
2. To export one or more rules, select them and click **Export > Export Selected to CSV** or **Export > Export Selected to XML**.
3. To export all rules, click **Export > Export to CSV** or **Export > Export to XML**.
4. To import rules, click **New > Import From File** and follow the instructions on the wizard.

## Create an integrity monitoring rule

Integrity monitoring rules describe how Deep Security Agents should scan for and detect changes to a computer's files, directories, and registry keys and values, as well as changes in installed software, processes, listening ports, and running services. Integrity monitoring rules can be assigned directly to computers or can be made part of a policy.

**Note:** This article specifically covers how to create an integrity monitoring rule. For information on how to configure the Integrity Monitoring module, see ["Set up integrity monitoring" on page 578](#).

There are two types of integrity monitoring rules: those that you have created, and those that are issued by Trend Micro. For more information on how to configure rules issued by Trend Micro, see the ["Configure Trend Micro integrity monitoring rules" on page 355](#) section.

To create a new integrity monitoring rule, you need to:

1. ["Add a new rule" on the next page](#).
2. ["Enter integrity monitoring rule information " on the next page](#).
3. ["Select a rule template and define rule attributes" on the next page](#).

When you're done with your rule, you can also learn how to

- ["Configure rule events and alerts" on page 355](#)
- ["See policies and computers a rule is assigned to" on page 356](#)
- ["Export a rule" on page 356](#)
- ["Delete a rule" on page 356](#)

### Add a new rule

There are three ways to add an integrity monitoring rule on the **Policies > Common Objects > Rules > Integrity Monitoring Rules** page. You can:

- Create a new rule. Click **New > New Integrity Monitoring Rule**.
- Import a rule from an XML file. Click **New > Import From File**.
- Copy and then modify an existing rule. Right-click the rule in the Integrity Monitoring Rules list and then click **Duplicate**. To edit the new rule, select it and then click **Properties**.

### Enter integrity monitoring rule information

1. Enter a **Name** and **Description** for the rule.

**Tip:** It is good practice to document all integrity monitoring rule changes in the Description field of the firewall rule. Make a note of when and why rules were created or deleted for easier maintenance.

2. Set the **Severity** of the rule.

**Note:** Setting the severity of a rule has no effect on how the rule is implemented or applied. Severity levels can be useful as sorting criteria when viewing a list of integrity monitoring rules. More importantly, each severity level is associated with a severity value; this value is multiplied by a computer's Asset Value to determine the ranking of an event. (See **Administration > System Settings > Ranking**.)

### Select a rule template and define rule attributes

Go to the **Content** tab and select from one of the following three templates:

#### Registry Value template

Create an integrity monitoring rule to specifically monitor changes to registry values.

**Note:** The Registry Value template is only for Windows-based computers .

## Trend Micro Deep Security for Azure Marketplace 11.1

1. Select the **Base Key** to monitor and whether or not to monitor contents of sub keys.
2. List **Value Names** to be included or excluded. You can use "?" and "\*" as wildcard characters.
3. Enter **Attributes** to monitor. Entering "STANDARD" will monitor changes in registry size, content and type. For more information on Registry Value template attributes see the ["RegistryValueSet" on page 624](#) documentation.

### File template

Create an integrity monitoring rule to specifically monitor changes to files.

1. Enter a **Base Directory** for the rule (for example, `C:\Program Files\MySQL\.`) Select **Include Sub Directories** to include the contents of all subdirectories relative to the base directory.
2. Use the **File Names** fields to include or exclude specific files. You can use wildcards (" ? " for a single character and " \* " for zero or more characters).

**Note:** Leaving the **File Names** fields blank will cause the rule to monitor all files in the base directory. This can use significant system resources if the base directory contains numerous or large files.

3. Enter **Attributes** to monitor. Entering "STANDARD" will monitor changes in file creation date, last modified date, permissions, owner, group, size, content, flags (Windows), and SymLinkPath (Linux). For more information on File template attributes see the ["FileSet" on page 608](#) documentation.

### Custom (XML) template

Create a custom integrity monitoring rule template to monitor directories, registry values, registry keys, services, processes, installed software, ports and files using the Deep Security XML-based ["Integrity monitoring rules language" on page 591](#).

**Tip:** You can create your rule in your preferred text editor and paste it to the **Content** field when you are done.

## Configure Trend Micro integrity monitoring rules

Integrity monitoring rules issued by Trend Micro cannot be edited in the same way as the custom rules you create. Some Trend Micro rules cannot be modified at all, while other rules may offer limited configuration options. Both of these rule types will show as "Defined" under the "Type" column, but rules that can be configured will display a gear in the Integrity Monitoring icon ()

**Integrity Monitoring Rules** No Grouping ▾ 🔍 Search this page

New ▾ Delete... Properties... Duplicate Export ▾

NAME	SEVERITY	TYPE	LAST UPDATED ▾
 New Integrity Monitoring Rule	<span>●</span> Medium	Custom	N/A
 1002784 - Microsoft Windows - IE A...	<span>●</span> Medium	Defined	June 23, 2009
 1002781 - Microsoft Windows - Attr...	<span>●</span> Medium	Defined	June 23, 2009
 1002778 - Microsoft Windows - Syst...	<span>●</span> High	Defined	June 23, 2009

You can access the configuration options for a rule by opening the properties for the rule and clicking on the **Configuration** tab.

Rules issued by Trend Micro also show the following additional information under the **General** tab:

- When the rule was first issued and last updated, as well as a unique identifier for the rule.
- The minimum versions of the Agent and the Deep Security Manager that are required for the rule to function.

Although you cannot edit rules issued by Trend Micro directly, you can duplicate them and then edit the copy.

## Configure rule events and alerts

Any changes detected by an integrity monitoring rule is logged as an event in the Deep Security Manager.

### Real-time event monitoring

By default, events are logged at the time they occur. If you only want events to be logged when you manually perform a scan for changes, deselect **Allow Real Time Monitoring**.

### Alerts

You can also configure the rules to trigger an alert when they log an event. To do so, open the properties for a rule, click on **Options**, and then select **Alert when this rule logs an event**.

### See policies and computers a rule is assigned to

You can see which policies and computers are assigned to an integrity monitoring rule on the **Assigned To** tab. Click on a policy or computer in the list to see their properties.

### Export a rule

You can export all integrity monitoring rules to a .csv or .xml file by clicking **Export** and selecting the corresponding export action from the list. You can also export specific rules by first selecting them, clicking **Export** and then selecting the corresponding export action from the list.

### Delete a rule

To delete a rule, right-click the rule in the Integrity Monitoring Rules list, click **Delete** and then click **OK**.

**Note:** Integrity monitoring rules that are assigned to one or more computers or that are part of a policy cannot be deleted.

## Define a log inspection rule for use in policies

The OSSEC log inspection engine is integrated into Deep Security Agents and gives Deep Security the ability to inspect the logs and events generated by the operating system and applications running on the computer. Deep Security Manager ships with a standard set of OSSEC log inspection rules that you can assign to computers or policies. You can also create custom rules if there is no existing rule that fits your requirements.

Log Inspection Rules issued by Trend Micro are not editable (although you can duplicate them and then edit them.)

**Note:** Log Inspection Rules that are assigned to one or more computers or that are part of a policy cannot be deleted.

To create log inspection rules, perform these basic steps:

- ["Create a new log inspection rule" below](#)
- ["Decoders" on page 359](#)
- ["Subrules" on page 360](#)
- ["Real world examples" on page 368](#)
- ["Log inspection rule severity levels and their recommended use" on page 377](#)
- ["strftime\(\) conversion specifiers " on page 378](#)
- ["Examine a log inspection rule" on page 379](#)

For an overview of the log inspection module, see ["Analyze logs with log inspection" on page 637](#).

### Create a new log inspection rule

1. In the Deep Security Manager, go to **Policies > Common Objects > Rules > Log Inspection Rules**.
2. Click **New > New Log Inspection Rule**.
3. On the **General** tab, enter a name and an optional description for the rule.
4. The **Content** tab is where you define the rule. The easiest way to define a rule is to select **Basic Rule** and use the options provided to define the rule. If you need further customization, you can select **Custom (XML)** to switch to an XML view of the rule that you are defining.

**Note:** Any changes you make in the Custom (XML) view will be lost if you switch back to the Basic Rule view.

For further assistance in writing your own log inspection rules using the XML-based language, consult the [OSSEC](#) documentation or contact your support provider.

These options are available for the Basic Rule template:

- **Rule ID:** The Rule ID is a unique identifier for the rule. OSSEC defines 100000 - 109999 as the space for user-defined rules. Deep Security Manager will pre-populate the field with a new unique Rule ID.
- **Level:** Assign a level to the rule. Zero (0) means the rule never logs an event, although other rules that watch for this rule may fire.
- **Groups:** Assign the rule to one or more comma-separated groups. This can be useful when dependency is used because you can create rules that fire on the firing of a rule, or a rule that belongs to a specific group.
- **Rule Description:** Description of the rule.
- **Pattern Matching:** This is the pattern the rule will look for in the logs. The rule will be triggered on a match. Pattern matching supports Regular Expressions or simpler String Patterns. The "String Pattern" pattern type is faster than RegEx but it only supports three special operations:
  - **^ (caret):** specifies the beginning of text
  - **\$ (dollar sign):** specifies the end of text
  - **| (pipe):** to create a "OR" between multiple patterns

For information on the regular expression syntax used by the Log Inspection module, see <https://www.ossec.net/docs/syntax/regex.html>.

- **Dependency:** Setting a dependency on another rule will cause your rule to only log an event if the rule specified in this area has also triggered.
- **Frequency** is the number of times the rule has to match within a specific time frame before the rule is triggered.
- **Time Frame** is the period of time in seconds within which the rule has to trigger a certain number of times (the frequency, above) to log an event.

**Note:** The **Content** tab only appears for log inspection rules that you create yourself. Log inspection rules issued by Trend Micro have a **Configuration** tab instead that displays the log inspection rule's configuration options (if any).

1. On the **Files** tab, type the full path to the file(s) you want your rule to monitor and specify the type of file it is.
2. On the **Options** tab, in the **Alert** section, select whether this rule triggers an alert in the Deep Security Manager.

The **Alert Minimum Severity** setting is only used if you have written "multiple rules" within your rule - something that cannot be done using the Basic template. However, if after creating your rule using the Basic template, you edit the XML of the rule and add additional rules to the XML that have different severity levels, you can use the **Alert Minimum Severity Level** setting to set the minimum severity from the multiple rules that will trigger an Alert.

3. The **Assigned To** tab lists the policies and computers that are using this log inspection rule. Because you are creating a new rule, it has not been assigned yet.
4. Click **OK**. The rule is ready to be assigned to policies and computers.

## Decoders

A log inspection rule consists of a list of files to monitor for changes and a set of conditions to be met for the rule to trigger. When the log inspection engine detects a change in a monitored log file, the change is parsed by a decoder. Decoders parse the raw log entry into the following fields:

- **log**: the message section of the event
- **full\_log**: the entire event
- **location**: where the log came from
- **hostname**: hostname of the event source
- **program\_name**: Program name. This is taken from the syslog header of the event
- **srcip**: the source IP address within the event
- **dstip**: the destination IP address within the event
- **srcport**: the source port number within the event
- **dstport**: the destination port number within the event
- **protocol**: the protocol within the event
- **action**: the action taken within the event

## Trend Micro Deep Security for Azure Marketplace 11.1

- **srcuser:** the originating user within the event
- **dstuser:** the destination user within the event
- **id:** any ID decoded as the ID from the event
- **status:** the decoded status within the event
- **command:** the command being called within the event
- **url:** the URL within the event
- **data:** any additional data extracted from the event
- **systemname:** the system name within the event

Rules examine this decoded data looking for information that matches the conditions defined in the rule.

If the matches are at a sufficiently high severity level, any of the following actions can be taken:

- An alert can be raised. (Configurable on the **Options** tab of the Log Inspection Rule's **Properties** window.)
- The event can be written to syslog. (Configurable in the **SIEM** area on **Administration > System Settings > Event Forwarding** tab.)
- The event can be sent to the Deep Security Manager. (Configurable in the **Log Inspection Syslog Configuration** setting on the **Policy or Computer Editor > Settings > Event Forwarding** tab.)

### Subrules

A single log inspection rule can contain multiple subrules. These subrules can be of two types: atomic or composite. An atomic rule evaluates a single event and a composite rule examines multiple events and can evaluate frequency, repetition, and correlation between events.

### Groups

Each rule, or grouping of rules, must be defined within a **<group></group>** element. The attribute name must contain the rules you want to be a part of this group. In the following example we have indicated that our group contains the syslog and sshd rules:

```
<group name="syslog,sshd,">  
</group>
```

**Note:** Notice the trailing comma in the group name. Trailing commas are required if you intend to use the `<if_group></if_group>` tag to conditionally append another sub-rule to this one.

**Note:** When a set of log inspection rules are sent to an agent, the log inspection engine on the agent takes the XML data from each assigned rule and assembles it into what becomes essentially a single long log inspection rule. Some group definitions are common to all log inspection rules written by Trend Micro. For this reason Trend Micro has included a rule called "Default Rules Configuration" which defines these groups and which always gets assigned along with any other Trend Micro rules. (If you select a rule for assignment and haven't also selected the "Default Rules Configuration" rule, a notice will appear informing you that the rule will be assigned automatically.) *If you create your own log inspection rule and assign it to a Computer without assigning any Trend Micro-written rules, you must either copy the content of the "Default Rules Configuration" rule into your new rule, or also select the "Default Rules Configuration" rule for assignment to the Computer.*

### Rules, ID, and Level

A group can contain as many rules as you require. The rules are defined using the `<rule></rule>` element and must have at least two attributes, the **id** and the **level**. The **id** is a unique identifier for that signature and the **level** is the severity of the alert. In the following example, we have created two rules, each with a different rule ID and level:

```
<group name="syslog,sshd,">
  <rule id="100120" level="5">
  </rule>
  <rule id="100121" level="6">
  </rule>
</group>
```

**Note:** Custom rules must have ID values of 100,000 or greater.

You can define additional subgroups within the parent group using the `<group></group>` tag. This subgroup can reference any of the groups listed in the following table:

Group Type	Group Name	Description
Reconnaissance	connection_attempt web_scan recon	Connection attempt Web scan Generic scan

## Trend Micro Deep Security for Azure Marketplace 11.1

Group Type	Group Name	Description
Authentication Control	authentication_success authentication_failed invalid_login login_denied authentication_failures adduser account_changed	Success Failure Invalid Login Denied Multiple Failures User account added User Account changed or removed
Attack/Misuse	automatic_attack exploit_attempt invalid_access spam multiple_spam sql_injection attack virus	Worm (nontargeted attack) Exploit pattern Invalid access Spam Multiple spam messages SQL injection Generic attack Virus detected
Access Control	access_denied access_allowed unknown_resource firewall_drop multiple_drops client_misconfig client_error	Access denied Access allowed Access to nonexistent resource Firewall drop Multiple firewall drops Client misconfiguration Client error
Network Control	new_host ip_spoof	New host detected Possible ARP spoofing
System Monitor	service_start system_error system_shutdown logs_cleared invalid_request promisc policy_changed config_changed low_diskspace time_changed	Service start System error Shutdown Logs cleared Invalid request Interface switched to promiscuous mode Policy changed Configuration changed Low disk space Time changed

**Note:** If event auto-tagging is enabled, the event will be labeled with the group name. Log inspection rules provided by Trend Micro make use of a translation table that changes the group to a more user-friendly version. So, for example, "login\_denied" would appear as "Login Denied". Custom rules will be listed by their group name as it appears in the rule.

### Description

Include a `<description>` tag. The description text will appear in the event if the rule is triggered.

## Trend Micro Deep Security for Azure Marketplace 11.1

```
<group name="syslog,sshd,">
  <rule id="100120" level="5">
    <group>authentication_success</group>
    <description>SSHD testing authentication success</description>
  </rule>
  <rule id="100121" level="6">
    <description>SSHD rule testing 2</description>
  </rule>
</group>
```

### Decoded As

The `<decoded_as></decoded_as>` tag instructs the log inspection engine to only apply the rule if the specified decoder has decoded the log.

```
<rule id="100123" level="5">
  <decoded_as>sshd</decoded_as>
  <description>Logging every decoded sshd message</description>
</rule>
```

**Note:** To view the available decoders, go to the **Log Inspection Rule** page and click **Decoders**. Right-click on **1002791-Default Log Decoders** and select **Properties**. Go the **Configuration** tab and click **View Decoders**.

### Match

To look for a specific string in a log, use the `<match></match>`. Here is a Linux sshd failed password log:

```
Jan 1 12:34:56 linux_server sshd[1231]: Failed password for invalid
user jsmith from 192.168.1.123 port 1799 ssh2
```

Use the `<match></match>` tag to search for the "password failed" string.

```
<rule id="100124" level="5">
  <decoded_as>sshd</decoded_as>
  <match>^Failed password</match>
  <description>Failed SSHD password attempt</description>
</rule>
```

**Note:** Notice the regex caret ("^") indicating the beginning of a string. Although "Failed password" does not appear at the beginning of the log, the log inspection decoder will have broken up the log into sections. See ["Decoders" on page 359](#) for more information. One of those sections is "log" which is the message part of the log as opposed to "full\_log" which is the log in its entirety.

The following table lists supported regex syntax:

Regex Syntax	Description
\w	A-Z, a-z, 0-9 single letters and numerals
\d	0-9 single numerals
\s	single space
\t	single tab
\p	()*+,.-:;<=>?[]
\W	not \w
\D	not \d
\S	not \s
\.	anything
+	match one or more of any of the above (for example, \w+, \d+)
*	match zero or more of any of the above (for example, \w*, \d*)
^	indicates the beginning of a string (^sometrings)
\$	specify the end of a string (sometrings\$)
	indicate an "OR" between multiple strings

## Conditional Statements

Rule evaluation can be conditional upon other rules having been evaluated as true. The `<if_sid></if_sid>` tag instructs the log inspection engine to only evaluate this subrule if the rule identified in the tag has been evaluated as true. The following example shows three rules: 100123, 100124, and 100125. Rules 100124 and 100125 have been modified to be children of the 100123 rule using the `<if_sid></if_sid>` tag:

```
<group name="syslog,sshd, ">
  <rule id="100123" level="2">
    <decoded_as>sshd</decoded_as>
    <description>Logging every decoded sshd message</description>
  </rule>
  <rule id="100124" level="7">
    <if_sid>100123</if_sid>
    <match>^Failed password</match>
```

## Trend Micro Deep Security for Azure Marketplace 11.1

```
<group>authentication_failure</group>
  <description>Failed SSHD password attempt</description>
</rule>
<rule id="100125" level="3">
  <if_sid>100123</if_sid>
  <match>^Accepted password</match>
  <group>authentication_success</group>
  <description>Successful SSHD password attempt</description>
</rule>
</group>
```

### Hierarchy of Evaluation

The `<if_sid></if_sid>` tag essentially creates a hierarchical set of rules. That is, by including an `<if_sid></if_sid>` tag in a rule, the rule becomes a child of the rule referenced by the `<if_sid></if_sid>` tag. Before applying any rules to a log, the log inspection engine assesses the `<if_sid></if_sid>` tags and builds a hierarchy of parent and child rules.

**Note:** The hierarchical parent-child structure can be used to improve the efficiency of your rules. If a parent rule does not evaluate as true, the log inspection engine will ignore the children of that parent.

**Note:** Although the `<if_sid></if_sid>` tag can be used to refer to subrules within an entirely different log inspection rule, you should avoid doing this because it makes the rule very difficult to review later on.

The list of available atomic rule conditional options is shown in the following table:

Tag	Description	Notes
match	A pattern	Any string to match against the event (log).
regex	A regular expression	Any regular expression to match against the event(log).
decoded_as	A string	Any prematched string.
srcip	A source IP address	Any IP address that is decoded as the source IP address. Use "!" to negate the IP address.
dstip	A destination IP address	Any IP address that is decoded as the destination IP address. Use "!" to negate the IP address.
srcport	A source port number	Any source port (match format).
dstport	A destination port number	Any destination port (match format).
user	A username	Any username that is decoded as a username.
program_	A program name	Any program name that is decoded from the syslog process name.

## Trend Micro Deep Security for Azure Marketplace 11.1

Tag	Description	Notes
name		
hostname	A system hostname	Any hostname that is decoded as a syslog hostname.
time	A time range in the format hh:mm - hh:mm or hh:mm am - hh:mm pm	The time range that the event must fall within for the rule to trigger.
weekday	A weekday (sunday, monday, tuesday, etc.)	Day of the week that the event must fall on for the rule to trigger.
id	An ID	Any ID that is decoded from the event.
url	A URL	Any URL that is decoded from the event.

Use the `<if_sid>100125</if_sid>` tag to make this rule depend on the 100125 rule. This rule will be checked only for sshd messages that already matched the successful login rule.

```
<rule id="100127" level="10">
  <if_sid>100125</if_sid>
  <time>6 pm - 8:30 am</time>
  <description>Login outside business hours.</description>
  <group>policy_violation</group>
</rule>
```

### Restrictions on the Size of the Log Entry

The following example takes the previous example and adds the **maxsize** attribute which tells the log inspection engine to only evaluate rules that are less than the maxsize number of characters:

```
<rule id="100127" level="10" maxsize="2000">
  <if_sid>100125</if_sid>
  <time>6 pm - 8:30 am</time>
  <description>Login outside business hours.</description>
  <group>policy_violation</group>
</rule>
```

The following table lists possible atomic rule tree-based options:

Tag	Description	Notes
if_sid	A rule ID	Adds this rule as a child rule of the rules that match the specified signature ID.
if_group	A group ID	Adds this rule as a child rule of the rules that match the specified group.
if_level	A rule level	Adds this rule as a child rule of the rules that match the specified severity level.
description	A string	A description of the rule.
info	A string	Extra information about the rule.

## Trend Micro Deep Security for Azure Marketplace 11.1

Tag	Description	Notes
cve	A CVE number	Any Common Vulnerabilities and Exposures (CVE) number that you would like associated with the rule.
options	alert_by_email no_email_alert no_log	Additional rule options to indicate if the Alert should generate an e-mail, alert_by_email, should not generate an email, no_email_alert, or should not log anything at all, no_log.

### Composite Rules

Atomic rules examine single log entries. To correlate multiple entries, you must use composite rules. Composite rules are supposed to match the current log with those already received. Composite rules require two additional options: the **frequency** option specifies how many times an event or pattern must occur before the rule generates an alert, and the **timeframe** option tells the log inspection engine how far back, in seconds, it should look for previous logs. All composite rules have the following structure:

```
<rule id="100130" level="10" frequency="x" timeframe="y">
</rule>
```

For example, you could create a composite rule that creates a higher severity alert after five failed passwords within a period of 10 minutes. Using the `<if_matched_sid></if_matched_sid>` tag you can indicate which rule needs to be seen within the desired frequency and timeframe for your new rule to create an alert. In the following example, the **frequency** attribute is set to trigger when five instances of the event are seen and the **timeframe** attribute is set to specify the time window as 600 seconds.

The `<if_matched_sid></if_matched_sid>` tag is used to define which other rule the composite rule will watch:

```
<rule id="100130" level="10" frequency="5" timeframe="600">
  <if_matched_sid>100124</if_matched_sid>
  <description>5 Failed passwords within 10 minutes</description>
</rule>
```

There are several additional tags that you can use to create more granular composite rules. These rules, as shown in the following table, allow you to specify that certain parts of the event must be the same. This allows you to tune your composite rules and reduce false positives:

## Trend Micro Deep Security for Azure Marketplace 11.1

Tag	Description
same_source_ip	Specifies that the source IP address must be the same.
same_dest_ip	Specifies that the destination IP address must be the same.
same_dst_port	Specifies that the destination port must be the same.
same_location	Specifies that the location (hostname or agent name) must be the same.
same_user	Specifies that the decoded username must be the same.
same_id	Specifies that the decoded id must be the same.

If you wanted your composite rule to alert on every authentication failure, instead of a specific rule ID, you could replace the `<if_matched_sid></if_matched_sid>` tag with the `<if_matched_group></if_matched_group>` tag. This allows you to specify a category, such as `authentication_failure`, to search for authentication failures across your entire infrastructure.

```
<rule id="100130" level="10" frequency="5" timeframe="600">
  <if_matched_group>authentication_failure</if_matched_group>
  <same_source_ip />
  <description>5 Failed passwords within 10 minutes</description>
</rule>
```

In addition to `<if_matched_sid></if_matched_sid>` and `<if_matched_group></if_matched_group>` tags, you can also use the `<if_matched_regex></if_matched_regex>` tag to specify a regular expression to search through logs as they are received.

```
<rule id="100130" level="10" frequency="5" timeframe="600">
  <if_matched_regex>^Failed password</if_matched_regex>
  <same_source_ip />
  <description>5 Failed passwords within 10 minutes</description>
</rule>
```

### Real world examples

Deep Security includes many default log inspection rules for dozens of common and popular applications. Through Security Updates, new rules are added regularly. In spite of the growing list of applications supported by log inspection rules, you may find the need to create a custom rule for an unsupported or custom application.

In this section we will walk through the creation of a custom CMS (Content Management System) hosted on the Microsoft Windows Server IIS .Net platform with a Microsoft SQL Database as the data repository.

## Trend Micro Deep Security for Azure Marketplace 11.1

The first step is to identify the following application logging attributes:

1. Where does the application log to?
2. Which log inspection decoder can be used to decode the log file?
3. What is the general format of a log file message?

For our custom CMS example the answers are as follows:

1. Windows Event Viewer
2. Windows Event Log (eventlog)
3. Windows Event Log Format with the following core attributes:
  - Source: CMS
  - Category: None
  - Event: <Application Event ID>

The second step is to identify the categories of log events by application feature, and then organize the categories into a hierarchy of cascading groups for inspection. Not all inspected groups need to raise events; a match can be used as a conditional statement. For each group, identify the log format attributes which the rule can use as matching criteria. This can also be performed by inspecting all application logs for patterns and logical groupings of log events.

For example, the CMS application supports the following functional features which we will create log inspection rules for:

- CMS Application Log (Source: CMS)
  - Authentication (Event: 100 to 119)
    - User Login successful (Event: 100)
    - User Login unsuccessful (Event: 101)
    - Administrator Login successful (Event: 105)
    - Administrator Login unsuccessful (Event: 106)
  - General Errors (Type: Error)
    - Database error (Event: 200 to 205)
    - Runtime error (Event: 206-249)

## Trend Micro Deep Security for Azure Marketplace 11.1

- Application Audit (Type: Information)
  - Content
    - New content added (Event: 450 to 459)
    - Existing content modified (Event: 460 to 469)
    - Existing content deleted (Event: 470 to 479)
  - Administration
    - User
      - New User created (Event: 445 to 446)
      - Existing User deleted (Event: 447 to 449)

This structure will provide you with a good basis for rule creation. Now to create a new log inspection rule in Deep Security Manager.


### To create the new CMS Log Inspection Rule:

1. In the Deep Security Manager, go to **Policies > Common Objects > Rules > Log Inspection Rules** and click **New** to display the **New Log Inspection Rule Properties** window.
2. Give the new rule a name and a description, and then click the **Content** tab.
3. The quickest way to create a new custom rule is to start with a basic rule template. Select the **Basic Rule** radio button.
4. The **Rule ID** field will be automatically populated with an unused ID number of 100,000 or greater, the IDs reserved for custom rules.
5. Set the **Level** setting to **Low (0)**.
6. Give the rule an appropriate Group name. In this case, "cms".


7. Provide a short rule description.

The screenshot shows a configuration window for a rule in Trend Micro Deep Security. The window has five tabs: General, Content, Files, Options, and Assigned To. The 'General' tab is active. The 'Template' section has two radio buttons: 'Basic Rule' (selected) and 'Custom (XML)'. The 'General Information' section includes: 'Rule ID' (100000), 'Level' (Low (0)), 'Groups (comma separated):' (cms), and 'Rule Description' (windows events for 'cms' group). The 'Pattern Matching' section includes: 'Pattern to Match' (empty) and 'Pattern Type' (String Pattern). The 'Dependency' section has three radio buttons: 'None' (selected), 'Trigger event on the triggering of another rule:', and 'Trigger event on the triggering of any rule belonging to a specific group:'. The 'Composite (optional)' section includes: 'Frequency (1 to 128):' (empty) and 'Time Frame (1 to 86400):' (empty). At the bottom right are 'OK' and 'Cancel' buttons.

8. Now select the **Custom (XML)** option. The options you selected for your "Basic" rule will be converted to XML.



9. Click the **Files** tab and click the **Add File** button to add any application log files and log types which the rule will be applied to. In this case, "Application", and "eventlog" as the file type.



**Note:** Eventlog is a unique file type in Deep Security because the location and filename of the log files don't have to be specified. Instead, it is sufficient to type the log name as it

is displayed in the Windows Event Viewer. Other log names for the eventlog file type might be "Security", "System", "Internet Explorer", or any other section listed in the Windows Event Viewer. Other file types will require the log file's location and filename. (C/C++ *strftime()* conversion specifiers are available for matching on filenames. See the table below for a list of some of the more useful ones.)

10. Click **OK** to save the basic rule.
11. Working with the basic rule Custom (XML) created, we can begin adding new rules to the group based on the log groupings identified previously. We will set the base rule criteria to the initial rule. In the following example, the CMS base rule has identified Windows Event Logs with a Source attribute of "CMS":

```
<group name="cms">
  <rule id="100000" level="0">
    <category>windows</category>
    <extra_data>^CMS</extra_data>
    <description>Windows events from source 'CMS' group messages.</description>
  </rule>
```

12. Now we build up subsequent rules from the identified log groups. The following example identifies the authentication and login success and failure and logs by Event IDs.

```
<rule id="100001" level="0">
  <if_sid>100000</if_sid>
  <id>^100|^101|^102|^103|^104|^105|^106|^107|^108|^109|^110</id>
  <group>authentication</group>
  <description>CMS Authentication event.</description>
</rule>

<rule id="100002" level="0">
  <if_group>authentication</if_group>
  <id>100</id>
  <description>CMS User Login success event.</description>
</rule>

<rule id="100003" level="4">
  <if_group>authentication</if_group>
  <id>101</id>
  <group>authentication_failure</group>
  <description>CMS User Login failure event.</description>
```

## Trend Micro Deep Security for Azure Marketplace 11.1

```
</rule>
<rule id="100004" level="0">
  <if_group>authentication</if_group>
  <id>105</id>
  <description>CMS Administrator Login success event.</description>
</rule>
<rule id="100005" level="4">
  <if_group>authentication</if_group>
  <id>106</id>
  <group>authentication_failure</group>
  <description>CMS Administrator Login failure event.</description>
</rule>
```

13. Now we add any composite or correlation rules using the established rules. The following example shows a high severity composite rule that is applied to instances where the repeated login failures have occurred 5 times within a 10 second time period:

```
<rule id="100006" level="10" frequency="5" timeframe="10">
  <if_matched_group>authentication_failure</if_matched_group>
  <description>CMS Repeated Authentication Login failure event.</description>
</rule>
```

14. Review all rules for appropriate severity levels. For example, error logs should have a severity of level 5 or higher. Informational rules would have a lower severity.
15. Finally, open the newly created rule, click the **Configuration** tab and copy your custom rule XML into the rule field. Click **Apply** or **OK** to save the change.

Once the rule is assigned to a policy or computer, the log inspection engine should begin inspecting the designated log file immediately.

### The complete Custom CMS Log Inspection Rule:

```
<group name="cms">
  <rule id="100000" level="0">
    <category>windows</category>
    <extra_data>^CMS</extra_data>
    <description>Windows events from source 'CMS' group messages.</description>
  </rule>
  <rule id="100001" level="0">
    <if_sid>100000</if_sid>
    <id>^100|^101|^102|^103|^104|^105|^106|^107|^108|^109|^110</id>
```

## Trend Micro Deep Security for Azure Marketplace 11.1

```
<group>authentication</group>
<description>CMS Authentication event.</description>
</rule>

<rule id="100002" level="0">
  <if_group>authentication</if_group>
  <id>100</id>
  <description>CMS User Login success event.</description>
</rule>

<rule id="100003" level="4">
  <if_group>authentication</if_group>
  <id>101</id>
  <group>authentication_failure</group>
  <description>CMS User Login failure event.</description>
</rule>

<rule id="100004" level="0">
  <if_group>authentication</if_group>
  <id>105</id>
  <description>CMS Administrator Login success event.</description>
</rule>

<rule id="100005" level="4">
  <if_group>authentication</if_group>
  <id>106</id>
  <group>authentication_failure</group>
  <description>CMS Administrator Login failure event.</description>
</rule>

<rule id="100006" level="10" frequency="5" timeframe="10">
  <if_matched_group>authentication_failure</if_matched_group>
  <description>CMS Repeated Authentication Login failure event.</description>
</rule>

<rule id="100007" level="5">
  <if_sid>100000</if_sid>
  <status>^ERROR</status>
  <description>CMS General error event.</description>
  <group>cms_error</group>
```

```
</rule>

<rule id="100008" level="10">
  <if_group>cms_error</if_group>
  <id>^200|^201|^202|^203|^204|^205</id>
  <description>CMS Database error event.</description>
</rule>

<rule id="100009" level="10">
  <if_group>cms_error</if_group>
  <id>^206|^207|^208|^209|^230|^231|^232|^233|^234|^235|^236|^237|^238|^239|^240|^241|^242|^243|^244|^245|^246|^247|^248|^249</id>
  <description>CMS Runtime error event.</description>
</rule>

<rule id="100010" level="0">
  <if_sid>100000</if_sid>
  <status>^INFORMATION</status>
  <description>CMS General informational event.</description>
  <group>cms_information</group>
</rule>

<rule id="100011" level="5">
  <if_group>cms_information</if_group>
  <id>^450|^451|^452|^453|^454|^455|^456|^457|^458|^459</id>
  <description>CMS New Content added event.</description>
</rule>

<rule id="100012" level="5">
  <if_group>cms_information</if_group>
  <id>^460|^461|^462|^463|^464|^465|^466|^467|^468|^469</id>
  <description>CMS Existing Content modified event.</description>
</rule>

<rule id="100013" level="5">
  <if_group>cms_information</if_group>
  <id>^470|^471|^472|^473|^474|^475|^476|^477|^478|^479</id>
  <description>CMS Existing Content deleted event.</description>
</rule>
```

## Trend Micro Deep Security for Azure Marketplace 11.1

```
<rule id="100014" level="5">
  <if_group>cms_information</if_group>
  <id>^445|^446</id>
  <description>CMS User created event.</description>
</rule>

<rule id="100015" level="5">
  <if_group>cms_information</if_group>
  <id>^447|^449</id>
  <description>CMS User deleted event.</description>
</rule>

</group>
```

### Log inspection rule severity levels and their recommended use

Level	Description	Notes
Level 0	Ignored, no action taken	Primarily used to avoid false positives. These rules are scanned before all the others and include events with no security relevance.
Level 1	no predefined use	
Level 2	System low priority notification	System notification or status messages that have no security relevance.
Level 3	Successful or authorized events	Successful login attempts, firewall allow events, etc.
Level 4	System low priority errors	Errors related to bad configurations or unused devices or applications. They have no security relevance and are usually caused by default installations or software testing.
Level 5	User-generated errors	Missed passwords, denied actions, etc. These messages typically have no security relevance.
Level 6	Low relevance attacks	Indicate a worm or a virus that provide no threat to the system such as a Windows worm attacking a Linux server. They also include frequently triggered IDS events and common error events.
Level 7	no predefined use	
Level 8	no predefined use	
Level 9	Error from invalid source	Include attempts to login as an unknown user or from an invalid source. The message might have security relevance especially if repeated. They also include errors regarding the <b>admin</b> or <b>root</b> account.
Level 10	Multiple user generated errors	Include multiple bad passwords, multiple failed logins, etc. They might indicate an attack, or it might be just that a user forgot his or her credentials.

## Trend Micro Deep Security for Azure Marketplace 11.1

Level	Description	Notes
Level 11	no predefined use	
Level 12	High-importance event	Include error or warning messages from the system, kernel, etc. They might indicate an attack against a specific application.
Level 13	Unusual error (high importance)	Common attack patterns such as a buffer overflow attempt, a larger than normal syslog message, or a larger than normal URL string.
Level 14	High importance security event	Typically the result of the correlation of multiple attack rules and indicative of an attack.
Level 15	Attack Successful	Very small chance of false positive. Immediate attention is necessary.

### *strftime()* conversion specifiers

Specifier	Description
%a	Abbreviated weekday name (e.g., Thu)
%A	Full weekday name (e.g., Thursday)
%b	Abbreviated month name (e.g., Aug)
%B	Full month name (e.g., August)
%c	Date and time representation (e.g., Thu Sep 22 12:23:45 2007)
%d	Day of the month (01 - 31) (e.g., 20)
%H	Hour in 24 h format (00 - 23) (e.g., 13)
%I	Hour in 12 h format (01 - 12) (e.g., 02)
%j	Day of the year (001 - 366) (e.g., 235)
%m	Month as a decimal number (01 - 12) (e.g., 02)
%M	Minute (00 - 59) (e.g., 12)
%p	AM or PM designation (e.g., AM)
%S	Second (00 - 61) (e.g., 55)
%U	Week number with the first Sunday as the first day of week one (00 - 53) (e.g., 52)
%w	Weekday as a decimal number with Sunday as 0 (0 - 6) (e.g., 2)
%W	Week number with the first Monday as the first day of week one (00 - 53) (e.g., 21)
%x	Date representation (e.g., 02/24/79)
%X	Time representation (e.g., 04:12:51)
%y	Year, last two digits (00 - 99) (e.g., 76)
%Y	Year (e.g., 2008)
%Z	Time zone name or abbreviation (e.g., EST)
%%	A % sign (e.g., %)

More information can be found at the following websites:

<https://secure.php.net/manual/en/function.strftime.php>


[www.cplusplus.com/reference/clibrary/ctime/strftime.html](http://www.cplusplus.com/reference/clibrary/ctime/strftime.html)

## Examine a log inspection rule

Log inspection rules are found in the Deep Security Manager at **Policies > Common Objects > Rules > Log Inspection Rules**.

Log inspection rule structure and the event matching process

This screen shot displays the contents of the **Configuration** tab of the Properties window of the "Microsoft Exchange" log inspection rule:



Here is the structure of the rule:

## Trend Micro Deep Security for Azure Marketplace 11.1

- 3800 - Grouping of Exchange Rules - Ignore
  - 3801 - Email rcpt is not valid (invalid account) - Medium (4)
    - 3851 - Multiple email attempts to an invalid account - High (9)
      - Frequency - 10
      - Time Frame - 120
      - Ignore - 120
  - 3802 - Email 500 error code - Medium (4)
    - 3852 - Email 500 error code (spam) - High (9)
      - Frequency - 12
      - Time Frame - 120
      - Ignore - 240

The log inspection engine will apply log events to this structure and see if a match occurs. For example, if an Exchange event occurs, and this event is an email receipt to an invalid account, the event will match line 3800 (because it is an Exchange event). The event will then be applied to line 3800's sub-rules: 3801 and 3802.

If there is no further match, this "cascade" of matches will stop at 3800. Because 3800 has a severity level of "Ignore", no log inspection event would be recorded.

However, an email receipt to an invalid account does match one of 3800's sub-rules: sub-rule 3801. Sub-rule 3801 has a severity level of "Medium(4)". If the matching stopped here, a log inspection event with a severity level of "Medium(4)" would be recorded.

But there is still another sub-rule to be applied to the event: sub-rule 3851. Sub-rule 3851 with its three attributes will match if the same event has occurred 10 times within the last 120 seconds. If so, a log inspection event with a severity "High(9)" is recorded. (The "Ignore" attribute tells sub-rule 3851 to ignore individual events that match sub-rule 3801 for the next 120 seconds. This is useful for reducing "noise".)

Assuming the parameters of sub-rule 3851 have been matched, a log inspection event with Severity "High(9)" is now recorded.


## Trend Micro Deep Security for Azure Marketplace 11.1

Looking at the Options tab of the Microsoft Exchange Rule, we see that Deep Security Manager will raise an alert if any sub-rules with a severity level of "Medium(4)" have been matched. Since this is the case in our example, the alert will be raised (if "Alert when this rule logs an event" is selected).

### Duplicate Sub-rules

Some log inspection rules have duplicate sub-rules. To see an example, open the "Microsoft Windows Events" rule and click on the **Configuration** tab. Note that sub-rule 18125 (Remote access login failure) appears under sub-rules 18102 and 18103. Also note that in both cases sub-rule 18125 does not have a severity value, it only says "See Below".

Instead of being listed twice, Rule 18125 is listed once at the bottom of the **Configuration** page:



## Create a list of directories for use in policies

Create lists of directory paths so that you can use them in multiple policies. A single list is easier to manage than several identical lists that are each created in a different policy.

**Tip:** To create a directory list that is similar to an existing one, duplicate the list and then edit it.

The following table describes the syntax for defining directory list items. The use of forward slashes "/" and backslashes "\" are supported for both Windows and Linux conventions:

## Trend Micro Deep Security for Azure Marketplace 11.1

Directory	Format	Description	Examples
Directory	DIRECTORY	Includes all files in the specified directory and all files in all subdirectories.	<b>C:\Program Files\</b> Includes all files in the "Program Files" directory and all subdirectories.
Network Resource	\\NETWORK RESOURCE	Includes files on a computer included as a network resource on a targeted computer.	<b>\\12.34.56.78\</b> <b>\\some-comp-name\</b> Includes all files on a network resource identified using an IP or a hostname.  <b>\\12.34.56.78\somefolder\</b> <b>\\some-comp-name\somefolder\</b> Includes all files in the folder "somefolder" on a network resource identified using an IP or a hostname.
Directory with wildcard (*)	DIRECTORY\*\	Includes any subdirectories with any subdirectory name, but does not include the files in the specified directory.	<b>C:\abc\*</b> Includes all files in all subdirectories of "abc" but does not include the files in the "abc" directory.  <b>C:\abc\wx*z\</b> <i>Matches:</i> C:\abc\wxz\ C:\abc\wx123z\ <i>Does not match:</i> C:\abc\wxz C:\abc\wx123z  <b>C:\abc\*wx\</b> <i>Matches:</i> C:\abc\wx\ C:\abc\123wx\ <i>Does not match:</i> C:\abc\wx C:\abc\123wx
Directory with wildcard (*)	DIRECTORY\*	Includes any subdirectories with a matching name, but does not include the files in that directory and any subdirectories.	<b>C:\abc\*</b> <i>Matches:</i> C:\abc\ C:\abc\1 C:\abc\123 <i>Does not match:</i> C:\abc C:\abc\123\ 

Directory	Format	Description	Examples
			C:\abc\123\456 C:\abx\ C:\xyz\  <b>C:\abc*wx</b> <i>Matches:</i> C:\abc\wx C:\abc\123wx <i>Does not match:</i> C:\abc\wx\ C:\abc\123wx\  <b>C:\abc\wx*z</b> <i>Matches:</i> C:\abc\wxz C:\abc\wx123z <i>Does not match:</i> C:\abc\wxz\ C:\abc\wx123z\  <b>C:\abc\wx*</b> <i>Matches:</i> C:\abc\wx C:\abc\wx\ C:\abc\wx12 C:\abc\wx12\345\ C:\abc\wxz\ <i>Does not match:</i> C:\abc\wx123z\ 
Environment variable	\${ENV VAR}	Includes all files and subdirectories defined by an environment variable with the format \${ENV VAR}. For a Virtual Appliance, the value pairs for the environment variable must be defined in <b>Policy or Computer Editor &gt; Settings &gt; General &gt; Environment Variable Overrides</b> .	<b>\${windir}</b> If the variable resolves to "c:\windows", Includes all the files in "c:\windows" and all its subdirectories.
Comments	DIRECTORY #Comment	Allows you to add comments to your inclusion definitions.	<b>c:\abc #Include the abc directory</b>

1. Click **Policies > Common Objects > Lists > Directory Lists**.
2. Click **New > New Directory List**.
3. Type a name and, optionally, a description.
4. In the **Directory(s)** list, add the directory paths, one per line.
5. Click **OK**.

### Import and export directory lists

You can export one or more directory lists to an XML or CSV file, and import lists from an XML file.

1. Click **Policies > Common Objects > Lists > Directory Lists**.
2. To export one or more lists, select them and click **Export > Export Selected to CSV** or **Export > Export Selected to XML**.
3. To export all lists, click **Export > Export to CSV** or **Export > Export to XML**.
4. To import lists, click **New > Import From File** and follow the instructions on the wizard.

### See which policies use a directory list

It is useful to see which policies use a directory list to be aware of which policies are affected by any changes you make. For example, you can ensure no policies use a directory list before deleting it.

1. Click **Policies > Common Objects > Lists > Directory Lists**.
2. Select the directory list and click **Properties**.
3. Click the **Assigned To** tab.

### Create a list of file extensions for use in policies

Create lists of file extensions so that you can use them in multiple malware scan configurations. A single list is easier to manage than several identical lists that are each created in a different rule. For example, one list of file extensions can be used by multiple malware scan configurations as files to include in a scan. Another list of file extensions can be used by multiple malware scan configurations as files to exclude from a scan.

**Tip:** To create a file extension list that is similar to an existing one, duplicate the list and then edit it.

You can insert comments into your list by preceding the text with a pound sign ("#").

1. Click **Policies > Common Objects > Lists > File Extension Lists**.
2. Click **New > New File Extension List**.
3. Type a name and, optionally, a description.

4. In the **File Extension(s)** list, add the extensions, one per line.
5. Click **OK**.

### Import and export file extension lists

You can export one or more file extension lists to an XML or CSV file, and import lists from an XML file.

1. Click **Policies > Common Objects > Lists > File Extension Lists**.
2. To export one or more lists, select them and click **Export > Export Selected to CSV** or **Export > Export Selected to XML**.
3. To export all lists, click **Export > Export to CSV** or **Export > Export to XML**.
4. To import lists, click **New > Import From File** and follow the instructions on the wizard.

### See which malware scan configurations use a file extension list

It is useful to see which malware scan configurations use a file extension list to be aware of which rules are affected by any changes you make. For example, you can ensure no scan configurations use a file extension list before deleting it.

1. Click **Policies > Common Objects > Lists > File Extension Lists**.
2. Select the list and click **Properties**.
3. Click the **Assigned To** tab.

### Create a list of files for use in policies

Create lists of file paths so that you can use them in multiple policies. A single list is easier to manage than several identical lists that are each created in a different policy.

**Tip:** To create a file list that is similar to an existing one, duplicate the list and then edit it.

The following table describes the syntax for defining file list items. The use of forward slashes "/" and backslashes "\" are supported for both Windows and Linux conventions:

Inclusion	Format	Description	Example
File	FILE	Includes all files with the specified file name regardless of its location or directory.	<b><i>abc.doc</i></b> Includes all files named "abc.doc" in all directories. Does not include "abc.exe".

## Trend Micro Deep Security for Azure Marketplace 11.1

Inclusion	Format	Description	Example
File path	FILEPATH	Includes the specific file specified by the file path.	<b>C:\Documents\abc.doc</b> Includes only the file named "abc.doc" in the "Documents" directory.
File with wildcard (*)	FILE*	Includes all files with a matching pattern in the file name.	<b>abc*.exe</b> Includes any file that has prefix of "abc" and extension of ".exe".  <b>*.db</b> <i>Matches:</i> 123.db abc.db <i>Does not match:</i> 123db 123.abd cbc.dba  <b>*db</b> <i>Matches:</i> 123.db 123db ac.db acdb db <i>Does not match:</i> db123  <b>wxy*.db</b> <i>Matches:</i> wxy.db wxy123.db <i>Does not match:</i> wxydb
File with wildcard (*)	FILE.EXT*	Includes all files with a matching pattern in the file extension.	<b>abc.v*</b> Includes any file that has file name of "abc" and extension beginning with ".v".  <b>abc.*pp</b> <i>Matches:</i> abc.pp abc.app <i>Does not match:</i> wxy.app

Inclusion	Format	Description	Example
			<p><b>abc.a*p</b> Matches: abc.ap abc.a123p Does not match: abc.pp</p> <p><b>abc.*</b> Matches: abc.123 abc.xyz Does not match: wxy.123</p>
File with wildcard (*)	FILE*.EXT*	Includes all files with a matching pattern in the file name and in the extension.	<p><b>a*c.a*p</b> Matches: ac.ap a123c.ap ac.a456p a123c.a456p Does not match: ad.aa</p>
Environment variable	\${ENV VAR}	Includes files specified by an environment variable with the format \${ENV VAR}. These can be defined or overridden using <b>Policy or Computer Editor &gt; Settings &gt; General &gt; Environment Variable Overrides</b> .	<p><b>\${myDBFile}</b> Includes the file "myDBFile".</p>
Comments	FILEPATH #Comment	Allows you to add comments to your inclusion definitions.	<p><b>C:\Documents\abc.doc</b> <b>#This a comment</b></p>

1. Click **Policies > Common Objects > Lists > File Lists**.
2. Click **New > New File List**.
3. Type a name and, optionally, a description.
4. In the **File(s)** list, add the file paths, one per line.
5. Click **OK**.

## Import and export file lists

You can export one or more file lists to an XML or CSV file, and import lists from an XML file.

1. Click **Policies > Common Objects > Lists > File Lists**.
2. To export one or more lists, select them and click **Export > Export Selected to CSV** or **Export > Export Selected to XML**.
3. To export all lists, click **Export > Export to CSV** or **Export > Export to XML**.
4. To import lists, click **New > Import From File** and follow the instructions on the wizard.

### See which policies use a file list

It is useful to see which policies use a file list to be aware of which policies are affected by any changes you make. For example, you can ensure no policies use a file list before deleting it.

1. Click **Policies > Common Objects > Lists > File Lists**.
2. Select the file list and click **Properties**.
3. Click the **Assigned To** tab.

### Create a list of IP addresses for use in policies

Create lists of IP addresses so that you can use them in multiple firewall rules. A single list is easier to manage than several identical lists that are each defined in a different rule.

**Tip:** To create an IP list that is similar to an existing one, duplicate the list and then edit it.

You can enter an individual IP address, or you can enter IP ranges and masked IPs. You can also insert comments into your IP list by preceding the text with a hash sign ("#").

Masked IP examples are 192.168.0/24, 192.168.2.0/255.255.255.0, and for IPV6 2001:0DB8::CD30:0:0:0/60. IP range examples are 192.168.0.2 - 192.168.0.125 and, for IPV6, FF01::101 - FF01::102

1. Click **Policies > Common Objects > Lists > IP Lists**.
2. Click **New > New IP List**.
3. Type a name and, optionally, a description.
4. In the **IP(s)** list, add the IP addresses, masked IP addresses, or IP ranges (one per line).
5. Click **OK**.

### Import and export IP lists

You can export one or more IP lists to an XML or CSV file, and import lists from an XML file.

1. Click **Policies > Common Objects > Lists > IP Lists**.
2. To export one or more lists, select them and click **Export > Export Selected to CSV** or **Export > Export Selected to XML**.
3. To export all lists, click **Export > Export to CSV** or **Export > Export to XML**.
4. To import lists, click **New > Import From File** and follow the instructions on the wizard.

### See which rules use an IP list

It is useful to see which firewall rules use an IP list to be aware of which rules are affected by any changes you make. For example, you can ensure no firewall rules use an IP list before deleting it.

1. Click **Policies > Common Objects > Lists > IP Lists**.
2. Select the IP list and click **Properties**.
3. Click the **Assigned To** tab.

### Create a list of ports for use in policies

Create lists of port numbers so that you can use them in multiple rules. A single list is easier to manage than several identical lists that are each created in a different rule.

**Tip:** To create a port list that is similar to an existing one, duplicate the list and then edit it.

Individual ports and port ranges can be included on the list, for example 80, and 20-21. You can insert comments into your port list by preceding the text with a pound sign ("#").

**Note:** For a listing commonly accepted port number assignments, see the [Internet Assigned Numbers Authority \(IANA\)](#). For a list of port numbers used by Deep Security Manager, Relay, or Agent, see "[Port numbers](#)" on page 90.

1. Click **Policies > Common Objects > Lists > Port Lists**.
2. Click **New > New Port List**.
3. Type a name and, optionally, a description.
4. In the **Port(s)** list, add the port numbers, one per line.
5. Click **OK**.

### Import and export port lists

You can export one or more port lists to an XML or CSV file, and import lists from an XML file.

1. Click **Policies > Common Objects > Lists > Port Lists**.
2. To export one or more lists, select them and click **Export > Export Selected to CSV** or **Export > Export Selected to XML**.

3. To export all lists, click **Export > Export to CSV** or **Export > Export to XML**.
4. To import lists, click **New > Import From File** and follow the instructions on the wizard.

### See which rules use a port list

It is useful to see which rules use a port list to be aware of which rules are affected by any changes you make. For example, you can ensure no rules use a port list before deleting it.

1. Click **Policies > Common Objects > Lists > Port Lists**.
2. Select the port list and click **Properties**.
3. Click the **Assigned To** tab.

### Create a list of MAC addresses for use in policies

Create lists of MAC addresses so that you can use them in multiple policies. A single list is easier to manage than several identical lists that are each created in a different policy.

**Tip:** To create a MAC list that is similar to an existing one, duplicate the list and then edit it.

MAC lists support MAC addresses in both hyphen- and colon-separated formats, for example 0A-0F-FF-F0-A0-AF and 0A:0F:FF:F0:A0:AF. You can insert comments into your MAC list by preceding the text with a pound sign ("#").

1. Click **Policies > Common Objects > Lists > MAC Lists**.
2. Click **New > New MAC List**.
3. Type a name and, optionally, a description.
4. In the **MAC(s)** list, add the MAC addresses, one per line.
5. Click **OK**.

### Import and export MAC lists

You can export one or more MAC lists to an XML or CSV file, and import lists from an XML file.

1. Click **Policies > Common Objects > Lists > MAC Lists**.
2. To export one or more lists, select them and click **Export > Export Selected to CSV** or **Export > Export Selected to XML**.
3. To export all lists, click **Export > Export to CSV** or **Export > Export to XML**.
4. To import lists, click **New > Import From File** and follow the instructions on the wizard.

### See which policies use a MAC list

It is useful to see which policies use a MAC list to be aware of which policies are affected by any changes you make. For example, you can ensure no policies use a MAC list before deleting it.

1. Click **Policies > Common Objects > Lists > MAC Lists**.
2. Select the MAC list and click **Properties**.
3. Click the **Assigned To** tab.

### Define contexts for use in policies

Contexts are a powerful way of implementing different security policies depending on a computer's network environment.

Contexts are designed to be associated with firewall and intrusion prevention rules. If the conditions defined in the context associated with a rule are met, the rule is applied.

### Configure settings used to determine whether a computer has internet connectivity

1. In the Deep Security Manager, go to **Administration > System Settings > Contexts**.
2. In the **URL for testing Internet Connectivity Status** box, enter the URL to which an HTTP request will be sent to test for internet connectivity. (You must include "http://".)
3. In the **Regular Expression for returned content used to confirm Internet Connectivity Status** box, enter a regular expression that will be applied to the returned content to confirm that HTTP communication was successful. (If you are certain of the returned content, you can use a simple string of characters.)
4. In the **Test Interval** list, select the time interval between connectivity tests.

For example, to test Internet connectivity, you could use the URL "**http://www.example.com**", and the string "**This domain is established to be used for illustrative examples in documents**" which is returned by the server at that URL.

### Define a context

1. In the Deep Security Manager, go to **Policies > Common Objects > Other > Contexts** and then click **New > New Context**.

2. In the **General Information** area, enter the name and description of the context rule. This area also displays the earliest version of the Deep Security Agent the rule will be compatible with.
3. In the **Options** area, specify when the context will be applied:
  - **Context applies when connection is:** Specifying an option here will determine whether the Firewall rule is in effect depending on the ability of the computer to connect to its domain controller or its internet connectivity. (Conditions for testing internet connectivity can be configured in **Administration > System Settings > Contexts**.)

If the domain controller can be contacted directly (via ICMP), the connection is "Local". If it can be contacted via VPN only, then the connection is "Remote".

The time interval between domain controller connectivity tests is the same as the internet connectivity test interval, which is configurable in **Administration > System Settings > Contexts**. The internet connectivity test is only performed if the computer is unable to connect to its domain controller.

- **Context Applies to Interface Isolation Restricted Interfaces:** This context will apply to network interfaces on which traffic has been restricted through the use of interface isolation. This is primarily used for "Allow" or "Force Allow" Firewall rules. See ["Detect and configure the interfaces available on a computer" on page 315](#).

After you assign the context to a rule, it is displayed on the **Assigned To** tab for the context. (To link a security rule to a context, go to the **Options** tab in the security rule's **Properties** window and select the context from the "Context" list.)

## Define stateful firewall configurations

Deep Security's stateful firewall configuration mechanism analyzes each packet in the context of traffic history, correctness of TCP and IP header values, and TCP connection state transitions. In the case of stateless protocols like UDP and ICMP, a pseudo-stateful mechanism is implemented based on historical traffic analysis. Packets are handled by the stateful mechanism as follows:

1. A packet is passed to the stateful routine if it has been allowed through by the static firewall rule conditions,

## Trend Micro Deep Security for Azure Marketplace 11.1

2. The packet is examined to determine whether it belongs to an existing connection, and
3. The TCP header is examined for correctness (e.g. sequence numbers, flag combinations, etc.).

To create a new stateful configuration, you need to:

1. ["Add a stateful configuration " below.](#)
2. ["Enter stateful configuration information" below.](#)
3. ["Select packet inspection options" below.](#)

When you're done with your stateful configuration, you can also learn how to

- ["See policies and computers a stateful configuration is assigned to" on page 400](#)
- ["Export a stateful configuration " on page 399](#)
- ["Delete a stateful configuration " on page 400](#)

### Add a stateful configuration

There are three ways to define a stateful configuration on the **Policies > Common Objects > Other > Firewall Stateful Configurations** page:

- Create a new configuration. Click **New > New Firewall Stateful Configuration**.
- Import a configuration from an XML file. Click **New > Import From File**.
- Copy and then modify an existing configuration. Right-click the configuration in the Firewall Stateful Configurations list and then click **Duplicate**. To edit the new configuration, select it and then click **Properties**.

### Enter stateful configuration information

Enter a **Name** and **Description** for the configuration.

### Select packet inspection options

You can define options for IP, TCP, UDP and ICMP packet inspection, and enable Active or Passive FTP.

### IP packet inspection

Under the **General** tab, select the **Deny all incoming fragmented packets** to drop any fragmented packets. Dropped packets will bypass fragmentation analysis and generate an "IP fragmented packet" log entry. Packets with a total length smaller than the IP header length are dropped silently.

**Warning:** Attackers sometimes create and send fragmented packets in an attempt to bypass Firewall Rules.

**Note:** The Firewall Engine, by default, performs a series of checks on fragmented packets. This is default behavior and cannot be reconfigured. Packets with the following characteristics are dropped:

- **Invalid fragmentation flags/offset:** A packet is dropped when either the **DF** and **MF** flags in the IP header are set to 1, or the header contains the **DF** flag set to 1 and an **Offset** value different than 0.
- **First fragment too small:** A packet is dropped if its **MF** flag is set to 1, its **Offset** value is at 0, and it has total length of less than 120 bytes (the maximum combined header length).
- **IP fragment out of boundary:** A packet is dropped if its **Offset** flag value combined with the total packet length exceeds the maximum datagram length of 65535 bytes.
- **IP fragment offset too small:** A packet is dropped if it has a non-zero **Offset** flag with a value that is smaller than 60 bytes.

### TCP packet inspection

Under the **TCP** tab, select which of the following options you would like to enable:

- **Deny TCP packets containing CWR, ECE flags:** These flags are set when there is network congestion.

**Note:** RFC 3168 defines two of the six bits from the Reserved field to be used for ECN (Explicit Congestion Notification), as follows:

- Bits 8 to 15: CWR-ECE-URG-ACK-PSH-RST-SYN-FIN
- TCP Header Flags Bit Name Reference:
  - Bit 8: CWR (Congestion Window Reduced) [RFC3168]
  - Bit 9: ECE (ECN-Echo) [RFC3168]

**Warning:** Automated packet transmission (such as that generated by a denial of service attack, among other things) will often produce packets in which these flags are set.

- **Enable TCP stateful inspection:** Enable stateful inspection at the TCP level. If you enable stateful TCP inspection, the following options become available:
  - **Enable TCP stateful logging:** TCP stateful inspection events will be logged.
  - **Limit the number of incoming connections from a single computer to:** Limiting the number of connections from a single computer can lessen the effect of a denial of service attack.
  - **Limit the number of outgoing connections to a single computer to:** Limiting the number of outgoing connections to a single computer can significantly reduce the effects of Nimda-like worms.
  - **Limit the number of half-open connections from a single computer to:** Setting a limit here can protect you from DoS attacks like SYN Flood. Although most servers have timeout settings for closing half-open connections, setting a value here can prevent half-open connections from becoming a significant problem. If the specified limit for SYN-SENT (remote) entries is reached, subsequent TCP packets from that specific computer will be dropped.

**Note:** When deciding on how many open connections from a single computer to allow, choose your number from somewhere between what you would consider a reasonable number of half-open connections from a single computer for the type of protocol being used, and how many half-open connections from a single computer your system can maintain without getting congested.

- **Enable ACK Storm protection when the number of already acknowledged packets exceeds:** Set this option to log an event that an ACK Storm attack has occurred.
  - **Drop Connection when ACK Storm detected:** Set this option to drop the connection if such an attack is detected.

**Note:** ACK Storm protection options are only available on Deep Security Agent 8.0 and earlier.

### FTP Options

Under the **FTP Options** tab, you can enable the following options:

**Note:** The following FTP options are available in Deep Security Agent version 8.0 and earlier.

- **Active FTP**
  - **Allow Incoming:** Allow Active FTP when this computer is acting as a server.
  - **Allow Outgoing:** Allow Active FTP when this computer is acting as client.
- **Passive FTP**
  - **Allow Incoming:** Allow Passive FTP when this computer is acting as a server.
  - **Allow Outgoing:** Allow Passive FTP when this computer is acting as a client.

### UDP packet inspection

Under the **UDP** tab, you can enable the following options:

- **Enable UDP stateful inspection:** Select to enable stateful inspection of UDP traffic.

**Note:** The UDP stateful mechanism drops unsolicited incoming UDP packets. For every outgoing UDP packet, the rule will update its UDP "stateful" table and will then only allow a UDP response if it occurs within 60 seconds of the request. If you wish to allow specific incoming UDP traffic, you will have to create a **Force Allow** rule. For example, if you are running a DNS server, you will have to create a **Force Allow** rule to allow incoming UDP packets to destination port 53.

**Warning:** Without stateful inspection of UDP traffic, an attacker can masquerade as a DNS server and send unsolicited UDP "replies" from source port 53 to computers behind a firewall.

- **Enable UDP stateful logging:** Selecting this option will enable the logging of UDP stateful inspection events.

### ICMP packet inspection

Under the **ICMP** tab, you can enable the following options:

**Note:** ICMP stateful inspection is available in Deep Security Agent version 8.0 or earlier.

- **Enable ICMP stateful inspection:** Select to enable stateful inspection of ICMP traffic.

**Note:** The ICMP (pseudo-)stateful mechanism drops incoming unsolicited ICMP packets. For every outgoing ICMP packet, the rule will create or update its ICMP "stateful" table and will then only allow a ICMP response if it occurs within 60 seconds of the request. (ICMP pair types supported: Type 0 & 8, 13 & 14, 15 & 16, 17 & 18.)

**Warning:** With stateful ICMP inspection enabled, you can, for example, only allow an ICMP echo-reply in if an echo-request has been sent out. Unrequested echo-replies could be a sign of several kinds of attack including a Smurf amplification attack, a Tribe Flood Network communication between master and daemon, or a Loki 2 back-door.

- **Enable ICMP stateful logging:** Selecting this option will enable the logging of ICMP stateful inspection events.

### Export a stateful configuration

You can export all stateful configurations to a .csv or .xml file by clicking **Export** and selecting the corresponding export action from the list. You can also export specific stateful configurations by first selecting them, clicking **Export** and then selecting the corresponding export action from the list.

### Delete a stateful configuration

To delete a stateful configuration, right-click the configuration in the Firewall Stateful Configurations list, click **Delete** and then click **OK**.

**Note:** Stateful configurations that are assigned to one or more computers or that are part of a policy cannot be deleted.

### See policies and computers a stateful configuration is assigned to

You can see which policies and computers are assigned to a stateful inspection configuration on the **Assigned To** tab. Click on a policy or computer in the list to see their properties.

### Define a schedule that you can apply to rules

Schedules are reusable timetables that you can assign to rules, agent upgrades, and more.

1. In Deep Security Manager, go to **Policies > Common Objects > Other > Schedules**.
2. Click **New > New Schedule**.
3. In the **General Information** area, enter a name and description used to identify the schedule.
4. Click a time block in the grid to select it. To deselect it, click it while pressing Shift. Schedule periods are defined by hour-long time blocks.

After you assign the schedule to a rule, it is displayed on the **Assigned To** tab for the schedule. To link a security rule to a schedule, go to the **Options** tab in the security rule's **Properties** window and select the schedule from the "Schedule" list.

**Note:** With agent-based protection, schedules use the same time zone as the protected computer's operating system. With agentless protection, schedules use the same time zone as the Deep Security Virtual Appliance.

### Lock down software with application control

**Note:** You can enable application control for computers running Deep Security Agent 10.0 or higher. For a list of operating systems where application control is supported, see "[Supported](#)"

[features by platform" on page 69.](#)

Application control continuously monitors for software changes on your protected servers. Based on your policy configuration, application control either prevents unauthorized software from running until it is explicitly allowed, or allows unauthorized software until it is explicitly blocked. Which option you choose depends on the level of control you want over your environment.

**Tip:** Application control is intended for use on stable servers that are not updated frequently, and not for workstations or servers that undergo a lot of software changes.

## Key concepts

**Targeted protection state:** One of the main decisions you need to make when setting up application control is deciding your targeted protection state. Do you want to prevent all new or changed software from running, unless you manually specify that it is allowed? Or do you want it to run by default unless you specifically block it? One approach is to initially allow unrecognized software to run when you first enable application control and there's a lot of unrecognized software. As you add application control rules and the volume of unrecognized software decreases, you could switch to block mode.

**Application control rule:** Rules specify whether software is allowed or blocked on a particular computer.


**Inventory:** Initial list of software that is installed on the computer. Make sure only software that you want to allow is installed on the computer. When you enable application control, all currently installed software is added to the computer's inventory and allowed to run. When a computer is in maintenance mode, any software changes made to the computer are added to the computer's inventory and allowed to run. A computer's software inventory is stored on the Deep Security Agent and is not displayed in Deep Security Manager.

**Unrecognized software:** Software that isn't in a computer's inventory and isn't already covered by an application control rule. See ["What does application control detect as a software change?" on page 407](#)

**Maintenance mode:** If you are planning to install or update software, we strongly advise that you turn on maintenance mode. While maintenance mode is enabled, application control will

continue to enforce rules that block software, but it will allow new or updated software to run and automatically add it to the computer's inventory. See ["Turn on maintenance mode when making planned changes"](#) on page 413.

## How does application control work?



1. You enable application control in a policy and assign the policy to a computer that is protected by a Deep Security Agent (see ["Turn on application control"](#) on page 409).
2. When the agent receives the policy, it creates an inventory of all software installed on the computer. All software listed in the inventory is assumed to be safe and is allowed to run on that computer. This inventory is not visible from Deep Security Manager, which means you need to be absolutely certain that only good software is installed on a computer where you intend to enable application control.
3. After the inventory is finished, application control is aware of any software changes on the computer. A software change could be new software that appears on the computer or changes to existing software.
4. If the computer is in maintenance mode, the Deep Security Agent adds the software to its inventory and it is allowed to run. This change is not visible in Deep Security Manager. See ["Turn on maintenance mode when making planned changes"](#) on page 413.

5. If the change was made by a trusted installer, the Deep Security Agent adds the software to its inventory and allows it to run. For example, when Microsoft Windows self-initiates a component update, hundreds of new executable files may be installed. Application control auto-authorizes many file changes that are created by well-known Windows processes and does not list these changes in Deep Security Manager. Removing the "noise" associated with expected software changes provides you with clearer visibility into changes that may need your attention.

**Note:** The trusted installer feature is available with Deep Security Agent 10.2 or later.

6. If the computer's ruleset contains a rule for this exact piece of software, the software is allowed or blocked according to the rule that's in place. See ["What does application control detect as a software change?" on page 407](#)
7. If software is not in the computer's inventory and is not covered by an existing rule, it's considered unrecognized software. The policy assigned to the computer specifies how unrecognized software is handled. Depending on the policy configuration, it's either allowed to run or is blocked. If the software is blocked and it is able to produce error messages in the OS, an error message on the protected computer indicates that the software does not have permissions to run or that access is denied.

The unrecognized software appears on the **Application Control - Software Changes** page in Deep Security Manager. On that page, an administrator can click **Allow** or **Block** to create an allow or block rule for that piece of software on a particular computer. An allow or block rule takes precedence over the default action specified in the policy. See ["Monitor new and changed software" on page 410](#).

## A tour of the application control interface

There are a few places in Deep Security Manager where you can see changes related to application control:

- ["Application Control: Software Changes \(Actions\)" on the next page](#)
- ["Application Control Rulesets" on page 405](#)
- ["Security Events" on page 406](#)
- ["Decision Logs" on page 407](#)

## Application Control: Software Changes (Actions)

The screenshot shows the Trend Micro Deep Security interface. The main content area is titled "Application Control: Software Changes" and displays a bar chart showing the number of software changes over the last 7 days. The chart shows a significant spike on Monday, February 12, with approximately 6,000 changes. Below the chart, it indicates "12876 occurrence(s) of software changes" and provides a dropdown menu to "Group By File (Hash)".

The interface also features a sidebar with navigation options like "Smart Folders", "Agent Software Status", "Corporate Laptops", "docker", "Linux box", "Windows 10 Computer(s)", "Windows 32 bit Computer(s)", "Windows Application Control", and "Computers" (12,876). A search bar is available at the top right.

The detailed view of a software change shows the file name "agent-core-windows-10.1.0-357.x86\_64.msi" with 84 occurrences. It includes a search bar to filter by property and value, and a table of occurrences with "Allow" and "Block" buttons for each. The "ALLOW ALL" and "BLOCK ALL" buttons are highlighted in green and red, respectively.

Metadata for the software change is displayed on the right side, including Product Name, File Name, Install Path, Vendor, File Size, File Version, Description, SHA256, SHA1, and MD5 hashes.

The **Application Control: Software Changes** page is displayed when you click **Actions** in Deep Security Manager. It displays all unrecognized software (software that isn't in a computer's inventory and doesn't have a corresponding application control rule). Software changes are allowed or blocked at the computer level, so if a particular piece of software is installed on fifty computers, it will appear on that page fifty times. However, if you know that a certain piece of software should be allowed or blocked everywhere, you can filter the **Actions** page to sort the changes by file hash and then click **Allow All** to allow it on all computers where the software is installed.

The policy applied to a computer specifies whether it will allow all unrecognized software to run by default, or block all unrecognized software, but no explicit application control rule is created until you click "Allow" or "Block" on the Actions page. When you click Allow or Block, a corresponding rule appears in the ruleset for the computer. The rulesets are displayed on the **Application Control Rulesets** page.

## Application Control Rulesets

The screenshot shows the 'Application Control Rulesets' page in the Trend Micro Deep Security console. The navigation menu on the left includes 'Policies', 'Common Objects', 'Rules', 'Firewall Rules', 'Intrusion Prevention Rules', 'Integrity Monitoring Rules', 'Log Inspection Rules', 'Application Control Rulesets', 'Lists', and 'Other'. The main content area has a search bar and a 'By Type' dropdown. Below this are buttons for 'Properties...', 'Delete...', and 'Columns...'. The table below lists the rulesets:

NAME	CREATED	LAST UPDATED
Local (2)		
[Icon] [Redacted]	October 18, 2016 15:03	October 18, 2016 15:03
[Icon] [Redacted]	October 18, 2016 13:32	October 18, 2016 14:12
Shared (15)		
[Icon] ActionableEventsSecurityEvent...	October 18, 2016 14:04	October 18, 2016 14:05
[Icon] ActionableEventsSecurityEvent...	October 18, 2016 14:06	October 18, 2016 14:07
[Icon] ActionableEventsSecurityEvent...	October 18, 2016 14:09	October 18, 2016 14:09
[Icon] ActionableEventsSecurityEvent...	October 18, 2016 14:05	October 18, 2016 14:06
[Icon] ActionableEventsSecurityEvent...	October 18, 2016 14:08	October 18, 2016 14:08
[Icon] inventoryName1476811733	October 18, 2016 13:31	October 18, 2016 13:31

To see the ruleset for a computer, go to **Policies > Common Objects > Rules > Application Control Rulesets**. To see which rules are part of a ruleset, double-click the ruleset and go to the **Rules** tab. The Rules tab displays the pieces of software that have rules associated with them and enables you to change allow rules to block, and vice versa.

## Security Events

The screenshot shows the 'Events & Reports' section of the Trend Micro Deep Security console. The left-hand navigation pane is expanded to 'Events > Application Control Events > Security Events'. The main area displays 'Application Control Events' with filters for 'All' and 'No Grouping'. The 'Period' is set to 'Last Hour' and 'Computers' is set to 'All Computers'. Below the filters are buttons for 'View', 'Export', 'Auto-Tagging...', and 'Columns...'. The main table lists several events:

TIME	COMPUTER	EVENT	RULES	RULESET
February 16, 2018 12:4...	...	Execution of Unrecognized Software Allowed	<a href="#">View rules...</a>	None
February 16, 2018 12:3...	(...	Execution of Unrecognized Software Allowed	<a href="#">View rules...</a>	None
February 16, 2018 12:3...	...	Execution of Unrecognized Software Allowed	<a href="#">View rules...</a>	None
February 16, 2018 12:3...	...	Execution of Unrecognized Software Allowed	<a href="#">View rules...</a>	None
February 16, 2018 12:3...	...	Execution of Unrecognized Software Allowed	<a href="#">View rules...</a>	None
February 16, 2018 12:3...	...	Execution of Unrecognized Software Allowed	<a href="#">View rules...</a>	None

At the bottom of the table, it indicates 'Item 1 to 100 of 1,961'.

**Events & Reports > Events > Application Control Events > Security Events** displays all unrecognized software that either has been run on a computer or has been prevented from running by a block rule. You can filter this list by time period and other criteria.

For each event (except aggregated events), you can click **View rules** to change the rule from Allow to Block or vice versa. Deep Security Agent 10.2 or later includes event aggregation logic to reduce the volume of logs when the same event occurs repeatedly.

## Decision Logs

The screenshot shows the 'Application Control Decision Log' interface. The left sidebar contains a navigation menu with 'Decision Logs' highlighted. The main content area features a search bar, a 'Period' filter set to 'Custom Range', and date/time pickers for 'From' (January 1, 2018, 11:42) and 'To' (February 16, 2018, 12:42). Below these are 'Computers' and 'View'/'Export'/'Columns...'/'Undo' buttons. The table below has the following data:

TIME	HOST NAME	STATUS	FILE NAME	OPERATION	DECISION ORIGIN
January 5, 2018 12:02:...	[REDACTED]	Undone	agent-core-windows-10.1.0-357...	Allow	Unrecognized Software Page
February 9, 2018 13:28:...	[REDACTED]	Active	gradlew.bat	Allow	Unrecognized Software Page
February 9, 2018 13:33:...	[REDACTED]	Active	gradlew.bat	Allow	Unrecognized Software Page

**Events & Reports > Events > Application Control Events > Decision Logs** enables administrators to review and undo the allow/block decisions that have been made for software changes. You can also see the decision log for a specific computer from the [computer editor](#)<sup>1</sup>, under **Application Control > Decision Logs**). These three actions result in an event appearing on the Decision Logs page:

- Editing an existing rule in a ruleset from the **Application Control Rulesets** page
- Creating a rule by clicking **Allow** or **Block** on the **Application Control: Software Changes** page
- Editing a rule from the **Application Control Events** page

## What does application control detect as a software change?

Unlike [integrity monitoring](#), which monitors any file, application control looks only for software files when examining the initial installation and monitoring for change.

Software can be:

---

<sup>1</sup>To open the Computer editor, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

## Trend Micro Deep Security for Azure Marketplace 11.1

- Windows applications (.exe, .com, .dll, .sys), Linux libraries (.so) and other compiled binaries and libraries
- Java .jar and .class files, and other compiled byte code
- PHP, Python, and shell scripts, and other web apps and scripts that are interpreted or compiled on the fly
- Windows PowerShell scripts, batch files (.bat), and other Windows-specific scripts (.wsf, .vbs, .js)

For example, WordPress and its plug-ins, Apache, IIS, nginx, Adobe Acrobat, app.war, and /usr/bin/ssh would all be detected as software.

Application control checks a file's extension to determine whether it's a script. Additionally, on Linux, application control treats any file with execute permissions as if it's a script.

**Note:** On Windows computers, application control tracks changes on the local file system, but not on network locations, CD or DVD drives, or USB devices.

Application control is integrated with the kernel (on Linux computers) and file system, so it has permissions to monitor the whole computer, including software installed by root or administrator accounts. The agent watches for disk write activity on software files, and for attempts to execute software.

## Differences in how Deep Security Agent 10.x and 11.x compare files

To determine whether software is new or has changed, Deep Security 10.x agents compare the file with the initially installed software's SHA-256 hash, file size, path, and file name (they have a "file-based" ruleset). Deep Security 11.x agents compare only the file's SHA-256 hash and file size (they have a "hash-based" ruleset). Because the rules created by Deep Security 11.x agents compare only the unique hash and file size, a rule will continue to be applied even if the software file is renamed or moved. As a result, using Deep Security 11.x agents reduces the number of software changes that you need to deal with.

A Deep Security 10.x agent continues to use a file-based ruleset until it is upgraded to Deep Security 11.0 or newer. When you upgrade an agent to version 11.0 or newer, its ruleset is converted to use hash-based rules. If there are multiple file-based rules for the same hash value,

they are consolidated into one hash-based rule. If the rules being consolidated conflict with each other (one rule blocks the file and another allows it), the new hash-based rule will be an "allow" rule.

## Set up application control

For information about how application control works, see ["Lock down software with application control" on page 400](#).

To enable application control and monitor software changes:

1. ["Turn on application control" below](#)
2. ["Monitor new and changed software" on the next page](#)
3. ["Turn on maintenance mode when making planned changes" on page 413](#)

This article also provides ["Application control tips and considerations" on page 414](#) that you should be aware of when working with application control.

Once you've enabled application control, you can also learn how to:

- ["View and change application control rulesets" on page 420](#)
- ["Reset application control after too much software change" on page 424](#)
- ["Monitor application control events" on page 417](#)
- ["Use the API to create shared and global rulesets " on page 425](#)

## Turn on application control


You can enable application control in the settings for a computer or in policies:

1. Open the **Computer or Policy editor**<sup>1</sup> and go to **Application Control > General**.
2. Set the **Application Control State** to "On" or "Inherited (On)".

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

- Under **Enforcement**, select your targeted protection state:
  - **Block unrecognized software until it is explicitly allowed**
  - **Allow unrecognized software until it is explicitly blocked** (we recommend that you choose this option when initially setting up application control)
- Click **Save**.



The next time that the Deep Security Manager and agent connect, the agent scans and then generates an inventory of all software installed on the computer and creates rules that allow all the software that it finds. This initial inventory can take 15 minutes or longer, depending on your environment.

To check that application control is working as expected, follow the instructions in ["Verify that application control is enabled"](#) on page 415.

## Monitor new and changed software

After the inventory has finished on a protected computer, any software executable files that are added or changed are classified as a "software change" and appear on the **Actions** page in Deep Security Manager. When unrecognized software runs, or attempts to run and is blocked, the event is listed under **Events & Reports > Events > Application Control Events > Security Events**.

## Trend Micro Deep Security for Azure Marketplace 11.1

After you initially enable application control, you will likely see a lot of software changes on the **Actions** page. This can happen when allowed software creates new executables, renames files, or relocates files through the normal course of operation. As you add rules to tune application control, you should see fewer software changes.

To quickly find all software changes on all computers and easily create allow or block rules for them, use the **Actions** tab.

1. In Deep Security Manager, go to **Actions**.
2. There are several ways you can filter to see only specific occurrences of unrecognized software.

**Tip:** Instead of evaluating each software change on each computer individually, use the filters described below to find software changes that you know are good, and allow them in bulk.

The screenshot shows the Trend Micro Deep Security Manager interface. The main heading is "Application Control: Software Changes" with a filter for "Last 7 Days". The left sidebar shows a navigation menu with "All Linux" selected. The search bar contains "Host Name BEGINS WITH 10.203". A bar chart displays "15080 files" for the period from Friday, Dec 30, 2017, to Friday, Jan 06, 2018. Below the chart, it shows "104379 occurrence(s) of software changes" with a "Group By File (Hash)" dropdown. The main content area lists software changes for "curl-config, curl-config.dpkg-new" with 342 occurrences and "ALLOW ALL" and "BLOCK ALL" buttons. The right sidebar shows details for "curl-config.dpkg-new", including File Name, Product Name, Install Path, Change Event Time, Changed By User, Changed By Process, Vendor, File Size, File Version, Created, Last Modified, and MD5. The bottom status bar shows "Application Control Ruleset Update in Progress on 2 Computers", "Processing 19 Malware Scans", and "ALERTS 360 26".

To reduce the number of software changes being displayed:

- From the drop-down list next to **Application Control: Software Changes**, select a time range such as **Last 7 Days**. You can also click a bar in the graph near the top of the page to display the changes for that time period.
- In the pane on the left, click **Computers** and select an individual computer or group, or click **Smart Folders** to display only the computers that are included in a particular smart folder (see "[Group computers dynamically with smart folders](#)" on page 965).

**Note:** Unlike the **Computers** tab, the **Software Changes** pane usually does not show all computers. It only displays computers where application control has detected software changes that don't already have allow or block rules.

- Enter search terms and operators in the search filter field. You search for these attributes: Change By Process, Change By User, File Name, Host Name, Install Path, MD5, SHA1, and SHA256. For example, you could find all changes made by a particular user that you trust and click **Allow All** to allow all of their changes. Or if a particular software update was installed across your organization (while [maintenance mode](#) was not enabled), filter the page according to the hash value of the file and click **Allow All** to allow all occurrences.

**Tip:** Details about a software change are displayed in the right pane. You can click the file name or computer name in the details to add it to your search filter.

- Select whether to **Group by File (Hash)** or **Group by Computer**.
3. Click either **Allow** or **Block** to add an allow or block rule on that computer, for that software. If you need more information to decide whether to allow or block, click the software name, then use the details panel on the right side.

The next time that the agent connects with the Deep Security Manager, it receives the new rules.

### Tips for handling changes

- For most environments, we suggest that you select the **Allow unrecognized software until it is explicitly blocked** option to allow software changes by default when you first enable application control and add allow and block rules for changes that you see on the **Actions** page. Eventually, the rate of software changes should decrease. At that point, you could

consider blocking software changes by default and creating allow rules for the software that you know is good. Some organizations prefer to continue to allow changes by default and monitor the **Actions** page for software that should be blocked.

- You may prefer to start by evaluating security events, rather than dealing with unrecognized software first. Security events show you which unrecognized software has run (or attempted to run). For information on security events, see ["Monitor application control events" on page 417](#).
- When an unrecognized file is allowed to execute and you want to continue to allow it, create an Allow rule. In addition to allowing the file's execution, the event is no longer logged for that file, which reduces noise and makes important events easier to find.
- When a known file's execution is blocked, consider cleaning that file from the computer, especially for repeated occurrences.
- Keep in mind that software changes are listed for each computer where they occur. You must allow or block the software for each computer.
- Rules are assigned to computers, not to policies. For example, if `helloworld.py` is detected on three computers, when you click **Allow All** or **Block All**, this would affect only three computers. It won't affect future detections on other computers, because they have their own rulesets.
- If you see changes related to software updates that you can control, use the maintenance mode feature when performing those updates. See ["Turn on maintenance mode when making planned changes" below](#).

## Turn on maintenance mode when making planned changes

When you install patches, upgrade software, or deploy web applications, application control will detect them. Depending on your setting for how to handle unrecognized software, this could block that software until you use the **Actions** tab to create allow rules.

To avoid extra down time and alerts during deployment and maintenance windows, you can put application control into a mode designed for maintenance windows. While maintenance mode is enabled, application control will continue to enforce rules that block software, but it will allow new or updated software to run and automatically add it to the computer's inventory.

1. In Deep Security Manager, go to **Computers**.
2. Select one or more computers, then click **Actions > Turn On Maintenance Mode**.
3. Select the duration of your maintenance window.

Maintenance mode will automatically disable itself when your maintenance window is scheduled to end. Alternatively, if you'd prefer to manually disable maintenance mode when updates are finished, select **Indefinite**.

On the **Dashboard**, the **Application Control Maintenance Mode Status** widget indicates whether the command succeeded.

4. Install or upgrade software.
5. If you chose to disable maintenance mode manually, remember to disable maintenance mode in order to start to detect software changes again.

## Application control tips and considerations

- For better performance with application control, use Deep Security anti-malware instead of Windows Defender. See ["Disable Windows Defender after installing Deep Security anti-malware on Windows Server 2016" on page 458](#).
- If you create a block rule for a batch file or PowerShell script, you will not be able to copy, move, or rename the file when using its associated interpreter (powershell.exe for PowerShell scripts or cmd.exe for batch files).
- If you add an allow or block rule, it is normally sent to the agent the next time the agent connects to Deep Security Manager. If you see an error saying that the ruleset upload was not successful, verify that network devices between the agent and the manager or relay allow communications on the [heartbeat port number](#) or [relay port numbers](#).
- To verify that a block rule is working, try to run the software that you just blocked. (For details on how Deep Security Agent detects changes, see ["What does application control detect as a software change?" on page 407](#))
- When blocked software remains installed, application control continues to record logs and show alerts when it blocks the software from running. To reduce the permission error logs on the computer and also reduce your attack surface, uninstall the software that application control is blocking. Once that is done, if you want to dismiss related alerts, either go to

**Alerts** or go to **Dashboard**, click the alert, and then click **Dismiss Alert**. Not all alerts can be dismissed. For more information, see ["Predefined alerts" on page 847](#).

- For performance reasons, if the computer has too much software change, application control will continue to enforce existing rules, but stop detecting and displaying software changes. To resolve this, see ["Reset application control after too much software change" on page 424](#).

## Verify that application control is enabled

For an overview of application control, see ["Lock down software with application control" on page 400](#). For initial configuration instructions, see ["Set up application control" on page 409](#).

When application control is enabled and has finished its initial software inventory scan:

- The **State** field indicates "On" or "On, Blocking unrecognized software".
- On **Computers**, the **Status** field changes from "Application Control Ruleset Build In Progress" to "Managed (Online)".
- **Events & Reports > Events > System Events** will record "Application Control Ruleset Build Started" and "Application Control Ruleset Build Completed". (If you don't see any

logs, see ["Choose which application control events to log" on the next page.](#))

The screenshot shows the 'Computer: [redacted]' configuration page in the Trend Micro Deep Security console. The left sidebar contains navigation options: Overview, Interfaces, Settings, Updates, and Overrides. Under 'Overview', several security modules are listed: Anti-Malware, Web Reputation, Firewall, Intrusion Prevention, Integrity Monitoring, Log Inspection, and Application Control. The 'Application Control' module is selected, and its configuration is shown in the main area. The 'General' tab is active, displaying fields for Hostname, Display Name, Description, Platform (Red Hat Enterprise 7 (64 bit) (3.10.0-123.el7.x86\_64)), Group (Computers > Lab Computers), Policy (Base Policy > Linux Server > Jenkins Linux Server), Asset Importance (High (75)), and Download Security Updates From (Lab Relay Group). Below these fields is the 'Agent' status section, which shows the following settings:

Module	Status
Agent	Managed (Online)
Anti-Malware	On, Real Time
Web Reputation	On
Firewall	On, 16 rules
Intrusion Prevention	On, Prevent, 113 rules
Integrity Monitoring	On, 27 rules
Log Inspection	On, 7 rules
Application Control	On
Online	Yes
Last Communication	January 6, 2017 14:20

The 'Application Control' row is highlighted with a red box. At the bottom of the page, there are buttons for 'Check Status', 'Clear Warnings/Errors', 'Save', and 'Close'.

To verify that application control is working:

1. Copy an executable to the computer or add execute permissions to a plain text file. Try to run the executable.

Depending on your enforcement setting for unrecognized software, it should be either blocked or allowed. Once application control has built initial allow rules or downloaded a shared ruleset, if any change is detected, it should appear in the **Actions** tab, which you can use to create allow and block rules (see ["Monitor new and changed software" on page 410](#)). Depending on your alert configuration, you will also see an alert if unrecognized software is detected, or if application control blocks software from launching (see ["Monitor application control events" on the next page](#)). The event should persist until

the software change no longer exists, or until the oldest data has been removed from the database.

2. Add an allow or block rule for your test software and then try again. This time, application control should apply your allow or block rule.

**Tip:** If software is accidentally blocked because you've selected **Block unrecognized software until it is explicitly allowed** and the software isn't being recognized, the **Reason** column in application control event logs can help you to troubleshoot the cause.

## Monitor application control events

For an overview of application control, see ["Lock down software with application control" on page 400](#). For initial configuration instructions, see ["Set up application control" on page 409](#).

By default, when you enable application control it logs events, such as when there are software changes or when it blocks software from executing. Application control events appear on the **Actions** and **Events & Reports** pages. If configured, an alert appears on the **Alerts** page.

You can configure some of which application control event logs are recorded, and which are [forwarded to external SIEM systems, or syslog servers](#).

To monitor for software changes on computers:

1. ["Choose which application control events to log" below](#)
2. ["View application control event logs" on the next page](#)
3. ["Interpret aggregated security events" on the next page](#)
4. ["Monitor application control alerts" on page 419](#)

## Choose which application control events to log

1. Go to **Administration > System Settings > System Events**.
2. Scroll down to the application control events such as Event ID 7000 "Application Control Events Exported".
3. If you want to record event logs for that type of event, select **Record**.

When those events occur, they appear on **Events & Reports > Events > System Events**. Logs are kept until they meet maximum log age criteria. For details, see ["Event collection in Deep Security" on page 739](#).

**Note:** Events that appear on **Computers > Details > Application Control > Events** are not configured here. They are always logged.

4. If you want to forward event logs to a SIEM, or syslog server, select **Forward**.
5. If you use an external SIEM, you may need to load the list of possible application control event logs, and indicate what action to take. For a list of application control events, see ["System events" on page 862](#).

## View application control event logs

Application control generates system events and security events:

- **System event:** An audit event that provides a history of configuration changes or software updates. To see system events click **Events & Reports > Events > System Events**. For a list, see ["System events" on page 862](#).
- **Security event:** An event that occurs on the agent when application control blocks or allows unrecognized software, or blocks software due to a block rule. To see security events, click **Events & Reports > Events > Application Control Events > Security Events**.

## Interpret aggregated security events

When an agent heartbeat includes several instances of the same security event, Deep Security aggregates the events in the Security Events log. Event aggregation reduces the number of items in the log, making it easier to find important events:

- When the event occurs for the same file, which is usually the case, the log includes the file name with the aggregated event. For example, a heartbeat includes 3 instances of the "Execution of Unrecognized Software Allowed" event for the Test\_6\_file.sh file, and no other instances of that event. Deep Security aggregates these 3 events for the file Test\_6\_file.sh.

## Trend Micro Deep Security for Azure Marketplace 11.1

- When the event occurs for many files, the log omits the file names. For example, a heartbeat includes 21 instances of the "Execution of Unrecognized Software Allowed" event that occurred for several different files. Deep Security aggregates the 21 events in a single event, but does not include a file name.

When aggregated events apply to multiple files, other occurrences of these events have likely been reported in other heartbeats. After you respond to other events where the file name is known, it is likely that no more aggregated events occur.

In the log, aggregated events use special icons, and the **Repeat Count** column indicates the number of events that are aggregated.


TIME	COMPUTER	EVENT	RULES	RULESET	REPEAT COUNT	ACTION	REASON	FILE
October 6, 2017 10:31:...		Execution of Unrecognized Software Allowed	<a href="#">Change rules...</a>	None	1	Allowed	N/A	Test_4_file.sh
October 6, 2017 10:30:...		Execution of Unrecognized Software Allowed	<a href="#">Change rules...</a>	None	1	Allowed	N/A	Test_3_file.sh
October 6, 2017 10:31:...		Execution of Unrecognized Software Allowed	<a href="#">Change rules...</a>	None	2	Allowed	N/A	Test_1_file.sh
October 6, 2017 10:30:...		Execution of Unrecognized Software Allowed	<a href="#">Change rules...</a>	None	2	Allowed	N/A	Test_9_file.sh
October 6, 2017 10:31:...		Execution of Unrecognized Software Allowed	<a href="#">Change rules...</a>	None	2	Allowed	N/A	Test_5_file.sh
October 6, 2017 10:31:...		Execution of Unrecognized Software Allowed	<a href="#">Change rules...</a>	None	3	Allowed	N/A	Test_6_file.sh
October 6, 2017 10:30:...		Execution of Unrecognized Software Allowed	<a href="#">Change rules...</a>	None	1	Allowed	N/A	heartbeatSyn...
October 5, 2017 15:04:...		Execution of Unrecognized Software Allowed	<a href="#">Change rules...</a>	None	1	Allowed	N/A	Test_7_file.sh
October 5, 2017 15:04:...		Execution of Unrecognized Software Allowed	<a href="#">Change rules...</a>	None	1	Allowed	N/A	Test_3_file.sh
October 5, 2017 15:04:...		Execution of Unrecognized Software Allowed	<a href="#">Change rules...</a>	None	1	Allowed	N/A	Test_5_file.sh
October 5, 2017 15:04:...		Execution of Unrecognized Software Allowed	<a href="#">Change rules...</a>	None	1	Allowed	N/A	heartbeatSyn...
October 5, 2017 14:42:...		Execution of Unrecognized Software Allowed	N/A	None	21	Allowed	N/A	N/A

## Monitor application control alerts

To configure which application control events or severity levels cause an alert, go to the **Alerts** tab, click the **Configure Alerts** button, and then select an event and double-click **Properties**. For details, see "[Configure alerts](#)" on page 726.

When alerts are enabled for application control events, any software change that the application control engine detects and any software that it blocks from executing appear in the **Alerts** tab. If

you have enabled the **Alert Status** widget, application control alerts also appear on the Dashboard.



To monitor which computers are in maintenance mode, you can also click **Add/Remove Widgets** and enable the **Application Control Maintenance Mode** widget, which displays a list of the computers and their scheduled maintenance windows.

## View and change application control rulesets

Each computer has its own application control ruleset. You can:

- ["View application control rulesets" on the next page](#) and find out which rules they include.

**Tip:** When you first enable application control for a computer, the software installed on the computer is added to the computer's inventory and allowed to run. However, you cannot see the rules associated with the inventory from Deep Security Manager unless you use the Deep Security API to do so (see ["Use the API to create shared and global rulesets " on page 425](#)). In Deep Security Manager, a computer's ruleset appears empty until you create some allow/block rules for the computer.


## Trend Micro Deep Security for Azure Marketplace 11.1

- ["Change the action for an application control rule"](#) on the next page if a software file should no longer be allowed/blocked.
- ["Delete an individual application control rule"](#) on page 424 if the software has been removed and isn't likely to return.
- ["Delete an application control ruleset"](#) on page 424 if the computer associated with the ruleset has been removed.

**Tip:** If a user reports that application control is blocking software that they need to run on a particular computer, you can undo the block rule on that computer. Go to **Events & Reports > Application Control Events > Security Events**, find the computer, locate the block event, and then click **View Rules**. In the pop-up that appears, you can change the block rule to an allow rule.

## View application control rulesets

To view the list of application control rulesets, go to **Policies > Common Objects > Rules > Application Control Rulesets**.



The screenshot shows the Trend Micro Deep Security console interface. The top navigation bar includes Dashboard, Actions, Alerts, Events & Reports, Computers, Policies, and Administration. The left sidebar shows a tree view with Policies, Common Objects, Rules, and Application Control Rulesets. The main content area is titled "Application Control Rulesets" and includes a search bar and a "By Type" dropdown. Below this, there are buttons for Properties..., Delete..., and Columns... The table below lists the rulesets:

NAME	CREATED	LAST UPDATED
Local (2)		
[Icon] [Name]	October 18, 2016 15:03	October 18, 2016 15:03
[Icon] [Name]	October 18, 2016 13:32	October 18, 2016 14:12
Shared (15)		
[Icon] ActionableEventsSecurityEvent...	October 18, 2016 14:04	October 18, 2016 14:05
[Icon] ActionableEventsSecurityEvent...	October 18, 2016 14:06	October 18, 2016 14:07
[Icon] ActionableEventsSecurityEvent...	October 18, 2016 14:09	October 18, 2016 14:09
[Icon] ActionableEventsSecurityEvent...	October 18, 2016 14:05	October 18, 2016 14:06
[Icon] ActionableEventsSecurityEvent...	October 18, 2016 14:08	October 18, 2016 14:08
[Icon] inventoryName1476811733	October 18, 2016 13:31	October 18, 2016 13:31

## Trend Micro Deep Security for Azure Marketplace 11.1

To see which rules are part of a ruleset, double-click the ruleset and go to the **Rules** tab. The Rules tab displays the software files that have rules associated with them and enables you to change allow rules to block, and vice versa. (See ["Change the action for an application control rule" below](#).)

### Security Events

TIME	COMPUTER	EVENT	RULES	RULESET
February 16, 2018 12:4...	...	Execution of Unrecognized Software Allowed	<a href="#">View rules...</a>	None
February 16, 2018 12:3...	(...	Execution of Unrecognized Software Allowed	<a href="#">View rules...</a>	None
February 16, 2018 12:3...	...	Execution of Unrecognized Software Allowed	<a href="#">View rules...</a>	None
February 16, 2018 12:3...	...	Execution of Unrecognized Software Allowed	<a href="#">View rules...</a>	None
February 16, 2018 12:3...	...	Execution of Unrecognized Software Allowed	<a href="#">View rules...</a>	None
February 16, 2018 12:3...	...	Execution of Unrecognized Software Allowed	<a href="#">View rules...</a>	None

**Events & Reports > Events > Application Control Events > Security Events** displays all unrecognized software that either has been run on a computer or has been actively blocked from running. You can filter this list by time period and other criteria.

For each event (except aggregated events), you can click **View rules** to change the rule from Allow to Block or vice versa.

Deep Security Agent 10.2 or later includes event aggregation logic to reduce the volume of logs when the same event occurs repeatedly. (See ["Interpret aggregated security events" on page 418](#).)

### Change the action for an application control rule

If you want to allow a software that you previously blocked (or the opposite), you can edit the action in the rule. If you need to undo the rule so that the software is not recognized by

application control (in other words, delete the rule, not only change its action), see ["Delete an individual application control rule" on the next page](#) instead.

1. Go to **Policies > Common Objects > Rules > Application Control Rulesets**.
2. Double-click to select the ruleset that contains the rule that you want to change.
3. On the pop-up window that appears, go to the **Rules** tab.
4. If you want to focus on software that was blocked (or allowed), then in the menu next to **Application Control Rules**, select **By Action** or **By Path** to group similar rules. Alternatively, you can use the search to filter the list.

If you want to change the action for a software file, but it has multiple different file names or paths, select **By File Name** or **By Path** to group related rules.

The screenshot displays the 'Application Control Rules' interface. At the top, there are tabs for 'General', 'Rules', and 'Assigned To'. Below the tabs, the title 'Application Control Rules' is followed by a dropdown menu set to 'By Path' and a search bar. A search filter is applied to 'Action', with a dropdown menu open showing options: 'Select All (100)', 'Allow', 'Block', and 'Delete...'. Below the search bar, there are buttons for 'Allow', 'Block', 'Delete...', and 'Columns...'. The main area is a table with the following columns: ACTION, FILE NAME, SIZE, SHA256, USER (LAST CHANGE), and DATE/TIME (LAST CHANGE). The table is grouped by path, showing two sections: '/opt/bin/xapp (5)' and '/root (5)'. The first section contains five rows of rules, with a context menu open over the 'lib.so' row. The second section contains one row for '102\_eicar.sh'. At the bottom, there is a pagination bar showing 'Page 1 of 50' and navigation buttons. At the very bottom, there are 'OK', 'Cancel', and 'Apply' buttons.

ACTION	FILE NAME	SIZE	SHA256	USER (LAST CHANGE)	DATE/TIME (LAST CHANGE)
▼ /opt/bin/xapp (5)					
Block	zlib_codec.py	0 bytes	E2B0C442095C10140A5B...	root	
Block	kernel_2.6.32-43...	0 bytes	E...	wheel	
Allow	lib.so	21 bytes	E...	root	
Block	init.sh	0 bytes	E...	root	
Block	ManagerBean.java	0 bytes	E...	wheel	
▼ /root (5)					
Block	102_eicar.sh	207 bytes	E91C277659991D77CF94...	beeker	October 13, 2016 10:56

5. Find the row for the specific software that you want to allow or block.
6. In the **Action** column, change the setting to allow or block, then click **OK**.

The next time that the agent connects with Deep Security Manager, the rule will be updated, and the version number will increase.

### Delete an individual application control rule

If you want to undo a rule that you created, go to **Policies > Common Objects > Rules > Application Control Rulesets**, double-click the ruleset that contains the rule, go to the **Rules** tab, select the rule and then click **Delete**.

Some things to keep in mind:

- When the rules are not needed anymore, you can delete them to reduce the size of the ruleset. This improves performance by reducing RAM and CPU usage.
- If you delete a rule, application control will not recognize the software anymore. If the software is installed again, it will appear again on the **Actions** tab.
- If a software update is unstable and you might need to downgrade, keep rules that allow rollback to the previous software version until you have completed testing.
- To find the oldest rules, go to **Policies > Rules > Application Control Rulesets**, then click **Columns**. Select **Date/Time (Last Change)**, click **OK**, and then click that column's header to sort by date.

### Delete an application control ruleset

If an application control ruleset is not being used anymore (for example, if the computer associated with the ruleset no longer exists), you can delete it.

To delete a ruleset, go to **Policies > Rules > Application Control Rulesets**, click a ruleset to select it, and click **Delete**.

### Reset application control after too much software change

For an overview of application control, see ["Lock down software with application control" on page 400](#).

Application control is intended for use on stable servers that are not updated frequently, and not for workstations or servers that undergo a lot of software changes.

Too many changes make large rulesets that consume more RAM, unless you remove old rules. If you don't use maintenance mode during authorized software updates, too many changes can also result in high administrator workload because they must manually create allow rules for each change.

**If unrecognized software changes exceed the maximum, application control will stop detecting and displaying all of the computer's software changes.** This stoppage is designed to prevent out-of-memory and disk space errors that can occur if the ruleset grows too large.

When a stoppage occurs, Deep Security Manager will notify you through an alert ("Unresolved software change limit") and an event log ("Unresolved software change limit reached"). You must resolve the issue to continue detecting software changes.

1. Examine the computer's processes and security events. Verify that the computer has not been compromised. If you are not sure, or do not have enough time, the safest and fastest way is to restore the system from a backup or VM snapshot.

**Warning:** If you don't remove any unauthorized software (including zero-day malware), application control will ignore it when you reset application control. It won't appear on the Actions tab anymore and if its process has already executed and it is in RAM, application control won't log any events or alerts about it until you reboot the computer.

2. If the computer was running software updates, including auto-updates (for example, browser, Adobe Reader, or yum auto-updates), disable them or schedule them so that they occur only when you have enabled application control's maintenance mode (see "[Turn on maintenance mode when making planned changes](#)" on page 413).
3. Reset application control. To do this, disable application control in the **Computer editor**<sup>1</sup>. Once the agent has acknowledged it and cleared the error status, enable application control again. The agent generates a new software inventory allow list.

## Use the API to create shared and global rulesets

For an overview of application control, see "[Lock down software with application control](#)" on page 400. For initial configuration instructions, see "[Set up application control](#)" on page 409.

---

<sup>1</sup>To open the Computer editor, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

Using the Deep Security Manager interface, you can create a local, individual ruleset for each computer that you are protecting. Using the Deep Security API, you can also create shared rulesets and global rulesets. You can use one type of ruleset, or a combination.

- **Local ruleset:** Rules that are added as part of a computer's software inventory or when in maintenance mode are stored only on the protected computer and are not visible in Deep Security Manager. Allow or block rules that you configure in Deep Security Manager are sent to the agent and stored in both places. Because agents don't transfer their inventory information to the manager, local rulesets offer better performance than shared rulesets.

To determine whether software is new or has changed, Deep Security 10.x agents compare the file with the initially installed software's SHA-256 hash, file size, path, and file name (they have a "file-based" local ruleset). Deep Security 11.x agents compare only the file's SHA-256 hash and file size (they have a "hash-based" local ruleset). Because the rules created by Deep Security 11.x agents compare only the unique hash and file size, a rule will continue to be applied even if the software file is renamed or moved. As a result, using Deep Security 11.x agents reduces the number of software changes that you need to deal with. A Deep Security 10.x agent continues to use a file-based local ruleset until it is upgraded to Deep Security 11.0 or newer. When you upgrade an agent to version 11.0 or newer, its local ruleset is converted to use hash-based rules.

**Note:** If there are multiple file-based rules for the same hash value, they are consolidated into one hash-based rule. If the rules being consolidated conflict with each other (one rule blocks the file and another allows it), the new hash-based rule will be an "allow" rule.

- **Shared ruleset:** Syncs all of its rule data onto both agents and manager (and also relays, [if enabled](#)). This increases network and disk space usage. However, it may be easier if you need to verify the rules from the initial inventory scan or maintenance mode, or if you manage a server farm with many computers that should be identical. For example, if you have a server pool of identical LAMP web servers, or if they are virtual machines (VMs) that are part of an auto-scaling group, shared rulesets can be useful. It can also reduce administrator workload. To create a shared ruleset, see "[Create a shared ruleset](#)" on page 428.

**Warning:** Don't use a shared ruleset if you enabled **Block unrecognized software until it is explicitly allowed**, and if computers are merely similar (but not identical). It will block all software on other computers that isn't in the first computer's ruleset. If those include critical files, it could break the OS. If that happens, you may be required to reinstall, revert to a backup, or use the OS recovery mode.

When you create a new shared ruleset using Deep Security 11.1 or newer, it can only contain hash-based rules (rules that compare only a file's hash and size). If you created a shared ruleset using Deep Security 11.0 or earlier, it contains file-based rules (rules that compare a file's name, path, size, and hash). Older shared rulesets will continue to use file-based rules until all agents using the shared ruleset are upgraded to Deep Security Agent 11.0 or newer. When all agents are version 11.0 or newer, the shared ruleset will be converted to use hash-based rules.

**Warning:** Don't create a new shared ruleset unless all agents using the ruleset are version 11.0 or newer. New shared rulesets are hash-based and are not compatible with 10.3 or earlier agents, which support only file-based rulesets.

**Note:** If there are multiple file-based rules for the same hash value, they are consolidated into one hash-based rule. If the rules being consolidated conflict with each other (one rule blocks the file and another allows it), the new hash-based rule will be an "allow" rule.

- **Global ruleset:** Like shared rulesets, global rulesets are distributed to agents by the manager (and also relays, [if enabled](#)). This increases network and disk space usage. However, because they are global, you don't need to spend time selecting them in each policy. Global rules aren't part of the rulesets you can see in Deep Security Manager. To view them, use the API. (See ["Use the Deep Security API to automate tasks" on page 216.](#)) Global rulesets can only contain block rules, not allow rules.

Global rulesets require Deep Security Agent 10.2 or newer. The manager will not send the global ruleset to older agents. Global rulesets take precedence over all other application control rules and are enforced on all computers where application control is enabled. The rules in global rulesets are based on a file's SHA-256 hash. Because a software file's hash

is unique, you can block specific software everywhere - regardless of file path, policy, or computer group, and regardless of whether application control has detected the software before.

**Note:** In a multi-tenant deployment, each tenant has a separate global ruleset. To block software for all tenants, create the same global rules for each tenant.

In this article:

- ["Create a shared ruleset" below](#)
- ["Change from shared to computer-specific allow and block rules" on the next page](#)
- ["Deploy application control shared rulesets via relays" on page 430](#)
- ["Considerations when using relays with share rulesets" on page 431](#)

### Create a shared ruleset

You can use the API to create shared allow or block rules and apply the ruleset to other computers. This can be useful if you have many identical computers (such as a load balanced web server farm). **Shared rulesets should be applied only to computers with the exact same inventory.**

1. Use the API to build a computer's shared allow and block rules. For more information, see ["Use the Deep Security API to automate tasks" on page 216](#). If you want to examine the shared ruleset before you deploy it, see ["View and change application control rulesets" on page 420](#).
2. Go to **Computer or Policy editor**<sup>1</sup> > Application Control.
3. In the ruleset section, make sure **Inherit settings** is not selected and then select **Use a shared ruleset**. Indicate which shared rules to use.

**Note:** These settings are hidden until you use the API to create at least one shared

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

ruleset. If you haven't created any shared rulesets, or if you keep the default settings, each computer will keep its own allow and block rules locally. Changes to local rules don't affect other computers.

#### 4. Click **Save**.

The next time that the Deep Security Agent on the computer connects with Deep Security Manager, the agent applies those rules.

If you see an error saying that the ruleset upload was not successful, verify that network devices between the agent and the manager or relay allow communications on the [heartbeat port number](#) or [relay port numbers](#).

## Change from shared to computer-specific allow and block rules

If the computer is currently using shared allow or block rules created via the [API](#), you can change it to use local rules. Application control will scan the file system for all currently installed software and create an initial ruleset for it, similarly to when you first enabled application control.

**Warning:** Before you start, verify that only good software is currently installed. Rebuilding the ruleset will allow all currently installed software, even if it is insecure or malware. If you are not sure what is installed, the safest approach is to make a clean install and then enable application control.

The steps below configure a computer's agent to use a local ruleset. If you want all computers to use local rules, edit the setting in the **Policies** tab instead.

1. Go to **Computer editor**<sup>1</sup> > **Application Control**.
2. In the ruleset section, deselect **Inherit settings** (if necessary), and then select **Use local ruleset initially based on installed software**.
3. Click **Save**.

To verify the change, the next time the agent and Deep Security Manager connect, look for [event log messages about building the application control ruleset](#).

---

<sup>1</sup>To open the Computer editor, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

## Deploy application control shared rulesets via relays


Each time you create an application control ruleset or change it, it must be distributed to all computers that use it. Shared rulesets are bigger than local rulesets. Shared rulesets are also often applied to many servers. If they all downloaded the ruleset directly from the manager at the same time, high load could cause slower performance. Global rulesets have the same considerations.

Using Deep Security Relays can solve this problem. (For information on configuring relays, see ["Distribute security and software updates with relays"](#) on page 189.)

Steps vary depending whether or not you have a multi-tenant deployment.


### Single tenant deployments

Go to **Administration > System Settings > Advanced** and then select **Serve application control rulesets from relays**.



## Multi-tenant deployments

The primary tenant (t0) can't access other tenants' (tN) configurations, so t0 relays don't have tN application control rulesets. Other tenants (Tn) must create their own [relay group](#), then select **Serve application control rulesets from relays**.



## Considerations when using relays with share rulesets

Before using relays, verify that they are compatible with your deployment. If the agent doesn't have any previously downloaded ruleset currently in effect, and **if it doesn't receive new application control rules, then the computer won't be protected by application control**. If application control ruleset download fails, a ruleset download failure event will be recorded on the manager and on the agent.

- If you are using a proxy to connect agents to a manager, you must use a relay.

**Note:** In Deep Security Agent 10.0 GM and earlier, agents didn't have support for connections through a proxy to relays. If a ruleset download fails due to a proxy, and if your agents require a proxy to access the relay or manager (including Deep Security as a Service), then you must either:

- [update agents' software](#), then [configure the proxy](#)
- bypass the proxy

- add a relay and then select **Serve application control rulesets from relays**

- If you are using shared or global rulesets, a relay can result in faster performance.
- If you are using local rulesets, a relay can cause slower performance,
- Do not use a relay with multi-tenant configurations when non-primary tenants (tN) use the default, primary (t0) relay group.

## Protect against malware

The Deep Security anti-malware module provides agent computers with both real-time and on-demand protection against file-based threats, including malware, viruses, Trojans, and spyware. To identify threats, the anti-malware module checks files on the local hard drive against a comprehensive threat database. The anti-malware module also checks files for certain characteristics, such as compression and known exploit code.

Portions of the threat database are hosted on Trend Micro servers or are stored locally as patterns. Deep Security Agents periodically download anti-malware patterns and updates to ensure protection against the latest threats.

**Note:** A newly installed Deep Security Agent cannot provide anti-malware protection until it has contacted an update server to download anti-malware patterns and updates. Ensure that your Deep Security Agents can communicate with a Deep Security Relay or the Trend Micro Update Server after installation.

The anti-malware module eliminates threats while minimizing the impact on system performance. The anti-malware module can clean, delete, or quarantine malicious files. It can also terminate processes and delete other system objects that are associated with identified threats.

To turn on and configure the anti-malware module, see ["Enable and configure anti-malware" on page 440](#).

- ["Types of malware scans" on the next page](#)
- ["Malware scan configurations" on page 435](#)

- ["Malware events" on page 435](#)
- ["SmartScan" on page 436](#)
- ["Predictive Machine Learning" on page 436](#)
- ["Types of malware scans" below](#)

## Types of malware scans

The anti-malware module performs several types of scans. See also ["Select the types of scans to perform" on page 441](#).

### Real-time scan

Scan immediately each time a file is received, opened, downloaded, copied, or modified, Deep Security scans the file for security risks. If Deep Security detects no security risk, the file remains in its location and users can proceed to access the file. If Deep Security detects a security risk, it displays a notification message that shows the name of the infected file and the specific security risk.

Real-time scans are in effect continuously unless another time period is configured using the Schedule option.

**Tip:** You can configure real-time scanning to run when it will not have a large impact on performance; for example, when a file server is scheduled to back up files.

This scan can run on all platforms supported by the anti-malware module.

### Manual scan

Runs a full system scan on all processes and files on a computer. The time required to complete a scan depends on the number of files to scan and the computer's hardware resources. A manual scan requires more time than a Quick Scan.

A manual scan executes when **Full Scan for Malware** is clicked.

This scan can be run on all platforms supported by the anti-malware module.

### Scheduled scan

Runs automatically on the configured date and time. Use scheduled scan to automate routine scans and improve scan management efficiency.

A scheduled scan runs according to the date and time you specify when you create a **Scan computers for Malware task** using scheduled tasks (see "[Schedule Deep Security to perform tasks](#)" on page 218).

This scan can be run on all platforms supported by the anti-malware module.

### Quick scan

Only scans a computer's critical system areas for currently active threats. A Quick Scan will look for currently active malware but it will not perform deep file scans to look for dormant or stored infected files. It is significantly faster than a Full Scan on larger drives. Quick scan is not configurable.

A Quick Scan runs when you click **Quick Scan for Malware**.

**Note:** Quick Scan can run only on Windows computers.

### Scan objects and sequence

The following table lists the objects scanned during each type of scan and the sequence in which they are scanned.

Targets	Full Scan (Manual or Scheduled)	Quick Scan
Drivers	1	1
Trojan	2	2
Process Image	3	3
Memory	4	4
Boot Sector	5	-

Targets	Full Scan (Manual or Scheduled)	Quick Scan
Files	6	5
Spyware	7	6

## Malware scan configurations

Malware scan configurations are sets of options that control the behavior of malware scans. When you configure anti-malware using a policy or for a specific computer, you select a malware scan configuration to use. You can create several malware scan configurations and use them with different policies when different groups of computers have different scan requirements.

Real-time, manual, and scheduled scans all use malware scan configurations. Deep Security provides a default malware scan configuration for each type of scan. These scan configurations are used in the default security policies. You can use the default scan configurations as-is, modify them, or create your own.

**Note:** Quick Scans are not configurable, and do not use malware scan configurations.

You can specify which files and directories are included or excluded during a scan and which actions are taken if malware is detected on a computer (for example, clean, quarantine, or delete).

For more information, see ["Configure malware scans" on page 443](#).

## Malware events

When Deep Security detects malware it triggers an event that appears in the event log. From there you can see information about the event, or create an exception for the file in case of false positives. You can also restore quarantined files that are actually benign. (See ["Anti-malware events" on page 886](#) and ["Handle malware" on page 471](#).)

## SmartScan

Smart Scan uses threat signatures that are stored on Trend Micro servers and provides several benefits:

- Provides fast, cloud-based, real-time security status lookups
- Reduces the time required to deliver protection against emerging threats
- Reduces network bandwidth consumed during pattern updates (bulk of pattern definition updates only need to be delivered to the cloud, not to many computers)
- Reduces cost and overhead of corporate-wide pattern deployments
- Lowers kernel memory consumption on computers (consumption increases minimally over time)

When Smart Scan is enabled, Deep Security first scans locally for security risks. If Deep Security cannot assess the risk of the file during the scan, it will try to connect to a local Smart Scan server. If no local Smart Scan Server is detected, Deep Security will attempt to connect to the Trend Micro Global Smart Scan server. For more information on this feature, see ["Smart Protection in Deep Security" on page 468](#).

## Predictive Machine Learning

Deep Security provides enhanced malware protection for unknown threats and zero-day attacks through Predictive Machine Learning. Trend Micro Predictive Machine Learning uses advanced machine learning technology to correlate threat information and perform in-depth file analysis to detect emerging security risks through digital DNA fingerprinting, API mapping, and other file features.

Predictive Machine Learning is effective in protecting against security breaches that result from targeted attacks using techniques such as phishing and spear phishing. In these cases, malware that is designed specifically to target your environment can bypass traditional malware scanning techniques.

During real-time scans, when Deep Security detects an unknown or low-prevalence file, Deep Security scans the file using the Advanced Threat Scan Engine (ATSE) to extract file features. It then sends the report to the Predictive Machine Learning engine which is hosted on the Trend

## Trend Micro Deep Security for Azure Marketplace 11.1

Micro Smart Protection Network. Through the use of malware modeling, Predictive Machine Learning compares the sample to the malware model, assigns a probability score, and determines the probable malware type that the file contains.

If the file is identified as a threat, Deep Security quarantines the file to prevent the threat from continuing to spread across your network.

For information about using Predictive Machine Learning, see "[Detect emerging threats using Predictive Machine Learning](#)" on page 459.

## Malware types

The anti-malware module protects against many file-based threats. See also "[Scan for specific types of malware](#)" on page 444 and "[Configure how to handle malware](#)" on page 453

### Virus

Viruses infect files by inserting malicious code. Typically, when an infected file is opened the malicious code automatically runs and delivers a payload in addition to infecting other files.

Below are some of the more common types of viruses:

- **COM and EXE infectors** infect DOS and Windows executable files, which typically have COM and EXE extensions.
- **Macro viruses** infect Microsoft Office files by inserting malicious macros.
- **Boot sector viruses** infect the section of hard disk drives that contain operating system startup instructions

The anti-malware module uses different technologies to identify and clean infected files. The most traditional method is to detect the actual malicious code that is used to infect files and strip infected files of this code. Other methods include regulating changes to infectable files or backing up such files whenever suspicious modifications are applied to them.

### Trojans

Some malware does not spread by injecting code into other files. Instead, it has other methods or effects:

- **Trojans:** Malware files that execute and infect the system when opened (like the mythological Trojan horse).
- **Backdoors:** Malicious applications that open port numbers to allow unauthorized remote users to access infected systems.
- **Worms:** Malware programs that use the network to propagate from system to system. Worms are known to propagate by taking advantage of social engineering through attractively packaged email messages, instant messages, or shared files. They are also known to copy themselves to accessible network shares and spread to other computers by exploiting vulnerabilities.
- **Network viruses:** Worms that are memory-only or packet-only programs (not file-based). Anti-malware is unable to detect or remove network viruses.
- **Rootkits:** File-based malware that manipulate calls to operating system components. Applications, including monitoring and security software, need to make such calls for very basic functions, such as listing files or identifying running processes. By manipulating these calls, rootkits are able to hide their presence or the presence of other malware.

## Packer

Packers are compressed and encrypted executable programs. To evade detection, malware authors often pack existing malware under several layers of compression and encryption. Anti-malware checks executable files for compression patterns associated with malware.

## Spyware/grayware

Spyware and grayware comprises applications and components that collect information to be transmitted to a separate system or collected by another application. Spyware/grayware detections, although exhibiting potentially malicious behavior, may include applications used for legitimate purposes such as remote monitoring. Spyware/grayware applications that are inherently malicious, including those that are distributed through known malware channels, are typically detected as other Trojans.

Spyware and grayware applications are typically categorized as:

- **Spyware:** software installed on a computer to collect and transmit personal information.
- **Dialers:** malicious dialers are designed to connect through premium-rate numbers causing unexpected charges. Some dialers also transmit personal information and download malicious software.
- **Hacking tools:** programs or sets of programs designed to assist unauthorized access to computer systems.
- **Adware (advertising-supported software):** any software package that automatically plays, displays, or downloads advertising material.
- **Cookies:** text files stored by a Web browser. Cookies contain website-related data such as authentication information and site preferences. Cookies are not executable and cannot be infected; however, they can be used as spyware. Even cookies sent from legitimate websites can be used for malicious purposes.
- **Keyloggers:** software that logs user keystrokes to steal passwords and other private information. Some keyloggers transmit logs to remote systems.

### What is grayware?

Although they exhibit what can be intrusive behavior, some spyware-like applications are considered legitimate. For example, some commercially available remote control and monitoring applications can track and collect system events and then send information about these events to another system. System administrators and other users may find themselves installing these legitimate applications. These applications are called "grayware".

To provide protection against the illegitimate use of grayware, the anti-malware module detects grayware but provides an option to "approve" detected applications and allow them to run.

### Cookie

Cookies are text files stored by a web browser, transmitted back to the web server with each HTTP request. Cookies can contain authentication information, preferences, and (in the case of stored attacks from an infected server) SQL injection and XSS exploits.

## Other threats

Other threats includes malware not categorized under any of the malware types. This category includes joke programs, which display false notifications or manipulate screen behavior but are generally harmless.

## Possible malware

Possible malware is a file that appears suspicious but cannot be classified as a specific malware variant. When possible malware is detected, Trend Micro recommends that you contact your support provider for assistance in further analysis of the file. By default, these detections are logged and files are anonymously sent back to Trend Micro for analysis.

## Enable and configure anti-malware

To use anti-malware, perform these basic steps:

1. ["Turn on the anti-malware module" on the next page.](#)
2. ["Select the types of scans to perform" on the next page.](#)
3. ["Configure scan exclusions" on the next page](#)
4. ["Ensure that Deep Security can keep up to date on the latest threats" on page 442.](#)

When you have completed these steps, review ["Configure malware scans" on page 443](#) and refine the anti-malware scan behavior.

**Tip:** For most anti-malware settings, you can either configure them for each individual computer or in a policy that applies to multiple computers (for example, to all Windows 2008 Servers). To make management easier, configure the settings in the policy (not individual computers) wherever possible. For more information, see ["Policies, inheritance, and overrides" on page 300.](#)

**Tip:** CPU usage and RAM usage varies by your anti-malware configuration. To optimize anti-malware performance on Deep Security Agent, see ["Performance tips for anti-malware" on page 456.](#)

For an overview of the anti-malware feature, see ["Protect against malware" on page 432.](#)

## Turn on the anti-malware module

1. Go to **Policies**.
2. Double-click the policy for which you want to enable anti-malware.
3. Go to **Anti-Malware > General**.
4. From **Anti-Malware State**, select **On**.
5. Click **Save**.

## Select the types of scans to perform

When anti-malware is turned on, Deep Security needs to know what type of scans it should perform (see "[Types of malware scans](#)" on page 433).

1. Go to **Policies**.
2. Double-click the policy to configure.
3. Click **Anti-Malware > General**.
4. Enable or disable each type of scan:
  - a. To perform the scan using default settings, select **Default**.
  - b. To perform the scan using a malware scan configuration that you can customize, select a malware scan configuration.
  - c. To disable the scan, for the malware scan configuration select **No Configuration**.
5. Click **Save**.

**Tip:** Trend Micro recommends that you configure Deep Security to perform weekly scheduled scans on all protected servers. You can do this using Scheduled Tasks. (See "[Schedule Deep Security to perform tasks](#)" on page 218.)

## Configure scan exclusions

To reduce scanning time and minimize the use of computing resources, you can configure Deep Security malware scans to exclude specific folders, files, and file types from all types of scans. You can also exclude process image files from real-time malware scans that are run on Windows servers.

All of these exclusions are specified by selecting exclusion lists on the **Exclusions** tab of the Malware Scan Configuration editor. See "[Specify the files to scan](#)" on page 447.

**Tip:** If any performance-related issues are experienced when Deep Security anti-malware protection is enabled, you can use exclusions to help troubleshoot these issues by excluding specific folders or files from scanning.

### Ensure that Deep Security can keep up to date on the latest threats

To remain effective against new viruses and exploits, Deep Security Agents need to be able to download the latest software and security update packages from Trend Micro or indirectly, from your own Relay. These packages contain threat definitions and patterns. Relay-enabled agents, organized into relay groups (also managed and configured by the Deep Security Manager) retrieve security updates from Trend Micro, and then distribute them to other agents and appliances.

1. Go to **Administration > System Settings > Updates**.
2. Configure Deep Security's ability to retrieve security updates from Trend Micro. Make sure you have at least one relay-enabled agent, and it is assigned to the appropriate agents and appliances.

To determine if a Deep Security Agent is a relay, next to a computer, click **Preview**.

The screenshot shows the Deep Security interface. At the top, there is a header bar with the IP address '10.52.116.17', a location 'Location: current physical mac...', and other details like 'Red Hat Enter...', 'Linux Server', and 'Managed'. A 'Preview' button is visible next to the IP address. Below this, a detailed view of the agent is shown. The agent is named 'Agent' and is 'Managed (Online)'. A list of security features and their status is displayed:

Feature	Status
Anti-Malware	On, Real Time
Web Reputation	On
Firewall	On, 16 rules
Intrusion Prevention	On, Prevent, 60 rules
Integrity Monitoring	On, 25 rules
Log Inspection	On, 7 rules
Application Control	On

A red box highlights a 'Relay 92 components available' status in the top right corner of the preview window.

3. Go to **Administration > Scheduled Tasks**.
4. Verify that there is a scheduled task to regularly download available updates for both security and software updates.

### Configure malware scans

Malware scan configurations are reusable saved settings that you can apply when configuring anti-malware in a policy or for a computer. A malware scan configuration specifies what types of malware scanning Deep Security performs and which files it scans. Some policy properties also affect the behavior of malware scans.

- ["Create or edit a malware scan configuration" below](#)
- ["Scan for specific types of malware" on the next page](#)
- ["Specify the files to scan" on page 447](#)
- ["Specify when real-time scans occur" on page 452](#)
- ["Configure how to handle malware" on page 453](#)
- ["Identify malware files by file hash digest" on page 455](#)
- ["Configure notifications on the computer" on page 455](#)

The Deep Security [Best Practice Guide](#) also provides several recommendations for configuration malware scans.

**Tip:** CPU usage and RAM usage varies by your anti-malware configuration. To optimize anti-malware performance on the Deep Security Agent, see ["Performance tips for anti-malware" on page 456](#).

### Create or edit a malware scan configuration

Create or edit a malware scan configuration to control the behavior of a real-time, manual, or scheduled scan. (For more information, see ["Malware scan configurations" on page 435](#).) You can create multiple malware scan configurations as required.

- After you create a malware scan configuration, you can then associate it with a scan in a policy or computer (see ["Select the types of scans to perform" on page 441](#))

- When you edit a malware scan configuration that a policy or computer is using, the changes affect the scans that are associated with the configuration.

**Tip:** To create a malware scan configuration that is similar to an existing one, duplicate the existing configuration and then edit it.

You can create two types of malware scan configurations according to the type of scan it controls (see "[Types of malware scans](#)" on page 433):

- **Real-time scan configuration:** Controls real-time scans. Some actions such as **Deny Access** are only available to real-time scan configurations
- **Manual/scheduled scan configuration:** Controls either manual or scheduled scans. Some options such as **CPU Usage** are only available to manual/scheduled scan configurations

Deep Security provides a default malware scan configuration for each type of scan.

1. Go to **Policies > Common Objects > Other > Malware Scan Configurations**.
2. To create a scan configuration, click **New** and then click **New Real-Time Scan Configuration** or **New Manual/Scheduled Scan Configuration**.
  - a. Type a name to identify the scan configuration. You see the name in a list when configuring malware scans in a policy.
  - b. (Optional) Type a description that explains the use case for the configuration.
3. To view and edit an existing scan configuration, select it and click **Properties**.
4. To duplicate a scan configuration, select it and click **Duplicate**.

**Tip:** To see the policies and computers that are using a malware scan configuration, see the **AssignedTo** tab of the properties.

### Scan for specific types of malware

- "[Scan for spyware and grayware](#)" on the next page
- "[Scan for compressed executable files \(real-time scans only\)](#)" on the next page
- "[Scan process memory \(real-time scans only\)](#)" on the next page
- "[Scan compressed files](#)" on page 446
- "[Scan embedded Microsoft Office objects](#)" on page 446

See also:

- ["Enhanced anti-malware and ransomware scanning with behavior monitoring" on page 460](#)

### Scan for spyware and grayware

When spyware and grayware protection is enabled, the spyware scan engine quarantines suspicious files when they are detected.

1. Open the properties of the malware scan configuration.
2. On the **General** tab, select **Enable spyware/grayware protection**.
3. Click **OK**.

To identify a specific file that the spyware scan engine should ignore, see ["Create anti-malware exceptions" on page 479](#).

### Scan for compressed executable files (real-time scans only)

Viruses often use real-time compression algorithms to attempt to circumvent virus filtering. The IntelliTrap feature blocks real-time compressed executable files and pairing them with other malware characteristics.

**Note:** Because IntelliTrap identifies such files as security risks and may incorrectly block safe files, consider quarantining (not deleting or cleaning) files when you enable IntelliTrap. (See ["Configure how to handle malware" on page 453](#).) If users regularly exchange real-time compressed executable files, disable IntelliTrap. IntelliTrap uses the virus scan engine, IntelliTrap Pattern, and IntelliTrap Exception Pattern.

1. Open the properties of the malware scan configuration.
2. On the **General** tab, select **Enable IntelliTrap**.
3. Click **OK**.

### Scan process memory (real-time scans only)

Monitor process memory in real time and perform additional checks with the Trend Micro Smart Protection network to determine whether a suspicious process is known to be malicious. If the

process is malicious, Deep Security terminates the process. For more information, see ["Smart Protection in Deep Security" on page 468](#)

1. Open the properties of the malware scan configuration.
2. On the **General** tab, select **Scan process memory for malware**.
3. Click **OK**.

### Scan compressed files

Extract compressed files and scan the contents for malware. When you enable the scan, you specify the maximum size and number of files to extract (large files can affect performance). You also specify the levels of compression to inspect so that you can scan compressed files that reside inside compressed files. Level 1 compression is a single compressed file. Compressed files inside that file are level two. You can scan a maximum of 6 compression levels, however higher levels can affect performance.

1. Open the properties of the malware scan configuration.
2. On the **Advanced** tab, select **Scan compressed files**.
3. Specify the maximum size of content files to extract, in MB, the levels of compression to scan, and the maximum number of files to extract.
4. Click **OK**.

### Scan embedded Microsoft Office objects

Certain versions of Microsoft Office use Object Linking and Embedding (OLE) to insert files and other objects into Office files. These embedded objects can contain malicious code.

Specify the number of OLE layers to scan to detect objects that are embedded in other objects. To reduce the impact on performance, you can scan only a few layers of embedded objects within each file.

1. Open the properties of the malware scan configuration.
2. On the **Advanced** tab, select **Scan Embedded Microsoft Office Objects**.
3. Specify the number of OLE layers to scan.
4. Click **OK**.

### Specify the files to scan

To specify the files to scan for malware, identify files and directories to include in the scan and then of those files and directories, identify exclusions. You can also scan network directories:

- ["Inclusions" below](#)
- ["Exclusions" on the next page](#)
- ["Scan a network directory \(real-time scan only\)" on page 452](#)

### Inclusions

Specify the directories to scan as well as the files inside the directories to scan.

To identify directories to scan, you can specify all directories or a list of directories. The directory list uses patterns with a specific syntax to identify the directories to scan. (See ["Syntax for directory lists" on the next page.](#))

To identify the files to scan, use one of the following options:

- All files
- File types that are identified by IntelliScan. IntelliScan only scans file types that are vulnerable to infection, such as .zip or .exe. IntelliScan does not rely on file extensions to determine file type but instead reads the header and content of a file to determine whether it should be scanned. Compared to scanning all files, Intelliscan reduces the number of files to scan and improves performance.
- Files that have a file name extension that is included in a specified list: The file extension list uses patterns with a specific syntax. (See ["Syntax of file extension lists" on page 452.](#))

1. Open the properties of the malware scan configuration.
2. Click the **Inclusions** tab.
3. To specify the directories to scan, select **All directories** or **Directory List**.
4. If you selected Directory List, from the drop-down menu either select an existing list or select **New** to create one.
5. To specify the files to scan, select either **All files**, **File types scanned by IntelliScan**, or **File Extension List**.

6. If you selected File Extension List, from the drop-down menu either select an existing list or select **New** to create one.
7. Click **OK**.

### Exclusions

Exclude specific directories, files, and file extensions from being scanned. For real-time scans (except when performed by Deep Security Virtual Appliance), you can also exclude specific process image files from being scanned. For example, if you are creating a malware scan configuration for a Microsoft Exchange server, you should exclude the SMEX quarantine folder to avoid re-scanning files that have already been confirmed to be malware.

**Note:** If you choose to run malware scans on database servers used by Deep Security Manager, exclude the data directory. The Deep Security Manager captures and stores intrusion prevention data that might include viruses, which can trigger a quarantine by the Deep Security Agent, leading to database corruption.

To exclude directories, files, and process image files, you create a list that uses patterns to identify the item to exclude.

1. Open the properties of the malware scan configuration.
2. Click the **Exclusions** tab.
3. Specify the directories to exclude:
  - a. Select **Directory List**.
  - b. Select a directory list or select New to create one. (See "[Syntax for directory lists](#)" [below](#).)
  - c. If you created a directory list, select it in the directory list.
4. Similarly, specify the file list, file extension list, and process image file list to exclude. (See "[Syntax of file lists](#)" on page 450, "[Syntax of file extension lists](#)" on page 452, and "[Syntax of process image file lists \(real-time scans only\)](#):" on page 452.)
5. Click **OK**.

### Syntax for directory lists

**Note:** Directory list items accept either forward slash "/" or backslash "\" to support both Windows and Linux conventions.

## Trend Micro Deep Security for Azure Marketplace 11.1

Exclusion	Format	Description	Examples
Directory	DIRECTORY\	Excludes all files in the specified directory and all files in all subdirectories.	<b>C:\Program Files\</b> Excludes all files in the "Program Files" directory and all subdirectories.
Directory with wildcard (*)	DIRECTORY\*	Excludes all subdirectories except for the specified subdirectory and the files that it contains.	<b>C:\abc\*</b> Excludes all files in all subdirectories of "abc" but does not exclude the files in the "abc" directory.  <b>C:\abc\wx*z\</b> <i>Matches:</i> C:\abc\wxz\ C:\abc\wx123z\ <i>Does not match:</i> C:\abc\wxz C:\abc\wx123z  <b>C:\abc\*wx\</b> <i>Matches:</i> C:\abc\wx\ C:\abc\123wx\ <i>Does not match:</i> C:\abc\wx C:\abc\123wx
Directory with wildcard (*)	DIRECTORY*	Excludes any subdirectories with a matching name, but does not exclude the files in that directory and any subdirectories.	<b>C:\abc\*</b> <i>Matches:</i> C:\abc\ C:\abc\1 C:\abc\123 <i>Does not match:</i> C:\abc C:\abc\123\ C:\abc\123\456 C:\abx\ C:\xyz\  <b>C:\abc\*wx</b> <i>Matches:</i> C:\abc\wx C:\abc\123wx <i>Does not match:</i> C:\abc\wx\ C:\abc\123wx\  <b>C:\abc\wx*z</b>

Exclusion	Format	Description	Examples
			<p><i>Matches:</i> C:\abc\wxz C:\abc\wx123z</p> <p><i>Does not match:</i> C:\abc\wxz\ C:\abc\wx123z\  <b>C:\abc\wx*</b></p> <p><i>Matches:</i> C:\abc\wx C:\abc\wx\ C:\abc\wx12 C:\abc\wx12\345\ C:\abc\wxz\ <i>Does not match:</i> C:\abc\wx123z\  <b>C:\abc\wx*</b></p> <p><i>Matches:</i> C:\abc\wx C:\abc\wx\ C:\abc\wx12 C:\abc\wx12\345\ C:\abc\wxz\ <i>Does not match:</i> C:\abc\wx123z\  <b>C:\abc\wx*</b></p>
Environment variable	\${ENV VAR}	Excludes all files and subdirectories defined by an environment variable. For a Virtual Appliance, the value pairs for the environment variable must be defined in <b>Policy or Computer Editor &gt; Settings &gt; General &gt; Environment Variable Overrides</b> .	<p><b>\${windir}</b> If the variable resolves to "c:\windows", excludes all the files in "c:\windows" and all its subdirectories.</p>
Comments	DIRECTORY #Comment	Adds a comment to your exclusion definitions.	<p>c:\abc #Exclude the abc directory</p>

### Syntax of file lists

Exclusion	Format	Description	Example
File	FILE	Excludes all files with the specified file name regardless of its location or directory.	<p><b>abc.doc</b> Excludes all files named "abc.doc" in all directories. Does not exclude "abc.exe".</p>
File path	FILEPATH	Excludes the specific file specified by the file path.	<p><b>C:\Documents\abc.doc</b> Excludes only the file named "abc.doc" in the "Documents" directory.</p>
File path with wildcard (*)	FILEPATH	Excludes all the specific files specified by the file path.	<p>C:\Documents\abc.co* (For Windows Agent platforms only) Excludes any file that has file name of "abc" and extension beginning with ".co" in the "Documents" directory.</p>
File with wildcard (*)	FILE*	Excludes all files with a matching pattern in the file name.	<p><b>abc*.exe</b> Excludes any file that has prefix of "abc" and extension of ".exe".</p> <p><b>*.db</b> <i>Matches:</i> 123.db</p>

## Trend Micro Deep Security for Azure Marketplace 11.1

Exclusion	Format	Description	Example
			<p>abc.db  <i>Does not match:</i>                      123db                      123.abd                      cbc.dba</p> <p><b>*db</b>  <i>Matches:</i>                      123.db                      123db                      ac.db                      acdb                      db  <i>Does not match:</i>                      db123</p> <p><b>wxy*.db</b>  <i>Matches:</i>                      wxy.db                      wxy123.db  <i>Does not match:</i>                      wxydb</p>
File with wildcard (*)	FILE.EXT*	Excludes all files with a matching pattern in the file extension.	<p><b>abc.v*</b>                      Excludes any file that has file name of "abc" and extension beginning with ".v".</p> <p><b>abc.*pp</b>  <i>Matches:</i>                      abc.pp                      abc.app  <i>Does not match:</i>                      wxy.app</p> <p><b>abc.a*p</b>  <i>Matches:</i>                      abc.ap                      abc.a123p  <i>Does not match:</i>                      abc.pp</p> <p><b>abc.*</b>  <i>Matches:</i>                      abc.123                      abc.xyz  <i>Does not match:</i>                      wxy.123</p>
File with wildcard (*)	FILE*.EXT*	Excludes all files with a matching pattern in the file name and in the extension.	<b>a*c.a*p</b>

## Trend Micro Deep Security for Azure Marketplace 11.1

Exclusion	Format	Description	Example
			<i>Matches:</i> ac.ap a123c.ap ac.a456p a123c.a456p <i>Does not match:</i> ad.aa
Environment variable	\${ENV VAR}	Excludes files specified by an environment variable with the format \${ENV VAR}. These can be defined or overridden using <b>Policy or Computer Editor &gt; Settings &gt; General &gt; Environment Variable Overrides</b> .	<b>\${myDBFile}</b> Excludes the file "myDBFile".
Comments	FILEPATH #Comment	Adds a comment to your exclusion definitions.	C:\Documents\abc.doc #This is a comment

### Syntax of file extension lists

Exclusion	Format	Description	Example
File Extension	EXT	Matches all files with a matching file extension.	<b>doc</b> Matches all files with a ".doc" extension in all directories.
Comments	EXT #Comment	Adds a comment to your exclusion definitions.	doc #This a comment

### Syntax of process image file lists (real-time scans only):

Exclusion	Format	Description	Example
File path	FILEPATH	Excludes the specific Process Image file specified by the file path.	<b>C:\abc\file.exe</b> Excludes only the file named "file.exe" in the "abc" directory.

### Scan a network directory (real-time scan only)

If you want to scan files and folders in network shares and mapped network drives that reside in a Network File System (NFS), Server Message Block (SMB) or Common Internet File System (CIFS), select **Enable Network Directory Scan**. This option is available only for real-time scans.

**Note:** Resources accessed in "~/gvfs" via GVFS, a virtual file system available for the GNOME desktop, will be treated as local resources, not network drives.

### Specify when real-time scans occur

Choose between scanning files when they are opened for reading, when they are written to, or both.

## Trend Micro Deep Security for Azure Marketplace 11.1

1. Open the properties of the malware scan configuration.
2. On the **Advanced** tab, select one of the options for the **Real-Time Scan** property.
3. Click **OK**.

### Configure how to handle malware

Configure how Deep Security behaves when malware is detected:

- ["Customize malware remedial actions" below](#)
- ["Generate alerts for malware detection" on the next page](#)

### Customize malware remedial actions

When Deep Security detects malware, it performs a remedial action to handle the file. There are five possible actions that Deep Security can take when it encounters malware:

- **Pass:** Allows full access to the infected file without doing anything to the file. (An Anti-Malware Event will still be recorded.)
- **Clean:** Cleans a cleanable file before allowing full access to the file. (Not available for Possible Malware.)
- **Delete:** Deletes the infected file.
- **Deny Access:** This scan action can only be performed during Real-time scans. When Deep Security detects an attempt to open or execute an infected file, it immediately blocks the operation. If a malware scan configuration with the "Deny Access" option selected is applied during a Manual/Scheduled scan, a "Pass" action will be applied and an Anti-Malware Event will be recorded.
- **Quarantine:** Moves the file to the quarantine directory on the computer or Virtual Appliance. (Once quarantined, you can download the file to a location of your choice. See ["View and restore identified malware" on page 472](#) for more information.)

The default remediation actions in the malware scan configurations are appropriate for most circumstances. However, you can customize the actions to take when Deep Security detects malware. You can either use the action that ActiveAction determines, or specify the action for each type of vulnerability.

ActiveAction is a predefined group of cleanup actions that are optimized for each malware category. Trend Micro continually adjusts the actions in ActiveAction to ensure that individual detections are handled properly. (See "[ActiveAction actions](#)" below.)

1. Open the properties of the malware scan configuration.
2. On the **Advanced** tab, for **Remediation Actions** select Custom.
3. Specify the action to take:
  - a. To let ActiveAction decide which action to take, select **Use action recommended by ActiveAction**.
  - b. To specify an action for each type of vulnerability, select **Use custom actions**, and then select the actions to use.
4. Specify the action to take for Possible Malware.
5. Click **OK**.

### ActiveAction actions

The following table lists the actions that ActiveAction takes:

Malware Type	Action
<a href="#">"Virus" on page 437</a>	Clean
<a href="#">"Trojans" on page 437</a>	Quarantine
<a href="#">"Packer" on page 438</a>	Quarantine
<a href="#">"Spyware/grayware" on page 438</a>	Quarantine
<a href="#">"Cookie" on page 439</a>	Delete (Does not apply to real-time scans)
<a href="#">"Other threats" on page 440</a>	Clean
<a href="#">"Possible malware" on page 440</a>	ActiveAction

**Note:** When the agent downloads virus pattern updates from an ActiveUpdate server or relay, it may change its ActiveAction scan actions.

### Generate alerts for malware detection

When Deep Security detects malware, you can generate an alert.

1. Open the properties of the malware scan configuration.
2. On the **General** tab, for **Alert** select **Alert when this Malware Scan Configuration logs an event**.
3. Click **OK**.

### Identify malware files by file hash digest

Deep Security can calculate the hash value of a malware file and display it on the **Events & Reports > Events > Anti-Malware Events** page. Because a particular piece of malware can go by several different names, the hash value is useful because it uniquely identifies the malware. You can use the hash value when looking up information about the malware from other sources.

1. Open the policy or computer editor that you want to configure.
2. Click **Anti-Malware > Advanced**.
3. Under **File Hash Calculation**, clear the **Default** or **Inherited** check box. (**Default** is displayed for a root policy and **Inherited** is displayed for child policies).

**Note:** When **Inherited** is selected, the file hash settings are inherited from the current policy's parent policy.

**Note:** When **Default** is selected, Deep Security does not calculate any hash values.

4. Select the **Calculate hash values of all anti-malware events**.
5. By default, Deep Security will use produce SHA-1 hash values. If you want to produce additional hash values, you can select one or both of **MD5** and **SHA256**.
6. You can also change the maximum size of malware files that will have hash values calculated. The default is to skip files that are larger than 128MB, but you can change the value to anything between 64 and 512 MB.

### Configure notifications on the computer

On Windows-based agents, you might occasionally see onscreen notification messages alerting you of Deep Security actions you must take that are related to the anti-malware and web reputation modules. For example, you might see the message, `A reboot is required for Anti-Malware cleanup task`. You must click OK on the dialog box to dismiss it.

If you don't want these notifications to appear:

1. Go to the **Computer or Policy editor**<sup>1</sup>.
2. Click **Settings** on the left.
3. Under the **General** tab, scroll to the **Notifications** section.
4. Set **Suppress all pop-up notifications on host** to **Yes**. The messages still appear as alerts or events in Deep Security Manager. For more information about the notifier, see "[Deep Security Notifier](#)" on page 291.

## Performance tips for anti-malware

To improve system resources utilization on Deep Security Agent, you can optimize these performance-related settings according to best practices.

See also:

- "[Create anti-malware exceptions](#)" on page 479
- "[Identify malware files by file hash digest](#)" on the previous page

## Minimize disk usage

Reserve an appropriate amount of disk space for storing identified malware files. The space that you reserve applies globally to all computers: physical machines, virtual machines, and Deep Security Virtual Appliances. The setting can be overridden at the policy level and at the computer level.

**Tip:** Alerts are raised when there is not enough disk space to store an identified file.

1. Open the policy or computer editor that you want to configure.
2. Click **Anti-Malware > Advanced**.
3. Under **Identified Files**, clear **Default**.
4. Specify the disk space to use in the **Maximum disk space used to store identified files** box.
5. Click **Save**.

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

### Optimize CPU usage

- Exclude files from real-time scans if they are normally safe but have high I/O, such as databases, Microsoft Exchange quarantines, and network shares (on Windows, you can use [procmon](#) to find files with high I/O). See ["Exclusions" on page 448](#).
- Do not scan network directories. See ["Scan a network directory \(real-time scan only\)" on page 452](#)
- Do not use Smart Scan if the computer doesn't have reliable network connectivity to the Trend Micro Smart Protection Network or your Smart Protection Server. See ["Smart Protection in Deep Security" on page 468](#).
- Reduce the CPU impact of malware scans by setting CPU Usage to **Medium** (Recommended; pauses when overall CPU usage exceeds 50%,) or **Low** (Pauses when overall CPU usage exceeds 20%).
  - a. Open the properties of the malware scan configuration.
  - b. On the **Advanced** tab, select the **CPU Usage** during which scans run.
  - c. Click **OK**.
- Create a scheduled task to run scans at a time when CPU resources are more readily available. See ["Schedule Deep Security to perform tasks" on page 218](#).
- Reduce or keep small default values for the maximum file size to scan, maximum levels of compression from which to extract files, maximum size of individual extracted files, maximum number of files to extract, and OLE Layers to scan. See ["Scan for specific types of malware" on page 444](#).

**Warning:** Most malware is small, and nested compression indicates malware. But if you don't scan large files, there is a small risk that anti-malware won't detect some malware. You can mitigate this risk with other features such as integrity monitoring. See

- Use multi-threaded processing for manual and scheduled scans (real-time scans use multi-threaded processing by default). Multi-threaded processing is effective only on systems that support this capability. To apply the setting, after you have enabled it, restart the computer.

**Note:** Do not enable multi-threaded processing under the following circumstances:

- Resources are limited (for example, CPU-bound tasks)
- Resources should be held by only one operator at a time (for example, IO-bound tasks)

- a. Click **Policies**.
- b. Double-click to open the policy where you want to enable multi-threaded processing.
- c. Click **Anti-Malware > Advanced**.
- d. In the Resource Allocation for Malware Scans section, select **Yes**.
- e. Restart the computers on which you enabled multi-threaded processing for the setting to take effect.

**Note:** Multi-threaded processing may reduce the number of CPU cores available at a given time to the computer's other processes.

### Optimize RAM usage

- Reduce or keep small default values for the maximum file size to scan, maximum levels of compression from which to extract files, maximum size of individual extracted files, maximum number of files to extract, and OLE Layers to scan. See "[Scan for specific types of malware](#)" on page 444.

**Warning:** Most malware is small, and nested compression indicates malware. But if you don't scan large files, there is a small risk that anti-malware won't detect some malware. You can mitigate this risk with other features such as integrity monitoring. See "[Set up integrity monitoring](#)" on page 578

## Disable Windows Defender after installing Deep Security anti-malware on Windows Server 2016

When you install the Anti-Malware module for a Deep Security 10.0 Agent on Windows Server 2016, the agent will automatically disable Windows Defender, but not all of the Windows processes related to the Windows Defender service. To do so, you need to reboot Windows

Server 2016 after the Deep Security Anti-Malware module installation finishes. The Deep Security Agent will open a Windows message to let you know when to reboot.

**Note:** The agent will report a computer warning event ("Computer reboot is required for Anti-Malware protection") to the Deep Security Manager. This event will remain indefinitely, and will need to be manually dismissed by an administrator.

### Installing the Anti-Malware module when Windows Defender is already disabled

If you disable Windows Defender before installing the Deep Security Anti-Malware module, the Deep Security Agent will not open a Windows reboot message. However, you still need to reboot Windows Server 2016 to ensure that Deep Security Anti-malware functions correctly.

## Detect emerging threats using Predictive Machine Learning

Use Predictive Machine Learning to detect unknown or low-prevalence malware. (For more information, see ["Predictive Machine Learning" on page 436.](#))

Predictive Machine Learning uses the Advanced Threat Scan Engine (ATSE) to extract file features and sends the report to the Predictive Machine Learning engine, hosted on the Trend Micro Smart Protection Network. To enable Predictive Machine Learning, perform the following:

1. ["Ensure Internet connectivity" below](#)
2. ["Enable Predictive Machine Learning" on the next page](#)

As with all detected malware, Predictive Machine Learning logs an event when it detects malware. (See ["Event collection in Deep Security" on page 739.](#)) You can also create an exception for any false positives. (See ["Create anti-malware exceptions" on page 479.](#))

### Ensure Internet connectivity

Predictive Machine Learning requires access to the Global Census Service, Good File Reputation Service, and Predictive Machine Learning Service. These services are hosted in the cloud, in the Trend Micro Smart Protection Network. If your Deep Security Agents or Virtual Appliance cannot access the Internet directly, see ["Configure agents that have no Internet access" on page 166](#) for workarounds.

## Enable Predictive Machine Learning

Predictive Machine Learning is configured as part of a real-time scan configuration that is applied to a policy or individual computer. (See ["Configure malware scans" on page 443.](#)) After you configure the scan configuration, apply it to a policy or computer.

**Note:** Predictive Machine Learning protects only the files and directories that real-time scan is configured to scan. See ["Specify the files to scan" on page 447.](#)

These settings can only be applied to the real-time scan configuration for Windows computers.

1. Go to **Policies > Common Objects > Other > Malware Scan Configurations.**
2. Select the real-time scan configuration to configure and click **Details.**

You can also create a new real-time scan configuration if desired.

3. On the **General** tab, under **Predictive Machine Learning**, select **Enable Predictive Machine Learning.**
4. Click **OK.**
5. Open the policy or computer editor to which you want to apply the scan configuration and go to **Anti-Malware > General.**
6. Ensure that **Anti-Malware State** is **On** or **Inherited (On).**
7. In the **Real-Time Scan** section, select the malware scan configuration.
8. Click **Save.**

## Enhanced anti-malware and ransomware scanning with behavior monitoring

Deep Security provides security settings that you can apply to Windows machines that are protected by a Deep Security Agent to enhance your malware and ransomware detection and clean rate. These settings enable you to go beyond malware pattern matching and identify suspicious files that could potentially contain emerging malware that hasn't yet been added to the anti-malware patterns (known as a zero-day attack).

In this article:

- ["How does enhanced scanning protect you?"](#) below
- ["How to enable enhanced scanning"](#) on the next page
- ["What happens when enhanced scanning finds a problem?"](#) on page 463
- ["What if my agents can't connect to the Internet directly?"](#) on page 468

For an overview of the anti-malware module, see ["Protect against malware"](#) on page 432.

### How does enhanced scanning protect you?

**Threat detection:** To avoid detection, some types of malware attempt to modify system files or files related to known installed software. These types of changes often go unnoticed because the malware takes the place of legitimate files. Deep Security can monitor system files and installed software for unauthorized changes to detect and prevent these changes from occurring.

**Anti-exploit:** Malware writers can use malicious code to hook in to user mode processes in order to gain privileged access to trusted processes and to hide the malicious activity. Malware writers inject code into user processes through DLL injection, which calls an API with escalated privilege. They can also trigger an attack on a software exploit by feeding a malicious payload to trigger code execution in memory. In Deep Security, the anti-exploit functionality monitors for processes that may be performing actions that are not typically performed by a given process. Using a number of mechanisms, including Data Execution Prevention (DEP), Structured Exception Handling Overwrite Protection (SEHOP), and heap spray prevention, Deep Security can determine whether a process has been compromised and then terminate the process to prevent further infection.

**Extended ransomware protection:** Recently, ransomware has become more sophisticated and targeted. Most organizations have a security policy that includes anti-malware protection on their endpoints, which offers a level of protection against known ransomware variants; however, it may not be sufficient to detect and prevent an outbreak for new variants. The ransomware protection offered by Deep Security can protect documents against unauthorized encryption or modification. Deep Security has also incorporated a data recovery engine that can optionally create copies of files being encrypted to offer users an added chance of recovering files that may have been encrypted by a ransomware process.

## How to enable enhanced scanning

Enhanced scanning is configured as part of the anti-malware settings that are applied to a policy or individual computer. For general information on configuring anti-malware protection, see ["Enable and configure anti-malware" on page 440](#).

**Note:** These settings can only be applied to Windows machines that are protected by a Deep Security Agent.

The first step is to enable enhanced scanning in a real-time malware scan configuration:

1. In Deep Security Manager, go to **Policies > Common Objects > Other > Malware Scan Configurations**.
2. Double-click an existing real-time scan configuration to edit it (for details on malware scan configurations, see ["Configure malware scans" on page 443](#)).
3. On the **General** tab, select these options:
  - **Detect suspicious activity and unauthorized changes (incl. ransomware):** Enables the threat detection, anti-exploit, and ransomware detection features that are described above.
  - **Back up and restore ransomware-encrypted files:** When this option is selected, Deep Security will create backup copies of files that are being encrypted, in case they are being encrypted by a ransomware process.
4. Click **OK**.

**Note:** By default, real-time scans are set to scan all directories. If you change the scan settings to scan a directory list, the enhanced scanning may not work as expected. For example, if you set **Directories to scan** to scan "Folder1" and ransomware occurs in Folder1, it may not be detected if the encryption associated with the ransomware happens to files outside of Folder1.

Next, apply the malware scan configuration to a policy or an individual computer:

1. In the **Computer or Policy editor**<sup>1</sup>, go to **Anti-Malware > General**.
2. Ensure that the **Anti-Malware State** is **On** or **Inherited (On)**.
3. The General tab contains sections for **Real-Time Scan**, **Manual Scan**, and **Scheduled Scan**. In the appropriate sections, use the **Malware Scan Configuration** list to select the scan configuration that you created above.
4. Click **Save**.

### What happens when enhanced scanning finds a problem?

When Deep Security discovers activity or files that match the enhanced scan settings you have enabled, it will log an event (go to **Events & Reports > Events > Anti-Malware Events** to see a list of events). The event will be identified as "Suspicious activity" or "Unauthorized change" in the **Major Virus Type** column and details will be displayed in the **Target(s)** and **TargetType** columns.


Deep Security performs many types of checks related to the enhanced scan settings, and the actions that it takes depend on the type of check that finds an issue. Deep Security may "Deny Access", "Terminate", or "Clean" a suspicious object. These actions are determined by Deep Security and are not configurable, with the exception of the "Clean" action:

- **Deny Access:** When Deep Security detects an attempt to open or execute a suspicious file, it immediately blocks the operation and records an anti-malware event.
- **Terminate:** Deep Security terminates the process that performed the suspicious operation and records an anti-malware event.
- **Clean:** Deep Security checks the Malware Scan Configuration and performs the action specified for Trojans on the Actions tab. One or more additional events will be generated relating to the action performed on the Trojan files.

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

# Trend Micro Deep Security for Azure Marketplace 11.1



Double-click an event to see details:

<b>General</b>	<b>Tags</b>
<b>General Information</b>	
Computer:	(Win7 x64)
Origin:	Agent
<b>Malware Information</b>	
Detection Time:	July 12, 2016 19:02:41
Malware:	TM_MALWARE_BEHAVIOR
Infected File(s):	C:\test\BM_sample.scr
Scan Type:	Real Time
Action Taken:	Terminated
Reason:	<a href="#">Default Real-Time Scan Configuration</a>
Major Virus Type:	Suspicious Activity
<b>Behavior Monitoring Information</b>	
Target:	C:\Users\root\AppData\Roaming\Microsoft\Windows\Start Menu\Programs\Startup\StartupFile.exe
TargetType:	File System
<a href="#">&lt; Back</a> <a href="#">Next &gt;</a> <a href="#">Close</a>	

Events related to ransomware have an additional **Targeted Files** tab:

General	Targeted Files	Tags
<b>General Information</b>		
Computer:	[REDACTED] (Win7 x64)	
Origin:	Agent	
<b>Malware Information</b>		
Detection Time:	July 12, 2016 19:02:51	
Malware:	HEU_AEGIS_CRYPT	
Infected File(s):	c:\test\adc.exe	
Scan Type:	Real Time	
Action Taken:	Terminated	
Reason:	<a href="#">Default Real-Time Scan Configuration</a>	
Major Virus Type:	Unauthorized Change	
<b>Behavior Monitoring Information</b>		
Target:	Multiple	
TargetType:	File System	
<a href="#">&lt; Back</a>		<a href="#">Next &gt;</a>
<a href="#">Close</a>		

General Targeted Files Tags

**Targeted Files Information**

Export to CSV...

ATTACKING PROGRAM ^	TARGET	RESTORE RESULT
c:\test\adc.exe	c:\users\ds\documents\outloo...	Success
c:\test\adc.exe	c:\users\ds\documents\outloo...	Success
c:\test\adc.exe	c:\users\ds\documents\outloo...	Success

< Back Next > Close

If you investigate and find that an identified file is not harmful, you can right-click the event and click **Allow** to add the file to a scan exclusion list for the computer or policy. You can check the scan exclusion list in the policy or computer editor, under **Anti-Malware > Advanced > Behavior Monitoring Protection Exceptions**.

## What if my agents can't connect to the Internet directly?

The enhanced scanning features described in this article require Internet access to check files against the Global Census Server and Good File Reputation Service. If your Deep Security Agents cannot access the Internet directly, see ["Configure agents that have no Internet access" on page 166](#) for workarounds.

## Smart Protection in Deep Security

Smart Protection Network integration is available for your computers and workloads through anti-malware and web reputation modules. Smart Feedback, which is set at the system level, allows you to provide continuous feedback to the Smart Protection Network.

For more about Trend Micro's Smart Protection Network, see [Smart Protection Network](#).

In this topic:

- ["Anti-malware and Smart Protection" below](#)
- ["Web Reputation and Smart Protection" on page 470](#)
- ["Smart Feedback" on page 471](#)

See also [Deploy a Smart Protection Server in AWS](#) for AWS deployment instructions, and the [Smart Protection Server documentation](#) for instructions on manually deploying the server.

## Anti-malware and Smart Protection

- ["Enable Smart Scan" below](#)
- ["Smart Protection Server for File Reputation Service" on the next page](#)

### Enable Smart Scan

Smart Scan is available in the anti-malware module. It leverages Trend Micro's [Smart Protection Network](#) to allow local pattern files to be small and reduces the size and number of updates required by agents and Appliances. When Smart Scan is enabled, the agent downloads a small version of the much larger full malware pattern from a Smart Protection Server. This smaller pattern can quickly identify files as either "confirmed safe", or "possibly dangerous". "Possibly

## Trend Micro Deep Security for Azure Marketplace 11.1

dangerous" files are compared against the larger complete pattern files stored on Trend Micro Smart Protection Servers to determine with certainty whether they pose a danger or not.

Without Smart Scan enabled, your relay agents must download the full malware pattern from a Smart Protection Server to be used locally on the agent. The pattern will only be updated as scheduled security updates are processed. The pattern is typically updated once per day for your agents to download and is around 120 MB.

**Note:** Verify that the computer can reliably connect to the global Trend Micro Smart Protection Network URLs (see "[Port numbers](#)" on page 90 for a list of URLs). If connectivity is blocked by a firewall, proxy, or AWS security group or if the connection is unreliable, it will reduce anti-malware performance.

1. Go to **Policies**.
2. Double-click a policy.
3. Go to **Anti-Malware > Smart Protection**.
4. In the **Smart Scan** section, either:
  - select **Inherited** (if the parent policy has Smart Scan enabled)
  - deselect **Inherited**, and then select either **On** or **On for Deep Security Agent, Off for Virtual Appliance**.
5. Click **Save**.

**Note:** A computer that is configured to use Smart Scan will not download full anti-malware patterns locally. Therefore if your anti-malware license expires while a computer is configured to use Smart Scan, switching Smart Scan off will not result in local patterns being used to scan for malware since no anti-malware patterns will be present locally.

### Smart Protection Server for File Reputation Service

Smart Protection Server for File Reputation Service is available in the anti-malware module. It supplies file reputation information required by Smart Scan.

To edit Smart Protection Server for File Reputation Service:

1. Go to **Computers** or **Policies > Anti-Malware > Smart Protection**.
2. You can select to connect directly to Trend Micro's Smart Protection Server or to connect to one or more locally installed Smart Protection Servers.
3. If you want to use a proxy for communication between agents and the Smart Protection Network, we recommend that you create a proxy server specifically for the Smart Protection Network. You can view and edit the list of available proxies on the **Proxies** tab on the **Administration > System Settings** page. For information on proxy protocols, see ["Proxy protocols supported by Deep Security" on page 173](#).

**Note:** After you select a proxy, you will need to restart any agents that will be using it.

4. Select the **When off domain, connect to global Smart Protection Service (Windows only)** option to use the global Smart Protection Service if the computer is off domain. The computer is considered to be off domain if it cannot connect to its domain controller. (This option is for Windows agents only.)

**Note:** If you have a locally installed Smart Protection Server, this option should be set to **Yes** on at least one computer so that you are notified if there is a problem with the Smart Protection Server itself.

5. Set the **Smart Protection Server Connection Warning** to generate error events and alerts when a computer loses its connection to the Smart Protection Server.

## Web Reputation and Smart Protection

Smart Protection Server for Web Reputation supplies web reputation information required by the web reputation module.

To edit Smart Protection Server for Web Reputation Service:

1. Go to **Computers** or **Policies > Web Reputation > Smart Protection**.
2. You can select to connect directly to Trend Micro's Smart Protection Server or to connect to one or more locally installed Smart Protection Servers.
3. If you want to use a proxy for communication between agents and the Smart Protection Network, we recommend that you create a proxy server specifically for the Smart Protection Network. You can view and edit the list of available proxies on the **Proxies** tab on the **Administration > System Settings** page. For information on proxy protocols, see ["Proxy protocols supported by Deep Security" on page 173](#).

**Note:** After you select a proxy, you will need to restart any agents that will be using it.

4. Select the **When off domain, connect to global Smart Protection Service (Windows only)** option to use the global Smart Protection Service if the computer is off domain. The computer is considered to be off domain if it cannot connect to its domain controller. (This option is for Windows agents only.)

**Note:** If you have a locally installed Smart Protection Server, this option should be set to **Yes** on at least one computer so that you are notified if there is a problem with the Smart Protection Server itself.

5. Set the **Smart Protection Server Connection Warning** to generate error events and alerts when a computer loses its connection to the Smart Protection Server.

## Smart Feedback

Trend Micro Smart Feedback provides continuous communication between Trend Micro products and the company's 24/7 threat research centers and technologies. With Smart Feedback, products become an active part of the Trend Micro Smart Protection Network, where large amounts of threat data is shared and analyzed in real time. This interconnection enables never before possible rates of analysis, identification, and prevention of new threats—a level of responsiveness that addresses the thousands of new threats and threat variants released daily.

Trend Micro Smart Feedback is a system setting in the Deep Security Manager. When enabled, Smart Feedback shares anonymous threat information with the Smart Protection Network, allowing Trend Micro to rapidly identify and address new threats. By default, Smart Feedback is enabled. You can disable it or adjust its settings by going to **Administration > System Settings > Smart Feedback**.

**Note:** Smart Feedback will use the agents, appliances, and relays (security updates) proxy selected in the Proxy Server Use section on the **Administration > System Settings > Proxies** tab.

## Handle malware

You can perform the following tasks to handle malware that the anti-malware module detects:

- ["View and restore identified malware" below](#)
- ["Create anti-malware exceptions" on page 479](#)
- ["Increase debug logging for anti-malware in protected Linux instances" on page 482](#)

See also ["Generate alerts for malware detection" on page 454](#).

For an overview of the anti-malware module, see ["Protect against malware" on page 432](#).

### View and restore identified malware

An identified file is a file that has been found to be or to contain malware and has therefore been encrypted and moved to a special folder. (See the "Quarantine" action in ["Customize malware remedial actions" on page 453](#).) Whether or not an infected file is quarantined depends on the anti-malware configuration that was in effect when the file was scanned.

- ["See a list of identified files" below](#)
- ["Working with identified files" on the next page](#)
- ["Search for an identified file" on page 474](#)
- ["Restore quarantined files" on page 476](#)
- ["Manually restore quarantined files" on page 479](#)

For information about events that are generated when malware is encountered, see ["Anti-malware events" on page 886](#).

### See a list of identified files

The Events and Reports page provides a list of identified files. From there you can see the details for any of those files.

1. Click **Events & Reports > Events > Anti-Malware Events > Identified Files**.
2. To see the details of a file, select the file and click **View**.

The list of identified files includes the following columns of information:

- **Infected File:** Shows the name of the infected file and the specific security risk.
- **Malware:** Names the malware infection.

- **Computer:** Indicates the name of the computer with the suspected infection.

The Details window provides the following information:

- **Detection Time:** The date and time on the infected computer that the infection was detected.
- **Infected File(s):** The name of the infected file.
- **File SHA-1:** The SHA-1 hash of the file.
- **Malware:** The name of the malware that was found.
- **Scan Type:** Indicates whether the malware was detected by a Real-time, Scheduled, or Manual scan.
- **Action Taken:** The result of the action taken by Deep Security when the malware was detected.
- **Computer:** The computer on which this file was found. (If the computer has been removed, this entry will read "Unknown Computer".)
- **Container Name:** Name of the Docker container where the malware was found.
- **Container ID:** ID of the Docker container where the malware was found.
- **Container Image Name:** Image name of the Docker container where the malware was found.

### Working with identified files

The **Identified Files** page allows you to manage tasks related to identified files. Using the menu bar or the right-click context menu, you can:

-  **Restore** only quarantined files back to their original location and condition.
-  **Download** identified files from the computer or Virtual Appliance to a location of your choice.
-  **Analyze** identified files from the computer or Virtual Appliance to a location of your choice.

-  **Delete** one or more identified files from the computer or Virtual Appliance.
-  **Export** information about the identified file(s) (not the file itself) to a CSV file.
-  **View** the details of an identified file.
-  **Computer Details** displays the screen of the computer on which the malware was detected.
-  **View Anti-Malware Event** displays the anti-malware event associated with this identified file.
-  **Add or Remove Columns** by clicking **Add/Remove**.
-  **Search** for a particular identified file.

**Note:** Identified files are automatically deleted from a Virtual Appliance under the following circumstances:

- When a VM is moved to another ESXi host by vMotion, identified files associated with that VM will be deleted from the Virtual Appliance.
- When a VM is deactivated from the Deep Security Manager, identified files associated with that VM will be deleted from the Virtual Appliance.
- When a Virtual Appliance is deactivated from the Deep Security Manager, all the identified files stored on that Virtual Appliance will be deleted.
- When a Virtual Appliance is deleted from the vCenter, all the identified files stored on that Virtual Appliance will also be deleted.

### Search for an identified file

- Use the **Period** drop down menu to see only the files that were identified within a specific time frame.
- Use the **Computers** drop-down menu to organize files by Computer Groups or Computer Policies.

- Click **Search this page > Open Advanced Search** to toggle the display of the advanced search options:

**Identified Files** No Grouping ▾ Search this page

Period: Last Hour ▾

Computers: All Computers ▾

Search: Infected File(s) ▾ Contains ▾

Delete... View Export ▾ Restore... Download... Columns...

Advanced searches include one or more search criteria for filtering identified files. Each criterion is a logical statement comprised of the following items:

- The characteristic of the identified file to filter on, such as the type of file (infected file or malware) or the computer that was affected.
- An operator:
  - **Contains:** The entry in the selected column contains the search string.
  - **Does Not Contain:** The entry in the selected column does not contain the search string.
  - **Equals:** The entry in the selected column exactly matches the search string.
  - **Does Not Equal:** The entry in the selected column does not exactly match the search string.
  - **In:** The entry in the selected column exactly matches one of the comma-separated search string entries.
  - **Not In:** The entry in the selected column does not exactly match any of the comma-separated search string entries.
- A value.

To add a criterion, click the "plus" button (+) to the right of the topmost criterion. To search, click the Search button (the circular arrow).

**Note:** Searches are not case-sensitive.

### Restore quarantined files

#### Create a scan exclusion for the file

Before you can restore the file to its original location you have to create a scan exclusion so that Deep Security doesn't immediately re-quarantine the file when it reappears on the computer.

**Note:** The following instructions describe how to create an exclusion for the file on an individual computer but you can make the same configuration changes at the policy level.

1. Open the Computers page and go to **Anti-Malware > Identified Files** and double click the quarantined file to view its properties.
2. Note the file's exact name and original location.
3. Still in the Computers page, go to **Anti-Malware > General** and click the Edit button next to each Malware Scan that's in effect to open the Malware Scan Configuration properties

window.

**Computer: laptop\_adaggs (lap)**

Overview | **Anti-Malware** | Web Reputation | Firewall | Intrusion Prevention | Integrity Monitoring | Log Inspection | Interfaces | Settings | Updates | Overrides

**General** | Smart Protection | Advanced | Quarantined Files | Events

**Anti-Malware**  
Configuration: Inherited (On) ▾  
State: ● On, matching module plug-in not found, Real Time

**Real-Time Scan**  
 Inherited  
Malware Scan Configuration: Default Real-Time Scan Configuration ▾ **Edit**  
Schedule: Every Day All Day ▾ **Edit**

**Manual Scan**  
 Inherited  
Malware Scan Configuration: Default Manual Scan Configuration ▾ **Edit**

**Scheduled Scan**  
 Inherited  
Malware Scan Configuration: Default Scheduled Scan Configuration ▾ **Edit**

**Malware scan**  
Last Manual Scan for Malware: N/A  
Last Scheduled Scan for Malware: N/A

Quick Scan for Malware | Full Scan for Malware | Cancel M

4. In the **Malware Scan Configuration** properties window, click on the **Exclusions** tab.
5. In the **Scan Exclusions** area, select **File List** and then either press edit if a file list is already selected, or select **New** from the menu to create a new File List.

6. In the **File List** properties window, enter the file path and name of the file to be restored. Click **OK** to close the File List properties window.

The screenshot shows a dialog box with two tabs: 'General' and 'Assigned To'. The 'General' tab is active, displaying 'General Information'. The 'Name' field contains 'New File List'. The 'Description' field is empty. The 'File(s): (One file per line)' field contains 'C:\Documents\testfile.doc'. Below this is a 'Supported Formats' section with a 'NOTE' that reads: 'The "Process Image File List" only handles full path, other formats are ignored.' The section lists several formats with examples: 'File' (FILE, Example: testfile.doc), 'Filepath' (FILEPATH, Example: C:\Documents\testfile.doc), 'File with WildCard (\*)' (FILE\*, Example: MyApp\*.vApp; FILE.EXT\*, Example: MyApp.v\*), 'Environment Variable' (\${ENV VAR}, Example: \${myDBFile}), and 'Comments' (FILEPATH #Comment, Example: C:\temp\file.txt #Exclude). At the bottom are 'OK' and 'Cancel' buttons.

7. Close the **Malware Scan Configuration** properties window by clicking **OK**.

8. When you've edited all the **Malware Scan Configurations**, click **Save** in the Computers page to save your changes. You're now ready to restore your file.

### Restore the file

1. Still in the Computers page, go to the **Anti-Malware > Identified Files** tab.
2. Right-click the quarantined file and select **Actions > Restore** and follow the steps in the wizard.

Your file will be restored to its original location.

### Manually restore quarantined files

To manually restore a quarantined file, download the file to your computer. The **Identified File** wizard will display a link to an **Administration Utility** which you can use to decrypt, examine, or restore the file. Use the quarantined file decryption utility to decrypt the file and then move it back to its original location.

The decryption utility is in a zip file, **QFAdminUtil\_win32.zip**, located in the "util" folder under the Deep Security Manager root directory. The zipped file contains two utilities which perform the same function: **QDecrypt.exe** and **QDecrypt.com**. Running **QDecrypt.exe** invokes an open file dialog that lets you select the file for decryption. **QDecrypt.com** is a command-line utility with the following options:

- **/h, --help**: show this help message
- **--verbose**: generate verbose log messages
- **/i, --in=<str>**: quarantined file to be decrypted, where **<str>** is the name of the quarantined file
- **/o, --out=<str>**: decrypted file output, where **<str>** is the name given to the resulting decrypted file

**Note:** This utility is supported only on Windows 32-bit systems.

### Create anti-malware exceptions

Files that are not malicious can be falsely identified as malware if they share certain characteristics with malware. If a file is known to be benign and is identified as malware, you can

create an exception for that file. When an exception is created, the file does not trigger an event when Deep Security scans the file.

For an overview of the anti-malware module, see ["Protect against malware" on page 432](#).

**Note:** You can also exclude files from real-time, manual, and scheduled scans. See ["Specify the files to scan" on page 447](#).

Exceptions can be created for the following types of malware and malware scans:

- Predictive Machine Learning scans (for information, see ["Detect emerging threats using Predictive Machine Learning" on page 459](#).)
- Scans for spyware and grayware (for information, see ["Scan for spyware and grayware" on page 445](#))
- Behavior monitoring protection (for information, see ["Enhanced anti-malware and ransomware scanning with behavior monitoring" on page 460](#))

Deep Security maintains a list of exceptions for each type of malware scan in policy and computer properties.

1. To see the lists of exceptions, open the policy or computer editor.
2. Click **Anti-Malware > Advanced**.

The exceptions are listed in the **Allowed Spyware/Grayware**, **Document Exploit Protection Rule Exceptions**, **Predictive Machine Learning Detection Exceptions**, and **Behavior Monitoring Protection Exceptions** sections.

See also ["Scan exclusion recommendations" on page 482](#).

### Create an exception from an anti-malware event

When a file is identified as malware, Deep Security generates an anti-malware event. If you know that the file is benign, you can create an exception for the file from the event report.

1. Click **Events & Reports > Events > Anti-Malware Events** and locate the malware detection event.
2. Right-click the event.
3. Select **Allow**.

### Manually create an anti-malware exception

You can manually create anti-malware exceptions for spyware or grayware, document exploit protection rules, predictive machine learning, and behavior monitoring exceptions. To add the exception, you need specific information from the anti-malware event that the scan generated. The type of malware or scan determines the information that you need:

- **Spyware or grayware:** The value in the "MALWARE" field, for example `SPY_CCFR_CPP_TEST.A`
- **Document exploit protection rules:** The value in the "MALWARE" field, for example `HEUR_OLEP.EXE`
- **Predictive machine learning:** The SHA1 digest of the file from the "FILE SHA-1" field, for example `3395856CE81F2B7382DEE72602F798B642F14140`
- **Behavior monitoring:** The process image path, for example `C:\test.exe`

1. Click **Events & Reports > Events > Anti-Malware Events** and copy the field value that is required to identify the malware.
2. Open the policy or computer editor where you want to create the exception.
3. Click **Anti-Malware > Advanced**.
4. In the **Allowed Spyware/Grayware, Document Exploit Protection Rule Exceptions, Predictive Machine Learning Detection Exceptions, or Behavior Monitoring Protection Exceptions** section, enter the information from the event in the text box.
5. Click **Add**.

### Exception strategies for spyware and grayware

When spyware is detected the malware can be immediately quarantined, depending on the malware scan configuration that controls the scan. After you create the exception for a spyware or grayware event, you might have to restore the quarantined file. (See ["Restore quarantined files" on page 476.](#))

Alternatively, you can temporarily scan for spyware and grayware with the action set to "Pass" so that all spyware and grayware detections are recorded on the Anti-Malware Events page but neither quarantined nor deleted. You can then create exceptions for the detected spyware and grayware. When your exception list is robust, you can set the action to "Quarantine" or "Delete" modes.

For information about setting the action, see ["Configure how to handle malware" on page 453](#).

### Scan exclusion recommendations

The best and most comprehensive source for scan exclusions is from the software vendor. The following are some high-level scan exclusion recommendations:

- Quarantine folders (such as [SMEX](#) on Microsoft Windows Exchange Server) should be excluded to avoid rescanning files that have already been confirmed to be malware.
- Large databases and database files (for example, dsm.mdf and dsm.ldf) should be excluded because scanning could impact database performance. If it is necessary to scan database files, you can create a scheduled task to scan the database during off-peak hours. Since Microsoft SQL Server databases are dynamic, exclude the directory and backup folders from the scan list:

```
{ProgramFiles}\Microsoft SQL Server\MSSQL\Data\  
{Windir}\WINNT\Cluster\ # if using SQL Clustering  
Q:\ # if using SQL Clustering
```

For a list of recommended scan exclusions, see the [Trend Micro recommended scan exclusion list](#). Microsoft also maintains an [Anti-Virus Exclusion List](#) that you can use as a reference for excluding files from scanning on Windows servers.

### Increase debug logging for anti-malware in protected Linux instances

You can increase or decrease verbosity of the anti-malware (AM) debug logging used to diagnose any issue related to AM when running on a Linux operating system.

Anti-malware debug logs are automatically included when you create a diagnostic package for technical support.

For information on creating a diagnostic package, see ["Create a diagnostic package and logs" on page 1041](#).

#### To increase the anti-malware debug log level:

- Enter the following command in a shell on the Linux instance as root:

```
killall -USR1 ds_am
```

This command will increase the level one unit. By default the level is 6 and the maximum is 8.

### To decrease the anti-malware debug log level:

- Enter the following command in a shell on the Linux instance as root:

```
killall -USR2 ds_am
```

This command decreases the level by one unit. The minimum level is 0.

## Block exploit attempts using intrusion prevention

The intrusion prevention module protects your computers from known and zero-day vulnerability attacks as well as against SQL injections attacks, cross-site scripting attacks, and other web application vulnerabilities.

When patches are not available for known vulnerabilities in applications or operating systems, intrusion prevention rules can intercept traffic that is trying to exploit the vulnerability. It identifies malicious software that is accessing the network and it increases visibility into, or control over, applications that are accessing the network. Therefore your computers are protected until patches that fix the vulnerability are released, tested, and deployed.

Protection is available for file sharing and messaging software such as Skype, but also web applications with vulnerabilities such as SQL injection and cross-site scripting (XSS). In this way, intrusion prevention can also be used as a lightweight web application firewall (WAF).

To enable and configure intrusion prevention, see ["Set up intrusion prevention" on page 487](#).

## Intrusion prevention rules

Intrusion prevention rules define a set of conditions that are compared to the payload session and application layers of network packets (such as DNS, HTTP, SSL, and SMTP), as well as the sequence of those packets according to those higher-layer protocols.

**Tip:** Firewall rules examine the network and transport layers of a packet (IP, TCP, and UDP, for example).

When Deep Security Agents scan network traffic and the traffic meets a rule's match conditions, the agent handles it as a possible or confirmed attack and performs one of the following actions, depending on the rule:

- Replace specifically defined or suspicious byte sequences
- Completely drop packets
- Reset the connection

Intrusion prevention rules are assigned to policies and computers. Therefore you can enforce sets of rules on groups of computers based on the policy that they use, and override policies as required. (See "[Policies, inheritance, and overrides](#)" on page 300.)

For information about how you can affect the functionality of rules, see "[Configure intrusion prevention rules](#)" on page 495.

## Application types

Application types organize rules by the application that they are associated with. Application types can also store property values that rules can reference as required, such as protocols used for communications, and port numbers. Some application types have configurable properties. For example, the Database Microsoft SQL application type contains rules that are associated with Microsoft SQL Server. You can configure this application type to specify the ports used to connect to the database.

For more information, see "[Application types](#)" on page 517.

## Rule updates

Trend Micro creates intrusion prevention rules for application vulnerabilities as they are discovered. Security updates can include new or updated rules and application types. When a rule is already assigned to a policy, and an update includes rules upon which the assigned rule depends, you can choose to automatically assign the updated rules.

**Tip:** Intrusion prevention rules from Trend Micro include information about the vulnerability against which it protects.

Intrusion prevention rules from Trend Micro are not directly editable through Deep Security Manager. However some rules are configurable, and some rules require configuration. (See ["Setting configuration options \(Trend Micro rules only\)" on page 501.](#))

### Recommendation scans

You can use recommendation scans discover the intrusion prevention rules that you should assign to your policies and computers. (See ["Manage and run recommendation scans" on page 305.](#))

### Use behavior modes to test rules

Intrusion protection works in either Detect or Prevent mode:

- **Detect:** Intrusion prevention uses rules to detect matching traffic and generate events, but does not block traffic. Detect mode is useful to test that intrusion prevention rules do not interfere with legitimate traffic.
- **Prevent:** Intrusion detention uses rules to detect matching traffic, generate events, and block traffic to prevent attacks.

When you first apply new intrusion prevention rules, use Detect mode to verify that they don't accidentally block normal traffic (false positives). When you are satisfied that no false positives occur, you can use Prevent mode to enforce the rules and block attacks. (See ["Enable intrusion prevention in Detect mode" on page 488](#) and ["Switch to prevent mode" on page 493.](#))

**Tip:** Similar to using intrusion prevention in Detect mode, the Deep Security network engine can run in tap mode for testing purposes. In tap mode, intrusion prevention detects rule-matching traffic and generates events, but doesn't block traffic. However, tap mode uses a copy of the packet stream, not the actual stream. Also, tap mode affects the firewall and web reputation modules. You can use Detect mode to test intrusion prevention rules separately. You use tap mode with intrusion prevention in the same way that tap mode is used for testing firewall rules. See ["Test firewall rules before deploying them" on page 531.](#)

## Override the behavior mode for rules

You can configure a rule's behavior mode to override the mode that is set for intrusion prevention at the policy or computer level. Overriding is useful for testing new rules that are applied to a policy or computer. For example, when a policy is configured such that intrusion prevention works in Protect mode, you can configure a rule to use Detect mode. For that rule only, intrusion prevention merely logs the traffic, and enforces other rules that do not override the policy's behavior mode. (See ["Override the behavior mode for a rule" on page 503.](#))

Some rules issued by Trend Micro use Detect mode by default. For example, mail client rules generally use Detect mode because in Protect mode they block the downloading of all mail. Some rules trigger an alert only when a condition occurs a large number of times, or a certain number of times within a certain period of time. These types of rules apply to traffic that constitutes suspicious behavior only when a condition recurs, and a single occurrence of the condition is considered normal.

### Warning:

To prevent blocking legitimate traffic and interrupting network services, when a rule requires configuration, keep it in Detect mode until you've configured the rule. Switch a rule to Prevent mode only after configuration and testing.

## Intrusion prevention events

By default, the Deep Security Manager collects firewall and intrusion prevention event logs from the Deep Security **agents and appliances**<sup>1</sup> at every heartbeat. Once collected by the Deep Security Manager, event logs are kept for a period of time which can be configured. The default setting is one week. (See ["Log and event storage best practices" on page 743.](#)) You can configure event logging for individual rules as required. (See ["Configure event logging for rules" on page 500.](#))

Event tagging can help you to sort events. You can manually apply tags to events or automatically tag them. You can also use the auto-tagging feature to group and label multiple

---

<sup>1</sup>The Deep Security Agent and Deep Security Virtual Appliance are the components that enforce the Deep Security policies that you have defined. Agents are deployed directly on a computer. Appliances are used in VMware vSphere environments to provide agentless protection. They are not available with Deep Security as a Service.

events. For more information on event tagging, see ["Apply tags to identify and group events" on page 748](#).

## Support for secure connections

The intrusion prevention module supports inspecting packets over secure connections. See ["Inspect SSL or TLS traffic" on page 519](#).

## Contexts

Contexts are a powerful way of implementing different security policies depending on the computer's network environment. You typically use contexts to create policies that apply different firewall and intrusion prevention rules to computers (usually mobile laptops) depending on whether that computer is in the office or away.

To determine a computer's location, contexts examine the nature of the computer's connection to its domain controller. For more information, see ["Define contexts for use in policies" on page 393](#).

## Interface tagging

You can use interface types when you need to assign firewall or intrusion prevention rules to a specific interface when a machine has multiple network interfaces. By default, firewall and intrusion prevention rules are assigned to all interfaces on a computer. For example, to apply special rules only to the wireless network interface, use interface types to accomplish this. For more information, see ["Configure a policy for multiple interfaces" on page 315](#).

## Set up intrusion prevention

Enable the intrusion prevention module and monitor network traffic for exploits using Detect mode. When you are satisfied with how your intrusion prevention rules are assigned, switch to Protect mode.

1. ["Enable intrusion prevention in Detect mode" on the next page](#)
2. ["Test intrusion prevention" on page 490](#)

3. ["Apply recommended rules" on page 491](#)
4. ["Monitor your system" on page 493](#)
5. ["Enable 'fail open' for packet or system failures" on page 493](#)
6. ["Switch to prevent mode" on page 493](#)
7. ["Implement best practices for specific rules" on page 494](#)

**Note:** CPU usage and RAM usage varies by your IPS configuration. To optimize IPS performance on Deep Security Agent, see ["Performance tips for intrusion prevention" on page 527](#).

For an overview of the intrusion prevention module, see ["Block exploit attempts using intrusion prevention" on page 483](#).

### Enable intrusion prevention in Detect mode

Enable intrusion prevention and use Detect mode for monitoring. Configure intrusion prevention using the appropriate policies to affect the targeted computers. You can also configure individual computers.

1. Go to **Computer or Policy editor**<sup>1</sup> > Intrusion Prevention > General.
2. For Configuration, select either On or Inherited (On).

**Computer: laptop\_adaggs (lap)**

Overview | **General** | Advanced | Events

**Intrusion Prevention**

Configuration: On

State: ● On, Prevent, matching module plug-in not found, 246 rules

Intrusion Prevention Behavior

Prevent  
 Detect

**Assigned Intrusion Prevention Rules**

All

Assign/Unassign... Properties... Export Application Types... Columns...

NAME	APPLICATION TYPE	PRIORIT...	SEVERIT...	MODE	TYPE	CATEGORY
1000128 - HTTP Protocol Decod...	Web Server Common	1 - Low	High	Prevent	Smart	Web Application Prote...
1001933 - Identified Suspicious...	Web Client Common	2 - Normal	High	Prevent	Smart	N/A
1002048 - JavaScript Redirect S...	Web Client Common	2 - Normal	Medium	Prevent	Exploit	N/A
1002061 - Identified Suspicious...	Web Client Common	2 - Normal	Critical	Prevent	Smart	N/A

Item 1 to 100 of 246

**Recommendations**

Current Status: 246 Intrusion Prevention Rule(s) assigned

Last Scan for Recommendations: N/A

**No Recommendation Scan Results**

Automatically implement Intrusion Prevention Recommendations (when possible): Inherited (No)

Scan For Recommendations | Cancel Recommendation Scan | Clear Recommendations

Save | Close

3. For Intrusion Prevention Behavior, select Detect.
4. Click Save.

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

**Tip:** If the behavior settings are not available, **Network Engine Mode** may be set to **Tap**. (See "[Test firewall rules before deploying them](#)" on page 531.)

For more fine-grained control, when you assign intrusion prevention rules, you can override the global behavior mode and configure specific rules to either prevent or detect. (See "[Override the behavior mode for a rule](#)" on page 503.)

## Test intrusion prevention

You should test that the intrusion prevention module is working properly before continuing with further steps.

1. If you have an agent-based deployment, make sure you have a computer that has an agent running. For an agentless deployment, make sure your Deep Security Virtual Appliance is running normally.
2. Turn off the web reputation module. In Deep Security Manager, click **Computers**, then double-click the computer where you'll test intrusion prevention. In the computer's dialog box, click **Web Reputation**, and select **Off**. Web reputation is now disabled and won't interfere with the intrusion prevention functionality.
3. Make sure bad traffic is blocked. Still in the computer's dialog box, click **Intrusion Prevention**, and under the **General** tab, select **Prevent**. (If it is shaded, set the **Configuration** drop-down list to **Inherited**.)
4. Assign the EICAR test policy. Still in the computer's dialog box, click **Intrusion Prevention**. Click **Assign/Unassign**. Search for `1005924`. The **1005924 - Restrict Download of EICAR Test File Over HTTP** policy appears. Select its check box and click **OK**. The policy is now assigned to the computer.
5. Try to download the EICAR file (you can't, if intrusion prevention is running properly). On Windows, go to this link: <http://www.eicar.org/download/eicar.com.txt>. On Linux, enter this command: `curl -O http://www.eicar.org/download/eicar.com`
6. Check the intrusion prevention events for the computer. Still in the computer's dialog box, click **Intrusion Prevention > Intrusion Prevention Events**. Click **Get Events** to see events that have occurred since the last heartbeat. An event appears with a **Reason** of **1005924 - Restrict Download of EICAR Test File Over HTTP**. The presence of this event indicates that intrusion prevention is working.

7. Revert your changes to return your system to its previous state. Turn on the Web Reputation module (if you turned it off), reset the **Prevent** or **Detect** option, and remove the EICAR policy from the computer.

### Apply recommended rules

To maximize performance, minimize the number of intrusion prevention rules that are assigned to your policies and computers. Therefore, you should assign only the rules that are required. Use a recommendation scan to obtain a list of rules that are appropriate.

Although recommendation scans are performed for a specific computer, you can assign the recommendations to a policy that the computer uses.


For more information, see ["Manage and run recommendation scans" on page 305](#).

1. Open the properties for the computer to scan. Run the recommendation scan as described in ["Manually run a recommendation scan" on page 309](#).

**Note:** Do not automatically assign the recommended rules.

## Trend Micro Deep Security for Azure Marketplace 11.1

- Open the policy to which you want to assign the rules, and complete the rule assignments as described in ["Check scan results and manually assign rules"](#) on page 311.



**Tip:** To automatically and periodically fine tune your assigned intrusion prevention rules, you can schedule recommendation scans. See ["Schedule Deep Security to perform tasks"](#) on page 218.

## Monitor your system

After you apply intrusion prevention rules, monitor system performance and intrusion prevention event logs.

### Monitor system performance

Monitor CPU, RAM, and network usage to verify that system performance is still acceptable. If not, you can modify some settings and deployment aspects to improve performance. (See ["Performance tips for intrusion prevention" on page 527.](#))

### Check intrusion prevention events

Monitor intrusion prevention events to ensure that rules are not matching legitimate network traffic. If a rule is causing false positives you can unassign the rule. (See ["Assign and unassign rules" on page 499.](#))

To see intrusion prevention events, click **Events & Reports > Intrusion Prevention Events**.

## Enable 'fail open' for packet or system failures

The intrusion prevention module includes a network engine that might block packets before intrusion prevention rules can be applied. This might lead to downtime or performance issues with your services and applications. You can change this behavior so that packets are allowed through when system or internal packet failures occur. For details, see ["Enable 'fail open' behavior" on page 533.](#)

## Switch to prevent mode

When you are satisfied that intrusion prevention is not finding false positives, configure your policy to use intrusion prevention in Prevent mode so that rules are enforced and related events are logged.

1. Go to **Computer or Policy editor**<sup>1</sup> > Intrusion Prevention > General.
2. For **Intrusion Prevention Behavior**, select **Detect**.
3. Click **Save**.

## Implement best practices for specific rules

### HTTP Protocol Decoding rule

The HTTP Protocol Decoding rule is the most important rule in the "Web Server Common" Application Type. This rule decodes the HTTP traffic before the other rules inspect it. This rule also allows you to control various components of the decoding process.

This rule is required when you use any of the Web Application Common or Web Server Common rules that require it. The Deep Security Manager automatically assigns this rule when it is required by other rules. As each web application is different, the policy that uses this rule should run in Detect mode for a period of time before switching to Prevent mode to determine if any configuration changes are required.

Quite often, changes are required to the list of illegal characters.

Refer to the following Knowledge Base articles for more details on this rule and how to tune it:

- <https://success.trendmicro.com/solution/1098016>
- <https://success.trendmicro.com/solution/1054481>
- <https://success.trendmicro.com/solution/1096566>

### Cross-site scripting and generic SQL injection rules

Two of the most common application-layer attacks are SQL injection and cross-site scripting (XSS). Cross-site scripting and SQL injection rules intercept the majority of attacks by default, but you may need to adjust the drop score for specific resources if they cause false positives.

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

Both rules are smart filters that need custom configuration for web servers. If you have output from a Web Application Vulnerability Scanner, you should leverage that information when applying protection. For example, if the user name field on the login.asp page is vulnerable to SQL injection, ensure that the SQL injection rule is configured to monitor that parameter with a low threshold to drop on.

For more information, see <https://success.trendmicro.com/solution/1098159>

## Configure intrusion prevention rules

Perform the following tasks to configure and work with intrusion prevention rules:

- ["See the list of intrusion prevention rules" on the next page](#)
- ["See information about an intrusion prevention rule" on the next page](#)
- ["See information about the associated vulnerability \(Trend Micro rules only\)" on page 498](#)
- ["Assign and unassign rules" on page 499](#)
- ["Automatically assign updated required rules" on page 499](#)
- ["Configure event logging for rules" on page 500](#)
- ["Generate alerts" on page 501](#)
- ["Setting configuration options \(Trend Micro rules only\)" on page 501](#)
- ["Schedule active times" on page 502](#)
- ["Exclude from recommendations" on page 502](#)
- ["Set the context for a rule" on page 503](#)
- ["Override the behavior mode for a rule" on page 503](#)
- ["Override rule and application type configurations" on page 504](#)
- ["Export and import rules" on page 505](#)
- ["Configure an SQL injection prevention rule" on page 505](#)

For an overview of the intrusion prevention module, see ["Block exploit attempts using intrusion prevention" on page 483](#).

## See the list of intrusion prevention rules

The Policies page provides a list of intrusion prevention rules. You can search for intrusion prevention rules, and open and edit rule properties. In the list, rules are grouped by application type, and some rule properties appear in different columns.

**Tip:** The "TippingPoint" column contains the equivalent Trend Micro TippingPoint rule ID. In the Advanced Search for intrusion prevention, you can search on the TippingPoint rule ID. You can also see the TippingPoint rule ID in the list of assigned intrusion prevention rules in the policy and computer editor.

To see the list, click **Policies**, and then below **Common Objects/Rules** click **Intrusion Prevention Rules**.

## See information about an intrusion prevention rule

The properties of intrusion prevention rules include information about the rule and the exploit against which it protects.

1. Click **Policies > Intrusion Prevention Rules**.
2. Select a rule and click **Properties**.

### General Information

- **Name:** The name of the intrusion prevention rule.
- **Description:** The description of the intrusion prevention rule.
- **Minimum Agent/Appliance Version:** The minimum version of the Deep Security **Agent or Appliance**<sup>1</sup> required to support this intrusion prevention rule.

---

<sup>1</sup>The Deep Security Agent and Deep Security Virtual Appliance are the components that enforce the Deep Security policies that you have defined. Agents are deployed directly on a computer. Appliances are used in VMware vSphere environments to provide agentless protection. They are not available with Deep Security as a Service.

### Details

Clicking **New** (📁) or **Properties** (📄) displays the **Intrusion Prevention Rule Properties** window.

**Note:** Note the **Configuration** tab. Intrusion Prevention Rules from Trend Micro are not directly editable through Deep Security Manager. Instead, if the Intrusion Prevention Rule requires (or allows) configuration, those configuration options will be available on the **Configuration** tab. Custom Intrusion Prevention Rules that you write yourself will be editable, in which case the **Rules** tab will be visible.

### See the list of intrusion prevention rules

The Policies page provides a list of intrusion prevention rules. You can search for intrusion prevention rules, and open and edit rule properties. In the list, rules are grouped by application type, and some rule properties appear in different columns.

**Tip:** The "TippingPoint" column contains the equivalent Trend Micro TippingPoint rule ID. In the Advanced Search for intrusion prevention, you can search on the TippingPoint rule ID. You can also see the TippingPoint rule ID in the list of assigned intrusion prevention rules in the policy and computer editor.

To see the list, click **Policies**, and then below **Common Objects/Rules** click **Intrusion Prevention Rules**.

### General Information

- **Application Type:** The application type under which this intrusion prevention rule is grouped.

**Tip:** You can edit application types from this panel. When you edit an application type from here, the changes are applied to all security elements that use it.

- **Priority:** The priority level of the rule. Higher priority rules are applied before lower priority rules.

## Trend Micro Deep Security for Azure Marketplace 11.1

- **Severity:** Setting the severity of a rule has no effect on how the rule is implemented or applied. Severity levels can be useful as sorting criteria when viewing a list of intrusion prevention rules. More importantly, each severity level is associated with a severity value; this value is multiplied by a computer's Asset Value to determine the Ranking of an Event. (See **Administration > System Settings > Ranking.**)
- **CVSS Score:** A measure of the severity of the vulnerability according the [National Vulnerability Database](#).

### Identification (Trend Micro rules only)

- **Type:** Can be either Smart (one or more known and unknown (zero day) vulnerabilities), Exploit (a specific exploit, usually signature based), or Vulnerability (a specific vulnerability for which one or more exploits may exist).
- **Issued:** The date the rule was released. This does not indicate when the rule was downloaded.
- **Last Updated:** The last time the rule was modified either locally or during Security Update download.
- **Identifier:** The rule's unique identification tag.

### See information about the associated vulnerability (Trend Micro rules only)

Rules that Trend Micro provides can include information about the vulnerability against which the rule protects. When applicable, the Common Vulnerability Scoring System (CVSS) is displayed. (For information on this scoring system, see the CVSS page at the [National Vulnerability Database](#).)

1. Click **Policies > Intrusion Prevention Rules**.
2. Select a rule and click **Properties**.
3. Click the **Vulnerabilities** tab.

## Assign and unassign rules

To apply intrusion prevention rules during agent scans, you assign them to the appropriate policies and computers. When the rule is no longer necessary because the vulnerability has been patched you can unassign the rule.

If you cannot unassign intrusion prevention rules from a **Computer editor**<sup>1</sup>, it is likely because the rules are currently assigned in a policy. Rules assigned at the policy level must be removed using the **Policy editor**<sup>2</sup> and cannot be removed at the computer level.

When you make a change to a policy, it affects all computers using the policy. For example, when you unassign a rule from a policy you remove the rule from all computers that are protected by that policy. To continue to apply the rule to other computers, create a new policy for that group of computers. (See "[Policies, inheritance, and overrides](#)" on page 300.)

**Tip:** To see the policies and computers to which a rule is assigned, see the Assigned To tab of the rule properties.

1. Go to the **Policies** page, right-click the policy to configure and click **Details**.
2. Click **Intrusion Prevention > General**.  
The list of rules that are assigned to the policy appear in the **Assigned Intrusion Prevention Rules** list.
3. Under **Assigned Intrusion Prevention Rules**, click **Assign/Unassign**.
4. To assign a rule, select the check box next to the rule.
5. To unassign a rule, deselect the check box next to the rule.
6. Click **OK**.

## Automatically assign updated required rules

Security updates can include new or updated application types and intrusion prevention rules which require the assignment of secondary intrusion prevention rules. Deep Security can

---

<sup>1</sup>To open the Computer editor, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

<sup>2</sup>To open the Policy editor, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details).

automatically assign these rules if they are required. You enable these automatic assignments in the the policy or computer properties.

1. Go to the **Policies** page, right-click the policy to configure and click **Details**.
2. Click **Intrusion Prevention > Advanced**.
3. To enable the automatic assignments, in the **Rule Updates** area, select **Yes**.
4. Click **OK**.

## Configure event logging for rules

Configure whether events are logged for a rule, and whether to include packet data in the log.

**Note:** Deep Security can display X-Forwarded-For headers in intrusion prevention events when they are available in the packet data. This information can be useful when the Deep Security Agent is behind a load balancer or proxy. The X-Forwarded-For header data appears in the event's Properties window. To include the header data, include packet data in the log. In addition, rule 1006540 " Enable X-Forwarded-For HTTP Header Logging" must be assigned.

Because it would be impractical to record all packet data every time a rule triggers an event, Deep Security records the data only the first time the event occurs within a specified period of time. The default time is five minutes, however you can change the time period using the "Period for Log only one packet within period" property of a policy's Advanced Network Engine settings. (See [Advanced Network Engine Options](#).)

The configuration performed in the following procedure affects all policies. For information about configuring a rule for one policy, see "[Override rule and application type configurations](#)" on [page 504](#).

1. Click **Policies > Intrusion Prevention Rules**.
2. Select a rule and click **Properties**.
3. On the General tab, go to the Events area and select the desired options:
  - To disable logging for the rule, select **Disable Event Logging**.
  - To log an event when a packet is dropped or blocked, select **Generate Event on Packet Drop**.
  - To include the packet data in the log entry, select **Always Include Packet Data**.

## Trend Micro Deep Security for Azure Marketplace 11.1

- To log several packets that precede and follow the packet that the rule detected, select **Enable Debug Mode**. Use debug mode only when your support provider instructs you to do so.

Additionally, to include packet data in the log, the policy to which the rule is assigned must allow rules to capture packet data:

1. On the Policies page, open the policy that is assigned the rule.
2. Click **Intrusion Prevention > Advanced**.
3. In the **Event Data** area, select **Yes**.

## Generate alerts

Generate an alert when an intrusion prevention rule triggers an event.

The configuration performed in the following procedure affects all policies. For information about configuring a rule for one policy, see "[Override rule and application type configurations](#)" on [page 504](#).

1. Click **Policies > Intrusion Prevention Rules**.
2. Select a rule and click **Properties**.
3. Click the Options tab, and in the **Alert** area select **On**.
4. Click **OK**.

## Setting configuration options (Trend Micro rules only)

Some intrusion prevention rules that Trend Micro provides have one or more configuration options such as header length, allowed extensions for HTTP, or cookie length. Some options require you to configure them. If you assign a rule without setting a required option, an alert is generated that informs you about the required option. (This also applies to any rules that are downloaded and automatically applied by way of a Security Update.)

Intrusion prevention rules that have configuration options appear in the Intrusion Prevention Rules list with a small gear over their icon .

**Note:** Custom intrusion prevention rules that you write yourself include a **Rules** tab where you can edit the rules.

The configuration performed in the following procedure affects all policies. For information about configuring a rule for one policy, see ["Override rule and application type configurations"](#) on [page 504](#).

1. Click **Policies > Intrusion Prevention Rules**.
2. Select a rule and click **Properties**.
3. Click the **Configuration** tab.
4. Configure the properties and then click **OK**.

### Schedule active times

Schedule a time during which an intrusion prevention rule is active. Intrusion prevention rules that are active only at scheduled times appear in the Intrusion Prevention Rules page with a small clock over their icon .

**Note:** With Agent-based protection, schedules use the same time zone as the endpoint operating system. With Agentless protection, schedules use the same time zone as the Deep Security Virtual Appliance. Agentless protection is not available with Deep Security as a Service.

The configuration performed in the following procedure affects all policies. For information about configuring a rule for one policy, see ["Override rule and application type configurations"](#) on [page 504](#).

1. Click **Policies > Intrusion Prevention Rules**.
2. Select a rule and click **Properties**.
3. Click the **Options** tab.
4. In the **Schedule** area, select **New** or select a frequency.
5. Edit the schedule as required.
6. Click **OK**.

### Exclude from recommendations

Exclude intrusion prevention rules from rule recommendations of recommendation scans.

The configuration performed in the following procedure affects all policies. For information about configuring a rule for one policy, see ["Override rule and application type configurations" on the next page](#).

1. Click **Policies > Intrusion Prevention Rules**.
2. Select a rule and click **Properties**.
3. Click the **Options** tab.
4. In the **Recommendations Options** area, select **Exclude from Recommendations**.
5. Click **OK**.

### Set the context for a rule

Set the context in which the rule is applied.

The configuration performed in the following procedure affects all policies. For information about configuring a rule for one policy, see ["Override rule and application type configurations" on the next page](#).

1. Click **Policies > Intrusion Prevention Rules**.
2. Select a rule and click **Properties**.
3. Click the **Options** tab.
4. In the **Context** area, select **New** or select a context.
5. Edit the context as required.
6. Click **OK**.

### Override the behavior mode for a rule

Set the behavior mode of an intrusion prevention rule to Detect when testing new rules. In Detect mode, the rule creates a log entry prefaced with the words "detect only:" and does not interfere with traffic. Some intrusion prevention rules are designed to operate only in Detect mode. For these rules, you cannot change the behavior mode.

**Note:** If you disable logging for the rule, the rule activity is not logged regardless of the behavior mode.

For more information about behavior modes, see ["Use behavior modes to test rules" on page 485](#).

The configuration performed in the following procedure affects all policies. For information about configuring a rule for one policy, see "[Override rule and application type configurations](#)" below.

1. Click **Policies > Intrusion Prevention Rules**.
2. Select a rule and click **Properties**.
3. Select **Detect Only**.

## Override rule and application type configurations

From a **Computer or Policy editor**<sup>1</sup>, you can edit an intrusion prevention rule so that your changes apply only in the context of the policy or computer. You can also edit the rule so that the changes apply globally so that the changes affect other policies and computers that are assigned the rule. Similarly, you can configure application types for a single policy or computer, or globally.

1. Go to the **Policies** page, right-click the policy to configure and click **Details**.
2. Click **Intrusion Prevention**.
3. To edit a rule, right-click the rule and select one of the following commands:
  - **Properties**: Edit the rule only for the policy.
  - **Properties (Global)**: Edit the rule globally, for all policies and computers.
4. To edit the application type of a rule, right-click the rule and select one of the following commands:
  - **Application Type Properties**: Edit the application type only for the policy.
  - **Application Type Properties (Global)**: Edit the application type globally, for all policies and computers.
5. Click **OK**.

**Tip:** When you select the rule and click Properties, you are editing the rule only for the policy that you are editing.

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

**Note:** You cannot assign one port to more than eight application types. If they are, the rules will not function on that port.

## Export and import rules

You can export one or more intrusion prevention rules to an XML or CSV file, and import rules from an XML file.

1. Click **Policies > Intrusion Prevention Rules**.
2. To export one or more rules, select them and click **Export > Export Selected to CSV** or **Export > Export Selected to XML**.
3. To export all rules, click **Export > Export to CSV** or **Export > Export to XML**.
4. To import rules, click **New > Import From File** and follow the instructions on the wizard.

## Configure an SQL injection prevention rule

Deep Security's intrusion prevention module includes a built-in rule that detects SQL injection attacks and drops the connection or logs it depending on its characteristics. The rule is called **1000608 - Generic SQL Injection Prevention** and can be configured to suit your organization's needs. For example, you can change the sensitivity of the rule by modifying the drop threshold.

NAME	PRIORI...	SEVERI...	MODE	TYPE	CATEGORY	CVE
Web Application Common (1)						
1000608 - Generic SQL Injection Prevention	1 - Low	Critical	Prevent	Smart	Web Application Prot...	CVE-2

Topics in this article:

- ["What is an SQL injection attack?" on the next page](#)
- ["What are common characters and strings used in SQL injection attacks?" on the next page](#)
- ["How does the Generic SQL Injection Prevention rule work?" on page 508](#)

- ["Examples of the rule and scoring system in action" on page 510](#)
- ["Configure the Generic SQL Injection Prevention rule" on page 512](#)
- ["Character encoding guidelines" on page 515](#)

### What is an SQL injection attack?

An SQL injection attack, or SQL phishing attack, is a method of attacking data-driven applications wherein an attacker includes portions of SQL statements in an entry field. The newly-formed rogue SQL command is passed by the website to your database where it is executed. The command can result in the attacker being able to read, add, delete, or change information in the database.

### What are common characters and strings used in SQL injection attacks?

Here are some commonly used characters and strings. The list is not exhaustive.

- (
- %27
- \"
- %22
- char
- ;
- ascii
- %3B
- %2B
- --
- %2D%2D
- /\*
- %2F%2A
- \*/

## Trend Micro Deep Security for Azure Marketplace 11.1

- %2A%2F
- substring
- drop table
- drop+table
- insert into
- insert+into
- version(
- values
- group by
- group+by
- create table
- create+table
- delete
- update
- bulk insert
- bulk+insert
- load\_file
- shutdown
- union
- having
- select
- declare
- exec
- and
- or
- like
- @@hostname

- @@tmpdir
- is null
- is+null
- is not null
- is+not+null
- %3D
- CONCAT
- %40%40basedir
- version%28,user(
- user%28,system\_user(
- (,%28,)
- %29
- @
- %40
- cast

### How does the Generic SQL Injection Prevention rule work?

To detect SQL injection attacks, the Generic SQL Injection Prevention rule uses a scoring system. It works like this:

1. Packets from your application arrive at the Deep Security Agent for analysis.
2. The Generic SQL Injection Prevention rule looks at the packets and determines whether any of the strings shown in the table below are present. Notice that the strings are separated by commas and divided into ten groups.
3. If strings are found, a score is calculated as follows:
  - If a single string is found, then the score associated with its group constitutes the total score.
  - If multiple strings are found in *different* groups, then the scores of those groups are added together.

## Trend Micro Deep Security for Azure Marketplace 11.1

- If multiple strings are found in the *same* group, then the score of that group is counted only once.

See ["Examples of the rule and scoring system in action"](#) on the next page for clarification.

4. Using the total score, Deep Security determines whether to drop the connection or log it. If the total score exceeds the **Drop Threshold** score, then the connection is dropped, and if it exceeds the **Log Threshold** score, then it is logged.

**Note:** Trend Micro frequently updates its rules, so the strings in the table below might not match exactly the ones in Deep Security Manager.

**Note:** The use of '\w' in the lines below means 'followed by a non-alphanumeric character'.

Group	Score
drop table,drop+table,insert into,insert+into,values\W,create table,create+table,delete\W,update\W,bulk insert,bulk+insert,shutdown\W,from\W	2
declare\W,select\W	2
cast\W,exec\W,load_file	2
union\W,group by,group+by,order by,order+by,having\W	2
and\W,or\W,like\W,is null,is+null,is not null,is+not+null,where\W	1
--,%2D%2D,/*,%2F%2A,*/,%2A%2F	1
',%27,\x22,%22,char\W	1
;%3B	1
%2B,CONCAT\W	1
%3D	1
(,%28,)%29,@,%40	1
ascii,substring	1

## Trend Micro Deep Security for Azure Marketplace 11.1

Group	Score
version(,version%28,user(,user%28,system_user(,system_user%28,database(,database%28,@@hostname,%40%40hostname,@@basedir,%40%40basedir,@@tmpdir,%40%40tmpdir,@@datadir,%40%40datadir	2

## Examples of the rule and scoring system in action

Below are some examples of how the scores are tallied and what actions are undertaken in each scenario.

### Example 1: Logged and dropped traffic

Let's assume you are using this rule configuration (where the score for the group comes after the colon (":")):

```
drop table,drop+table,insert into,insert+into,values\W,create
table,create+table,delete\W,update\W,bulk insert,bulk+insert,shutdown\W,from\W:2
declare\W,select\W:2
cast\W,exec\W,load_file:2
union\W,group by,group+by,order by,order+by,having\W:2
and\W,or\W,like\W,is null,is+null,is not null,is+not+null,where\W:1
--, %2D%2D, /*, %2F%2A, */ , %2A%2F:1
', %27, \x22, %22, char\W:1
;, %3B:1
%2B, CONCAT\W:1
%3D:1
(, %28, ), %29, @, %40:1
ascii, substring:1
version(, version%28, user(, user%28, system_user(, system_user%28, databas
(, database%28, @@hostname, %40%40hostname, @@basedir, %40%40basedir, @@tmpdir, %40%40tmpd
ir, @@datadir,
%40%40datadir:2

Log Threshold: 3
Drop Threshold: 4
```

And this attack string is encountered:

## Trend Micro Deep Security for Azure Marketplace 11.1

```
productID=BB10735166+UNION/**/+SELECT+FROM+user
```

Then the total score is 5 (2+1+0+2) because:

- The string `UNION/` matches the fourth group for a score of 2.
- The string `/*` matches the sixth group for a score of 1.
- The string `*/` matches the sixth group for a score of 0 (because the score of the sixth group has already been counted).
- The string `SELECT+` matches the second group for a score of 2.

With a total score of 5, a log is generated and the traffic is dropped.

### Example 2: No logged or dropped traffic

Let's assume you are using this rule configuration (where the `select\W` string has been moved to the same line as `union\W`):

```
drop table,drop+table,insert into,insert+into,values\W,create
table,create+table,delete\W,update\W,bulk insert,bulk+insert,shutdown\W,from\W:2
declare\W:2
cast\W,exec\W,load_file:2
union\W,select\W,group by,group+by,order by,order+by,having\W:2
and\W,or\W,like\W,is null,is+null,is not null,is+not+null,where\W:1
--, %2D%2D, /*, %2F%2A, */, %2A%2F:1
', %27, \x22, %22, char\W:1
;, %3B:1
%2B, CONCAT\W:1
%3D:1
(, %28, ), %29, @, %40:1
ascii, substring:1
version(, version%28, user(, user%28, system_user(, system_user%28, databas
(, database%28, @@hostname, %40%40hostname, @@basedir, %40%40basedir, @@tmpdir,
%40%40tmpdir, @@datadir, %40%40datadir:2

Log Threshold: 3
Drop Threshold: 4
```

And this attack string is encountered:

```
productID=BB10735166+UNION/**/+SELECT+FROM+user
```

## Trend Micro Deep Security for Azure Marketplace 11.1

Then the total score is 3 (2+1+0+0) because:

- The string `UNION/` matches the fourth group for a score of 2.
- The string `/*` matches the sixth group for a score of 1.
- The string `*/` matches the sixth group for a score of 0 (because the score of the sixth group has already been counted).
- The string `SELECT+` matches the fourth group for a score of 0 (because the score of the fourth group has already been counted).

With a total score of 3, no log is generated and no traffic is dropped. The score must *exceed* the thresholds for them to take effect.

## Configure the Generic SQL Injection Prevention rule

You can configure the Generic SQL Injection Prevention rule to suit your organization's needs. The configurable options are shown in the image below.

Generic SQL Injection Prevention Properties - Microsoft Edge

app.deepsecurity.trendmicro.com/com.trendmicro.ds.network--PayloadFilter2Pro

General Vulnerability Details **Configuration** Options Assigned To

### Configuration Options

SQL Injection Patterns. One group per line separated by ';'. The score for the group is at the end of the line after ':'. For ';' use \x2c and for '"' use \x22. The Maximum number of groups is 32.  
eg. script, object, embed:2

```
drop table,drop+table,insert  
into,insert+into,values\W,create  
table,create+table,delete\W,update\W,bulk  
insert,bulk+insert,shutdown\W,from\W:2  
declare\W,select\W:2
```

Drop Threshold (if the score exceeds this value, the connection will be dropped):

Log Threshold (if the score exceeds this value, a log will be generated):

Max distance between matches (if this many characters go by without seeing a pattern in any group, the score is reset to 0):

Note: If Log Threshold is greater or equal to Drop Threshold then only Drop events will be generated. In the default configuration both are equal.

Pages (resource) with a non-default score to drop on. The score for each resource is at the end of the line after ':'. eg. /index.html:5 : (One per line)

```
/example/questionnaire.html:8
```

Form parameters with a non-default score to drop on. Each line begins with the resource name followed by the resource parameters separated by a ':'. The score for each parameter is set at the end of the parameter after '='.  
eg. /index.html:userid=5,passwd=7 (One per line).

```
/example/login.html:username=10
```

View Rules...

OK Cancel Apply

To configure the rule:

1. Log in to Deep Security Manager.
2. At the top, click **Policies**.
3. In the search box on the right, enter `1000608` which is the Generic SQL Injection Prevention rule's numeric identifier. Press Enter. The rule appears in the main pane.
4. Double-click the rule.
5. Click the **Configuration** tab. You see the SQL injection pattern in the text box at the top.
6. Update the SQL injection pattern with the latest version, if you haven't customized it yet. To update to the latest pattern, go to the **Details** tab, copy the text under the **Default SQL Pattern** heading and paste it into the **SQL Injection Patterns** text box on the **Configuration** tab. You are now working with the most up-to-date pattern from Trend Micro.
7. Edit the fields as follows:
  - **SQL Injection Patterns:** This is where you to specify the list of characters and strings used in SQL injection attacks. Characters and strings are grouped and assigned a score. If you want to add or change the strings, make sure to use the proper encoding. See "[Character encoding guidelines](#)" on the next page below for details.
  - **Drop Threshold:** This is where you specify the drop score. The connection is dropped when the score exceeds this threshold. (If the score equals the drop threshold, the connection is maintained.) The default is `4`.
  - **Log Threshold:** This is where you specify the log score. The connection is logged when the score exceeds this threshold. (If the score equals the log threshold, nothing is logged.) The default is `4`.
  - **Max distance between matches:** This is where you specify the number of bytes that can pass without a match to reset the score to `0`. The default is `35`.
  - **Note:** Consider using the next two options to create overrides for pages and fields that might cause the normal thresholds to be exceeded.
  - **Pages (resource) with a non-default score to drop on:** This is where you can override the **Drop Threshold** for specific resources. For example, if your **Drop Threshold** is `4`, but you want a drop score of `8` for a questionnaire page, specify `/example/questionnaire.html:8`. With this configuration, `/example/questionnaire.html` needs to have a score *higher than* `8` in order for the

connection to be dropped, while all other resources only need a score higher than 4. Specify each resource on a separate line.

- **Form parameters with a non-default score to drop on:** This is where you can override the thresholds defined in **Drop Threshold** or the **Pages (resources) with a non-default score to drop on** fields for specific form fields. For example, if your **Drop Threshold** score is 4, but you want a higher drop score of 10 for a username field, specify `/example/login.html:username=10`, where `/example/login.html` is replaced with the path and name of the page where the username field appears, and `username` is replaced with the username field used by your application. With this configuration, the username field needs to have a score *higher than* 10 for the connection to be dropped, while the page itself only needs a score higher than 4. Specify each form field on a separate line.

**Note:** The **Log Threshold** does not take effect when connections are dropped due to a match on the **Pages (resources) with a non-default score to drop on** or **Form parameters with a non-default score to drop on** fields. For example, if you set the form parameter field to `/example/login.html:username=10`, and the username field scores 11, the connection is dropped but there is no log of this event.

8. Click **OK**.

You have now configured the Generic SQL Injection Prevention rule.

## Character encoding guidelines

If you want to change or add strings to the Generic SQL Injection Prevention rule, you must encode them properly. For example, if you want to use the quote character `'` in your pattern, you must enter `\x22`.

The table below shows characters and their encoded equivalents, as well as character classes that you can use to denote extended patterns.

Enter this string...	To denote...
<code>\a</code>	alphanumeric characters, a-z A-Z

## Trend Micro Deep Security for Azure Marketplace 11.1

Enter this string...	To denote...
\A	<p>non-alphabetic characters</p> <p>example: <code>delete\A</code> means "the word 'delete' followed by alphabetical characters"</p>
\w \W	<p>alphanumeric characters, a-z A-Z 0-9</p> <p>non-alphanumeric characters</p> <p>example: <code>delete\W</code> means "the word 'delete' followed by non-alphanumeric characters"</p>
\d \D	<p>digits 0-9</p> <p>non-digit characters</p> <p>example: <code>delete\d</code> means "the word 'delete' followed by digits between zero and nine"</p>
\s \S	<p>whitespace</p> <p>not whitespace [<code>r,\n,\t,0x32</code>]</p> <p>example: <code>delete\S</code> means "the word 'delete' followed by non-whitespace"</p>
\p \P	<p>punctuation character, printable ascii other than above</p> <p>non-punctuation character</p> <p>example: <code>delete\p</code> means "the word 'delete' followed by a punctuation character or printable ascii"</p>
\c \C	<p>control character, below 32, or greater than or equal to 127, not including whitespace</p> <p>non-control character</p>

Enter this string...	To denote...
	You can find details on control characters <a href="#">here</a> .
\.	any
\xDD	hex byte 0xDD
\x2c	comma character (,)
\x22	double-quotes character (")
\\	escaped backslash (\)
\	escaped pipe ( )
xx xx xx...	hex pipe (byte sequence)

## Application types

The applications defined by Application Types are identified by the direction of traffic, the protocol being used, and the port number through which the traffic passes. Application Types are useful for grouping intrusion prevention rules that have a common purpose. Rule groups simplify the process of selecting a set of intrusion prevention rules to assign to a computer. For example, consider the set of rules required to protect HTTP traffic to an Oracle Report Server. Simply select the rules in the "Web Server Common" and "Web Server Oracle Report Server" application types and then exclude unneeded rules, such as the rules that are specific to IIS servers.

### See a list of application types

Open the list of application types where you can see the properties of existing application types, as well as configure, export, and duplicate them. You can export to XML or CSV files. You can import XML files. You can also create and delete application types.

1. Click **Policies > Intrusion Prevention Rules**.
2. Click **Application Types**.
3. To apply a command to an application type, select the type and click the appropriate button.

**Tip:** Application types that have configurable properties have an icon with a gear. 

See also "[Override rule and application type configurations](#)" on page 504.

## General Information

The name and description of the Application Type. "Minimum Agent/Appliance Version" tells you what version of the Deep Security **agent or appliance**<sup>1</sup> is required to support this Application Type.

## Connection

- **Direction:** The direction of the initiating communication. That is, the direction of the first packet that establishes a connection between two computers. For example, if you wanted to define an Application Type for Web browsers, you would select "Outgoing" because it is the Web browser that sends the first packet to a server to establish a connection (even though you may only want to examine traffic traveling from the server to the browser). The Intrusion Prevention Rules associated with a particular Application Type can be written to examine individual packets traveling in either direction.
- **Protocol:** The protocol this Application Type applies to.
- **Port:** The port(s) this Application Type monitors. (*Not* the port(s) over which traffic is exclusively allowed.)

---

<sup>1</sup>The Deep Security Agent and Deep Security Virtual Appliance are the components that enforce the Deep Security policies that you have defined. Agents are deployed directly on a computer. Appliances are used in VMware vSphere environments to provide agentless protection. They are not available with Deep Security as a Service.

## Configuration

The **Configuration** tab displays options that control how Intrusion Prevention Rules associated with this Application Type behave. For example, the "Web Server Common" Application Type has an option to "Monitor responses from Web Server". If this option is deselected, Intrusion Prevention Rules associated with this Application Type will not inspect response traffic.

## Options

Items in the **Options** tab control how the Deep Security Manager uses and applies the Application Type. For example, most Application Types have an option to exclude them from Recommendation Scans. This means that if the "Exclude from Recommendations" options is selected, a Recommendation Scan will not recommend this Application Type and its associated Intrusion Prevention Rules for a computer even if the application in question is detected.

## Assigned To

The **Assigned To** tab lists the Intrusion Prevention Rules associated with this Application Type.

## Inspect SSL or TLS traffic

For the intrusion prevention module, you can configure SSL inspection for a given credential-port pair on one or more interfaces of your protected computer.

**Note:** Compressed traffic does not support SSL inspection.

Credentials can be imported in PKCS#12 or PEM format. The credential file must include the private key. Windows computers can use CryptoAPI directly.

For an overview of the intrusion prevention module, see ["Block exploit attempts using intrusion prevention" on page 483](#).

In this topic:

- ["Configure SSL inspection" on the next page](#)
- ["Change port settings" on page 521](#)

- ["Use Intrusion Prevention when traffic is encrypted with Perfect Forward Secrecy \(PFS\)" on the next page](#)
- ["Supported ciphers" on page 523](#)
- ["Supported protocols" on page 524](#)

## Configure SSL inspection

1. In Deep Security Manager, select the computer to configure and click **Details** to open the computer editor.
2. In the left pane of the computer editor, click **Intrusion Prevention > Advanced > View SSL Configurations**, and click **View SSL Configurations** to open the SSL computer Configurations window.
3. Click **New** to open the SSL Configuration wizard.
4. Specify the interface to which to apply the configuration on this computer:
  - To apply to all interfaces on this computer, select **All Interface(s)**.
  - To apply to specific interfaces, select **Specific Interface(s)**.
5. Select **Port(s)** or **Ports List** and select a list, then click **Next**.
6. On the IP Selection screen, select **All IPs** or provide a **Specific IP** on which to perform SSL inspection, then click **Next**.
7. On the Credentials screen, select how to provide the credentials:
  - **I will upload credentials now**
  - **The credentials are on the computer**

**Note:** The credential file must include the private key.

8. If you chose the option to upload credentials now, enter their type, location, and pass phrase (if required).

If the credentials are on the computer, provide Credential Details.

- If you are using PEM or PKCS#12 credential formats stored on the computer, identify the location of the credential file and the file's pass phrase (if required).
- If you are using Windows CryptoAPI credentials, choose the credentials from the list of credentials found on the computer.

9. Provide a name and description for this configuration.
10. Review the summary and close the SSL Configuration Wizard. Read the summary of the configuration operation and click **Finish** to close the wizard.

### Change port settings

Change the port settings for the computer to ensure that the agent is performing the appropriate intrusion prevention filtering on the SSL-enabled ports. The changes you make are applied to a specific application type, such as Web Server Common, on the agent computer. The changes do not affect the application type on other computers.

1. Go to **Intrusion Prevention Rules** in the computer's Details window to see the list of intrusion prevention rules being applied on this computer.
2. Sort the rules by **Application Type** and locate the "Web Server Common" application type. (You can perform these changes to similar application types as well.)
3. Right-click a rule in the application type and click **Application Type Properties**.
4. Override the inherited "HTTP" Port List so that you include the port you defined during the SSL Configuration setup as well as port 80. Enter the ports as comma-separated values. For example, if you use port 9090 in the SSL configuration, enter 9090, 80.
5. To improve performance, on the **Configuration** tab, deselect **Inherited and Monitor responses from Web Server**.
6. Click **OK** to close the dialog.

### Use Intrusion Prevention when traffic is encrypted with Perfect Forward Secrecy (PFS)

[Perfect Forward Secrecy \(PFS\)](#) can be used to create a communication channel that cannot be decrypted if, at a later time, the server's private key is compromised. It relies on the Diffie-Hellman key exchange algorithm which uses ephemeral keys to establish a TLS session. You can identify a server that uses Diffie-Hellman Exchange if its cipher suite contains the string `DHE` (for example, `TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384`) or `EDH` in some OpenSSL configurations.

Since the intent of Perfect Forward Secrecy is to prevent decryption after the session is over, it also prevents SSL inspection through the Deep Security intrusion prevention module.

To work around this issue, we recommend you do the following:

1. Use Perfect Forward Secrecy for TLS traffic between the Internet and your load balancer (or reverse proxy).
2. Terminate the Perfect Forward Secrecy session at your load balancer (or reverse proxy).
3. Use a non-PFS cipher suite (see "[Supported ciphers](#)" on the next page below) for traffic between the load balancer (or reverse proxy) and the web server or application server, so that the intrusion prevention module on the server can decrypt the TLS sessions and inspect them.
4. Restrict traffic to the web server for application server ports that do not use Perfect Forward Secrecy.

### Special considerations for Diffie-Hellman ciphers

On some web servers, Diffie-Hellman ciphers might be the default, so it is important to check the server's configuration file and disable it for TLS traffic between the web server and load balancer (or reverse proxy). For example, to disable Diffie-Hellman on an Apache server:

1. Open the server's configuration file. The file name and location of web server configuration files vary by operating system (OS) and distribution. For example, the path could be:
  - **Default installation on RHEL4:** `/etc/httpd/conf.d/ssl.conf`
  - **Apache 2.2.2 on Red Hat Linux:** `/apache2/conf/extra/httpd-ssl.conf`
2. In the configuration file, find the "`SSLCipherSuite`" variable.
3. Add `!DH:!EDH:!ADH:` to these fields, if this string does not already appear. (The "!" tells Apache to "not" use this cipher.)
4. For example, you might edit the Apache configuration file's cipher suite to look like this:

```
SSLCipherSuite !DH:!EDH:!ADH:!EXPORT56:RC4+RSA:+HIGH:+MEDIUM:+LOW:+SSLv2:+EXP:+eNULL
```

For more information, see the Apache Documentation for `SSLCipherSuite` :

[http://httpd.apache.org/docs/2.0/mod/mod\\_ssl.html#sslcipherSuite](http://httpd.apache.org/docs/2.0/mod/mod_ssl.html#sslcipherSuite).

## Supported ciphers

Hex Value	OpenSSL Name	IANA Name	NSS Name
0x00,0x04	RC4-MD5	TLS_RSA_WITH_RC4_128_MD5	SSL_RSA_WITH_RC4_128_MD5
0x00,0x05	RC4-SHA	TLS_RSA_WITH_RC4_128_SHA	SSL_RSA_WITH_RC4_128_SHA
0x00,0x09	DES-CBC-SHA	TLS_RSA_WITH_DES_CBC_SHA	SSL_RSA_WITH_DES_CBC_SHA
0x00,0x0A	DES-CBC3-SHA	TLS_RSA_WITH_3DES_EDE_CBC_SHA	SSL_RSA_WITH_3DES_EDE_CBC_SHA
0x00,0x2F	AES128-SHA	TLS_RSA_WITH_AES_128_CBC_SHA	TLS_RSA_WITH_AES_128_CBC_SHA
0x00,0x35	AES256-SHA	TLS_RSA_WITH_AES_256_CBC_SHA	TLS_RSA_WITH_AES_256_CBC_SHA
0x00,0x3C	AES128-SHA256	TLS_RSA_WITH_AES_128_CBC_SHA256	TLS_RSA_WITH_AES_128_CBC_SHA256
0x00,0x3D	AES256-SHA256	TLS_RSA_WITH_AES_256_CBC_SHA256	TLS_RSA_WITH_AES_256_CBC_SHA256
0x00,0x41	CAMELLIA128-SHA	TLS_RSA_WITH_CAMELLIA_128_CBC_SHA	TLS_RSA_WITH_CAMELLIA_128_CBC_SHA
0x00,0x84	CAMELLIA256-SHA	TLS_RSA_WITH_CAMELLIA_256_CBC_SHA	TLS_RSA_WITH_CAMELLIA_256_CBC_SHA

Hex Value	OpenSSL Name	IANA Name	NSS Name
0x00,0xBA	CAMELLIA128-SHA256	TLS_RSA_WITH_CAMELLIA_128_CBC_SHA256	TLS_RSA_WITH_CAMELLIA_128_CBC_SHA256
0x00,0xC0	not implemented	TLS_RSA_WITH_CAMELLIA_256_CBC_SHA256	TLS_RSA_WITH_CAMELLIA_256_CBC_SHA256

## Supported protocols

The following protocols are supported:

- SSL 3.0
- TLS 1.0
- TLS 1.1
- TLS 1.2

## Configure anti-evasion settings

Anti-evasion settings control the network engine handling of abnormal packets that may be attempting to evade analysis. Anti evasion settings are configured in a policy or an individual computer. The Security Posture setting controls how rigorous intrusion prevention analyzes packets, and can be set to one of the following values:

- **Normal:** Prevents the evasion of intrusion prevention rules without false positives. This is the default value.
- **Strict:** Performs more stringent checking than Normal mode but can produce some false-positive results. Strict mode is useful for penetration testing but should not be enabled under normal circumstances.
- **Custom:** If you select **Custom**, additional settings are available that enable you to specify how Deep Security will handle issues with packets. For these settings (with the exception

## Trend Micro Deep Security for Azure Marketplace 11.1

of **TCP Timestamp PAWS Window**), the options are **Allow** (Deep Security sends the packet through to the system), **Log Only** (same behavior as Allow, but an event is logged), **Deny** (Deep Security drops the packet and logs an event), or **Deny Silent** (same behavior as Deny, but no event is logged):

**Note:** If you changed the posture to "Custom" in Deep Security 10.1 or earlier, all default values for the anti-evasion settings were set to "Deny". This led to a dramatic increase in block events. The default custom values have changed in Deep Security 10.2, as indicated in the table below.

Setting	Description	Normal value	Strict value	Default custom value (pre-10.2)	Default custom value (10.2 or later)
Invalid TCP Timestamps	Action to take when a TCP timestamp is too old	Ignore and Log (same function as Log Only)	Deny	Deny	Ignore and Log (same function as Log Only)
TCP Timestamp PAWS Window	Packets can have timestamps. When a timestamp has an earlier timestamp than the one that came before it, it can be suspicious. The tolerance for the difference in timestamps depends on the operating system. For Windows systems, select 0 (the system will only accept packets with a timestamp that is equal to or newer than the previous packet). For Linux systems, select 1 (the system will accept packets with a timestamp that is a maximum of one second earlier than the previous packet).	1 for Linux agents, otherwise 0	1 for Linux agents, otherwise 0	0	1 for Linux agents, otherwise 0
Timestamp PAWS Zero Allowed	Action to take when a TCP timestamp is zero	Deny for Linux agents or NDIS5, otherwise Allow	Deny for Linux agents or NDIS5, otherwise Allow	Deny	Deny for Linux agents or NDIS5, otherwise Allow

## Trend Micro Deep Security for Azure Marketplace 11.1

Setting	Description	Normal value	Strict value	Default custom value (pre-10.2)	Default custom value (10.2 or later)
Fragmented Packets	Action to take when a packet is fragmented	Allow	Allow	Deny	Allow
TCP Zero Flags	Action to take when a packet has zero flags set	Deny	Deny	Deny	Deny
TCP Congestion Flags	Action to take when a packet has congestion flags set	Allow	Allow	Deny	Allow
TCP Urgent Flags	Action to take when a packet has urgent flags set	Allow	Deny	Deny	Allow
TCP Syn Fin Flags	Action to take when a packet has both SYN and FIN flags set	Deny	Deny	Deny	Deny
TCP Syn Rst Flags	Action to take when a packet has both SYN and RST flags set	Deny	Deny	Deny	Deny
TCP Rst Fin Flags	Action to take when a packet has both RST and FIN flags set	Deny	Deny	Deny	Deny
TCP Syn with Data	Action to take when a packet has a SYN flag set and also contains data	Deny	Deny	Deny	Deny
TCP Split Handshake	Action to take when a SYN is received instead of SYNACK, as a reply to a SYN.	Deny	Deny	Deny	Deny
RST Packet Out of Connection	Action to take for a RST packet without a known connection	Allow	Deny	Deny	Allow
FIN Packet Out of Connection	Action to take for a FIN packet without a known connection	Allow	Deny	Deny	Allow
OUT Packet Out of Connection	Action to take for an outgoing packet without a known connection	Allow	Deny	Deny	Allow

Setting	Description	Normal value	Strict value	Default custom value (pre-10.2)	Default custom value (10.2 or later)
Evasive Retransmit	Action to take for a packet with duplicated or overlapping data	Allow	Deny	Deny	Allow
TCP Checksum	Action to take for a packet with an invalid checksum	Allow	Deny	Deny	Allow

## Performance tips for intrusion prevention

To improve system resources utilization on Deep Security Agent, optimize certain performance-related settings.

For an overview of the intrusion prevention module, see ["Block exploit attempts using intrusion prevention" on page 483](#).

System resource	Settings that impact performance
CPU usage	<ul style="list-style-type: none"> <li>Log an event when a packet is dropped or blocked. Logging packet modifications may result in a lot of log entries. (See <a href="#">"Configure event logging for rules" on page 500</a>)</li> <li>Include packet data in the event log only during troubleshooting. (See <a href="#">"Configure event logging for rules" on page 500</a>)</li> <li>Assign only intrusion prevention rules that apply to the computer's OS and applications. See <a href="#">"Manage and run recommendation scans" on page 305</a> for information about using recommendation scans to discover applicable vulnerabilities and rules.</li> <li>Don't assign more than 300 rules.</li> </ul>
Network usage or throughput	<ul style="list-style-type: none"> <li>Log an event when a packet is dropped or blocked. Logging packet modifications may result in a lot of log entries. (See <a href="#">"Configure event</a></li> </ul>

System resource	Settings that impact performance
	<p><a href="#">logging for rules" on page 500)</a></p> <ul style="list-style-type: none"> <li>• Include packet data in the event log only during troubleshooting. (See <a href="#">"Configure event logging for rules" on page 500)</a>)</li> <li>• Do not monitor HTTP responses from the web server, especially if the policy has many signatures applied:               <ol style="list-style-type: none"> <li>a. Click <b>Policies &gt; Intrusion Prevention Rules</b>.</li> <li>b. Right-click a rule in the Web Server Common application type and click <b>Application Type Properties</b>.</li> <li>c. On the <b>Configuration</b> tab, deselect <b>Inherited and Monitor responses from Web Server</b>.</li> </ol> </li> </ul>
Disk usage	<ul style="list-style-type: none"> <li>• Include packet data in the event log only during troubleshooting. (See <a href="#">"Configure event logging for rules" on page 500)</a>)</li> </ul>

## Maximum size for configuration packages

When an agent is assigned a large number of intrusion prevention rules, the size of the configuration package can exceed the maximum allowed size. When the allowed size is exceeded, the status of the agent changes to "Agent configuration package too large" and the event message "Configuration package too large" appears.

**Note:** There is a configuration limit of 20 MB in Windows 32-bit platform because it has smaller kernel memory available. For other platforms, the limit is 32 MB.

For performance reasons, you should have less than 350 intrusion prevention rules assigned to a computer. To minimize the number of required rules, ensure all available patches are applied to the computer operation system and any third-party software that is installed.

1. Apply available patches to the computer operating system.
2. Apply available patches to any third-party software that is installed.

3. Apply only the intrusion prevention rules that a recommendation scan recommends. Remove any rules from the computer or the assigned policy that are recommended for unassignment. (See ["Manage and run recommendation scans" on page 305.](#))
4. If you are managing intrusion prevention at the policy level and the configuration package is still too large, configure intrusion prevention in one of the following ways:
  - Make the policy more granular, so that all servers in that policy have the same operating system and applications.
  - Manage intrusion prevention at the server level so that rules are added and removed automatically for the computer.

Use the following procedure to manage intrusion prevention at the server level.

1. Open the editor for the policy that is assigned to the computer.
2. Click **Intrusion Prevention > General**.
3. In the **Recommendations** section, set **Automatically implement Intrusion Prevention Recommendations (when possible)** to **Yes**.
4. Remove any intrusion prevention rules from the policy.
5. Run a recommendation scan on the computer.

## Control endpoint traffic using the firewall

The firewall module provides bidirectional stateful inspection of incoming and outgoing traffic. Firewall rules define what actions to take on individual packets in that traffic. Packets can be filtered by IP and MAC address, port and packet flag across all IP-based protocols and frame types. The firewall module can also help prevent denial of service attacks and detect and prevent reconnaissance scans.

To enable and configure the firewall, see ["Set up the Deep Security firewall" on the next page.](#)

## Firewall rules

Firewall rules can process traffic using one of the following actions, listed in order of precedence:

## Trend Micro Deep Security for Azure Marketplace 11.1

- Bypass
- Log Only
- Force Allow
- Deny
- Allow

Rules also have a priority level between 4 (highest priority) to 0 (lowest priority). Within a specific priority level rules are processed in order based on the precedence of the action type of the rule as listed above. This means that unlike what you may have experienced when configuring other firewalls, the Deep Security firewall processes rules independently of their assignment order.

For more information on how rule priorities and actions determine processing order, see ["Firewall rule actions and priorities" on page 551](#).

For more detailed information on how to create firewall rules, see ["Create a firewall rule" on page 543](#).

**Note:** When creating your rules, make sure to test them using the Tap and Inline modes of the firewall module before deploying them. For information on how to do so, see the "Test firewall rules before deploying them" section of ["Set up the Deep Security firewall" below](#).

## Set up the Deep Security firewall

The Deep Security firewall is a highly flexible firewall that you can configure to be restrictive or permissive. Like the intrusion prevention and web reputation modules, the firewall module can also be run in two modes: inline or tap. It is recommended that you test your firewall rules in tap mode and then switch to inline mode when everything is working correctly.

The configuration and administration of your firewall must be performed carefully and there is no one set of rules that fits all environments. Make sure you understand the firewall rule actions and rule priorities before creating your rules and proceed with extra caution when creating Allow rules because they implicitly deny everything else not defined.

In this article:

- ["Test firewall rules before deploying them" below](#)
- ["Enable 'fail open' behavior" on page 533](#)
- ["Turn on firewall " on page 534](#)
- ["Default firewall rules" on page 535](#)
- ["Restrictive or permissive firewall design" on page 536](#)
- ["Firewall rule actions" on page 537](#)
- ["Firewall rule priorities" on page 538](#)
- ["Recommended firewall policy rules" on page 539](#)
- ["Reconnaissance scans" on page 539](#)
- ["Stateful inspection" on page 541](#)
- ["Example" on page 541](#)
- ["Important things to remember" on page 542](#)

### Test firewall rules before deploying them

The firewall module (as well as the intrusion prevention and web reputation modules) includes a Deep Security network engine that decides whether to block or allow packets. For the firewall and intrusion prevention modules, the network engine performs a packet sanity check and also makes sure each packet passes the firewall and intrusion prevention rules. The network engine operates in one of two modes:

- **Tap mode:** Packet streams are not modified. The traffic is still processed by the firewall and/or intrusion prevention modules, if they are enabled. However any issues detected do not result in packet or connection drops. When in Tap mode, Deep Security offers no protection beyond providing a record of events.
- **Inline mode:** Packet streams pass directly through the Deep Security network engine. All rules are applied to the network traffic before they proceed up the protocol stack.

It's important to test your firewall rules in either Tap mode or Inline mode with the action for the rules set to Log Only before deploying them. This allows you to preview the effect of the rules on traffic, without any action being taken. If rules aren't properly tested before deployment, all traffic could become blocked and your computer could become inaccessible.

### Test in Tap mode

Tap mode allows you to test your firewall rules, without disturbing the flow of traffic.

1. Go to **Computers** or **Policies** in the Deep Security Manager.
2. Right-click a computer (or policy) and select **Details** to open the **Computer or Policy editor**<sup>1</sup>.
3. Go to **Settings > Advanced > Network Engine Mode**.
4. Select **Tap** from the list and click **Save**.
5. Create your rules and click **OK**. To check your rules, go to **Events & Reports > Events > Firewall Events**.

**Note:** It is not necessary to set the action of the rule to Log Only in Tap mode.

Once you are satisfied with your firewall rules, go back to the **Computer or Policy editor**<sup>2</sup>, select **Inline** from the drop-down list, and click **Save**.

### Test in Inline mode

In most situations, Tap mode is a good way to test your firewall rules without disturbing traffic. However, you can also test your rules in Inline mode, if the action of the rule is set to Log Only. This way, the real world process of analyzing the traffic takes place without having to perform any action, such as blocking or denying packets.

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

<sup>2</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

1. Go to **Computers** or **Policies** in the Deep Security Manager.
2. Right-click a computer (or policy) and select **Details** to open the **Computer or Policy editor**<sup>1</sup>.
3. Go to **Settings > Advanced > Network Engine Mode**.
4. Select **Inline** from the drop down menu and click **Save**.
5. While you're creating your rule, ensure the action is set to **Log Only**.
6. To check your rules, go to **Events & Reports > Events > Firewall Events**.

Once you are satisfied with your firewall rules, change the action from Log Only to your desired action and click **OK**.

### Enable 'fail open' behavior

In some cases, the network engine blocks packets before the firewall rules (or intrusion prevention rules) can be applied. By default, the network engine blocks packets if:

- the agent or virtual appliance host has a system problem, for example, it's out of memory
- the packet sanity check fails

This 'fail closed' behavior offers a high level of security: it ensures that cyber attacks cannot penetrate your network when an agent or virtual appliance is not functioning properly, and safeguards against potentially malicious packets. The drawback to 'fail closed' is that your services and applications might become unavailable because of problems on the agent or virtual appliance. You might also experience performance issues if a large number of packets are being dropped unnecessarily as a result of the packet sanity check (too many false-positives).

If you have concerns about service availability, consider changing the default behavior to allow packets through (or 'fail open') for system and packet check failures, as explained below.

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

1. Go to **Computers** or **Policies** in the Deep Security Manager.
2. Right-click a computer (or policy) and select **Details** to open the **Computer or Policy editor**<sup>1</sup>.
3. Click **Settings** on the left.
4. Click the **Advanced** tab.
5. Under **Network Engine Settings**, set the **Failure Response** settings as follows:
6. Set **Network Engine System Failure** to **Fail open** to allow packets through if the network engine host experiences problems, such as out of memory failures, allocated memory failures, and network engine (DPI) decoding failures. Consider using fail open here if your agent or virtual appliance frequently encounters network exceptions because of heavy loads or a lack of resources. With fail open, the network engine allows the packet through, does not perform rules checking, and logs an event. Your services and applications remain available despite the problems on the agent or virtual appliance.
7. Set **Network Packet Sanity Check Failure** to **Fail open** to allow packets through that fail the network engine's packet sanity checks. Examples of packet sanity checks: firewall sanity checks, network layer 2, 3, or 4 attribute checks, and TCP state checks. Consider using fail open here if you want do rules checking only on 'good' packets that pass the sanity check. With fail open, the network engine allows the failed packet through, does not perform rules checking on it, and logs an event.
8. Click **Save**.

You have now enabled fail open behavior for system or packet check failures.

## Turn on firewall

To enable firewall functionality on a computer:

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

## Trend Micro Deep Security for Azure Marketplace 11.1

1. In the **Computer or Policy editor**<sup>1</sup>, go to **Firewall > General**.
2. Select **On** and then click **Save**.

### Default firewall rules

No outbound rules are assigned to the policies that come with Deep Security by default but several recommended inbound rules are. You can view the default inbound rules assigned to each policy by going to the **Firewall** tab in the relevant operating system policy. The example below shows the default assigned firewall rules for the Windows 10 Desktop policy. You can configure these firewall rules to meet the needs of your environment, but we have provided several default rules for you to get you started.

**Tip:** To minimize the impact on system performance, try not to assign more than 300 firewall rules. It is also good practice to document all firewall rule changes in the "Description" field of the firewall rule. Make a note of when and why rules were created or deleted for easier firewall maintenance.

The screenshot shows the 'Policy: Base Policy > Windows > Windows 10 Desktop' configuration page. The 'Firewall' section is active, showing 'Firewall State: On' and 'On, 11 rules'. Below this, the 'Assigned Firewall Rules' table is displayed with the following data:

NAME	ACTION TYPE	PRIORITY	DIRECTL.	FRAMET.	PROTO.	SOURCE IP	SOURCE M.	SOURCE PO.	DI
Allow ICMP fragmentation pack...	Force Allow	2 - Normal	Incoming	IP	ICMP	Any	Any	N/A	Any
Allow PPPoE Discovery	Allow	0 - Lowest	Incoming	Other: 8863	N/A	N/A	Any	N/A	N/A
Allow PPPoE Session	Allow	0 - Lowest	Incoming	Other: 8864	N/A	N/A	Any	N/A	N/A
Allow solicited ICMP replies	Allow	0 - Lowest	Incoming	IP	ICMP	Any	Any	N/A	Any
Allow solicited TCP/UDP replies	Allow	0 - Lowest	Incoming	IP	TCP+UDP	Any	Any	Any	Any
ARP	Allow	0 - Lowest	Incoming	ARP	N/A	N/A	Any	N/A	N/A
DHCP Client	Force Allow	2 - Normal	Incoming	IP	UDP	Any	Any	DHCP Server...	Net.
Domain Client (TCP)	Allow	0 - Lowest	Incoming	IP	TCP	Domain Con...	Any	Domain Con...	Any
Domain Client (UDP)	Force Allow	2 - Normal	Incoming	IP	UDP	Domain Con...	Any	Domain Con...	Any
NetBios Name Service	Force Allow	2 - Normal	Incoming	IP	UDP	Any	Any	NetBios - no ...	Any
Wireless Authentication	Force Allow	2 - Normal	Incoming	Other: 888E	N/A	N/A	Any	N/A	N/A

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

### Default Bypass rule for Deep Security Manager Traffic

The Deep Security Manager automatically implements a **Priority 4 Bypass Rule** that opens the listening port number of the agent for heartbeats on computers running Deep Security Agent. A priority of 4 ensures that this rule is applied before any Deny rule, and Bypass guarantees that the traffic is never impaired. The Bypass rule is not explicitly shown in the firewall rule list because the rule is created internally.

This rule, however, accepts traffic from any IP address and any MAC address. To harden the Deep Security Agent's listening ports, you can create an alternative, more restrictive, Bypass rule for this port. The agent will override the default Deep Security Manager traffic rule with the new custom rule if it has these settings:

- **Priority:** 4 - Highest
- **Packet direction:** Incoming
- **Frame type:** IP
- **Protocol:** TCP
- **Packet Destination Port:** [Agent's listening port for heartbeats from the Manager](#)

The custom rule must use the above parameters to replace the default rule. Ideally, the IP address or MAC address of the actual Deep Security Manager should be used as the packet source for the rule.

### Restrictive or permissive firewall design

Typically, firewall policies are based on one of two design strategies. Either they permit any service unless it is expressly denied or they deny all services unless expressly allowed. It is best practice to decide what type of firewall you would like to implement. This helps reduce administrative overhead in terms of creating and maintaining the rules.

#### Restrictive firewall

A restrictive firewall is the recommended best practice from a security perspective. All traffic is stopped by default and only traffic that has been explicitly allowed is permitted. If the primary goal of your planned firewall is to block unauthorized access, the emphasis needs to be on restricting rather than enabling connectivity. A restrictive firewall is easier to maintain and more

secured. Allow rules are used only to permit certain traffic across the firewall and deny everything else.

**Note:** As soon as you assign a single outgoing Allow rule, the outgoing firewall will operate in restrictive mode. This is also true for the inbound firewall: as soon as you assign a single incoming Allow rule, the inbound firewall will operate in restrictive mode.

### Permissive firewall

A permissive firewall permits all traffic by default and only blocks traffic believed to be malicious based on signatures or other information. A permissive firewall is easy to implement but it provides minimal security and requires complex rules. Deny rules are used to explicitly block traffic.

### Firewall rule actions

You can configure the firewall to take the following actions:

**Warning:** If you assign only incoming rules, all outgoing traffic will be allowed. If you assign a single outgoing Allow rule, the outgoing firewall will operate in restrictive mode. There is one exception to this: ICMPv6 traffic is always permitted unless it is specifically blocked by a Deny rule.

Allow	<p>Explicitly allows traffic that matches the rule to pass and then implicitly denies everything else.</p> <p><b>Note:</b> You should use an Allow action with caution because it implicitly denies everything else not defined. Be careful when creating Allow rules without defining the related rules correctly because doing so can cause all traffic to be blocked except for the traffic that the Allow rule is created for. Traffic that is not explicitly allowed by an Allow rule is dropped and gets recorded as a 'Out of "allowed" Policy' firewall event.</p>
Bypass	<p>Allows traffic to bypass both firewall and intrusion prevention analysis. Bypass rules should always be created in pairs (for both incoming and outgoing traffic). A Bypass rule can be based on IP, port, traffic direction, and protocol.</p> <p>The Bypass rule is designed for media-intensive protocols or traffic originating from trusted sources.</p>

## Trend Micro Deep Security for Azure Marketplace 11.1

Deny	Explicitly blocks traffic that matches the rule.
Force Allow	If a packet matches a force allow rule, it is passed but still filtered by intrusion prevention. No events are logged.  This type of firewall rule action must be used for UDP and ICMP traffic.
Log only	Traffic will only be logged. No other action will be taken.

For more information on how to create a firewall rule, see ["Create a firewall rule" on page 543](#).

### Firewall rule priorities

Rule priority determines the order in which filters are applied. This means that high priority rules get applied before low priority rules. When actions share the same priority, the orders of precedence for rules are: Bypass, Force Allow, and then Deny. However, a Deny action with a higher priority will take precedence over a Bypass action with a lower priority. For more information on how rule priorities and actions determine processing order, see ["Firewall rule actions and priorities" on page 551](#).

To simplify the administration of firewall rules, consider reserving certain priority levels for specific actions. For example, apply a default of priority 3 to rules that use Bypass, priority 2 for Force Allow rules, and priority 1 for Deny rules. This reduces the potential for rule conflicts.

### Allow rules

Allow rules can only have a priority of 0. This is to ensure it is processed after all Force Allow and Deny rules at higher priorities. Keep this in mind when using Allow rules to implicitly deny traffic (any traffic not matching the Allow rules are denied). This means that when a Deny rule is assigned, it will take precedence over all of the existing assigned Allow rules.

### Force Allow rules

Force Allow rules are recommended for traffic that must always be allowed, such as Address Resolution Protocol (ARP). The Force Allow action only acts as a trump card to a deny rule at the same or higher priority. For example, if you have a Deny rule at priority 3 that prevents access to an allowed port number from the 10.0.0.0/8 subnet, and you want to allow host

10.102.12.56 to access that, you must create a Force Allow rule at priority 3 or 4 to trump the Deny rule at priority 3. Once a packet triggers this rule, it is immediately allowed and the lower priority rules will not process it anymore.

### Bypass rules

The Bypass rule is a special type of rule that allows a packet to bypass both the firewall and Deep Packet Inspection (DPI) engines. This rule must be priority 4 and created in pairs, one rule for each traffic direction.

### Recommended firewall policy rules

We recommend that you make the following rules mandatory for all of your firewall policies:

- **ARP:** This rule allows incoming ARP requests for the host to reply to queries for its MAC address. If you do not assign this rule, no devices on the network can query the host for its MAC address and it will be inaccessible from the network.
- **Allow solicited TCP/UDP replies:** Ensures that the computer is able to receive replies to its own TCP and UDP messages. This works in conjunction with TCP and UDP stateful configuration.
- **Allow solicited ICMP replies:** Ensures that the host computer is able to receive replies to its own ICMP messages. This works in conjunction with ICMP stateful configuration.
- **DNS Server:** Ensures that the DNS servers can receive inbound DNS requests.
- **Remote Access RDP:** Ensures that the computer can accept Remote Desktop connections.
- **Remote Access SSH:** Ensures that the computer can accept SSH connections.

### Reconnaissance scans

You can configure the firewall to detect possible reconnaissance scans and help prevent attacks by blocking traffic from the source IPs for a period of time. Once an attack has been detected, you can instruct agents and appliances to block traffic from the source IPs for a period of time. Use the Block Traffic lists on the on the **Policy or Computer Editor > Firewall > Reconnaissance** tab to set the number of minutes.

- **Computer OS Fingerprint Probe:** The agent or appliance detects an attempt to discover the computers OS.
- **Network or Port Scan:** The agent or appliance reports a network or port scan if it detects that a remote IP is visiting an abnormal ratio of IPs to ports. Normally, an agent or appliance computer will only see traffic destined for itself, so a port scan is the most common type of probe that will be detected. The statistical analysis method used in computer or port scan detection is derived from the "TAPS" algorithm proposed in the paper "Connectionless Port Scan Detection on the Backbone" presented at IPCCC in 2006.
- **TCP Null Scan:** The agent or appliance detects packages with no flags set.
- **TCP SYNFIN Scan:** The agent or appliance detects packets with only the SYN and FIN flags set.
- **TCP Xmas Scan:** The agent or appliance detects packets with only the FIN, URG, and PSH flags set or a value of 0xFF (every possible flag set).

For each type of attack, the agent or appliance can be instructed to send the information to the Deep Security Manager where an alert will be triggered by selecting the option **Notify DSM Immediately**. For this option to work, the agents and appliances must be configured for agent or appliance-initiated or bidirectional communication in **Policy / Computer Editor > Settings > Computer**.) If enabled, the agent or appliance will initiate a heartbeat to the Deep Security Manager immediately upon detecting the attack or probe.

**Note:** If you want to enable reconnaissance protection, you must also enable the firewall and stateful inspection on the **Policy or Computer Editor > Firewall > General** tab. You should also go to the **Policy or Computer Editor > Firewall > Advanced** tab and enable the **Generate Firewall Events** for packets that are 'Out of Allowed Policy' setting. This will generate firewall events that are required for reconnaissance.

**Note:** The reconnaissance scans detection requires there to be at least one active firewall rule assigned to the policy of the agent.

For information on how to handle reconnaissance warnings, see "[Warning: Reconnaissance Detected](#)" on page 929.

## Stateful inspection

Deep Security firewall stateful configuration mechanism should be enabled when the firewall is on. This mechanism analyzes each packet in the context of traffic history, correctness of TCP and IP header values, and TCP connection state transitions. In the case of stateless protocols like UDP and ICMP, a pseudo-stateful mechanism is implemented based on historical traffic analysis.

Packets are handled by the stateful mechanism as follows:

1. A packet is passed to the stateful routine if it has been allowed through by the static firewall rule conditions.
2. The packet is examined to determine whether it belongs to an existing connection.
3. The TCP header is examined for correctness (for example, sequence numbers, flag combinations, and so on).

The Deep Security firewall stateful configuration enables protection against attacks such as denial of service, provided that a default configuration with stateful TCP, ICMP, or UDP protocol is enabled and only solicited replies are allowed. If the UDP stateful option is enabled, Force Allow must be used when running UDP servers (for example, DHCP). If there is no DNS or WINS server configured for the Deep Security Agents, a Force Allow Incoming UDP Ports 137 rule might be required for NetBIOS.

Stateful logging should be disabled unless required for ICMP or UDP protocols.

## Example

This is an example of how a simple firewall policy can be created for a web server:

1. Enable stateful inspection for TCP, UDP, and ICMP using a global firewall stateful configuration with these options enabled.
2. Add a firewall rule to allow TCP and UDP replies to requests originated on the workstation. To do this create an incoming Allow rule with the protocol set to **TCP + UDP** and select **Not** and **Syn** under **Specific Flags**. At this point the policy only allows TCP and UDP packets that are replies to requests initiated by a user on the workstation. For example, in conjunction with the stateful analysis options enabled in step 1, this rule allows a user on this computer to perform DNS lookups (via UDP) and to browse the Web via HTTP (TCP).

3. Add a firewall rule to allow ICMP replies to requests originated on the workstation. To do this, create an incoming Allow rule with the protocol set to **ICMP** and select the **Any Flags** check box. This means that a user on this computer can ping other workstations and receive a reply but other users will not be able to ping this computer.
4. Add a firewall rule to allow incoming TCP traffic to port 80 and 443 with the **Syn** check box checked in the **Specific Flags** section. This means that external users can access a Web server on this computer.

At this point we have a basic firewall policy that allows solicited TCP, UDP and ICMP replies and external access to the Web server on this computer all other incoming traffic is denied.

For an example of how Deny and Force Allow rule actions can be used to further refine this policy consider how we may want to restrict traffic from other computers in the network. For example, we may want to allow access to the Web server on this computer to internal users but deny access from any computers that are in the DMZ. This can be done by adding a Deny rule to prohibit access from servers in the DMZ IP range.

5. Add a Deny rule for incoming TCP traffic with source IP 10.0.0.0/24 which is the IP range assigned to computers in the DMZ. This rule denies any traffic from computers in the DMZ to this computer.

We may, however, want to refine this policy further to allow incoming traffic from the mail server which resides in the DMZ.

6. Use a Force Allow for incoming TCP traffic from source IP 10.0.0.100. This Force Allow overrides the Deny rule we created in the previous step to permit traffic from this one computer in the DMZ.

## Important things to remember

- All traffic is first checked against firewall rules before being analyzed by the stateful inspection engine. If the traffic clears the firewall rules, the traffic is then analyzed by the stateful inspection engine (provided stateful inspection is enabled in the Firewall Stateful Configuration).

## Trend Micro Deep Security for Azure Marketplace 11.1

- Allow rules are prohibitive. Anything not specified in the Allow rules is automatically dropped. This includes traffic of other frame types so you need to remember to include rules to allow other types of required traffic. For example, don't forget to include a rule to allow ARP traffic if static ARP tables are not in use.
- If UDP stateful inspection is enabled a Force Allow rule must be used to allow unsolicited UDP traffic. For example, if UDP stateful inspection is enabled on a DNS server then a Force Allow for port 53 is required to allow the server to accept incoming DNS requests.
- If ICMP stateful inspection is enabled a Force Allow rule must be used to allow unsolicited ICMP traffic. For example, if you wish to allow outside ping requests a Force Allow rule for ICMP type 3 (Echo Request) is required.
- A Force Allow acts as a trump card only within the same priority context.
- If you do not have a DNS or WINS server configured (which is common in test environments) a "Force Allow incoming UDP port 137" rule may be required for NetBIOS (Windows shares).

**Note:** When troubleshooting a new firewall policy the first thing you should do is check the firewall rule logs on the **agent or appliance**<sup>1</sup>. The firewall rule logs contain all the information you need to determine what traffic is being denied so that you can further refine your policy as required.

## Create a firewall rule

Firewall rules examine the control information in individual packets, and either block or allow them according to the criteria that you define. Firewall rules can be assigned to a policy or directly to a computer.

**Note:** This article specifically covers how to create a firewall rule. For information on how to configure the firewall module, see "[Set up the Deep Security firewall](#)" on page 530.

To create a new firewall rule, you need to:

---

<sup>1</sup>The Deep Security Agent and Deep Security Virtual Appliance are the components that enforce the Deep Security policies that you have defined. Agents are deployed directly on a computer. Appliances are used in VMware vSphere environments to provide agentless protection. They are not available with Deep Security as a Service.

1. "Add a new rule" below.
2. "Select the behavior and protocol of the rule" below.
3. "Select a Packet Source and Packet Destination" on page 547.

When you're done with your firewall rule, you can also learn how to:

- "Configure rule events and alerts" on page 548
- "Set a schedule for the rule" on page 548
- "See policies and computers a rule is assigned to" on page 549
- "Assign a context to the rule " on page 549

## Add a new rule

There are three ways to add a new firewall rule on the **Policies > Common Objects > Rules > Firewall Rules** page. You can:

- Create a new rule. Click **New > New Firewall Rule**.
- Import a rule from an XML file. Click **New > Import From File**.
- Copy and then modify an existing rule. Right-click the rule in the Firewall Rules list and then click **Duplicate**. To edit the new rule, select it and then click **Properties**.

## Select the behavior and protocol of the rule

1. Enter a **Name** and **Description** for the rule.

**Tip:** It is good practice to document all firewall rule changes in the Description field of the firewall rule. Make a note of when and why rules were created or deleted for easier firewall maintenance.

2. Select the **Action** that the rule should perform on packets. You can select from one of the following five actions:

**Note:** Only one rule action is applied to a packet, and rules (of the same priority) are applied in the order of precedence listed below.

- The rule can allow traffic to **bypass** the firewall. A bypass rule allows traffic to pass through the firewall and intrusion prevention engine at the fastest possible rate. Bypass rules are meant for traffic using media intensive protocols where filtering may not be desired or for traffic originating from trusted sources.

**Tip:** For an example of how to create and use a bypass rule for trusted sources in a policy, see ["Allow trusted traffic to bypass the firewall" on page 549](#).

**Note:** Bypass rules are unidirectional. Explicit rules are required for each direction of traffic.

**Tip:** You can achieve maximum throughput performance on a bypass rule with the following settings:

- **Priority:** Highest
  - **Frame Type:** IP
  - **Protocol:** TCP, UDP, or other IP protocol. (Do not use the "Any" option.)
  - **Source and Destination IP and MAC:** all "Any"
  - If the protocol is TCP or UDP and the traffic direction is "incoming", the destination ports must be one or more specified ports (not "Any"), and the source ports must be "Any".
  - If the protocol is TCP or UDP and the traffic direction is "outgoing", the source ports must be one or more specified ports (Not "Any"), and the destination ports must be "Any".
  - **Schedule:** None.
- The rule can **log only**. This action will make entries in the logs but will not process traffic.
  - The rule can **force allow** defined traffic (it will allow traffic defined by this rule without excluding any other traffic.)
  - The rule can **deny** traffic (it will deny traffic defined by this rule.)
  - The rule can **allow** traffic (it will exclusively allow traffic defined by this rule.)

**Note:** If you have no allow rules in effect on a computer, all traffic is permitted unless it is specifically blocked by a deny rule. Once you create a single allow rule, all other traffic is blocked unless it meets the requirements of the allow rule. There is one exception to this: ICMPv6 traffic is always permitted unless it is specifically blocked by a deny rule.

3. Select the **Priority** of the rule. The priority determines the order in which rules are applied. If you have selected "force allow", "deny", or "bypass" as your rule action, you can set a priority of 0 (low) to 4 (highest). Setting a priority allows you to combine the actions of rules to achieve a cascading rule effect.

**Note:** Log only rules can only have a priority of 4, and Allow rules can only have a priority of 0.

**Note:** High priority rules get applied before low priority rules. For example, a port 80 incoming deny rule with a priority of 3 will drop a packet before a port 80 incoming force allow rule with a priority of 2 gets applied to it.

For detailed information on how actions and priority work together, see ["Firewall rule actions and priorities" on page 551](#).

4. Select a **Packet Direction**. Select whether this rule will be applied to **incoming** (from the network to the host) or **outgoing**(from the host to the network) traffic.

**Note:** An individual firewall rule only apply to a single direction of traffic. You may need to create incoming and outgoing firewall rules in pairs for specific types of traffic.

5. Select an Ethernet **Frame Type**. The term "frame" refers to Ethernet frames, and the available protocols specify the data that the frame carries. If you select "Other" as the frame type, you need to specify a [frame number](#).

6. **Note:** IP covers both IPv4 and IPv6. You can also select **IPv4** or **IPv6** individually

**Note:** Linux Agents will only examine packets with IP or ARP frame types. Packets with other frame types will be allowed through. Note that the Virtual Appliance does not have

these restrictions and can examine all frame types, regardless of the operating system of the virtual machine it is protecting.

If you select the Internet Protocol (IP) frame type, you need to select the transport **Protocol**. If you select "Other" as the protocol, you also need to enter a [protocol number](#).

### Select a Packet Source and Packet Destination

Select a combination of **IP** and **MAC** addresses, and if available for the frame type, **Port** and **Specific Flags** for the Packet Source and Packet Destination.

**Tip:** You can use a previously created [IP](#), [MAC](#) or [port](#) list.

Support for IP-based frame types is as follows:

	IP	MAC	Port	Flags
Any	✓	✓		
ICMP	✓	✓		✓
ICMPV6	✓	✓		✓
IGMP	✓	✓		
GGP	✓	✓		
TCP	✓	✓	✓	✓
PUP	✓	✓		
UDP	✓	✓	✓	
IDP	✓	✓		
ND	✓	✓		
RAW	✓	✓		
TCP+UDP	✓	✓	✓	✓

**Note:** ARP and REVARP frame types only support using MAC addresses as packet sources and destinations.

You can select **Any Flags** or individually select the following flags:

- URG
- ACK
- PSH
- RST
- SYN
- FIN

### Configure rule events and alerts

When a firewall rule is triggered, it logs an event in the Deep Security Manager and records the packet data.

**Note:** Note that rules using the "Allow", "Force Allow" and "Bypass" actions will not log any events.

#### Alerts

You can configure rules to also trigger an alert if they log an event. To do so, open the properties for a rule, click on **Options**, and then select **Alert when this rule logs an event**.

**Note:** Only firewall rules with an action set to "Deny" or "Log Only" can be configured to trigger an alert.

### Set a schedule for the rule

Select whether the firewall rule should only be active during a scheduled time.

For more information on how to do so, see ["Define a schedule that you can apply to rules" on page 400](#).

## Assign a context to the rule

Rule contexts allow you to set firewall rules uniquely for different network environments. Contexts are commonly used to allow for different rules to be in effect for laptops when they are on and off-site.

For more information on how to create a context, see ["Define contexts for use in policies" on page 393](#).

**Tip:** For an example of a policy that implements firewall rules using contexts, look at the properties of the "Windows Mobile Laptop" Policy.

## See policies and computers a rule is assigned to

You can see which policies and computers are assigned to a firewall rule on the **Assigned To** tab. Click on a policy or computer in the list to see their properties.

## Export a rule

You can export all firewall rules to a .csv or .xml file by clicking **Export** and selecting the corresponding export action from the list. You can also export specific rules by first selecting them, clicking **Export** and then selecting the corresponding export action from the list.

## Delete a rule

To delete a rule, right-click the rule in the Firewall Rules list, click **Delete** and then click **OK**.

**Note:** Firewall Rules that are assigned to one or more computers or that are part of a policy cannot be deleted.

## Allow trusted traffic to bypass the firewall

You can set up Deep Security to allow trusted traffic to bypass the firewall.

To configure this, the basic steps are as follows:

1. ["Create a new IP list of trusted traffic sources" below](#)
2. ["Create incoming and outbound firewall rules for trusted traffic using the IP list" below](#)
3. ["Assign the firewall rules to a policy used by computers that trusted traffic flows through" on the next page](#)

After the firewall rules have been assigned to a policy, Deep Security will allow traffic from trusted sources in the IP list and will not scan the traffic for stateful issues or vulnerabilities.

### Create a new IP list of trusted traffic sources

1. Click **Policies**.
2. In the left pane, click **Lists > IP Lists**.
3. Click **New > New IP List**.
4. Enter a name for the IP list.
5. Paste the IP addresses for your trusted sources into the **IP(s)** box, one per line.
6. Click **OK**.

### Create incoming and outbound firewall rules for trusted traffic using the IP list

1. Click **Policies**.
2. In the left pane, click **Rules**.
3. Click **Firewall Rules > New > New Firewall Rule**.
4. Create a firewall rule for incoming trusted traffic using the values in the below:

Name:	<i>source name</i> Traffic - Incoming
Action:	Bypass
Protocol:	Any
Packet Source:	IP List (select the IP list created above)

5. Create a firewall rule for outgoing trusted traffic using the values in the below:

Name:	<i>source name</i> Traffic - Outgoing
Action:	Bypass
Protocol:	Any
Packet Destination:	IP List (select the IP list created above)

## Assign the firewall rules to a policy used by computers that trusted traffic flows through

1. Click **Policies**.
2. In the left pane, click **Policies**.
3. Double-click a policy to open its properties window.
4. In the left pane of the policy's properties window, click **Firewall**.
5. Click **Assign/Unassign**.
6. Ensure your view at the top left shows **All** firewall rules.
7. Use the search window to find the rules you created and select them.
8. Click **OK**.
9. Repeat the steps above for each computer that trusted traffic flows through.

## Firewall rule actions and priorities

In this article:

- ["Firewall rule actions" below](#)
- ["Firewall rule sequence" on page 554](#)
- ["How firewall rules work together" on page 556](#)
- ["Rule priority" on page 557](#)
- ["Putting rule action and priority together" on page 558](#)

## Firewall rule actions

Firewall rules can take the following actions:

- **Allow:** Explicitly allows traffic that matches the rule to pass, and then implicitly denies everything else.
- **Bypass:** Allows traffic to bypass both firewall and intrusion prevention analysis. Use this setting for media-intensive protocols or for traffic originating from trusted sources. A bypass rule can be based on IP, port, traffic direction, and protocol.

## Trend Micro Deep Security for Azure Marketplace 11.1

- **Deny:** Explicitly blocks traffic that matches the rule.
- **Force Allow:** Forcibly allows traffic that would otherwise be denied by other rules.

**Note:** Traffic permitted by a Force Allow rule will still be subject to analysis by the intrusion prevention module.

- **Log only:** Traffic will only be logged. No other action will be taken.

### More about Allow rules

Allow rules have two functions:

1. Permit traffic that is explicitly allowed.
2. Implicitly deny all other traffic.

**Note:** Traffic that is not explicitly allowed by an Allow rule is dropped, and gets recorded as an 'Out of "Allowed" Policy' firewall event.

Commonly applied Allow rules include:

- **ARP:** Permits incoming Address Resolution Protocol (ARP) traffic .
- **Allow solicited TCP/UDP replies:** Ensures that the host computer is able to receive replies to its own TCP and UDP messages. This works in conjunction with TCP and UDP stateful configuration.
- **Allow solicited ICMP replies:** Ensures that the host computer is able to receive replies to its own ICMP messages. This works in conjunction with ICMP stateful configuration.

### More about Bypass rules

The Bypass rule is designed for media-intensive protocols or for traffic originating from trusted sources where filtering by the firewall or intrusion prevention modules is neither required nor desired.

A packet that matches the conditions of a Bypass rule:

- Is not subject to conditions of stateful configuration settings.
- Bypasses both firewall and Intrusion prevention analysis.

## Trend Micro Deep Security for Azure Marketplace 11.1

Since stateful inspection is not applied to bypassed traffic, bypassing traffic in one direction does not automatically bypass the response in the other direction. Bypass rules should always be created and applied in pairs, one rule for incoming traffic and another for outgoing.

**Note:** Bypass rule events are not recorded. This is not a configurable behavior.

**Tip:** If the Deep Security Manager uses a remote database that is protected by a Deep Security Agent, intrusion prevention-related false alarms may occur when the Deep Security Manager saves intrusion prevention rules to the database. The contents of the rules themselves could be misidentified as an attack. One of the workarounds for this is to create a bypass rule for traffic from the Deep Security Manager to the database host.

### Default Bypass rule for Deep Security Manager traffic

The Deep Security Manager automatically implements a priority 4 Bypass rule that opens incoming TCP traffic on the agent's listening port for heartbeats (see "[Configure the heartbeat on page 155](#)") on computers running Deep Security Agent. Priority 4 ensures that this rule is applied before any Deny rules, and Bypass guarantees that the traffic is never impaired. The Bypass rule is not explicitly shown in the firewall rule list because the rule is created internally.

This rule, however, accepts traffic from any IP address and any MAC address. To harden the agent's security on this port, you can create an alternative, more restrictive bypass rule for this port. The agent will actually disable the default Deep Security Manager traffic rule in favor of the new custom rule provided it has these characteristics:

- **Priority:** 4 - Highest
- **Packet direction:** Incoming
- **Frame type:** IP
- **Protocol:** TCP
- **Packet Destination Port:** agent's listening port number for heartbeats from the Manager

The custom rule must use the above parameters to replace the default rule. Ideally, the IP address or MAC address of the actual Deep Security Manager should be used as the packet source for the rule.

### More about Force Allow rules

The Force Allow option excludes a sub-set of traffic that could otherwise have been covered by a Deny action. Its relationship to other actions is illustrated below. Force Allow has the same effect as a Bypass rule. However, unlike Bypass, traffic that passes the firewall because of this action is still subject to inspection by the intrusion prevention module. The Force Allow action is particularly useful for making sure that essential network services are able to communicate with the DSA computer. Generally, Force Allow rules should only be used in conjunction with Allow and rules to Allow a subset of traffic that has been prohibited by the Allow and Deny rules. Force Allow rules are also required to Allow unsolicited ICMP and UDP traffic when ICMP and UDP stateful are enabled.

**Note:** When using multiple Deep Security Managers in a multi-node arrangement, it may be useful to define an IP list for these servers, and then create a custom Deep Security Manager traffic rule with that list.

### Firewall rule sequence

Packets arriving at a computer get processed first by firewall rules, then the firewall stateful configuration conditions, and finally by the intrusion prevention rules.

This is the order in which firewall rules are applied (incoming and outgoing):

1. Firewall rules with priority **4 (highest)**
  - a. **Bypass**
  - b. **Log Only** (Log Only rules can only be assigned a priority of **4 (highest)**)
  - c. **Force Allow**
  - d. **Deny**
2. Firewall rules with priority **3 (high)**
  - a. **Bypass**
  - b. **Force Allow**
  - c. **Deny**
3. Firewall rules with priority **2 (normal)**
  - a. **Bypass**
  - b. **Force Allow**
  - c. **Deny**

4. Firewall rules with priority 1 (low)
  - a. **Bypass**
  - b. **Force Allow**
  - c. **Deny**
5. Firewall rules with priority 0 (lowest)
  - a. **Bypass**
  - b. **Force Allow**
  - c. **Deny**
  - d. **Allow**(Note that an Allow rule can only be assigned a priority of 0 (lowest))

**Note:** If you have no Allow rules in effect on a computer, all traffic is permitted unless it is specifically blocked by a Deny rule. Once you create a single Allow rule, all other traffic is blocked unless it meets the conditions of the Allow rule. There is one exception to this: ICMPv6 traffic is always permitted unless it is specifically blocked by a Deny rule.

Within the same priority context, a Deny rule will override an Allow rule, and a Force Allow rule will override a Deny rule. By using the rule priorities system, a higher priority Deny rule can be made to override a lower priority Force Allow rule.

Consider the example of a DNS server policy that makes use of a Force Allow rule to Allow all [incoming DNS queries](#). Creating a Deny rule with a higher priority than the Force Allow rule lets you specify a particular range of IP addresses that must be prohibited from accessing the same public server.

Priority-based rule sets allow you set the order in which the rules are applied. If a Deny rule is set with the highest priority, and there are no Force Allow rules with the same priority, then any packet matching the Deny rule is automatically dropped and the remaining rules are ignored. Conversely, if a Force Allow rule with the highest priority flag set exists, any incoming packets matching the Force Allow rule will be automatically allowed through without being checked against any other rules.

### A note on logging

Bypass rules will never generate an event. This is not configurable.

Log Only rules will only generate an event if the packet in question is not subsequently stopped by either:

- a Deny rule, or
- an Allow rule that excludes it.

If the packet is stopped by one of those two rules, those rules will generate the Event and not the Log Only rule. If no subsequent rules stop the packet, the Log Only rule will generate an event.

### How firewall rules work together


Deep Security firewall rules have both a rule action and a rule priority. Used in conjunction, these two properties allow you to create very flexible and powerful rule-sets. Unlike rule-sets used by other firewalls, which may require that the rules be defined in the order in which they should be run, Deep Security Firewall rules are run in a deterministic order based on the rule action and the rule priority, which is independent of the order in which they are defined or assigned.

#### Rule Action


Each rule can have one of four actions.

1. **Bypass:** if a packet matches a Bypass rule, it is passed through both the firewall *and the Intrusion Prevention Engine* regardless of any other rule (at the same priority level).
2. **Log Only:** if a packet matches a Log Only rule it is passed and the event is logged.
3. **Force Allow:** if a packet matches a Force Allow rule it is passed regardless of any other rules (at the same priority level).
4. **Deny:** if a packet matches a Deny rule it is dropped.
5. **Allow:** if a packet matches an Allow rule, it is passed. Any traffic not matching one of the Allow rules is denied.


Implementing an Allow rule will cause all other traffic not specifically covered by the Allow rule to be denied:



A Deny rule can be implemented over an Allow to block specific types of traffic:



A Force Allow rule can be placed over the denied traffic to Allow certain exceptions to pass through:



## Rule priority

Rule actions of type Deny and Force Allow can be defined at any one of 5 priorities to allow further refinement of the permitted traffic defined by the set of Allow rules. Rules are run in priority order from highest (Priority 4) to lowest (Priority 0). Within a specific priority level the rules are processed in order based on the rule action (Force Allow, Deny, Allow, log only).

The priority context Allows a User to successively refine traffic controls using Deny and Force Allow rule combinations. Within the same priority context, an Allow rule can be negated with a Deny rule, and a Deny rule can be negated by a Force Allow rule.

**Note:** Rule actions of type Allow run only at priority 0 while rule actions of type Log Only run only at priority 4.

### Putting rule action and priority together

Rules are run in priority order from highest (Priority 4) to lowest (Priority 0). Within a specific priority level the rules are processed in order based on the rule action. The order in which rules of equal priority are processed is as follows:

- Bypass
- Log Only
- Force Allow
- Deny
- Allow

**Note:** Remember that rule actions of type Allow run only at priority 0 while rule actions of type Log Only run only at priority 4.

**Note:** It is important to remember that if you have a Force Allow rule and a Deny rule at the same priority the Force Allow rule takes precedence over the Deny rule and therefore traffic matching the Force Allow rule will be permitted.

## Firewall settings

The **Firewall** module provides bidirectional stateful firewall protection. It prevents denial of service attacks and provides coverage for all IP-based protocols and frame types as well as filtering for ports and IP and MAC addresses.

The Firewall section of the [Computer or Policy editor](#)<sup>1</sup> has the following tabbed sections:

- ["General" below](#)
- ["Interface Isolation" on page 561](#)
- ["Reconnaissance" on page 561](#)
- ["Advanced" on page 564](#)
- ["Events" on page 564](#)

**Note:** This article includes references to the Deep Security Virtual Appliance, which is not available with Deep Security as a Service.

## General

### Firewall

You can configure this policy or computer to inherit its firewall On/Off state from its parent policy or you can lock the setting locally.

### Firewall Stateful Configurations

Select which firewall stateful configuration to apply to this policy. If you have defined multiple Interfaces for this policy (above), you can specify independent configurations for each interface. For more information on creating a stateful configuration see ["Define stateful firewall configurations" on page 571](#).

### Port Scan (Computer Editor only)

**Last Port Scan:** The last time that the Deep Security manager ran a port scan on this computer.

**Scanned Ports:** The ports that were scanned during the most recent port scan.

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

**Open Ports:** Listed beneath the IP address of the local computer will be a list of ports that were found to be open.

The **Scan For Open Ports** and the **Cancel Port Scan** buttons let you initiate or cancel a port scan on this computer. Deep Security Manager will scan the range of ports defined in **Computer or Policy editor**<sup>1</sup> > **Settings** > **General** > **Open Ports** > **Ports to Scan**.

**Note:** Regardless of the ports configured to be scanned, Deep Security Manager will always scan the [agent or appliance's listening port number for heartbeat connections from the Manager](#).

### Assigned Firewall Rules

Displays the firewall rules that are in effect for this policy or computer. To add or remove firewall rules, click **Assign/Unassign**. This will display a window showing all available firewall rules from which you can select or deselect rules.

From a **Computer or Policy editor**<sup>2</sup> window, you can edit a firewall rule so that your changes apply only locally in the context of your editor, or you can edit the rule so that the changes apply globally to all other policies and computers that are using the rule.

**To edit the Rule locally,** right-click the rule and click **Properties**.

**To edit the Rule globally,** right-click the rule and click **Properties (Global)**.

For more information on creating firewall rules, see "[Create a firewall rule](#)" on page 543.

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

<sup>2</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

## Interface Isolation

### Interface Isolation

You can configure this policy or computer to inherit its Interface Isolation enabled or disabled state from its parent policy or you can lock the setting locally.

**Warning:** Before you enable Interface Isolation make sure that you have configured the interface patterns in the proper order and that you have removed or added all necessary string patterns. Only interfaces matching the highest priority pattern will be permitted to transmit traffic. Other interfaces (which match any of the remaining patterns on the list) will be "restricted". Restricted Interfaces will block all traffic unless an Allow Firewall Rule is used to allow specific traffic to pass through.

### Interface Patterns

When Interface Isolation is enabled, the firewall will try to match the regular expression patterns to interface names on the local computer.

**Note:** Deep Security uses POSIX basic regular expressions to match interface names. For information on basic POSIX regular expressions, see [http://pubs.opengroup.org/onlinepubs/009695399/basedefs/xbd\\_chap09.html#tag\\_09\\_03](http://pubs.opengroup.org/onlinepubs/009695399/basedefs/xbd_chap09.html#tag_09_03)

Only interfaces matching the highest priority pattern will be permitted to transmit traffic. Other interfaces (which match any of the remaining patterns on the list) will be "restricted". Restricted Interfaces will block all traffic unless an **Allow** firewall rule is used to allow specific traffic to pass through.

Selecting **Limit to one active interface** will restrict traffic to only a single interface (even if more than one interface matches the highest priority pattern).

## Reconnaissance

### Reconnaissance Scans

The **Reconnaissance** page allows you to enable and configure traffic analysis settings on your computers. This feature can detect possible reconnaissance scans that attackers often use to

discover weaknesses before beginning a targeted attack.

- **Reconnaissance Scan Detection Enabled:** Turn the ability to detect reconnaissance scans on or off.
- **Computers/Networks on which to perform detection:** Choose from the list the IPs to protect. Choose from existing IP Lists. (You can use the **Policies > Common Objects > Lists > IP Lists** page to create an IP List specifically for this purpose.)
- **Do not perform detection on traffic coming from:** Select from a set of IP Lists which computers and networks to ignore. (As above, you can use the **Policies > Common Objects > Lists > IP Lists** page to create an IP List specifically for this purpose.)

**Note:** If you want to enable reconnaissance protection, you must also enable the Firewall and Stateful Inspection on the **Computer or Policy editor**<sup>1</sup> > **Firewall > General** tab. You should also go to the **Computer or Policy editor**<sup>2</sup> > **Firewall > Advanced** tab and enable the **Generate Firewall Events for packets that are 'Out of Allowed Policy'** setting. This will generate firewall events that are required for reconnaissance.

For each type of attack, the **agent or appliance**<sup>3</sup> can be instructed to send the information to the Deep Security Manager where an alert will be triggered. You can configure the Deep Security Manager to send an email notification when the alerts are triggered. (See **Administration > System Settings > Alerts**. The alerts are: "Network or Port Scan Detected", "Computer OS Fingerprint Probe Detected", "TCP Null Scan Detected", "TCP FIN Scan Detected", and "TCP Xmas Scan Detected.") Select **Notify DSM Immediately** for this option.

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

<sup>2</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

<sup>3</sup>The Deep Security Agent and Deep Security Virtual Appliance are the components that enforce the Deep Security policies that you have defined. Agents are deployed directly on a computer. Appliances are used in VMware vSphere environments to provide agentless protection. They are not available with Deep Security as a Service.

**Note:** For the "Notify DSM Immediately" option to work, the agents and appliances must be configured for **agent or appliance-initiated** or **bidirectional** communication in **Computer or Policy editor**<sup>1</sup> > **Settings > General**.) If enabled, the agent or appliance will initiate a heartbeat to the Deep Security Manager immediately upon detecting the attack or probe.

Once an attack has been detected, you can instruct the agents and appliances to block traffic from the source IPs for a period of time. Use the **Block Traffic** lists to set the number of minutes.

- **Computer OS Fingerprint Probe:** The agent or appliance detects an attempt to discover the computers OS.
- **Network or Port Scan:** The agent or appliance reports a network or port scan if it detects that a remote IP is visiting an abnormal ratio of IPs to ports. Normally, an agent or appliance computer will only see traffic destined for itself, so a port scan is the most common type of probe that will be detected. The statistical analysis method used in computer or port scan detection is derived from the "TAPS" algorithm proposed in the paper "Connectionless Port Scan Detection on the Backbone" presented at IPCCC in 2006.
- **TCP Null Scan:** The agent or appliance detects packages with no flags set.
- **TCP SYNFIN Scan:** The agent or appliance detects packets with only the SYN and FIN flags set.
- **TCP Xmas Scan:** The agent or appliance detects packets with only the FIN, URG, and PSH flags set or a value of 0xFF (every possible flag set).

**Note:** "Network or Port Scans" differs from the other types of reconnaissance in that it cannot be recognized by a single packet and requires Deep Security to watch traffic for a period of time.

The agent or appliance reports a computer or port scan if it detects that a remote IP is visiting an abnormal ratio of IPs to ports. Normally an agent or appliance computer will only see traffic destined for itself, so a port scan is by far the most common type of probe that will be detected.

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

However, if a computer is acting as a router or bridge it could see traffic destined for a number of other computers, making it possible for the agent or appliance to detect a computer scan (ex. scanning a whole subnet for computers with port 80 open).

Detecting these scans can take several seconds since the agent or appliance needs to be able to track failed connections and decide that there are an abnormal number of failed connections coming from a single computer in a relatively short period of time.

**Note:** Deep Security Agents running on Windows computers with browser applications may occasionally report false-positive reconnaissance scans due to residual traffic arriving from closed connections.

For information on how to handle reconnaissance warnings, see "[Warning: Reconnaissance Detected](#)" on page 929.

## Advanced

### Events

Set whether to generate events for packets that are "Out of Allowed Policy". These are packets that have been blocked because they have not been specifically allowed by an **Allow** firewall rule. Setting this option to **Yes** may generate a large number of events depending on the firewall rules you have in effect.

### Events

Firewall events are displayed the same way as they are in the main Deep Security Manager window except that only events relating to this policy or specific computer are displayed.

## Firewall settings with Oracle RAC

Deep Security supports:

- SUSE Linux Enterprise Server 11 SP3 with Oracle RAC 12c Release 1 (v12.1.0.2.0)
- Red Hat Linux Enterprise Server 6.6 with Oracle RAC 12c Release 1 (v12.1.0.2.0)
- Red Hat Linux Enterprise Server 7.0 with Oracle RAC 12c Release 1 (v12.1.0.2)

The default Linux Server Deep Security policy is compatible with the Oracle RAC environment, with the exception of firewall settings. Because there are complex communication channels between RAC nodes, the RAC nodes will fail to create a virtual NIC and scan the NIC, due to firewall interference. As a result, Oracle Clusterware would fail to start on some nodes. You can disable the firewall or customize the firewall settings.

### Add a rule to allow communication between nodes

1. In the Deep Security Manager, go to the **Policies** tab.
2. Right-click the **Linux Server** policy and click **Duplicate**.
3. Click the new **Linux Server\_2** policy and click **Details**.
4. Give the policy a new name, for example, "Oracle RAC" and click **Save**.
5. Click **Firewall**.
6. Click **Assign/Unassign**.
7. Click **New > New Firewall Rule**.
8. Under **General Information**, set the **Name** to something descriptive, like "Allow communication with Oracle nodes". Set **Action** to "Force Allow" and set **Protocol** to "Any".
9. Under **Packet Source**, set **MAC** to "MAC List". In the **Select MAC List** that appears, select "New". A "New MAC List Properties" dialog box appears.
10. Give the MAC list a name, like "Oracle RAC MAC list". Under **MAC(s): (One MAC per line)**, add all of the MAC addresses used by all Oracle nodes (including MACs from both private and public NICs). Click **OK** when finished.
11. Under **Packet Destination**, set **MAC** to "MAC List". In the **Select MAC List** that appears, select the MAC list you created in step 10 and then click **OK**.
12. In the Firewall Rules list for the policy, ensure that this new rule is selected and click **OK** and then click **Save**.

### Add a rule to allow UDP port 42424

Follow the steps described in the procedure above to add a new rule that allows UDP port 42424. This [port number](#) is used by the Cluster Synchronization Service daemon (CSSD), Oracle Grid Interprocess Communication (GIPCD) and Oracle HA Services daemon (OHASD).

**Note:** Please note that the MAC list that you created above may not be able to cover this rule. This rule is essential for Oracle RAC.

General	Options	Assigned To
<b>General Information</b>		
Name:	<input type="text" value="New Firewall Rule"/>	
Description:	<input type="text"/>	
Action:	<input type="text" value="Force Allow"/>	
Priority:	<input type="text" value="0 - Lowest"/>	
Packet direction:	<input type="text" value="Incoming"/>	
Frame Type:	<input type="text" value="IP"/>	<input type="checkbox"/> Not
Protocol:	<input type="text" value="UDP"/>	<input type="checkbox"/> Not
<b>Packet Source</b>		
IP:	<input type="text" value="Any"/>	<input type="checkbox"/> Not
MAC:	<input type="text" value="Any"/>	<input type="checkbox"/> Not
Port:	<input type="text" value="Any"/>	<input type="checkbox"/> Not
<b>Packet Destination</b>		
IP:	<input type="text" value="Any"/>	<input type="checkbox"/> Not
MAC:	<input type="text" value="Any"/>	<input type="checkbox"/> Not
Port:	<input type="text" value="Port(s):"/> <input type="text" value="42424"/>	<input type="checkbox"/> Not
		<input type="button" value="OK"/> <input type="button" value="Cancel"/>

## Allow other RAC-related packets

Oracle RAC will send a very large number of packets with Frame Type C08A and 0ACB. Blocking them may cause some unpredictable behavior.

- **Allow TCP port 6200:** Add the public IP addresses of the RAC nodes in the **IP** fields under **Packet Source** and **Packet Destination** and set destination port to 6200. This [port number](#) is used by Oracle Notification Services (ONS). This port is configurable, so check the value on your system set the correct port number if it is something other than 6200.

The screenshot shows a configuration window for a security rule. It has three tabs: 'General', 'Options', and 'Assigned To'. The 'General' tab is selected. Under 'General Information', the 'Name' field contains 'RAC\_TCP 6200\_suse'. The 'Description' field is empty. The 'Action' dropdown is set to 'Allow', 'Priority' is '0 - Lowest', and 'Packet direction' is 'Incoming'. Below this, 'Frame Type' is 'IP' and 'Protocol' is 'TCP'. To the right of these are checkboxes labeled 'Not'. The 'Packet Source' section has 'IP' set to 'Any', 'MAC' set to 'Any', and 'Port' set to '6200'. Each of these source fields also has a 'Not' checkbox to its right. At the bottom right, there are 'OK' and 'Cancel' buttons.

- **Allow Frame Type C0A8:** Add a rule with the Frame Type set to "Other" and the Frame no set to "C0A8".

The screenshot shows a configuration window with three tabs: 'General', 'Options', and 'Assigned To'. The 'General' tab is selected. Under 'General Information', the following fields are visible:

- Name: RAC\_COA8
- Description: (empty text area)
- Action: Allow
- Priority: 0 - Lowest
- Packet direction: Incoming
- Frame Type: Other
- Frame no: CA08
- Protocol: Any

At the bottom right, there are two checkboxes labeled 'Not' and two buttons labeled 'OK' and 'Cancel'.

- **Allow Frame Type 0ACB:** Add a rule with the **Frame Type** set to "Other" and the **Frame no** set to "0ACB".
- **Allow Frame Type 0AC9:** Add a rule with the **Frame Type** set to "Other" and the **Frame no** set to "0AC9".

- **Allow IGMP protocol:** Add a rule with the **Protocol** set to "IGMP".

The screenshot shows the configuration window for a firewall rule named "RAC\_allow\_IGMP". The window has three tabs: "General", "Options", and "Assigned To", with "General" selected. Under "General Information", the "Name" field contains "RAC\_allow\_IGMP". The "Description" field is empty. The "Action" is set to "Allow", "Priority" is "0 - Lowest", and "Packet direction" is "Incoming". The "Frame Type" is "IP" and the "Protocol" is "IGMP". There are two checkboxes labeled "Not" that are unchecked. At the bottom right, there are "OK" and "Cancel" buttons.

Please refer to the following link to check whether there are additional RAC-related components in your system that need extra firewall rules to allow certain ports:

<https://docs.oracle.com/database/121/RILIN/ports.htm#RILIN1178>


## Ensure that the Oracle SQL Server rule is assigned

Check that the "Oracle SQL Server" Firewall rule is assigned to the Linux Server policy. This is a pre-defined Deep Security Firewall rule that allows port 1521.

## Ensure that anti-evasion settings are set to "Normal"

In the properties for the Linux Server policy, **Settings > Network Engine > Anti-Evasion Settings** are set to "Normal" by default. If this setting is set to "Strict", the RAC database response will be

extremely slow.



## Define stateful firewall configurations

Deep Security's stateful firewall configuration mechanism analyzes each packet in the context of traffic history, correctness of TCP and IP header values, and TCP connection state transitions. In the case of stateless protocols like UDP and ICMP, a pseudo-stateful mechanism is implemented based on historical traffic analysis. Packets are handled by the stateful mechanism as follows:

1. A packet is passed to the stateful routine if it has been allowed through by the static firewall rule conditions,
2. The packet is examined to determine whether it belongs to an existing connection, and
3. The TCP header is examined for correctness (e.g. sequence numbers, flag combinations, etc.).

To create a new stateful configuration, you need to:

1. ["Add a stateful configuration "](#) on the next page.
2. ["Enter stateful configuration information"](#) on the next page.
3. ["Select packet inspection options"](#) on the next page.

When you're done with your stateful configuration, you can also learn how to

- ["See policies and computers a stateful configuration is assigned to" on page 576](#)
- ["Export a stateful configuration " on page 576](#)
- ["Delete a stateful configuration " on page 576](#)

## Add a stateful configuration

There are three ways to define a stateful configuration on the **Policies > Common Objects > Other > Firewall Stateful Configurations** page:

- Create a new configuration. Click **New > New Firewall Stateful Configuration**.
- Import a configuration from an XML file. Click **New > Import From File**.
- Copy and then modify an existing configuration. Right-click the configuration in the Firewall Stateful Configurations list and then click **Duplicate**. To edit the new configuration, select it and then click **Properties**.

## Enter stateful configuration information

Enter a **Name** and **Description** for the configuration.

## Select packet inspection options

You can define options for IP, TCP, UDP and ICMP packet inspection, and enable Active or Passive FTP.

### IP packet inspection

Under the **General** tab, select the **Deny all incoming fragmented packets** to drop any fragmented packets. Dropped packets will bypass fragmentation analysis and generate an "IP fragmented packet" log entry. Packets with a total length smaller than the IP header length are dropped silently.

**Warning:** Attackers sometimes create and send fragmented packets in an attempt to bypass Firewall Rules.

**Note:** The Firewall Engine, by default, performs a series of checks on fragmented packets. This is default behavior and cannot be reconfigured. Packets with the following characteristics are dropped:

- **Invalid fragmentation flags/offset:** A packet is dropped when either the **DF** and **MF** flags in the IP header are set to 1, or the header contains the **DF** flag set to 1 and an **Offset** value different than 0.
- **First fragment too small:** A packet is dropped if its **MF** flag is set to 1, its **Offset** value is at 0, and it has total length of less than 120 bytes (the maximum combined header length).
- **IP fragment out of boundary:** A packet is dropped if its **Offset** flag value combined with the total packet length exceeds the maximum datagram length of 65535 bytes.
- **IP fragment offset too small:** A packet is dropped if it has a non-zero **Offset** flag with a value that is smaller than 60 bytes.

### TCP packet inspection

Under the **TCP** tab, select which of the following options you would like to enable:

- **Deny TCP packets containing CWR, ECE flags:** These flags are set when there is network congestion.

**Note:** RFC 3168 defines two of the six bits from the Reserved field to be used for ECN (Explicit Congestion Notification), as follows:

- Bits 8 to 15: CWR-ECE-URG-ACK-PSH-RST-SYN-FIN
- TCP Header Flags Bit Name Reference:
  - Bit 8: CWR (Congestion Window Reduced) [RFC3168]
  - Bit 9: ECE (ECN-Echo) [RFC3168]

**Warning:** Automated packet transmission (such as that generated by a denial of service attack, among other things) will often produce packets in which these flags are set.

- **Enable TCP stateful inspection:** Enable stateful inspection at the TCP level. If you enable stateful TCP inspection, the following options become available:
  - **Enable TCP stateful logging:** TCP stateful inspection events will be logged.
  - **Limit the number of incoming connections from a single computer to:** Limiting the number of connections from a single computer can lessen the effect of a denial of service attack.
  - **Limit the number of outgoing connections to a single computer to:** Limiting the number of outgoing connections to a single computer can significantly reduce the effects of Nimda-like worms.
  - **Limit the number of half-open connections from a single computer to:** Setting a limit here can protect you from DoS attacks like SYN Flood. Although most servers have timeout settings for closing half-open connections, setting a value here can prevent half-open connections from becoming a significant problem. If the specified limit for SYN-SENT (remote) entries is reached, subsequent TCP packets from that specific computer will be dropped.

**Note:** When deciding on how many open connections from a single computer to allow, choose your number from somewhere between what you would consider a reasonable number of half-open connections from a single computer for the type of protocol being used, and how many half-open connections from a single computer your system can maintain without getting congested.

- **Enable ACK Storm protection when the number of already acknowledged packets exceeds:** Set this option to log an event that an ACK Storm attack has occurred.
  - **Drop Connection when ACK Storm detected:** Set this option to drop the connection if such an attack is detected.

**Note:** ACK Storm protection options are only available on Deep Security Agent 8.0 and earlier.

## FTP Options

Under the **FTP Options** tab, you can enable the following options:

**Note:** The following FTP options are available in Deep Security Agent version 8.0 and earlier.

- **Active FTP**
  - **Allow Incoming:** Allow Active FTP when this computer is acting as a server.
  - **Allow Outgoing:** Allow Active FTP when this computer is acting as client.
- **Passive FTP**
  - **Allow Incoming:** Allow Passive FTP when this computer is acting as a server.
  - **Allow Outgoing:** Allow Passive FTP when this computer is acting as a client.

### UDP packet inspection

Under the **UDP** tab, you can enable the following options:

- **Enable UDP stateful inspection:** Select to enable stateful inspection of UDP traffic.

**Note:** The UDP stateful mechanism drops unsolicited incoming UDP packets. For every outgoing UDP packet, the rule will update its UDP "stateful" table and will then only allow a UDP response if it occurs within 60 seconds of the request. If you wish to allow specific incoming UDP traffic, you will have to create a **Force Allow** rule. For example, if you are running a DNS server, you will have to create a **Force Allow** rule to allow incoming UDP packets to destination port 53.

**Warning:** Without stateful inspection of UDP traffic, an attacker can masquerade as a DNS server and send unsolicited UDP "replies" from source port 53 to computers behind a firewall.

- **Enable UDP stateful logging:** Selecting this option will enable the logging of UDP stateful inspection events.

### ICMP packet inspection

Under the **ICMP** tab, you can enable the following options:

**Note:** ICMP stateful inspection is available in Deep Security Agent version 8.0 or earlier.

- **Enable ICMP stateful inspection:** Select to enable stateful inspection of ICMP traffic.

**Note:** The ICMP (pseudo-)stateful mechanism drops incoming unsolicited ICMP packets. For every outgoing ICMP packet, the rule will create or update its ICMP "stateful" table and will then only allow a ICMP response if it occurs within 60 seconds of the request. (ICMP pair types supported: Type 0 & 8, 13 & 14, 15 & 16, 17 & 18.)

**Warning:** With stateful ICMP inspection enabled, you can, for example, only allow an ICMP echo-reply in if an echo-request has been sent out. Unrequested echo-replies could be a sign of several kinds of attack including a Smurf amplification attack, a Tribe Flood Network communication between master and daemon, or a Loki 2 back-door.

- **Enable ICMP stateful logging:** Selecting this option will enable the logging of ICMP stateful inspection events.

## Export a stateful configuration

You can export all stateful configurations to a .csv or .xml file by clicking **Export** and selecting the corresponding export action from the list. You can also export specific stateful configurations by first selecting them, clicking **Export** and then selecting the corresponding export action from the list.

## Delete a stateful configuration

To delete a stateful configuration, right-click the configuration in the Firewall Stateful Configurations list, click **Delete** and then click **OK**.

**Note:** Stateful configurations that are assigned to one or more computers or that are part of a policy cannot be deleted.

## See policies and computers a stateful configuration is assigned to

You can see which policies and computers are assigned to a stateful inspection configuration on the **Assigned To** tab. Click on a policy or computer in the list to see their properties.

## Scan for open ports

The Deep Security Manager can be instructed to scan a computer for open ports by right-clicking the computer and selecting **Actions > Scan for Open ports**, or by clicking the **Scan for Open Ports** button in the **Firewall** page of the **Computer editor**<sup>1</sup> window (where the results of the latest scan are displayed).

(Port scans can also be initiated by right-clicking an existing computer on the Manager's **Computers** page and choosing "Scan for Open Ports". Another way to initiate port scans is to create a **Scheduled Task** to regularly carry out port scans on a list of computers.)

By default, the range of ports that are scanned is the range known as the "Common Ports", 1-1024, but you can define a different set of ports to scan.

**Note:** [The agent's port number for incoming heartbeat connections from the Manager](#) is always scanned regardless of port range settings. It is the port on the computer to which communications initiated by the Manager are sent. If communication direction is set to "Agent/Appliance Initiated" for a computer (**Computer or Policy editor**<sup>2</sup> > **Settings > General**), however, that port number will be closed.

1. Go to **Policies > Common Objects > Lists > Port Lists** and click **New** in the menu bar. The **New Port List** window will appear.
2. Type a name and description for the new port list and then define the ports in the **Port(s)** text box using the accepted formats. (For example, to scan ports 100, 105, and 110 through 120, you would type "100" on the first line "105" on the second, and "110-120" on the third.) Click **OK**.

---

<sup>1</sup>To open the Computer editor, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

<sup>2</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

3. Go to **Computer or Policy editor**<sup>1</sup> > **Settings** > **General** and click the "Ports to Scan" menu. Your newly defined Port List will be one of the choices.

## Monitor for system changes with integrity monitoring

The integrity monitoring module scans for unexpected changes to registry values, registry keys, services, processes, installed software, ports and files on Deep Security Agents. Using a baseline secure state as a reference, the integrity monitoring module performs scans on the above and logs an event (and an optional alert) if it detects any unexpected changes.

To enable and configure integrity monitoring, see ["Set up integrity monitoring" below](#).

To more information on creating integrity monitoring rules, see ["Create an integrity monitoring rule" on page 586](#). You can create a rule from a file or registry monitoring template, or by using the Deep Security XML-based ["Integrity monitoring rules language" on page 591](#).

## Set up integrity monitoring

The Integrity Monitoring protection module detects changes to files and critical system areas like the Windows registry that could indicate suspicious activity. It does this by comparing current conditions to a baseline reading it has previously recorded. Deep Security ships with predefined Integrity Monitoring rules and new Integrity Monitoring rules are provided in security updates.

**Note:** Integrity Monitoring detects changes made to the system, but will not prevent or undo the change.

## How to enable Integrity Monitoring

You can enable Integrity Monitoring in policies or at the computer level. To do so, you will need to:

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

1. ["Turn on Integrity Monitoring" below.](#)
2. ["Run a Recommendation scan" on the next page.](#)
3. ["Apply the Integrity Monitoring rules" on page 581.](#)
4. ["Build a baseline for the computer" on page 583.](#)
5. ["Periodically scan for changes" on page 583.](#)


Once you've enabled integrity monitoring, you can also learn more about

- ["When Integrity Monitoring scans are performed" on page 583](#)
- ["Integrity Monitoring scan performance settings" on page 584](#)
- ["Integrity Monitoring event tagging" on page 585](#)

Following is a typical procedure for enabling Integrity Monitoring:

### Turn on Integrity Monitoring

You can enable Integrity Monitoring in the settings for a computer or in policies. To do this, open the Policy or Computer editor and go to **Integrity Monitoring > General**. Set the Configuration to "On" or "Inherited (On)" and then click **Save**.



## Run a Recommendation scan

Run a Recommendation scan on the computer to get recommendations about which rules would be appropriate. To do this, open the Computer editor and go to **Integrity Monitoring > General**. In the Recommendations section, click **Scan for Recommendations**. You can optionally specify that Deep Security should implement the rule recommendations that it finds.

Recommended Integrity Monitoring rules may result in too many monitored entities and attributes. The best practice is to decide what is critical and should be monitored, then create custom rules or tune the predefined rules. Pay extra attention to rules that monitor frequently-

changed properties such as process IDs and source port numbers because they can be noisy and may need some tuning.


If you have enabled real-time integrity monitoring scans and find that some recommended rules produce too many events because they are monitoring directories that change frequently, you can disable real-time scanning for those rules. Go to **Policies > Common Objects > Rules > Integrity Monitoring Rules** and double-click the rule. On the **Options** tab, clear the **Allow Real Time Monitoring** checkbox.

### Apply the Integrity Monitoring rules

As described above, when you run a Recommendation scan, you can have Deep Security implement the recommended rules automatically. You can also manually assign rules.

In the Computer or Policy editor, go to **Integrity Monitoring > General**. The "Assigned Integrity Monitoring Rules" section displays the rules that are in effect for this policy or computer. To add or remove Integrity Monitoring Rules, click **Assign/Unassign**. This will display a window showing all available Integrity Monitoring Rules, from which you can select or deselect rules.

## Trend Micro Deep Security for Azure Marketplace 11.1



Some Integrity Monitoring rules written by Trend Micro require local configuration to function properly. If you assign one of these rules to your computers or one of these rules gets assigned automatically, an alert will be raised to notify you that configuration is required.

You can edit an Integrity Monitoring rule locally so that the changes apply only to the computer or policy being edited, or globally so that the changes apply to all other policies or computers that are using the rule. To edit a rule locally, right-click it and click **Properties**. To edit a rule globally, right-click it and click **Properties (Global)**.

You can also create custom rules to monitor for specific changes that concern your organization, such as a new user being added or new software being installed. For information on how to create a custom rule, see "[Integrity monitoring rules language](#)" on page 591.

**Tip:** Integrity Monitoring rules should be as specific as possible to improve performance and to avoid conflicts and false positives. For example, do not create a rule that monitors the entire hard drive.

### Build a baseline for the computer

The baseline is the original secure state that an Integrity Scan's results will be compared against. To create a new baseline for Integrity Scans on a computer, open the Computer editor, go to **Integrity Monitoring > General** and click **Rebuild Baseline**.

To view the current baseline data, click **View Baseline**.

**Tip:** It's a best practice to run a new baseline scan after applying patches.

### Periodically scan for changes

Periodically scan for changes. To perform an on-demand scan, open the Computer editor, go to **Integrity Monitoring > General** and click **Scan for Integrity**. You can also create a [scheduled task](#) that performs scans on a regular basis.

### When Integrity Monitoring scans are performed

There are three options for performing Integrity Monitoring scans:

- **On-demand scans:** You can initiate an on-demand integrity monitoring scan as needed by opening the **Computer editor**<sup>1</sup>, and going to **Integrity Monitoring > General**. In the Integrity Scan section, click **Scan for Integrity**.
- **Scheduled scans:** You can schedule integrity monitoring scans just like other Deep Security operations. Deep Security checks the entities that are being monitored and identifies and records an event for any changes since the last time it performed a scan.

---

<sup>1</sup>To open the Computer editor, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

Multiple changes to monitored entities between scans will not be tracked; only the last change will be detected. To detect and report multiple changes to an entity's state, consider increasing the frequency of scheduled scans (for example, daily instead of weekly) or enable real-time scanning for entities that change frequently. To enable scheduled integrity monitoring scans, go to **Administration > Scheduled Tasks > New**. In the New Scheduled Task Wizard, select **Scan Computers for Integrity Changes** and the frequency for the scheduled scan. Fill in the information requested by the New Scheduled Task Wizard with your desired specifications. For more information on scheduled tasks, see ["Schedule Deep Security to perform tasks" on page 218](#).

- **Real-time scans:** You can enable real-time scanning. When this option is selected, Deep Security monitors entities for changes in real time and raises integrity monitoring events when it detects changes. Events are forwarded in real time via syslog to the SIEM or when the next heartbeat communication to the Deep Security Manager occurs. To enable real-time scans, go to the **Computer or Policy Editor<sup>1</sup> > Integrity Monitoring > General** and select **Real Time**. With Deep Security Agent 11.0 or higher on 64-bit Linux platforms, the real-time scan results indicate the user and process that changed the file. For details about which platforms support this feature, see ["Supported features by platform" on page 69](#).

## Integrity Monitoring scan performance settings

Changing the following settings may help to improve the performance of Integrity Monitoring scans:

### Limit CPU usage

Integrity Monitoring uses local CPU resources during the system scan that leads to the creation of the initial baseline and during the system scan that compares a later state of the system to the previously created baseline. If you are finding that Integrity Monitoring is consuming more resources than you want it to, you can restrict the CPU usage to the following levels:

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

## Trend Micro Deep Security for Azure Marketplace 11.1

- **High:** Unlimited CPU usage
- **Medium:** The Integrity Monitoring process will not consume more than 50% of CPU resources
- **Low:** The Integrity Monitoring process will not consume more than 25% of CPU resources

To change the **Integrity Monitoring CPU Usage Level** setting, open the **Computer or Policy editor**<sup>1</sup> and go to **Integrity Monitoring > Advanced**.

### Change the content hash algorithm

You can select the hash algorithm(s) that will be used by the Integrity Monitoring module to store baseline information. You can select more than one algorithm, but this is not recommended because of the detrimental effect on performance.

You can change the content hash algorithm

### Enable a VM Scan Cache configuration

Using scan caching for Integrity Monitoring improves the efficiency of scans by eliminating the unnecessary scanning of identical content across multiple VMs in large VMware deployments. To select which scan cache configuration is used by a virtual machine, open the **Computer or Policy editor**<sup>2</sup> and go to **Integrity Monitoring > Advanced > VM Scan Cache**.

### Integrity Monitoring event tagging

The events generated by the Integrity Monitoring module are displayed in Deep Security Manager, under **Events & Reports > Integrity Monitoring Events**. Event tagging can help you to

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

<sup>2</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

sort events and determine which ones are legitimate and which ones need to be investigated further.

You can manually apply tags to events by right-clicking the event and then clicking **Add Tag(s)**. You can choose to apply the tag to only the selected event or to any similar Integrity Monitoring events.

You can also use the auto-tagging feature to group and label multiple events. To configure this feature in the Deep Security Manager, go to **Events and Reports > Integrity Monitoring Events > Auto-Tagging > New Trusted Source**. There are three sources that you can use to perform the tagging:

- A Local Trusted Computer.
- The Trend Micro Certified Safe Software Service.
- A Trusted Common Baseline, which is a set of file states collected from a group of computers.

For more information on event tagging, see ["Apply tags to identify and group events" on page 748](#).

## Create an integrity monitoring rule

Integrity monitoring rules describe how Deep Security Agents should scan for and detect changes to a computer's files, directories, and registry keys and values, as well as changes in installed software, processes, listening ports, and running services. Integrity monitoring rules can be assigned directly to computers or can be made part of a policy.

**Note:** This article specifically covers how to create an integrity monitoring rule. For information on how to configure the Integrity Monitoring module, see ["Set up integrity monitoring" on page 578](#).

There are two types of integrity monitoring rules: those that you have created, and those that are issued by Trend Micro. For more information on how to configure rules issued by Trend Micro, see the ["Configure Trend Micro integrity monitoring rules" on page 589](#) section.

To create a new integrity monitoring rule, you need to:

1. "Add a new rule" below.
2. "Enter integrity monitoring rule information " below.
3. "Select a rule template and define rule attributes" on the next page.

When you're done with your rule, you can also learn how to

- "Configure rule events and alerts" on page 590
- "See policies and computers a rule is assigned to" on page 590
- "Export a rule" on page 590
- "Delete a rule" on page 590

## Add a new rule

There are three ways to add an integrity monitoring rule on the **Policies > Common Objects > Rules > Integrity Monitoring Rules** page. You can:

- Create a new rule. Click **New > New Integrity Monitoring Rule**.
- Import a rule from an XML file. Click **New > Import From File**.
- Copy and then modify an existing rule. Right-click the rule in the Integrity Monitoring Rules list and then click **Duplicate**. To edit the new rule, select it and then click **Properties**.

## Enter integrity monitoring rule information

1. Enter a **Name** and **Description** for the rule.

**Tip:** It is good practice to document all integrity monitoring rule changes in the Description field of the firewall rule. Make a note of when and why rules were created or deleted for easier maintenance.

2. Set the **Severity** of the rule.

**Note:** Setting the severity of a rule has no effect on how the rule is implemented or applied. Severity levels can be useful as sorting criteria when viewing a list of integrity monitoring rules. More importantly, each severity level is associated with a severity

value; this value is multiplied by a computer's Asset Value to determine the ranking of an event. (See **Administration > System Settings > Ranking.**)

### Select a rule template and define rule attributes

Go to the **Content** tab and select from one of the following three templates:

#### Registry Value template

Create an integrity monitoring rule to specifically monitor changes to registry values.

**Note:** The Registry Value template is only for Windows-based computers .

1. Select the **Base Key** to monitor and whether or not to monitor contents of sub keys.
2. List **Value Names** to be included or excluded. You can use "?" and "\*" as wildcard characters.
3. Enter **Attributes** to monitor. Entering "STANDARD" will monitor changes in registry size, content and type. For more information on Registry Value template attributes see the ["RegistryValueSet" on page 624](#) documentation.

#### File template

Create an integrity monitoring rule to specifically monitor changes to files.

1. Enter a **Base Directory** for the rule (for example, `C:\Program Files\MySQL .`) Select **Include Sub Directories** to include the contents of all subdirectories relative to the base directory.
2. Use the **File Names** fields to include or exclude specific files. You can use wildcards (" ? " for a single character and " \* " for zero or more characters.

**Note:** Leaving the **File Names** fields blank will cause the rule to monitor all files in the base directory. This can use significant system resources if the base directory contains numerous or large files.

3. Enter **Attributes** to monitor. Entering "STANDARD" will monitor changes in file creation date, last modified date, permissions, owner, group, size, content, flags (Windows), and

## Trend Micro Deep Security for Azure Marketplace 11.1

SymLinkPath (Linux). For more information on File template attributes see the ["FileSet" on page 608](#) documentation.

### Custom (XML) template

Create a custom integrity monitoring rule template to monitor directories, registry values, registry keys, services, processes, installed software, ports and files using the Deep Security XML-based ["Integrity monitoring rules language" on page 591](#).

**Tip:** You can create your rule in your preferred text editor and paste it to the **Content** field when you are done.

### Configure Trend Micro integrity monitoring rules

Integrity monitoring rules issued by Trend Micro cannot be edited in the same way as the custom rules you create. Some Trend Micro rules cannot be modified at all, while other rules may offer limited configuration options. Both of these rule types will show as "Defined" under the "Type" column, but rules that can be configured will display a gear in the Integrity Monitoring icon ()

Integrity Monitoring Rules		No Grouping ▾	Search this page
NAME	SEVERITY	TYPE	LAST UPDATED ▲
 New Integrity Monitoring Rule	● Medium	Custom	N/A
 1002784 - Microsoft Windows - IE A...	● Medium	Defined	June 23, 2009
 1002781 - Microsoft Windows - Attr...	● Medium	Defined	June 23, 2009
 1002778 - Microsoft Windows - Syst...	● High	Defined	June 23, 2009

You can access the configuration options for a rule by opening the properties for the rule and clicking on the **Configuration** tab.

Rules issued by Trend Micro also show the following additional information under the **General** tab:

## Trend Micro Deep Security for Azure Marketplace 11.1

- When the rule was first issued and last updated, as well as a unique identifier for the rule.
- The minimum versions of the Agent and the Deep Security Manager that are required for the rule to function.

Although you cannot edit rules issued by Trend Micro directly, you can duplicate them and then edit the copy.

### Configure rule events and alerts

Any changes detected by an integrity monitoring rule is logged as an event in the Deep Security Manager.

#### Real-time event monitoring

By default, events are logged at the time they occur. If you only want events to be logged when you manually perform a scan for changes, deselect **Allow Real Time Monitoring**.

#### Alerts

You can also configure the rules to trigger an alert when they log an event. To do so, open the properties for a rule, click on **Options**, and then select **Alert when this rule logs an event**.

### See policies and computers a rule is assigned to

You can see which policies and computers are assigned to an integrity monitoring rule on the **Assigned To** tab. Click on a policy or computer in the list to see their properties.

### Export a rule

You can export all integrity monitoring rules to a .csv or .xml file by clicking **Export** and selecting the corresponding export action from the list. You can also export specific rules by first selecting them, clicking **Export** and then selecting the corresponding export action from the list.

### Delete a rule

To delete a rule, right-click the rule in the Integrity Monitoring Rules list, click **Delete** and then click **OK**.

**Note:** Integrity monitoring rules that are assigned to one or more computers or that are part of a policy cannot be deleted.

## Integrity monitoring rules language

The integrity monitoring rules language is a declarative XML-based language that describes the system components and associated attributes that should be monitored by Deep Security. It also provides a means to specify what components within a larger set of components should be excluded from monitoring.

**Tip:** If you only need to monitor for unauthorized changes to files or the Windows registry, you can use File and Registry rule templates instead of creating a custom one. For more information on using these templates, see ["Create an integrity monitoring rule" on page 586](#).

To create a new custom integrity monitoring rule, start with the procedure in ["Create an integrity monitoring rule" on page 586](#) (selecting **Custom (XML)** as the template type), then create your custom rule according to the integrity monitoring rules language, as covered in the following sections:

- ["Entity Sets" on the next page](#)
- ["Hierarchies and wildcards" on page 593](#)
- ["Syntax and concepts" on page 594](#)
- ["Include tag" on page 595](#)
- ["Exclude tag" on page 596](#)
- ["Case sensitivity" on page 596](#)
- ["Entity features" on page 597](#)
- ["ANDs and ORs" on page 599](#)
- ["Order of evaluation" on page 600](#)
- ["Entity attributes" on page 600](#)
- ["Shorthand attributes" on page 601](#)

- ["onChange attribute" on page 602](#)
- ["Environment variables" on page 602](#)
- ["Registry values" on page 603](#)
- ["Use of ".." on page 604](#)
- ["Best practices" on page 604](#)

## Entity Sets

System components included in an integrity monitoring rule are referred to as "Entities". Each type of component is a class of Entity. For example, files, registry keys, and processes are each a class of Entity. The Integrity Monitoring Rules language provides a tag for describing a set of Entities (an Entity Set) for each class of Entity. The following **Entity Set** types are available to be used in a rule:

- **DirectorySet**: rules will scan the integrity of directories
- **FileSet**: rules will scan the integrity of files
- **GroupSet**: rules will scan the integrity of groups
- **InstalledSoftwareSet**: rules will scan the integrity of installed software
- **PortSet**: rules will scan the integrity of listening ports
- **ProcessSet**: rules will scan the integrity of processes
- **RegistryKeySet**: rules will scan registry keys
- **RegistryValueSet**: rules will scan registry values
- **ServiceSet**: rules will scan the integrity of services
- **UserSet**: rules will scan the integrity of users
- **WQLSet**: rules will monitor the integrity of the results of a [Windows Management Instrumentation](#) WQL query statement

A single Integrity Rule can contain multiple Entity Sets. This allows you to, for example, secure an application with a single rule that monitors multiple files and registry entries.

## Hierarchies and wildcards

For Entity Sets that represent a hierarchical data type such as FileSet and RegistryKeySet, section-based pattern matching is supported:

- `/` (**forward slash**) : demarcates sections of the pattern to be applied to levels of the hierarchy
- `**` (**two stars**) : matches zero or more sections

The following wildcards are supported:

- `?` (**question mark**) : matches one character
- `*` (**one star**) : matches zero or more characters

"Escaping" characters is also supported:

- `\` (**back slash**) : escapes the next character

The pattern is divided into sections using the "`/`" character, with each section of the pattern being applied to successive levels of the hierarchy as long as it continues to match. For example, if the pattern:

```
/a?c/123/*.java
```

is applied to the path:

```
/abc/123/test.java
```

Then:

- `"a?c"` matches `"abc"`
- `"123"` matches `"123"`
- `"*.java"` matches `"test.java"`

When the pattern is applied to the path:

```
/abc/123456/test.java
```

Then:

## Trend Micro Deep Security for Azure Marketplace 11.1

- `"a?c"` matches `"abc"`
- `" 123"` does *not* match `"123456"`, and so no more matching is performed

The `"**"` notation pattern matches zero or more sections, and so:

```
/abc/**/*.java
```

matches both `"abc/123/test.java"` and `"abc/123456/test.java"`. It would also match `"abc/test.java"` and `"abc/123/456/test.java"`.

## Syntax and concepts

This section will present some example integrity monitoring rules. The examples will use the **FileSet** Entity Set but the topics and components described are common to all Entity Sets. A minimal integrity monitoring rule could look like this:

```
<FileSet base="C:\Program Files\MySQL">  
</FileSet>
```

The `"base"` attribute specifies the base directory for the FileSet. Everything else about the rule will be relative to this directory. If nothing further is added to the rule, everything (including subdirectories) below the `"base"` will be monitored for changes.

**Note:** The `"*"` and `"?"` wildcards can be used in a `"base"` attribute string, but only in the last path component of the base. So this is valid:

```
base="C:\program files\CompanyName * Web Server"
```

but this is not:

```
base="C:\* files\Microsoft Office"
```

Within an Entity Set, `"include"` and `"exclude"` tags can be used to control pattern matching. These tags have a `"key"` attribute that specifies the pattern to match against. The source of the key varies by Entity Set. For example, for Files and Directories it is their path, while for Ports it is the unique protocol/IP/portNumber tuple.

**Note:** If a path supplied in an include or exclude rule is syntactically invalid, the Agent will generate an "Integrity Monitoring Rule Compile Issue" Agent Event and supply the rule ID and the path (after expansion) as parameters. An example of an invalid path would be `C:\test1\D:\test2` since a file name may not contain two volume identifiers.

### Include tag

The include tag is essentially an allow list. Using it means that only those Entities matched by it (or other include tags) will be included. By adding an include tag, the following rule now only monitors changes to files with the name `*.exe` in the `C:\Program Files\MySQL` folder and sub folders:

```
<FileSet base="C:\Program Files\MySQL">
  <include key="**/*.exe"/>
</FileSet>
```

"Includes" can be combined. The following rule will monitor changes to files with the names `*.exe` and `*.dll` in the `C:\Program Files\MySQL` folder and sub folders:

```
<FileSet base="C:\Program Files\MySQL">
  <include key="**/*.exe"/>
  <include key="**/*.dll"/>
</FileSet>
```

It is also possible to combine multiple criteria in a single include block, in which case **all** criteria must be true for a given Entity to be included. The following "include" tag requires that an Entity both end in `.exe` and start with `sample` to be included. Although this requirement could be represented more succinctly, the usefulness of this becomes more apparent as key patterns are combined with other features of the Entity, as described in the "Features" section below.

```
<include>
  <key pattern="**/*.exe"/>
  <key pattern="**/sample*"/>
</include>
```

The following is another way to express the same requirements:

```
<include key="**/*.exe">
  <key pattern="**/sample*" />
</include>
```

### Exclude tag

The exclude tag functions as a block list, removing files from the set that would otherwise be returned. The following (unlikely) example would place everything but temp files under watch.

```
<FileSet base="C:\Program Files\MySQL">
  <include key="**" />
  <exclude key="**/*.tmp" />
</FileSet>
```

The following rule excludes the "MySQLInstanceConfig.exe" from the set of EXEs and DLLs:

```
<FileSet base="C:\Program Files\MySQL">
  <include key="**/*.exe" />
  <include key="**/*.dll" />
  <exclude key="**/MySQLInstanceConfig.exe" />
</FileSet>
```

Like the "include" tag, the "exclude" tag can be written to require multiple criteria. The following example shows a multi-criteria "exclude" tag.

```
<exclude>
  <key pattern="**/MySQLInstanceConfig*" />
  <key pattern="**/*.exe" />
</exclude>
```

### Case sensitivity

The case sensitivity of pattern matching for an include or exclude tag may be controlled by the "casesensitive" attribute. The attribute has three allowed values:

- **true**
- **false**
- **platform**

## Trend Micro Deep Security for Azure Marketplace 11.1

The default value for this attribute is "platform", which means that the case sensitivity of the pattern will match the platform on which it is running. In the following example, both "Sample.txt" and "sample.txt" would be returned on a Windows system, but only "Sample.txt" would be returned on a Unix system:

```
<FileSet base="C:\Program Files\MySQL">
  <include key="**/*Sample*" />
</FileSet>
```

In this example, only "Sample.txt" would be returned on Windows and Unix:

```
<FileSet base="C:\Program Files\MySQL">
  <include key="**/*Sample*" casesensitive="true" />
</FileSet>
```

**Note:** A case sensitive setting of "true" is of limited use on a platform such as Windows which is case insensitive when it comes to most object names.

## Entity features

The inclusion and exclusion of Entities based on features other than their "key" is also supported for some Entity types. The set of features differs by Entity type. The following example will include all executable files. It does not depend on the file extension as previous examples using file extensions did, but instead will check the first few hundred bytes of the file to determine if it is executable on the given OS.

```
<FileSet base="C:\Program Files\MySQL">
  <include key="**" executable="true" />
</FileSet>
```

Feature attributes must appear in an "include" or "exclude" tag. To use them as part of a multi-criteria include or exclude, they must be specified as attributes of the enclosing include or exclude tag. The following example includes all files that contain the string "MySQL" in their name and are also executable:

```
<include executable="true">
  <key pattern="**/*MySQL*" />
</include>
```

## Trend Micro Deep Security for Azure Marketplace 11.1

The previous example can be more succinctly expressed as:

```
<include key="**/*MySQL*" executable="true"/>
```

Some feature attributes are simply matches against the value of one of the Entity's attributes. In such cases, wildcard matches using " \* " and " ? " are sometimes supported. The help pages for the individual Entity Sets indicate which attributes can be used in include or exclude rules in this way, and whether they support wildcard matching or simple string matching.

**Note:** Where wildcard matches *are* supported, it is important to note that the match is against the string value of the attribute and that no normalization takes place. Constructs available for Entity key matches such as " \*\* " and the use of " / " to separate hierarchical components don't apply. Matching a path name on Windows requires the use of " \ " since that is the character which appears in the value of the attribute being tested, whereas Unix systems will use " / " in path values so matches against Unix paths need to use " / ".

The following is an example of a feature match using the "state" attribute:

```
<ServiceSet>  
  <include state="running"/>  
</ServiceSet>
```

**Note:** Wildcards are not supported in state matches.

The following example matches any processes where the path of the binary ends in "\notepad.exe":

```
<ProcessSet>  
  <include path="*\notepad.exe"/>  
</ProcessSet>
```

The following example matches any processes where the command-line begins with "/sbin/":

```
<ProcessSet>  
  <include commandLine="/sbin/*"/>  
</ProcessSet>
```

**Note:** Be careful when using wildcards. A wildcard expression like " \*\* " will look at every file in every sub directory beneath "base". Creating a baseline for such an expression can take a lot of time and resources.

## ANDs and ORs

It is possible to express logical ANDs and ORs through the use of multi-criteria includes and excludes and multiple includes and excludes.

There are several ways that a multi criteria include or exclude can be used to express an AND. The most straightforward is to include multiple criteria within a single enclosing tag. The following example shows a simple multi-criteria AND-ing:

```
<include>
  <key pattern="**/*MySQL*" />
  <key pattern="**/*.exe"/>
</include>
```

As well, any criteria expressed as an attribute of the including tag will be grouped with the enclosed criteria as part of the multi-criteria requirement. The following example shows the previous multi-criteria "include" re-written in this way:

```
<include key="**/*.exe">
  <key pattern="**/*MySQL*" />
</include>
```

Finally, if multiple criteria are expressed as attributes of an include or exclude they are treated as an AND:

```
<include executable="true" key="**/*MySQL*" />
```

ORs are expressed simply by the inclusion of multiple include or exclude tags. The following code includes files if their extensions are ".exe" OR ".dll":

```
<include key="**/*.dll" />
<include key="**/*.exe" />
```

### Order of evaluation

All "includes" are processed first, regardless of order of appearance in the rule. If an object name matches at least one "include" tag, it is then tested against the "exclude" tags. It is removed from the set of monitored objects if it matches at least one "exclude" tag.

### Entity attributes

A given Entity has a set of attributes that can be monitored. If no attributes are specified for an Entity Set (i.e. the attributes wrapper tag is not present) then the STANDARD set of attributes for that Entity is assumed. (See the *Shorthand Attributes* sections for the individual Entity Sets.)

However, for a given Entity Set only certain attributes of the Entity may be of interest for Integrity Monitoring. For example, changes to the contents of a log file are most likely expected and allowed. However changes to the permissions or ownership should be reported.

The "attributes" tag of the Entity Sets allows this to be expressed. The "attributes" tag contains a set of tags enumerating the attributes of interest. The set of allowed "attribute" tags varies depending on the Entity Set for which they are being supplied.

**Note:** If the "attributes" tag is present, but contains no entries, then the Entities defined by the rule are monitored for existence only.

The following example monitors executable files in "C:\Program Files\MySQL" whose name includes "SQL" for changes to their "last modified", "permissions", and "owner" attributes:

```
<FileSet base="C:\Program Files\MySQL" >
  <include key="**/*SQL*" executable="true"/>
  <attributes>
    <lastModified/>
    <permissions/>
    <owner/>
  </attributes>
</FileSet>
```

The following example monitors the "permissions", and "owner" attributes of log files in "C:\Program Files\MySQL":

## Trend Micro Deep Security for Azure Marketplace 11.1

```
<FileSet base="C:\Program Files\MySQL" >
  <attributes>
  <permissions/>
  <owner/>
</attributes>
<include key="**/*.log" />
</FileSet>
```

In the following example, the STANDARD set of attributes will be monitored. (See Shorthand Attributes, below)

```
<FileSet base="C:\Program Files\MySQL" >
  <include key="**/*.log" />
</FileSet>
```

In the following example, no attributes will be monitored. Only the existence of the Entities will be tracked for change.

```
<FileSet base="C:\Program Files\MySQL" >
  <attributes/>
  <include key="**/*.log" />
</FileSet>
```

## Shorthand attributes

Shorthand attributes provide a way to specify a group of attributes using a single higher level attribute. Like regular attributes the set of allowed values differs based on the Entity Set for which they are being supplied.

Shorthand Attributes are useful in cases where a set of attributes naturally group together, in cases where exhaustively listing the set of attributes would be tedious, and in cases where the set of attributes represented by the high level attribute may change with time or system configuration. An example of each case follows:

Attribute	Description
STANDARD	The set of attributes to monitor for the Entity Set. This is different than "every possible attribute" for the Entity Set. For example, it would not include every possible hash algorithm, just the ones deemed sufficient. For the list of "standard" attributes for each Entity Set, see sections for the individual Entity Sets.
CONTENTS	This is Shorthand for the hash, or set of hashes, of the contents of the file. Defaults to SHA-1.

### onChange attribute

An EntitySet may be set to monitor changes in real time. If the onChange attribute of an EntitySet is set to true (the default value) then the entities returned by the EntitySet will be monitored for changes in real time. When a change is detected the Entity is immediately compared against its baseline for variation. If the onChange attribute of an EntitySet is set to false, it will be run only when a baseline is built or when it is triggered via a scheduled task or on demand by the Deep Security Manager.

The following sample monitors the MySQL binaries in real time:

```
<FileSet base="C:\Program Files\MySQL" onChange="true">
  <include key="**/*.exe"/>
  <include key="**/*.dll" />
</FileSet>
```

### Environment variables

Environment variables can be included in the base value used in Entity Sets. They are enclosed in "\${}". The variable name itself is prefaced with "env.".

The following example sets the base directory of the FileSet to the path stored in the PROGRAMFILES environment variable:

```
<FileSet base="${env.PROGRAMFILES}"/>
```

**Note:** The values of referenced environment variables are read and stored by the Deep Security Agent on Agent startup. If the value of an environment variable changes, the Agent must be restarted to register the change.

If a referenced environment variable is not found, the Entity Sets referencing it are not scanned or monitored, but the rest of the configuration is used. An alert is triggered indicating that the variable is not present. The Agent reports an invalid environment variable using Agent event "Integrity Monitoring Rule Compile Issue". The ID of the integrity monitoring rule and the environment variable name are supplied as parameters to the event.

The following are the default environment variables that integrity monitoring uses:

Name	Value
ALLUSERSPROFILE	C:\ProgramData
COMMONPROGRAMFILES	C:\Program Files\Common Files
PROGRAMFILES	C:\Program Files
SYSTEMDRIVE	C:
SYSTEMROOT	C:\Windows
WINDIR	C:\Windows

### Environment variable overrides

Override environment variables when non-standard locations are used in the Windows operating system. For example, the **Microsoft Windows - 'Hosts' file modified** integrity monitoring rule, which monitors changes to the Windows **hosts** file, looks for that file in the **C:\WINDOWS\system32\drivers\etc** folder. However not all Windows installations use the **C:\WINDOWS\** directory, so the integrity monitoring rule uses the **WINDIR** environment variable and represents the directory as **%WINDIR%\system32\drivers\etc**.

**Note:** Environment variables are used primarily by the virtual appliance when performing agentless integrity monitoring on a virtual machine. This is because the virtual appliance has no way of knowing if the operating system on a particular virtual machine is using standard directory locations.

1. Open the **Computer or Policy editor**<sup>1</sup> where you want to override an environment variable.
2. Click **Settings > Advanced**.
3. In the **Environment Variable Overrides** section, click the **View Environment Variables** button to display the **Environment Variable Overrides** page.
4. Click **New** in the menu bar and enter a new name-value pair (for example, **WINDIR** and **D:\Windows**) and click **OK**.

### Registry values

Registry values can be included in the base value used in Entity Sets. They are enclosed in  $\{\}$ . The path to the registry value itself is prefaced with "reg.". The following example sets the base

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

## Trend Micro Deep Security for Azure Marketplace 11.1

directory of the FileSet to the path stored in the *"HKLM\Software\Trend Micro\Deep Security Agent\InstallationFolder"* registry value:

```
<FileSet base="{reg.HKLM\Software\Trend Micro\Deep Security Agent\InstallationFolder}"/>
```

The values of referenced registry values are read when a new or changed rule is received by the Agent. The Agent also checks all rules at startup time and will rebuild the baseline for affected Rules if any referenced registry values change.

If a referenced registry value is not found, the EntitySets referencing it are not scanned or monitored, but the rest of the configuration is used. An alert notifying that the variable is not present is raised. The Agent reports an invalid environment variable expansion using Agent Event 8012. The ID of the integrity monitoring rule and the registry value path are supplied as parameters to the event.

**Note:** A wildcard is allowed only in the last hierarchical component of a base name. For example, `base="HKLM\Software\ATI*"` is valid and will find both `"HKLM\Software\ATI"` and `"HKLM\Software\ATI Technologies"`; however, `"base="HKLM*\Software\ATI*"` is invalid.

## Use of ".."

The `".."` convention for referencing a parent directory is supported in all current versions of the Agent. The Agent will attempt to normalize base directory names for FileSet and DirectorySet elements by resolving `".."` references and converting Windows short names to long names. For example, on some newer versions of Windows the following FileSet would have a base directory of `"C:\Users"`. On earlier versions of Windows it would be `"C:\Documents and Settings"`.

```
<FileSet base="{env.USERPROFILE}\..">  
  <include key="*/Start Menu/Programs/Startup/*"/>  
</FileSet>
```

## Best practices

Rules should be written to only include objects and attributes that are of significance. This will ensure that no events are reported if other attributes of the object change. For example, your change monitoring policy may place restrictions on permission and ownership of files in `" /bin`

## Trend Micro Deep Security for Azure Marketplace 11.1

". Your integrity monitoring rule should monitor owner, group, and permissions, but not other attributes like lastModified or hash values.

When using integrity monitoring rules to detect malware and suspicious activity, monitor services, watch for use of NTFS data streams, and watch for executable files in unusual places such as " /tmp " or " \${env.windir}\temp ".

Always be as specific as possible when specifying what objects to include in a rule. The fewer objects you include, the less time it will take to create your baseline and the less time it will take to scan for changes. Exclude objects which are expected to change and only monitor the attributes you are concerned about.

When creating a rule, do not:

- Use " \*/... " from a top-level of the hierarchy such as " / ", "C:\", or " HKLM\Software ".
- Use more than one content hash type unless absolutely necessary.
- Reference user-specific locations such as HKEY\_CURRENT\_USER , \${env.USERPROFILE} , or \${env.HOME} .

Any of these statements in your integrity monitoring rules will cause performance issues as the Deep Security Agent searches through many items in order to match the specified patterns.

## DirectorySet

The DirectorySet tag describes a set of Directories.

## Tag Attributes

These are XML attributes of the tag itself, as opposed to the attributes of the Entity monitored by Integrity Monitoring Rules.

Attribute	Description	Required	Default Value	Allowed Values
base	Sets the base directory of the DirectorySet. Everything else in the tag	Yes	N/A	String values resolving to syntactically valid path (Path is not required to exist) <b>Note:</b> UNC paths are allowed by Windows Agents, but require that the remote system allow access by the "LocalSystem" account of the Agent computer. The Agent is a Windows service and runs as LocalSystem, aka NT

## Trend Micro Deep Security for Azure Marketplace 11.1

Attribute	Description	Required	Default Value	Allowed Values
	is relative to this directory			AUTHORITY\SYSTEM. When accessing a network resource, the LocalSystem uses the computer's credentials, which is an account named <i>DOMAINMACHINE\$</i> . The access token presented to the remote computer also contains the "Administrators" group for the computer, so remote shares must grant read privileges to either the Agent computer's account, the Agent computer's Administrators group, or "Everyone".  If the base value is not syntactically valid, the FileSet will not be processed. The rest of the config will be evaluated.
onChange	Whether the directories returned should be monitored in real time.	No	false	true, false
followLinks	Will this DirectorySet follow symbolic links.	No	false	true, false

### Entity Set Attributes

These are the attributes of the Entity that may be monitored by Integrity Monitoring Rules.

- **Created:** Timestamp when the directory was created
- **LastModified:** Timestamp when the directory was last modified
- **LastAccessed:** Timestamp when the directory was last accessed. On Windows this value does not get updated immediately, and recording of the last accessed timestamp can be disabled as a performance enhancement. See [File Times](#) for details. The other problem with this attribute is that the act of scanning a directory requires that the Agent open the directory, which will change its last accessed timestamp.
- **Permissions:** The directory's security descriptor (in [SDDL](#) format) on Windows or Posix-style ACLs on Unix systems that support ACLs, otherwise the Unix style rwxrwxrwx file permissions in numeric (octal) format.
- **Owner:** User ID of the directory owner (commonly referred to as the "UID" on Unix)
- **Group:** Group ID of the directory owner (commonly referred to as the "GID" on Unix)

- **Flags:** Windows-only. Flags returned by the [GetFileAttributes\(\)](#) Win32 API. Windows Explorer calls these the "Attributes" of the file: Read-only, Archived, Compressed, etc.
- **SymLinkPath:** If the directory is a symbolic link, the path of the link is stored here. On Windows, use the SysInternals "junction" utility to create the Windows equivalent of symbolic links.
- **InodeNumber** (Unix and Linux only): Inode number of the disk on which the inode associated with the file is stored
- **DeviceNumber** (Unix and Linux only): Device number of the disk on which the inode associated with the directory is stored

### Short Hand Attributes

The following are the Short Hand Attributes, and the attributes to which they map.

- **STANDARD:**
  - Created
  - LastModified
  - Permissions
  - Owner
  - Group
  - Flags (Windows only)
  - SymLinkPath

### Meaning of "Key"

Key is a pattern to match against the path of the directory relative to the directory specified by "dir". This is a hierarchical pattern, with sections of the pattern separated by "/" matched against sections of the path separated by the file separator of the given OS.

### Sub Elements

- **Include**
- **Exclude**

See "[Integrity monitoring rules language](#)" on page 591 for a general description of Include and Exclude for their allowed attributes and sub elements. Only information specific to includes and excludes relating to this EntitySet class are included here.

## FileSet

The FileSet tag describes a set of Files.

### Tag Attributes

These are XML attributes of the tag itself, as opposed to the attributes of the Entity monitored by Integrity Monitoring Rules.

Attribute	Description	Required	Default Value	Allowed Values
base	Sets the base directory of the FileSet. Everything else in the tag is relative to this directory.	Yes	N/A	String values resolving to syntactically valid path (Path is not required to exist). <b>Note:</b> UNC paths are allowed by Windows Agents, but require that the remote system allow access by the "LocalSystem" account of the Agent computer. The Agent is a Windows service and runs as LocalSystem, aka NT AUTHORITY\SYSTEM. When accessing a network resource, the LocalSystem uses the computer's credentials, which is an account named <i>DOMAINMACHINE\$</i> . The access token presented to the remote computer also contains the "Administrators" group for the computer, so remote shares must grant read privileges to either the Agent computer's account, the Agent computer's Administrators group, or "Everyone".  If the base value is not syntactically valid, the FileSet will not be processed. The rest of the config will be evaluated.
onChange	Whether the files returned should be monitored in real time.	No	false	true, false
followLinks	Will this FileSet follow symbolic links.	No	false	true, false

### Entity Set Attributes

These are the attributes of the FileSet that can be monitored by Integrity Monitoring Rules.

- **Created:** Timestamp when the file was created
- **LastModified:** Timestamp when the file was last modified
- **LastAccessed:** Timestamp when the file was last accessed. On Windows this value does not get updated immediately, and recording of the last accessed timestamp can be disabled as a performance enhancement. See [File Times](#) for details. The other problem with this attribute is that the act of scanning a file requires that the Agent open the file, which will change its last accessed timestamp. On Unix, the Agent will use the `O_NOATIME` flag if it is available when opening the file, which prevents the OS from updating the last accessed timestamp and speeds up scanning.
- **Permissions:** The file's security descriptor (in [SDDL](#) format) on Windows or Posix-style ACLs on Unix systems that support ACLs, otherwise the Unix style `rw-rw-rw` file permissions in numeric (octal) format.
- **Owner:** User ID of the file owner (commonly referred to as the "UID" on Unix)
- **Group:** Group ID of the file owner (commonly referred to as the "GID" on Unix)
- **Size:** size of the file
- **Sha1:** SHA-1 hash
- **Sha256:** SHA-256 hash
- **Md5:** MD5 hash (deprecated)
- **Flags:** Windows-only. Flags returned by the [GetFileAttributes\(\)](#) Win32 API. Windows Explorer calls these the "Attributes" of the file: Read-only, Archived, Compressed, etc.
- **SymLinkPath** (Unix and Linux only): If the file is a symbolic link, the path of the link is stored here. Windows NTFS supports Unix-like symlinks, but only for directories, not files. Windows shortcut objects are not true symlinks since they are not handled by the OS; the Windows Explorer handles shortcut files (\*.lnk) but other applications that open a \*.lnk file will see the contents of the lnk file.
- **InodeNumber** (Unix and Linux only): Inode number of the disk on which the inode associated with the file is stored
- **DeviceNumber** (Unix and Linux only): Device number of the disk on which the inode associated with the file is stored
- **BlocksAllocated** (Linux and Unix only): The number of blocks allocated to store the file.

## Trend Micro Deep Security for Azure Marketplace 11.1

- **Growing:** (DSA 7.5+) contains the value "true" if the size of the file stays the same or increases between scans, otherwise "false". This is mainly useful for log files that have data appended to them. Note that rolling over a log file will trigger a change in this attribute.
- **Shrinking:** (DSA 7.5+) contains the value "true" if the size of the file stays the same or decreases between scans, otherwise "false".

### Short Hand Attributes

The following are the Short Hand Attributes, and the attributes to which they map.

- **CONTENTS:** Resolves to the content hash algorithm set in [Computer or Policy editor](#)<sup>1</sup> > **Integrity Monitoring > Advanced**.
- **STANDARD:** Created, LastModified, Permissions, Owner, Group, Size, Contents, Flags (Windows only), SymLinkPath (Unix only)

### Drives Mounted as Directories

Drives mounted as directories are treated as any other directory, unless they are a network drive in which case they are ignored.

### Alternate Data Streams

NTFS based file systems support the concept of alternate data streams. When this feature is used it behaves conceptually like files within the file.

**Note:** To demonstrate this, type the following at the command prompt:

```
echo plain > sample.txt
echo alternate > sample.txt:s
more < sample.txt
more < sample.txt:s
```

The first "more" will show only the text "plain", the same text that will be displayed if the file is

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

opened with a standard text editor, such as notepad. The second "more", which accesses the "s" stream of sample.txt will display the string "alternate".

For FileSets, if no stream is specified, then all streams are included. Each stream is a separate Entity entry in the baseline. The available attributes for streams are:

- **size**
- **Sha1**
- **Sha256**
- **Md5** (deprecated)
- **Contents**

The following example would include both streams from the demonstration above:

```
<include key="**/sample.txt" />
```

To include or exclude specific streams, the ":" notation is used. The following example matches only the "s" stream on sample.txt and not the main sample.txt stream:

```
<include key="**/sample.txt:s" />
```

Pattern matching is supported for the stream notation. The following example would include sample.txt, but exclude all of its alternate streams:

```
<include key="**/sample.txt" />  
<exclude key="**/sample.txt:*" />
```

### Meaning of "Key"

Key is a pattern to match against the path of the file relative to the directory specified by "base". This is a hierarchical pattern, with sections of the pattern separated by "/" matched against sections of the path separated by the file separator of the given OS

### Sub Elements

- **Include**
- **Exclude**

See ["Integrity monitoring rules language" on page 591](#) for a general description of Include and Exclude for their allowed attributes and sub elements. Only information specific to includes and excludes relating to the FileSet Entity Set class are included here.

Special attributes of Include and Exclude for FileSets:

### executable

Determines if the file is executable. This does not mean that its permissions allow it to be executed. Instead the contents of the file are checked, as appropriate for platform, to determine if the file is an executable file.

**Note:** This is a relatively expensive operation since it requires the Agent to open the file and examine the first kilobyte or two of its content looking for a valid executable image header. Opening and reading every file is much more expensive than simply scanning directories and matching file names based on wild card patterns, so any include and exclude rules using "executable" will result in slower scan times than those that do not use it.

## GroupSet

GroupSet represents a set of groups. Note these are local groups only.

### Tag Attributes

These are XML attributes of the tag itself, as opposed to the attributes of the Entity monitored by Integrity Monitoring Rules.

Attribute	Description	Required	Default Value	Allowed Values
onChange	Will be monitored in real time	No	false	true, false

### Entity Set Attributes

These are the attributes of the entity that can be monitored:

- **Description:** (Windows only) The textual description of the group.
- **Group:** The group ID and name. The group name is part of the entity key, but it's still important to be able to monitor the group ID-name pairing in case groups are renamed and given new IDs. Operating systems generally enforce security based on its ID.

## Trend Micro Deep Security for Azure Marketplace 11.1

- **Members:** A comma separated list of the members of the group.
- **SubGroups:** (Windows only) A comma separated list of sub-groups of the group.

### Short Hand Attributes

- **Standard:** Group Members SubGroups

### Meaning of "Key"

The key is the group's name. This is not a hierarchical Entity Set. Patterns are applied only to the group name. As a result the "\*" pattern is not applicable. The following example monitors the "Administrators" group for additions and deletions. (The "Member" attribute is included implicitly because it is a part of the STANDARD set, and no attributes are explicitly listed.)

```
<GroupSet>
  <include key="Administrators" />
</GroupSet>
```

### Include and Exclude

See ["Integrity monitoring rules language" on page 591](#) for a general description of Include and Exclude and their allowed attributes and sub elements.

### InstalledSoftwareSet

Represents a set of installed software. The "key" used to uniquely identify an installed application is platform-specific, but it is often a shorthand version of the application name or a unique numeric value.

On Windows, the key can be something readable like "FogBugz Screenshot\_is1" or it can be a GUID like

"{90110409-6000-11D3-8CFE-0150048383C9}". You can examine these by looking at the sub-keys of HKEY\_LOCAL\_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Uninstall

On Linux the key is the RPM package name, as shown by the command:

```
rpm -qa --qf "%{NAME}\n"
```

On Solaris the key is the package name as shown by the **pkginfo** command.

On HPUX the key is the application name as shown by the command:

```
/usr/sbin/swlist -a name
```

### Tag Attributes

These are XML attributes of the tag itself, as opposed to the attributes of the computer where integrity monitoring is enabled.

Attribute	Description	Required	Default Value	Allowed Values
onChange	Will be monitored in real time	No	false	true, false

### Entity Set Attributes

These are the attributes of the Entity that can be monitored by Integrity Monitoring Rules. Presence of the attributes is dependent on both the platform and the application itself - installation programs do not necessarily populate all of the attributes.

- **Manufacturer:** The publisher or manufacturer of the application
- **Name:** The friendly name or display name of the application. (Not available on Linux.)
- **InstalledDate:** Date of installation. This is normally returned as YYYY-MM-DD [HH:MM:SS], but many installers on Windows format the date string in a different manner so this format is not guaranteed.
- **InstallLocation:** The directory where the application is installed. (Only available on Windows)
- **Parent:** For patches and updates, this gives the key name of this item's parent. Only available on Windows.
- **Size:** The estimated size of the application, if available. On Windows this attribute is read from the "EstimatedSize" registry value under HKEY\_LOCAL\_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Uninstall\\*. The value in that location is expressed in KB, so the Agent multiplies it by 1024 before returning the value. Note that not all Windows applications populate the EstimatedSize field in the registry.
- **Version:** The version of the installed application. On Windows this comes from the "DisplayVersion" registry value.

### Short Hand Attributes

These are the short hand attributes of the Entity and the attributes to which they resolve

- **STANDARD:** InstalledDate, Name, Version

### Meaning of "Key"

The key is the name of the installed software. This is not a hierarchical key, so the \*\* pattern does not apply. On Windows the key is often a GUID, especially for anything installed via the Windows Installer (aka MSI). Use the name="XXX" feature if you need to include or exclude based on the display name rather than the GUID.

The following example would monitor for the addition and deletion of new software.

```
<InstalledSoftwareSet>
  <include key="*" />
  <attributes />
</InstalledSoftwareSet>
```

### Sub Elements

- **Include**
- **Exclude**

See ["Integrity monitoring rules language" on page 591](#) for a general description of Include and Exclude for their allowed attributes and sub elements. Only information specific to includes and excludes relating to this EntitySet class are included here.

Special attributes of Include and Exclude for InstalledSoftwareSets:

#### **name (Windows only)**

Allows wildcard matching using ? and \* on the display name of the application (the "name" attribute of the Entity). For example:

```
<InstalledSoftwareSet>
  <include name="Microsoft*" />
</InstalledSoftwareSet>
```

will match all installed applications whose display name (as shown by the Control Panel) starts with "Microsoft".

### manufacturer

Allows wildcard matching using ? and \* on the publisher or manufacturer of the application. For example:

```
<InstalledSoftwareSet>  
  <include manufacturer="* Company " />  
</InstalledSoftwareSet>
```

will match all installed applications whose manufacturer ends with " Company ".

## PortSet

Represents a set of listening ports.

## Tag Attributes

These are XML attributes of the tag itself, as opposed to the attributes of the Entity monitored by Integrity Monitoring Rules.

Attribute	Description	Required	Default Value	Allowed Values
onChange	Will be monitored in real time	No	false	true, false

## Entity Set Attributes

These are the attributes of the Entity that can be monitored by Integrity Monitoring Rules.

- **Created:** Windows only - XP SP2+ and Server 2003 SP1+ required. Returned by the GetExtendedTcpTable() or GetExtendedUdpTable() API. Indicates when the bind operation that created this TCP or UDP link occurred.
- **Listeners:** The number of active listeners on this protocol, IP address, and port number combination. This reflects the number of sockets bound-to and listening-on the given port, and may be greater than the number of processes listening on the port if processes bind multiple sockets to the port. This attribute has no value if only one socket is bound to the given port.

## Trend Micro Deep Security for Azure Marketplace 11.1

- **Path:** Windows only - XP SP2+ and Server 2003 SP1+ required. Gives the short name, if available, of the module that owns the port. On Windows this comes from the `GetOwnerModuleFromXxxEntry()` APIs. According to Microsoft documentation, the resolution of connection table entries to owner modules is a best practice. In a few cases, the owner module name returned can be a process name, such as "svchost.exe", a service name (such as "RPC"), or a component name, such as "timer.dll".
- **Process:** (Windows only - XP SP2+ and Server 2003 SP1+ required.) Gives the full path, if available, of the module that owns the port. On Windows this comes from the `GetOwnerModuleFromXxxEntry()` APIs. According to Microsoft documentation, the resolution of connection table entries to owner modules is a best practice.
- **ProcessId:** (Windows only - XP SP2+ and Server 2003 SP1+ required.) Gives the PID of the process that issued the bind for this port.
- **User:** (Linux only). Gives the user that owns the port.

### Meaning of "Key"

The key is in the following format:

<PROTOCOL>/<IP ADDRESS>/<PORT>

For example:

```
tcp/172.14.207.94/80
udp/172.14.207.94/68
```

### IPV6

If the IP address is IPv6 the key is in the same format, but the protocol is TCP6 or UDP6 and the IP address is an IPv6 address as returned by the `getnameinfo` API:

```
tcp6/3ffe:1900:4545:3:200:f8ff:fe21:67cf/80
udp6/3ffe:1900:4545:3:200:f8ff:fe21:67cf/68
```

### Matching of the Key

This is not a hierarchical key, so `**` is not applicable. Unix-style glob matching is possible using `*` and `?`. The following pattern matches port 80 on the IP addresses 72.14.207.90 through 72.14.207.99:

## Trend Micro Deep Security for Azure Marketplace 11.1

```
*/72.14.207.9?/80
```

The following pattern matches port 80 on the IP addresses 72.14.207.2, 72.14.207.20 through 72.14.207.29 as well as 72.14.207.200 through 72.14.207.255:

```
*/72.14.207.2*/80
```

The following pattern matches port 80 on any IP.

```
*/80
```

The following example would monitor for any change in the listening ports but ignore port 80 for TCP in IPv4 and IPv6:

```
<PortSet>
  <include key="*" />
  <exclude key="tcp*/*/80" />
</PortSet>
```

### Sub Elements

- **Include**
- **Exclude**

See "[Integrity monitoring rules language](#)" on page 591 for a general description of Include and Exclude and their allowed attributes and sub elements. Only information specific to includes and excludes relating to this EntitySet class are included here.

### Special attributes of Include and Exclude for PortSets:

Various other attributes of the port may be used in include and exclude feature tests. These tests compare a value against the value of an attribute of the port; take note of the platform support for various attributes - not all attributes are available across platforms or even platform revisions, hence the use of these tests in include and exclude tags is of limited use. The feature tests support Unix glob-style wildcarding with \* and ?, and there is no normalization of path separators or other characters - it is a simple match against the value of the attribute.

### Path

## Trend Micro Deep Security for Azure Marketplace 11.1

Checks for a wildcard match against the path attribute of the port. The following example would monitor ports owned by processes running the main IIS binary:

```
<PortSet>
  <include path="*\system32\inetsrv\inetinfo.exe"/>
</PortSet>
```

### Process

Checks for a wildcard match against the process attribute of the port. The following example would monitor ports owned by anything running in a svchost.exe or outlook.\* binary:

```
<PortSet>
  <include process="svchost.exe"/>
  <include process="outlook.*"/>
</PortSet>
```

### User

Checks for a wildcard match against the user attribute of the port. The following example would monitor ports on a Unix system that were owned by the super-user (root):

```
<PortSet>
  <include user="root"/>
</PortSet>
```

## ProcessSet

Represents a set of processes.

### Tag Attributes

These are XML attributes of the tag itself, as opposed to the attributes of the Entity monitored by Integrity Monitoring Rules.

Attribute	Description	Required	Default Value	Allowed Values
onChange	Will be monitored in real time	No	false	true, false

### Entity Set Attributes

These are the attributes of the Entity that can be monitored by Integrity Monitoring Rules.

## Trend Micro Deep Security for Azure Marketplace 11.1

- **CommandLine:** The full command-line as shown by "ps -f" (Unix), "ps w" (Linux), or Process Explorer (Windows).
- **Group:** The group under which the process is running. Under Unix this is the "effective" group ID of the process, which can change over time if the process drops privileges or otherwise switches its effective group credentials. On Windows this is the current Primary Group of the process as returned by the Win32 API GetTokenInformation with a TokenInformationClass of TokenPrimaryGroup. This is the default Primary Group SID for newly created objects. In addition to a Primary Group, processes typically have one or more group credentials associated with them. Those additional group credentials are not monitored by the Agent - they can be viewed on the "Security" tab of the process properties in Process Explorer.
- **Parent:** The PID of the process that created this process.
- **Path:** The full path to the binary of the process. On Windows, this comes from the GetModuleFileNameEx() API. On Linux it comes from reading the symlink /proc/{pid}/exe.
- **Process:** The short name of the process binary (no path). For example, for "c:\windows\notepad.exe" it would be "notepad.exe" and for "/usr/local/bin/httpd" it would be "httpd".
- **Threads:** The number of threads currently executing in the process.
- **User:** The user under which the process is running. Under Unix this is the "effective" user ID of the process, which can change over time if the process drops privileges or otherwise switches its effective user credentials.

### Short Hand Attributes

- **STANDARD:** CommandLine, Group, Parent, Path (where available), Process User

### Meaning of "Key"

The key is a combination of the "Process" attribute (the short name of the executable) and the PID. The PID is appended to the name with a path separator in between, ex. notepad.exe\1234 on Windows and httpd/1234 on Unix. The use of the path separator is to allow include or exclude matching of key="abc/\*" to work as expected.

### Sub Elements

- **Include**
- **Exclude**

See ["Integrity monitoring rules language" on page 591](#) for a general description of include for their allowed attributes and sub elements. Only information specific to includes and excludes relating to this EntitySet class are included here.

### Special attributes of Include and Exclude for ProcessSets:

The following example would monitor the set of running processes for notepad.exe regardless of the PID.

```
<ProcessSet>  
  <include key="notepad.exe\*" />  
</ProcessSet>
```

Various other attributes of a process can be used in include and exclude feature tests. The feature tests support Unix glob-style wildcarding with \* and ?, and there is no normalization of path separators or other characters - it is a simple glob-style match against the value of the attribute.

### CommandLine

Checks for a wildcard match against the commandLine attribute of the process. The following example would monitor any process whose command-line matches "\*httpd \*":

```
<ProcessSet>  
  <include commandLine="*httpd *" />  
</ProcessSet>
```

### Group

Checks for a wildcard match against the group attribute of the process. The text version of the group name is used rather than the numeric form: use "daemon" rather than "2" to test for the daemon group on Linux. The following example would monitor any process running as one of the groups root, daemon, or lp:

```
<ProcessSet>  
  <include group="root" />
```

## Trend Micro Deep Security for Azure Marketplace 11.1

```
<include group="daemon" />
<include group="lp" />
</ProcessSet>
```

### Path

Checks for a wildcard match against the path attribute of the process. The path attribute is not available on some platforms. The following example would monitor any process whose binary resides under System32:

```
<ProcessSet>
  <include path="*\System32\*" />
</ProcessSet>
```

### User

Checks for a wildcard match against the user attribute of the process. The text version of the user name is used rather than the numeric form: use "root" rather than "0" (zero) to test for the superuser on Unix. The following example would monitor any process running as one of the built in system users (ex. NT AUTHORITY\SYSTEM, NT AUTHORITY\LOCAL SERVICE, NT AUTHORITY\NETWORK SERVICE):

```
<ProcessSet>
  <include user="NT AUTHORITY\*" />
</ProcessSet>
```

## RegistryKeySet

The RegistryKeySet tag describes a set keys in the registry (Windows only).

### Tag Attributes

These are XML attributes of the tag itself, as opposed to the attributes of the Entity monitored by Integrity Monitoring Rules.

Attribute	Description	Required	Default Value	Allowed Values
base	Sets the base key of the RegistryKeySet. Everything else in the tag is relative to this key. The base must begin with one of the following registry branch names: HKEY_CLASSES_ROOT (or HKCR),	Yes	N/A	String values resolving to syntactically valid registry key path

## Trend Micro Deep Security for Azure Marketplace 11.1

Attribute	Description	Required	Default Value	Allowed Values
	HKEY_LOCAL_MACHINE (or HKLM), HKEY_USERS (or HKU), HKEY_CURRENT_CONFIG (or HKCC)			

### Entity Set Attributes

These are the attributes of the Entity that can be monitored by Integrity Monitoring Rules.

- **Owner**
- **Group**
- **Permissions**
- **LastModified** ("LastWriteTime" in Windows registry terminology)
- **Class**
- **SecurityDescriptorSize**

### Short Hand Attributes

- **STANDARD:** Group, Owner, Permissions, LastModified

### Meaning of "Key"

Registry Keys are stored hierarchically in the registry, much like directories in a file system. For the purpose of this language the "key path" to a key is considered to look like the path to a directory. For example the "key path" to the "Deep Security Agent" key of the Agent would be:

```
HKEY_LOCAL_MACHINE\SOFTWARE\Trend Micro\Deep Security Agent
```

The "key" value for includes and excludes for the RegistryValueSet is matched against the key path. This is a hierarchical pattern, with sections of the pattern separated by "/" matched against sections of the key path separated by "\".

### Sub Elements

- **Include**
- **Exclude**

See ["Integrity monitoring rules language"](#) on page 591 for a general description of include for their allowed attributes and sub elements.

## RegistryValueSet

A set of Registry values (Windows only).

### Tag Attributes

These are XML attributes of the tag itself as opposed to the attributes of the entity monitored by Integrity Monitoring Rules.

Attribute	Description	Required	Default Value	Allowed Values
base	Sets the base key of the RegistryValueSet. Everything else in the tag is relative to this key. The base must begin with one of the registry branch names: HKEY_CLASSES_ROOT (or HKCR), HKEY_LOCAL_MACHINE (or HKLM), HKEY_USERS (or HKU), HKEY_CURRENT_CONFIG (or HKCC)	Yes	N/A	String values resolving to syntactically valid registry key

### Entity Set Attributes

These are the attributes of the Entity that can be monitored by Integrity Monitoring Rules:

- Size
- Type
- Sha1
- Sha256
- Md5 (deprecated)

### Short Hand Attributes

- **CONTENTS:** Resolves to the content hash algorithm set in **Computer or Policy editor**<sup>1</sup> > **Integrity Monitoring > Advanced**.
- **STANDARD:** Size, Type, Contents

### Meaning of "Key"

Registry Values are name-value pairs stored under a key in the registry. The key under which they are stored may in turn be stored under another key, very much like files and directories on a file system. For the purpose of this language the "key path" to a value is considered to look like the path to a file. For example, the "key path" to the InstallationFolder value of the Agent would be:

```
HKEY_LOCAL_MACHINE\SOFTWARE\Trend Micro\Deep Security Agent\InstallationFolder
```

The "key" value for includes and excludes for the RegistryValueSet is matched against the key path. This is a hierarchical pattern, with sections of the pattern separated by "/" matched against sections of the key path separated by "\"

### Default Value

Each registry key has an unnamed or default value.

This value can be explicitly specified for inclusion and exclusion by using a trailing "/" in patterns. For example, "\*\*/" will match all subordinate unnamed values, and "\*\*Agent/\*\*/" will match all unnamed values below a key matching "\*Agent".

**Note:** Registry value names can contain any printable character, including quotes, backslash, the "@" symbol, etc.

The Agent deals with this in Entity key names by using backslash as an escape character, but only backslashes themselves are escaped. It does this so that it can tell the difference between a

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

## Trend Micro Deep Security for Azure Marketplace 11.1

value name containing a backslash and a backslash that occurs as part of the registry path. This means that value names which end with a backslash character will match rules designed to match the default or unnamed value.

See the table below for example registry value names and the resulting Entity key.

Value	Escaped Form	Example
Hello	Hello	HKLM\Software\Sample\Hello
"Quotes"	"Quotes"	HKLM\Software\Sample\"Quotes"
back\slash	back\\slash	HKLM\Software\Sample\back\\slash
trailing\	trailing\\	HKLM\Software\Sample\trailing\\
		HKLM\Software\Sample\
@	@	HKLM\Software\Sample\@

### Sub Elements

- **Include**
- **Exclude**

See ["Integrity monitoring rules language" on page 591](#) for a general description of Include and Exclude for their allowed attributes and sub elements.

### ServiceSet

The ServiceSet element represents a set of services (Windows only). Services are identified by the "service name", which is not the same as the "name" column shown in the Services administrative tool. The service name can be seen in the service properties and is often shorter than the value shown in the "name" column, which is actually the "Display Name" of the service. For example, the Agent has a service name of "ds\_agent" and a display name of "Trend Micro Deep Security Agent".

### Tag Attributes

These are XML attributes of the tag itself, as opposed to the attributes of the Entity monitored by Integrity Monitoring Rules.

Attribute	Description	Required	Default Value	Allowed Values
onChange	Will be monitored in real time	No	false	true, false

### Entity Set Attributes

These are the attributes of the Entity that can be monitored by Integrity Monitoring Rules.

- **Permissions:** The service's security descriptor in [SDDL](#) format.
- **Owner:** User ID of the service owner
- **Group:** Group ID of the service owner
- **BinaryPathName:** The path plus optional command-line arguments that Windows uses to start the service.
- **DisplayName:** The "display name" of the service as shown in the properties panel of the service.
- **Description:** Description as it appears in the Services panel
- **State:** The current state of the service. One of: stopped, starting, stopping, running, continuePending, pausePending, paused
- **StartType:** How is the service started? One of: automatic, disabled, manual.
- **LogOnAs:** The name of the account that the service process will be logged on as when it runs.
- **FirstFailure:** Action to take the first time the service fails. Format is "delayInMsec,action", where action is one of None, Restart, Reboot, RunCommand.
- **SecondFailure:** Action to take the second time the service fails. Format is "delayInMsec,action", where action is one of None, Restart, Reboot, RunCommand.
- **SubsequentFailures:** Action to take if the service fails for a third or subsequent time. Format is "delayInMsec,action", where action is one of None, Restart, Reboot, RunCommand.
- **ResetFailCountAfter:** Time after which to reset the failure count to zero if there are no failures, in seconds.
- **RebootMessage:** Message to broadcast to server users before rebooting in response to the "Reboot" service controller action.
- **RunProgram:** Full command line of the process to execute in response to the RunCommand service controller action.
- **DependsOn:** Comma separated list of components that the service depends on

- **LoadOrderGroup:** The load ordering group to which this service belongs. The system startup program uses load ordering groups to load groups of services in a specified order with respect to the other groups. The list of load ordering groups is contained in the following registry value: HKEY\_LOCAL\_MACHINE\System\CurrentControlSet\Control\ServiceGroupOrder
- **ProcessId:** This is the numeric ID of the process that hosts the service. Many services may exist in a single Windows process, but for those that run in their own process, the monitoring of this attribute will allow the system to log service restarts.

### Short Hand Attributes

These are the short hand attributes of the Entity and the attributes to which they resolve

- **STANDARD:** Permissions, Owner, Group, BinaryPathName, Description, State, StartType, LogOnAs, FirstFailure, SecondFailure, SubsequentFailures, ResetFailCountAfter, RunProgram, DependsOn, LoadOrderGroup, ProcessId

### Meaning of "Key"

The key is the Service's name, which is not necessarily the same as the "name" column shown in the Services administrative tool (that tool shows the "display name" of the service). The service name can be seen in the service properties and is often shorter than the value shown in the "name" column.

**Note:** This is not a hierarchical Entity Set. Patterns are applied only to the service name. As a result the \*\* pattern is not applicable.

### Sub Elements

- **Include**
- **Exclude**

See "[Integrity monitoring rules language](#)" on page 591 for a general description of include for their allowed attributes and sub elements. Only information specific to includes and excludes relating to this Entity Set class are included here.

## Special attributes of Include and Exclude for ServiceSets:

### state

Include or exclude based on whether the state of the service (stopped, starting, stopping, running, continuePending, pausePending, paused). The following example would monitor the set of running services for change:

```
<ServiceSet>  
  <include state="running"/>  
</ServiceSet>
```

## UserSet

The UserSet element represents a set of users. On a Windows system it operates on users local to the system - the same users displayed by the "Local Users and Groups" MMC snap-in. Note that these are *local* users only if the DSA is running on something other than a domain controller. On a domain controller a UserSet element will enumerate all of the domain users, which may not be advisable for extremely large domains.

On Unix systems, the users monitored are whatever the "getpwent\_r()" and "getspnam\_r()" APIs have been configured to return.

## Tag Attributes

These are XML attributes of the tag itself, as opposed to the attributes of the Entity monitored by Integrity Monitoring Rules.

Attribute	Description	Required	Default Value	Allowed Values
onChange	Will be monitored in real time	No	false	true, false

## Entity Set Attributes

These are the attributes of the entity that can be monitored:

### Common Attributes

- **cannotChangePassword:** True or false indicating if the user is permitted to change their password.

- **disabled:** True or false indicating if the account has been disabled. On Windows systems this reflects the "disabled" checkbox for the user. On Unix systems this will be true if the user's account has expired or if their password has expired and they've exceeded the inactivity grace period for changing it.
- **fullName:** The display name of the user.
- **groups:** A comma-separated list of the groups to which the user belongs.
- **homeFolder:** The path to the home folder or directory.
- **lockedOut:** True or false indicating if the user has been locked out, either explicitly or due to excessive failed password attempts.
- **passwordHasExpired:** True or false indicating if the user's password has expired. Note that on Windows this attribute is only available on Windows XP and newer operating systems.
- **passwordLastChanged:** The timestamp of the last time the user's password was changed. This is recorded by the DSA as the number of milliseconds since Jan 1 1970 UTC - Deep Security Manager renders the timestamp in local time based on this value. Note that on Unix platforms the resolution of this attribute is one day, so the time component of the rendered timestamp is meaningless.
- **passwordNeverExpires:** True or false indicating if the password does not expire.
- **user:** The name of the user as known to the operating system. For example, "Administrator" or "root".

### Windows-only Attributes

- **description:** The primary group the user belongs to.
- **homeDriveLetter:** The drive letter to which a network share is mapped as the user's home folder.
- **logonScript:** The path to a script that executes every time the user logs in.
- **profilePath:** A network path if roaming or mandatory Windows user profiles are being used.

### Linux-only Attributes

- **group:** The primary group the user belongs to.
- **logonShell:** The path to the shell process for the user.
- **passwordExpiredDaysBeforeDisabled:** The number of days after the user's password expires that the account is disabled.
- **passwordExpiry:** The date on which the user's account expires and is disabled.
- **passwordExpiryInDays:** The number of days after which the user's password must be changed.
- **passwordMinDaysBetweenChanges:** The minimum number of days permitted between password changes.
- **passwordWarningDays:** The number of days before the user's password is to expire that user is warned.

### Short Hand Attributes

- **Standard:**
  - cannotChangePassword
  - disabled
  - groups
  - homeFolder
  - passwordHasExpired
  - passwordLastChanged
  - passwordNeverExpires
  - user
  - logonScript (Windows-only)
  - profilePath (Windows-only)
  - group (Linux-only)
  - logonShell (Linux-only)

- passwordExpiryInDays (Linux-only)
- passwordMinDaysBetweenChanges (Linux-only)

### Meaning of "Key"

The key is the username. This is not a hierarchical EntitySet. Patterns are applied only to the user name. As a result the "\*" pattern is not applicable.

The following example monitors for any user creations or deletions. (Note that attributes are explicitly excluded so group membership would not be tracked):

```
<UserSet>
  <Attributes/>
  <include key="*" />
</UserSet>
```

The following example would track the creation and deletion of the "jsmith" account, along with any changes to the STANDARD attributes of the account (since the STANDARD set for this EntitySet is automatically included if no specific attribute list is included):

```
<UserSet>
  <include key="jsmith" />
</UserSet>
```

### Sub Elements

#### Include and Exclude

See ["Integrity monitoring rules language" on page 591](#) for a general description of include for their allowed attributes and sub elements.

#### Special attributes of Include and Exclude for UserSets

Various other attributes of the user may be used in include and exclude feature tests. These tests compare a value against the value of an attribute of the user; take note of the platform support for various attributes - not all attributes are available across platforms or even platform revisions, hence the use of these tests in include and exclude elements is of limited use. The

feature tests support Unix glob-style wildcarding with \* and ?, and there is no normalization of path separators or other characters - it is a simple match against the value of the attribute.

- **Disabled:** Does true or false match the disabled attribute of the user. The following example monitors users with a primary group of either "users" or "daemon":

```
<UserSet>
  <include disabled="true"/>
</UserSet>
```

- **Group:** Does a wildcard match against the primary group of the user. This test is only applicable on Unix systems. The following example would monitor users with a primary group of either "users" or "daemon".

```
<UserSet>
  <include group="users"/>
  <include group="daemon"/>
</UserSet>
```

- **LockedOut:** Does a true or false match against the lockedOut attribute of the user.
- **PasswordHasExpired:** Does a true or false match against the passwordHasExpired attribute of the user.
- **PasswordNeverExpires:** Does a true or false match against the passwordNeverExpires attribute of the user.

## WQLSet

The WQLSet element describes a result set from a [Windows Management Instrumentation](#) WQL query statement. [WQL](#) allows SQL-like queries to be made against many different object classes, with the results forming a table of rows where each row represents an object and each column represents the value of a specific attribute of the object.

**Note:** Many WMI queries consume a large amount of time and computer resources. It is easy to inadvertently issue a query that takes several minutes to complete and returns thousands of rows. It is highly recommended that all queries be tested before use in a WQLSet using a program like [PowerShell](#) or [WMI Explorer](#).

## Trend Micro Deep Security for Azure Marketplace 11.1

Attribute	Description	Required	Default Value	Allowed Values
namespace	Sets the namespace of the WMI query.	Yes	N/A	String values representing a valid WMI namespace.  The "root\cimv2" namespace is the one most commonly used when querying Windows operating system objects, but others such as "root\directory\LDAP" and "root\Microsoft\SqlServer\ComputerManagement" can be used. See <a href="#">here</a> for a small script called GetNamespaces.vbs that enumerates the available WMI namespaces on a given host.
wql	A WQL query string.	Yes	N/A	A valid <a href="#">WQL</a> string.  The query must include the __Path attribute for each returned object; the Agent uses the __Path attribute as the entity key when storing and reporting results, so each returned WMI object must include a __Path. If using a query string such as "SELECT * FROM ..." the __Path attribute will be available, but if using a more selective query such as "SELECT Name FROM ..." you must explicitly include __Path by writing the query as "SELECT __Path,Name FROM ...".
onChange	Whether the files returned should be monitored in real time.	No	false	true, false
provider	Optionally specifies an alternative WMI namespace provider to use.	No	none	RsopLoggingModeProvider  At present this is only required/supported for group policy queries, and "RsopLoggingModeProvider" is the only supported value. Group policy queries are special since it's recommended that the <a href="#">RsopLoggingModeProvider</a> be used to create a snapshot of the policy data that is present on a computer. If you create a snapshot of the policy data, the query can be performed against a consistent set of data before the system overwrites or deletes it during a refresh of policy. Creating a snapshot actually creates a new WMI namespace, so when using provider="RsopLoggingModeProvider" in a WQLSet, the namespace attribute should specify the suffix to be added to the created namespace. For example, a typical temporary namespace created by the RsopLoggingModeProvider would be "\\.\Root\Rsop\NS71EF4AA3_FB96_465F_AC1C_DF9A3E9010". Specify namespace="Computer" to query "\\.\Root\Rsop\NS71EF4AA3_FB96_465F_AC1C_DF9A3E9010\Computer".  Since the temporary namespace is a one-time value, it hampers the ability of the Agent to detect changes since the value appears in the entity key. To avoid this, the Agent will remove the portion

## Trend Micro Deep Security for Azure Marketplace 11.1

Attribute	Description	Required	Default Value	Allowed Values
				of the returned __Path value after \Rsop\ and up to the next backslash when the RsopLoggingModeProvider is used. Entity keys will therefore have prefixes like "\\.\Root\Rsop\Computer" rather than "\\.\Root\Rsop\NS71EF4AA3_FB96_465F_AC1C_DF9A3E9010\Computer"
timeout	Specifies a per-row timeout in milliseconds.	No	5000	1-60000  The WMI query is performed in <a href="#">semisynchronous</a> mode, where result rows are fetched one at a time and there is a timeout on the fetching of a single row. If this parameter is not specified, 5000 (5 seconds) is used as the timeout value.

### Entity Set Attributes

Each "row" returned by the WQL query is treated as a single Entity for integrity monitoring purposes, with the returned columns representing the attributes of the entity. Since WMI/WQL is an open-ended specification, there is no set list of available or supported attributes. The query and the schema of the WMI object being queried will determine the attributes being monitored.

For example, the WQLSet:

```
<WQLSet namespace="Computer" wql="select * from RSOP_SecuritySettings where precedence=1" provider="RsopLoggingModeProvider" />
```

will return attributes of:

```
ErrorCode, GPOID, KeyName, SOMID, Setting, Status, id, precedence
```

whereas a WQLSet that queries network adapters such as:

```
<WQLSet namespace="root\cimv2" wql="select * from Win32_NetworkAdapter where AdapterTypeId = 0" />
```

will return attributes such as:

```
AdapterType, AdapterTypeId, Availability, Caption, ConfigManagerErrorCode, ConfigManagerUserConfig, CreationClassName Description, DeviceID, Index, Installed, MACAddress, Manufacturer, MaxNumberControlled, Name, PNPDeviceID, PowerManagementSupported, ProductName, ServiceName, SystemCreationClassName, SystemName, TimeOfLastReset
```

## Trend Micro Deep Security for Azure Marketplace 11.1

In order to reduce the load on the Agent, it is advisable to explicitly include only the attributes that require monitoring rather than use "select \* ..." in queries. This also has the benefit that changes to the WMI schema to add or remove attributes will not be reported as changes to the object unless the attributes are part of the set being monitored. With "select \* from Win32\_Foobar", a patch to Windows that adds a new attribute to the Win32\_Foobar object class would result in the next integrity scan reporting a change for every object of that class since a new attribute has appeared.

The following are some example WMI queries which return desirable Windows system entities.

Query for Windows mounted storage devices: (selecting for \* will typically result in 80% returned attributes being null or duplicate values)

```
<WQLSet namespace="root\cimv2" wql="SELECT __
Path, DeviceID, VolumeName, VolumeSerialNumber, DriveType, FileSystem, Access, MediaType, S
ize, FreeSpace FROM Win32_LogicalDisk" />
```

To further the preceding query, the DriveType can be specified to isolate only certain types of mounted logical storage devices, such as type 2 which is a "Removable Disk": (like a removable USB storage drive)

```
<WQLSet namespace="root\cimv2" wql="SELECT __
Path, DeviceID, VolumeName, VolumeSerialNumber, DriveType, FileSystem, Access, MediaType, S
ize, FreeSpace FROM Win32_LogicalDisk WHERE DriveType=2" />
```

(See [here](#) for details on the Win32\_LogicalDisk class)

**USB Storage Device notes:** U3 USB devices will mount both a type 2 "Removable Disk" device and a type 3 "Compact Disc" device. Also, the above query is for storage devices only. USB non-storage devices will not be included. USB memory card adapters may appear as a type 1 "No Root Directory" device. A badly or Windows incompatible USB storage device may appear as a type 1 "Unknown" device.

Query for all known System Directories where the Drive is "F:" for relevant attributes:

```
<WQLSet namespace="root\cimv2" wql="SELECT __
Path, CreationDate, LastAccessed, LastModified, Drive, Path, FileName, Caption, FileType, Re
adable, Writeable FROM Win32_Directory WHERE Drive='F:'" />
```

Query for all known System Files where the Drive is "F:" for relevant attributes:

## Trend Micro Deep Security for Azure Marketplace 11.1

```
<WQLSet namespace="root\cimv2" wql="SELECT __
Path,CreationDate,LastAccessed,LastModified,Drive,Path,FileName,Name,FileType,Reada
ble,Writeable FROM CIM_DataFile WHERE Drive='F:'" />
```

### Meaning of Key

The key is the "\_\_Path" attribute of the returned WMI object, which is generally of the form:

```
SystemName\Namespace:WmiObjectClass.KeyAttribute=Value[,KeyAttribute=Value...]
```

Some examples:

```
\\TEST-DESK\root\cimv2:Win32_QuickFixEngineering.HotFixID="KB958215-
IE7",ServicePackInEffect="SP0"
\\TEST-DESK\ROOT\RsoP\NSF49B36AD_10A3_4F20_9541_B4C471907CE7\Computer:RSOP_
RegistryValue.

Path="MACHINE\\Software\\Microsoft\\Windows\\CurrentVersion\\Policies\\System\\Lega
lNoticeText",precedence=1
\\TEST-DESK\root\cimv2:BRCM_NetworkAdapter.DeviceID="8"
```

### Include Exclude

See ["Integrity monitoring rules language" on page 591](#) for a general description of "include" and "exclude" for their allowed attributes and sub elements.

For WQLSet, "include" and "exclude" sub elements should typically not be required. It is preferable to use WQL to specify the exact set of objects to be monitored since that limits the amount of work done by both the Agent and the host's WMI implementation.

The use of any include or exclude sub elements can only reduce the set of objects returned by the query; the WQL must be changed in order to return additional objects. If it is necessary to use include or exclude elements to further restrict the WQL results, "\*" and "?" characters can be used as simple wildcards to match against values of the entity key.

## Analyze logs with log inspection

**Note:** For a list of operating systems where log inspection is supported, see ["Supported features by platform" on page 69](#).

## Trend Micro Deep Security for Azure Marketplace 11.1

The log inspection protection module helps you identify important events that might be buried in your operating system and application logs. These events can be sent to a security information and event management (SIEM) system or centralized logging server for correlation, reporting, and archiving. All events are also securely collected in the Deep Security Manager. For more information about logging and forwarding events, see ["Configure log inspection event forwarding and storage" on page 641](#).

For information on forwarding events to a syslog server or SIEM, see ["Forward Deep Security events to an external syslog or SIEM server" on page 758](#).

The log inspection module lets you:

- Meet PCI DSS log monitoring requirements.
- Detect suspicious behavior.
- Collect events across heterogeneous environments containing different operating systems and diverse applications.
- View events such as error and informational events (disk full, service start, service shutdown, etc.).
- Create and maintain audit trails of administrator activity (administrator login or logout, account lockout, policy change, etc.).

To enable and configure log inspection, see ["Set up log inspection" below](#).

The log inspection feature in Deep Security enables real-time analysis of third party log files. The log inspection rules and decoders provide a framework to parse, analyze, rank and correlate events across a wide variety of systems. As with intrusion prevention and integrity monitoring, log inspection content is delivered in the form of rules included in a security update. These rules provide a high level means of selecting the applications and logs to be analyzed. To configure and examine log inspection rules, see ["Define a log inspection rule for use in policies" on page 642](#).

## Set up log inspection

To use log inspection, perform these basic steps:

1. ["Turn on the log inspection module" below](#)
2. ["Run a recommendation scan" below](#)
3. ["Apply the recommended log inspection rules" on the next page](#)
4. ["Configure log inspection event forwarding and storage" on page 641](#)

For an overview of the log inspection module, see ["Analyze logs with log inspection" on page 637](#).

### Turn on the log inspection module

1. Go to **Policies**.
2. Double-click the policy for which you want to enable log inspection.
3. Click **Log Inspection > General**.
4. For **Log Inspection State**, select **On**.
5. Click **Save**.

### Run a recommendation scan

Rules should be set to gather security events relevant to your requirements. When improperly set, events for this feature can overwhelm the Deep Security database if too many log entries are triggered and stored. Run a recommendation scan on the computer for recommendations about which rules are appropriate to apply.


1. Go to **Computers** and double-click the appropriate computer.
2. Click **Log Inspection > General**.
3. For **Automatically implement Log Inspection Rule Recommendations (when possible)**, you can decide whether Deep Security should implement the rules it finds by selecting **Yes** or **No**.
4. In the **Recommendations** section, click **Scan For Recommendations**. Some log inspection rules written by Trend Micro require local configuration to function properly. If you assign one of these rules to your computers or one of these rules gets assigned automatically, an alert will be raised to notify you that configuration is required.

For more information about recommendation scans, see ["Manage and run recommendation scans" on page 305](#).

### Apply the recommended log inspection rules

Deep Security ships with many pre-defined rules covering a wide variety of operating systems and applications. When you run a recommendation scan, you can choose to have Deep Security [automatically implement the recommended rules](#), or you can choose to manually select and assign the rules by following the steps below:

1. Go to **Policies**.
2. Double-click the policy that you want to configure.
3. Click **Log Inspection > General**.
4. In the **Assigned Log Inspection Rules** section, the rules in effect for the policy are displayed. To add or remove log inspection rules, click **Assign/Unassign**.



5. Select or deselect the checkboxes for the rules you want to assign or unassign. You can edit the log inspection rule by right-clicking the rule and selecting **Properties** to edit the rule locally or **Properties (Global)** to apply the changes to all other policies that are using the rule. For more information, see ["Examine a log inspection rule" on page 665](#).
6. Click **OK**.

Although Deep Security ships with log inspection rules for many common operating systems and applications, you also have the option to create your own custom rules. To create a custom rule, you can either use the "Basic Rule" template, or you can write your new rule in XML. For

information on how to create a custom rule, see ["Define a log inspection rule for use in policies" on the next page](#).

## Configure log inspection event forwarding and storage

When a log inspection rule is triggered, an event is logged. To view these events, go to **Events & Reports > Log Inspection Events** or **Policy editor > Log Inspection > Log Inspection Events**.

For more information on working with log inspection events, see ["Log inspection events" on page 904](#).

Depending on the severity of the event, you can choose to send them to a syslog server (For information on enabling this feature, see ["Forward Deep Security events to an external syslog or SIEM server" on page 758](#).) or to store events in the database by using the severity clipping feature.

There are two "severity clipping" settings available:

- **Send Agent events to syslog when they equal or exceed the following severity level:** This setting determines which events triggered by those rules get sent to the syslog server, if syslog is enabled.
- **Store events at the Agent for later retrieval by Deep Security Manager when they equal or exceed the following severity level:** This setting determines which log inspection events are kept in the database and displayed in the **Log Inspection Events** page.

To configure severity clipping:

1. Go to **Policies**.
2. Double-click the policy you want to configure.
3. Click **Log Inspection > Advanced**.
4. For **Send Agent/Appliance events to syslog when they equal or exceed the following severity level**, choose a severity level between **Low (0)** and **Critical (15)**.
5. For **Store events at the Agent/Appliance for later retrieval by DSM when they equal or exceed the following severity level**, choose a severity level between **Low (0)** and **Critical (15)**.
6. Click **Save**.

## Define a log inspection rule for use in policies

The OSSEC log inspection engine is integrated into Deep Security Agents and gives Deep Security the ability to inspect the logs and events generated by the operating system and applications running on the computer. Deep Security Manager ships with a standard set of OSSEC log inspection rules that you can assign to computers or policies. You can also create custom rules if there is no existing rule that fits your requirements.

Log Inspection Rules issued by Trend Micro are not editable (although you can duplicate them and then edit them.)

**Note:** Log Inspection Rules that are assigned to one or more computers or that are part of a policy cannot be deleted.

To create log inspection rules, perform these basic steps:

- ["Create a new log inspection rule" below](#)
- ["Decoders" on page 644](#)
- ["Subrules" on page 646](#)
- ["Real world examples" on page 654](#)
- ["Log inspection rule severity levels and their recommended use" on page 663](#)
- ["strftime\(\) conversion specifiers " on page 664](#)
- ["Examine a log inspection rule" on page 665](#)

For an overview of the log inspection module, see ["Analyze logs with log inspection" on page 637](#).

### Create a new log inspection rule

1. In the Deep Security Manager, go to **Policies > Common Objects > Rules > Log Inspection Rules**.
2. Click **New > New Log Inspection Rule**.
3. On the **General** tab, enter a name and an optional description for the rule.
4. The **Content** tab is where you define the rule. The easiest way to define a rule is to select

**Basic Rule** and use the options provided to define the rule. If you need further customization, you can select **Custom (XML)** to switch to an XML view of the rule that you are defining.

**Note:** Any changes you make in the Custom (XML) view will be lost if you switch back to the Basic Rule view.

For further assistance in writing your own log inspection rules using the XML-based language, consult the [OSSEC](#) documentation or contact your support provider.

These options are available for the Basic Rule template:

- **Rule ID:** The Rule ID is a unique identifier for the rule. OSSEC defines 100000 - 109999 as the space for user-defined rules. Deep Security Manager will pre-populate the field with a new unique Rule ID.
- **Level:** Assign a level to the rule. Zero (0) means the rule never logs an event, although other rules that watch for this rule may fire.
- **Groups:** Assign the rule to one or more comma-separated groups. This can be useful when dependency is used because you can create rules that fire on the firing of a rule, or a rule that belongs to a specific group.
- **Rule Description:** Description of the rule.
- **Pattern Matching:** This is the pattern the rule will look for in the logs. The rule will be triggered on a match. Pattern matching supports Regular Expressions or simpler String Patterns. The "String Pattern" pattern type is faster than RegEx but it only supports three special operations:
  - **^ (caret):** specifies the beginning of text
  - **\$ (dollar sign):** specifies the end of text
  - **| (pipe):** to create a "OR" between multiple patterns

For information on the regular expression syntax used by the Log Inspection module, see <https://www.ossec.net/docs/syntax/regex.html>.

- **Dependency:** Setting a dependency on another rule will cause your rule to only log an event if the rule specified in this area has also triggered.
- **Frequency** is the number of times the rule has to match within a specific time frame before the rule is triggered.
- **Time Frame** is the period of time in seconds within which the rule has to trigger a certain number of times (the frequency, above) to log an event.

**Note:** The **Content** tab only appears for log inspection rules that you create yourself. Log inspection rules issued by Trend Micro have a **Configuration** tab instead that displays the log inspection rule's configuration options (if any).

1. On the **Files** tab, type the full path to the file(s) you want your rule to monitor and specify the type of file it is.
2. On the **Options** tab, in the **Alert** section, select whether this rule triggers an alert in the Deep Security Manager.

The **Alert Minimum Severity** setting is only used if you have written "multiple rules" within your rule - something that cannot be done using the Basic template. However, if after creating your rule using the Basic template, you edit the XML of the rule and add additional rules to the XML that have different severity levels, you can use the **Alert Minimum Severity Level** setting to set the minimum severity from the multiple rules that will trigger an Alert.

3. The **Assigned To** tab lists the policies and computers that are using this log inspection rule. Because you are creating a new rule, it has not been assigned yet.
4. Click **OK**. The rule is ready to be assigned to policies and computers.

## Decoders

A log inspection rule consists of a list of files to monitor for changes and a set of conditions to be met for the rule to trigger. When the log inspection engine detects a change in a monitored log file, the change is parsed by a decoder. Decoders parse the raw log entry into the following fields:

## Trend Micro Deep Security for Azure Marketplace 11.1

- **log**: the message section of the event
- **full\_log**: the entire event
- **location**: where the log came from
- **hostname**: hostname of the vent source
- **program\_name**: Program name. This is taken from the syslog header of the event
- **srcip**: the source IP address within the event
- **dstip**: the destination IP address within the event
- **srcport**: the source port number within the event
- **dstport**: the destination port number within the event
- **protocol**: the protocol within the event
- **action**: the action taken within the event
- **srcuser**: the originating user within the event
- **dstuser**: the destination user within the event
- **id**: any ID decoded as the ID from the event
- **status**: the decoded status within the event
- **command**: the command being called within the event
- **url**: the URL within the event
- **data**: any additional data extracted from the event
- **systemname**: the system name within the event

Rules examine this decoded data looking for information that matches the conditions defined in the rule.

If the matches are at a sufficiently high severity level, any of the following actions can be taken:

- An alert can be raised. (Configurable on the **Options** tab of the Log Inspection Rule's **Properties** window.)
- The event can be written to syslog. (Configurable in the **SIEM** area on **Administration > System Settings > Event Forwarding** tab.)

- The event can be sent to the Deep Security Manager. (Configurable in the **Log Inspection Syslog Configuration** setting on the **Policy or Computer Editor > Settings > Event Forwarding** tab.)

## Subrules

A single log inspection rule can contain multiple subrules. These subrules can be of two types: atomic or composite. An atomic rule evaluates a single event and a composite rule examines multiple events and can evaluate frequency, repetition, and correlation between events.

## Groups

Each rule, or grouping of rules, must be defined within a `<group></group>` element. The attribute name must contain the rules you want to be a part of this group. In the following example we have indicated that our group contains the syslog and sshd rules:

```
<group name="syslog,sshd,">  
</group>
```

**Note:** Notice the trailing comma in the group name. Trailing commas are required if you intend to use the `<if_group></if_group>` tag to conditionally append another sub-rule to this one.

**Note:** When a set of log inspection rules are sent to an agent, the log inspection engine on the agent takes the XML data from each assigned rule and assembles it into what becomes essentially a single long log inspection rule. Some group definitions are common to all log inspection rules written by Trend Micro. For this reason Trend Micro has included a rule called "Default Rules Configuration" which defines these groups and which always gets assigned along with any other Trend Micro rules. (If you select a rule for assignment and haven't also selected the "Default Rules Configuration" rule, a notice will appear informing you that the rule will be assigned automatically.) *If you create your own log inspection rule and assign it to a Computer without assigning any Trend Micro-written rules, you must either copy the content of the "Default Rules Configuration" rule into your new rule, or also select the "Default Rules Configuration" rule for assignment to the Computer.*

### Rules, ID, and Level

A group can contain as many rules as you require. The rules are defined using the `<rule></rule>` element and must have at least two attributes, the `id` and the `level`. The `id` is a unique identifier for that signature and the `level` is the severity of the alert. In the following example, we have created two rules, each with a different rule ID and level:

```
<group name="syslog,sshd,">
  <rule id="100120" level="5">
  </rule>
  <rule id="100121" level="6">
  </rule>
</group>
```

**Note:** Custom rules must have ID values of 100,000 or greater.

You can define additional subgroups within the parent group using the `<group></group>` tag. This subgroup can reference any of the groups listed in the following table:

Group Type	Group Name	Description
Reconnaissance	connection_attempt web_scan recon	Connection attempt Web scan Generic scan
Authentication Control	authentication_success authentication_failed invalid_login login_denied authentication_failures adduser account_changed	Success Failure Invalid Login Denied Multiple Failures User account added User Account changed or removed
Attack/Misuse	automatic_attack exploit_attempt invalid_access spam multiple_spam sql_injection attack virus	Worm (nontargeted attack) Exploit pattern Invalid access Spam Multiple spam messages SQL injection Generic attack Virus detected
Access Control	access_denied access_allowed unknown_resource firewall_drop multiple_drops client_misconfig	Access denied Access allowed Access to nonexistent resource Firewall drop Multiple firewall drops Client misconfiguration

## Trend Micro Deep Security for Azure Marketplace 11.1

Group Type	Group Name	Description
	client_error	Client error
Network Control	new_host ip_spoof	New host detected Possible ARP spoofing
System Monitor	service_start system_error system_shutdown logs_cleared invalid_request promisc policy_changed config_changed low_diskspace time_changed	Service start System error Shutdown Logs cleared Invalid request Interface switched to promiscuous mode Policy changed Configuration changed Low disk space Time changed

**Note:** If event auto-tagging is enabled, the event will be labeled with the group name. Log inspection rules provided by Trend Micro make use of a translation table that changes the group to a more user-friendly version. So, for example, "login\_denied" would appear as "Login Denied". Custom rules will be listed by their group name as it appears in the rule.

### Description

Include a `<description></description>` tag. The description text will appear in the event if the rule is triggered.

```
<group name="syslog, sshd, ">
  <rule id="100120" level="5">
    <group>authentication_success</group>
    <description>SSHD testing authentication success</description>
  </rule>
  <rule id="100121" level="6">
    <description>SSHD rule testing 2</description>
  </rule>
</group>
```

### Decoded As

The `<decoded_as></decoded_as>` tag instructs the log inspection engine to only apply the rule if the specified decoder has decoded the log.

```
<rule id="100123" level="5">
  <decoded_as>sshd</decoded_as>
```

## Trend Micro Deep Security for Azure Marketplace 11.1

```
<description>Logging every decoded sshd message</description>
</rule>
```

**Note:** To view the available decoders, go to the **Log Inspection Rule** page and click **Decoders**. Right-click on **1002791-Default Log Decoders** and select **Properties**. Go the **Configuration** tab and click **View Decoders**.

### Match

To look for a specific string in a log, use the `<match></match>`. Here is a Linux sshd failed password log:

```
Jan 1 12:34:56 linux_server sshd[1231]: Failed password for invalid
user jsmith from 192.168.1.123 port 1799 ssh2
```

Use the `<match></match>` tag to search for the "password failed" string.

```
<rule id="100124" level="5">
  <decoded_as>sshd</decoded_as>
  <match>^Failed password</match>
  <description>Failed SSHD password attempt</description>
</rule>
```

**Note:** Notice the regex caret ("`^`") indicating the beginning of a string. Although "Failed password" does not appear at the beginning of the log, the log inspection decoder will have broken up the log into sections. See ["Decoders" on page 644](#) for more information. One of those sections is "log" which is the message part of the log as opposed to "full\_log" which is the log in its entirety.

The following table lists supported regex syntax:

Regex Syntax	Description
<code>\w</code>	A-Z, a-z, 0-9 single letters and numerals
<code>\d</code>	0-9 single numerals
<code>\s</code>	single space
<code>\t</code>	single tab
<code>\p</code>	<code>()*+,-.::;&lt;=&gt;?[]</code>
<code>\W</code>	not <code>\w</code>
<code>\D</code>	not <code>\d</code>
<code>\S</code>	not <code>\s</code>
<code>\.</code>	anything

## Trend Micro Deep Security for Azure Marketplace 11.1

Regex Syntax	Description
+	match one or more of any of the above (for example, \w+, \d+)
*	match zero or more of any of the above (for example, \w*, \d*)
^	indicates the beginning of a string (^sometrstring)
\$	specify the end of a string (sometrstring\$)
	indicate an "OR" between multiple strings

### Conditional Statements

Rule evaluation can be conditional upon other rules having been evaluated as true. The `<if_sid></if_sid>` tag instructs the log inspection engine to only evaluate this subrule if the rule identified in the tag has been evaluated as true. The following example shows three rules: 100123, 100124, and 100125. Rules 100124 and 100125 have been modified to be children of the 100123 rule using the `<if_sid></if_sid>` tag:

```
<group name="syslog, sshd, ">
  <rule id="100123" level="2">
    <decoded_as>sshd</decoded_as>
    <description>Logging every decoded sshd message</description>
  </rule>
  <rule id="100124" level="7">
    <if_sid>100123</if_sid>
    <match>^Failed password</match>
    <group>authentication_failure</group>
    <description>Failed SSHD password attempt</description>
  </rule>
  <rule id="100125" level="3">
    <if_sid>100123</if_sid>
    <match>^Accepted password</match>
    <group>authentication_success</group>
    <description>Successful SSHD password attempt</description>
  </rule>
</group>
```

### Hierarchy of Evaluation

The `<if_sid></if_sid>` tag essentially creates a hierarchical set of rules. That is, by including an `<if_sid></if_sid>` tag in a rule, the rule becomes a child of the rule referenced by the `<if_sid></if_sid>` tag. Before applying any rules to a log, the log inspection engine assesses the `<if_sid></if_sid>` tags and builds a hierarchy of parent and child rules.

**Note:** The hierarchical parent-child structure can be used to improve the efficiency of your rules. If a parent rule does not evaluate as true, the log inspection engine will ignore the children of that parent.

**Note:** Although the `<if_sid></if_sid>` tag can be used to refer to subrules within an entirely different log inspection rule, you should avoid doing this because it makes the rule very difficult to review later on.

The list of available atomic rule conditional options is shown in the following table:

Tag	Description	Notes
match	A pattern	Any string to match against the event (log).
regex	A regular expression	Any regular expression to match against the event(log).
decoded_as	A string	Any prematched string.
srcip	A source IP address	Any IP address that is decoded as the source IP address. Use "!" to negate the IP address.
dstip	A destination IP address	Any IP address that is decoded as the destination IP address. Use "!" to negate the IP address.
srcport	A source port number	Any source port (match format).
dstport	A destination port number	Any destination port (match format).
user	A username	Any username that is decoded as a username.
program_name	A program name	Any program name that is decoded from the syslog process name.
hostname	A system hostname	Any hostname that is decoded as a syslog hostname.
time	A time range in the format hh:mm - hh:mm or hh:mm am - hh:mm pm	The time range that the event must fall within for the rule to trigger.
weekday	A weekday (sunday, monday, tuesday, etc.)	Day of the week that the event must fall on for the rule to trigger.
id	An ID	Any ID that is decoded from the event.
url	A URL	Any URL that is decoded from the event.

Use the `<if_sid>100125</if_sid>` tag to make this rule depend on the 100125 rule. This rule will be checked only for sshd messages that already matched the successful login rule.

```
<rule id="100127" level="10">
  <if_sid>100125</if_sid>
  <time>6 pm - 8:30 am</time>
  <description>Login outside business hours.</description>
  <group>policy_violation</group>
</rule>
```

### Restrictions on the Size of the Log Entry

The following example takes the previous example and adds the **maxsize** attribute which tells the log inspection engine to only evaluate rules that are less than the maxsize number of characters:

```
<rule id="100127" level="10" maxsize="2000">
  <if_sid>100125</if_sid>
  <time>6 pm - 8:30 am</time>
  <description>Login outside business hours.</description>
  <group>policy_violation</group>
</rule>
```

The following table lists possible atomic rule tree-based options:

Tag	Description	Notes
if_sid	A rule ID	Adds this rule as a child rule of the rules that match the specified signature ID.
if_group	A group ID	Adds this rule as a child rule of the rules that match the specified group.
if_level	A rule level	Adds this rule as a child rule of the rules that match the specified severity level.
description	A string	A description of the rule.
info	A string	Extra information about the rule.
cve	A CVE number	Any Common Vulnerabilities and Exposures (CVE) number that you would like associated with the rule.
options	alert_by_email no_email_alert no_log	Additional rule options to indicate if the Alert should generate an e-mail, alert_by_email, should not generate an email, no_email_alert, or should not log anything at all, no_log.

### Composite Rules

Atomic rules examine single log entries. To correlate multiple entries, you must use composite rules. Composite rules are supposed to match the current log with those already received. Composite rules require two additional options: the **frequency** option specifies how many times an event or pattern must occur before the rule generates an alert, and the **timeframe** option tells the log inspection engine how far back, in seconds, it should look for previous logs. All composite rules have the following structure:

```
<rule id="100130" level="10" frequency="x" timeframe="y">
</rule>
```

For example, you could create a composite rule that creates a higher severity alert after five failed passwords within a period of 10 minutes. Using the `<if_matched_sid></if_matched_sid>`

## Trend Micro Deep Security for Azure Marketplace 11.1

tag you can indicate which rule needs to be seen within the desired frequency and timeframe for your new rule to create an alert. In the following example, the **frequency** attribute is set to trigger when five instances of the event are seen and the **timeframe** attribute is set to specify the time window as 600 seconds.

The `<if_matched_sid></if_matched_sid>` tag is used to define which other rule the composite rule will watch:

```
<rule id="100130" level="10" frequency="5" timeframe="600">
  <if_matched_sid>100124</if_matched_sid>
  <description>5 Failed passwords within 10 minutes</description>
</rule>
```

There are several additional tags that you can use to create more granular composite rules. These rules, as shown in the following table, allow you to specify that certain parts of the event must be the same. This allows you to tune your composite rules and reduce false positives:

Tag	Description
same_source_ip	Specifies that the source IP address must be the same.
same_dest_ip	Specifies that the destination IP address must be the same.
same_dst_port	Specifies that the destination port must be the same.
same_location	Specifies that the location (hostname or agent name) must be the same.
same_user	Specifies that the decoded username must be the same.
same_id	Specifies that the decoded id must be the same.

If you wanted your composite rule to alert on every authentication failure, instead of a specific rule ID, you could replace the `<if_matched_sid></if_matched_sid>` tag with the `<if_matched_group></if_matched_group>` tag. This allows you to specify a category, such as **authentication\_failure**, to search for authentication failures across your entire infrastructure.

```
<rule id="100130" level="10" frequency="5" timeframe="600">
  <if_matched_group>authentication_failure</if_matched_group>
  <same_source_ip />
  <description>5 Failed passwords within 10 minutes</description>
</rule>
```

In addition to `<if_matched_sid></if_matched_sid>` and `<if_matched_group></if_matched_group>` tags, you can also use the `<if_matched_regex></if_matched_regex>` tag to specify a regular expression to search through logs as they are received.

## Trend Micro Deep Security for Azure Marketplace 11.1

```
<rule id="100130" level="10" frequency="5" timeframe="600">
  <if_matched_regex>^Failed password</if_matched_regex>
  <same_source_ip />
  <description>5 Failed passwords within 10 minutes</description>
</rule>
```

## Real world examples

Deep Security includes many default log inspection rules for dozens of common and popular applications. Through Security Updates, new rules are added regularly. In spite of the growing list of applications supported by log inspection rules, you may find the need to create a custom rule for an unsupported or custom application.

In this section we will walk through the creation of a custom CMS (Content Management System) hosted on the Microsoft Windows Server IIS .Net platform with a Microsoft SQL Database as the data repository.

The first step is to identify the following application logging attributes:

1. Where does the application log to?
2. Which log inspection decoder can be used to decode the log file?
3. What is the general format of a log file message?

For our custom CMS example the answers are as follows:

1. Windows Event Viewer
2. Windows Event Log (eventlog)
3. Windows Event Log Format with the following core attributes:
  - Source: CMS
  - Category: None
  - Event: <Application Event ID>

The second step is to identify the categories of log events by application feature, and then organize the categories into a hierarchy of cascading groups for inspection. Not all inspected groups need to raise events; a match can be used as a conditional statement. For each group, identify the log format attributes which the rule can use as matching criteria. This can also be performed by inspecting all application logs for patterns and logical groupings of log events.

## Trend Micro Deep Security for Azure Marketplace 11.1

For example, the CMS application supports the following functional features which we will create log inspection rules for:

- CMS Application Log (Source: CMS)
  - Authentication (Event: 100 to 119)
    - User Login successful (Event: 100)
    - User Login unsuccessful (Event: 101)
    - Administrator Login successful (Event: 105)
    - Administrator Login unsuccessful (Event: 106)
  - General Errors (Type: Error)
    - Database error (Event: 200 to 205)
    - Runtime error (Event: 206-249)
  - Application Audit (Type: Information)
    - Content
      - New content added (Event: 450 to 459)
      - Existing content modified (Event: 460 to 469)
      - Existing content deleted (Event: 470 to 479)
    - Administration
      - User
        - New User created (Event: 445 to 446)
        - Existing User deleted (Event: 447 to 449)

This structure will provide you with a good basis for rule creation. Now to create a new log inspection rule in Deep Security Manager.

### To create the new CMS Log Inspection Rule:

1. In the Deep Security Manager, go to **Policies > Common Objects > Rules > Log Inspection Rules** and click **New** to display the **New Log Inspection Rule Properties** window.
2. Give the new rule a name and a description, and then click the **Content** tab.


## Trend Micro Deep Security for Azure Marketplace 11.1

3. The quickest way to create a new custom rule is to start with a basic rule template. Select the **Basic Rule** radio button.
4. The **Rule ID** field will be automatically populated with an unused ID number of 100,000 or greater, the IDs reserved for custom rules.
5. Set the **Level** setting to **Low (0)**.
6. Give the rule an appropriate Group name. In this case, "cms".


7. Provide a short rule description.

The screenshot shows a configuration window for a rule. It has five tabs: General, Content, Files, Options, and Assigned To. The 'General' tab is active. The 'Template' section has two radio buttons: 'Basic Rule' (selected) and 'Custom (XML)'. The 'General Information' section contains four fields: 'Rule ID' with the value '100000', 'Level' with a dropdown menu showing 'Low (0)', 'Groups (comma separated):' with the value 'cms', and 'Rule Description:' with the value 'windows events for 'cms' group'. The 'Pattern Matching' section has two fields: 'Pattern to Match:' (empty) and 'Pattern Type:' with a dropdown menu showing 'String Pattern'. The 'Dependency' section has three radio buttons: 'None' (selected), 'Trigger event on the triggering of another rule:', and 'Trigger event on the triggering of any rule belonging to a specific group:'. The 'Composite (optional)' section has a sub-header and a description: 'Only trigger if this rule matches its dependent rule the specified frequency of times in the specified time frame (in seconds)'. Below this are two empty input fields for 'Frequency (1 to 128):' and 'Time Frame (1 to 86400):'. At the bottom right, there are 'OK' and 'Cancel' buttons.

8. Now select the **Custom (XML)** option. The options you selected for your "Basic" rule will be converted to XML.



- Click the **Files** tab and click the **Add File** button to add any application log files and log types which the rule will be applied to. In this case, "Application", and "eventlog" as the file type.



**Note:** Eventlog is a unique file type in Deep Security because the location and filename of the log files don't have to be specified. Instead, it is sufficient to type the log name as it

is displayed in the Windows Event Viewer. Other log names for the eventlog file type might be "Security", "System", "Internet Explorer", or any other section listed in the Windows Event Viewer. Other file types will require the log file's location and filename. (C/C++ *strftime()* conversion specifiers are available for matching on filenames. See the table below for a list of some of the more useful ones.)

10. Click **OK** to save the basic rule.
11. Working with the basic rule Custom (XML) created, we can begin adding new rules to the group based on the log groupings identified previously. We will set the base rule criteria to the initial rule. In the following example, the CMS base rule has identified Windows Event Logs with a Source attribute of "CMS":

```
<group name="cms">
  <rule id="100000" level="0">
    <category>windows</category>
    <extra_data>^CMS</extra_data>
    <description>Windows events from source 'CMS' group messages.</description>
  </rule>
```

12. Now we build up subsequent rules from the identified log groups. The following example identifies the authentication and login success and failure and logs by Event IDs.

```
<rule id="100001" level="0">
  <if_sid>100000</if_sid>
  <id>^100|^101|^102|^103|^104|^105|^106|^107|^108|^109|^110</id>
  <group>authentication</group>
  <description>CMS Authentication event.</description>
</rule>

<rule id="100002" level="0">
  <if_group>authentication</if_group>
  <id>100</id>
  <description>CMS User Login success event.</description>
</rule>

<rule id="100003" level="4">
  <if_group>authentication</if_group>
  <id>101</id>
  <group>authentication_failure</group>
  <description>CMS User Login failure event.</description>
```

## Trend Micro Deep Security for Azure Marketplace 11.1

```
</rule>
<rule id="100004" level="0">
  <if_group>authentication</if_group>
  <id>105</id>
  <description>CMS Administrator Login success event.</description>
</rule>
<rule id="100005" level="4">
  <if_group>authentication</if_group>
  <id>106</id>
  <group>authentication_failure</group>
  <description>CMS Administrator Login failure event.</description>
</rule>
```

13. Now we add any composite or correlation rules using the established rules. The following example shows a high severity composite rule that is applied to instances where the repeated login failures have occurred 5 times within a 10 second time period:

```
<rule id="100006" level="10" frequency="5" timeframe="10">
  <if_matched_group>authentication_failure</if_matched_group>
  <description>CMS Repeated Authentication Login failure event.</description>
</rule>
```

14. Review all rules for appropriate severity levels. For example, error logs should have a severity of level 5 or higher. Informational rules would have a lower severity.
15. Finally, open the newly created rule, click the **Configuration** tab and copy your custom rule XML into the rule field. Click **Apply** or **OK** to save the change.

Once the rule is assigned to a policy or computer, the log inspection engine should begin inspecting the designated log file immediately.

### The complete Custom CMS Log Inspection Rule:

```
<group name="cms">
  <rule id="100000" level="0">
    <category>windows</category>
    <extra_data>^CMS</extra_data>
    <description>Windows events from source 'CMS' group messages.</description>
  </rule>
  <rule id="100001" level="0">
    <if_sid>100000</if_sid>
    <id>^100|^101|^102|^103|^104|^105|^106|^107|^108|^109|^110</id>
```

## Trend Micro Deep Security for Azure Marketplace 11.1

```
<group>authentication</group>
<description>CMS Authentication event.</description>
</rule>

<rule id="100002" level="0">
  <if_group>authentication</if_group>
  <id>100</id>
  <description>CMS User Login success event.</description>
</rule>

<rule id="100003" level="4">
  <if_group>authentication</if_group>
  <id>101</id>
  <group>authentication_failure</group>
  <description>CMS User Login failure event.</description>
</rule>

<rule id="100004" level="0">
  <if_group>authentication</if_group>
  <id>105</id>
  <description>CMS Administrator Login success event.</description>
</rule>

<rule id="100005" level="4">
  <if_group>authentication</if_group>
  <id>106</id>
  <group>authentication_failure</group>
  <description>CMS Administrator Login failure event.</description>
</rule>

<rule id="100006" level="10" frequency="5" timeframe="10">
  <if_matched_group>authentication_failure</if_matched_group>
  <description>CMS Repeated Authentication Login failure event.</description>
</rule>

<rule id="100007" level="5">
  <if_sid>100000</if_sid>
  <status>^ERROR</status>
  <description>CMS General error event.</description>
  <group>cms_error</group>
```

## Trend Micro Deep Security for Azure Marketplace 11.1

```
</rule>

<rule id="100008" level="10">
  <if_group>cms_error</if_group>
  <id>^200|^201|^202|^203|^204|^205</id>
  <description>CMS Database error event.</description>
</rule>

<rule id="100009" level="10">
  <if_group>cms_error</if_group>
  <id>^206|^207|^208|^209|^230|^231|^232|^233|^234|^235|^236|^237|^238|^239|^240|^241|^242|^243|^244|^245|^246|^247|^248|^249</id>
  <description>CMS Runtime error event.</description>
</rule>

<rule id="100010" level="0">
  <if_sid>100000</if_sid>
  <status>^INFORMATION</status>
  <description>CMS General informational event.</description>
  <group>cms_information</group>
</rule>

<rule id="100011" level="5">
  <if_group>cms_information</if_group>
  <id>^450|^451|^452|^453|^454|^455|^456|^457|^458|^459</id>
  <description>CMS New Content added event.</description>
</rule>

<rule id="100012" level="5">
  <if_group>cms_information</if_group>
  <id>^460|^461|^462|^463|^464|^465|^466|^467|^468|^469</id>
  <description>CMS Existing Content modified event.</description>
</rule>

<rule id="100013" level="5">
  <if_group>cms_information</if_group>
  <id>^470|^471|^472|^473|^474|^475|^476|^477|^478|^479</id>
  <description>CMS Existing Content deleted event.</description>
</rule>
```

## Trend Micro Deep Security for Azure Marketplace 11.1

```
<rule id="100014" level="5">
  <if_group>cms_information</if_group>
  <id>^445|^446</id>
  <description>CMS User created event.</description>
</rule>

<rule id="100015" level="5">
  <if_group>cms_information</if_group>
  <id>^447|449</id>
  <description>CMS User deleted event.</description>
</rule>

</group>
```

## Log inspection rule severity levels and their recommended use

Level	Description	Notes
Level 0	Ignored, no action taken	Primarily used to avoid false positives. These rules are scanned before all the others and include events with no security relevance.
Level 1	no predefined use	
Level 2	System low priority notification	System notification or status messages that have no security relevance.
Level 3	Successful or authorized events	Successful login attempts, firewall allow events, etc.
Level 4	System low priority errors	Errors related to bad configurations or unused devices or applications. They have no security relevance and are usually caused by default installations or software testing.
Level 5	User-generated errors	Missed passwords, denied actions, etc. These messages typically have no security relevance.
Level 6	Low relevance attacks	Indicate a worm or a virus that provide no threat to the system such as a Windows worm attacking a Linux server. They also include frequently triggered IDS events and common error events.
Level 7	no predefined use	
Level 8	no predefined use	
Level 9	Error from invalid source	Include attempts to login as an unknown user or from an invalid source. The message might have security relevance especially if repeated. They also include errors regarding the <b>admin</b> or <b>root</b> account.
Level 10	Multiple user generated	Include multiple bad passwords, multiple failed logins, etc. They might indicate an attack, or it might be just that a user forgot his or her credentials.

## Trend Micro Deep Security for Azure Marketplace 11.1

Level	Description	Notes
	errors	
Level 11	no predefined use	
Level 12	High-importance event	Include error or warning messages from the system, kernel, etc. They might indicate an attack against a specific application.
Level 13 (high importance)	Unusual error	Common attack patterns such as a buffer overflow attempt, a larger than normal syslog message, or a larger than normal URL string.
Level 14	High importance security event	Typically the result of the correlation of multiple attack rules and indicative of an attack.
Level 15	Attack Successful	Very small chance of false positive. Immediate attention is necessary.

## *strftime()* conversion specifiers

Specifier	Description
%a	Abbreviated weekday name (e.g., Thu)
%A	Full weekday name (e.g., Thursday)
%b	Abbreviated month name (e.g., Aug)
%B	Full month name (e.g., August)
%c	Date and time representation (e.g., Thu Sep 22 12:23:45 2007)
%d	Day of the month (01 - 31) (e.g., 20)
%H	Hour in 24 h format (00 - 23) (e.g., 13)
%I	Hour in 12 h format (01 - 12) (e.g., 02)
%j	Day of the year (001 - 366) (e.g., 235)
%m	Month as a decimal number (01 - 12) (e.g., 02)
%M	Minute (00 - 59) (e.g., 12)
%p	AM or PM designation (e.g., AM)
%S	Second (00 - 61) (e.g., 55)
%U	Week number with the first Sunday as the first day of week one (00 - 53) (e.g., 52)
%w	Weekday as a decimal number with Sunday as 0 (0 - 6) (e.g., 2)
%W	Week number with the first Monday as the first day of week one (00 - 53) (e.g., 21)
%x	Date representation (e.g., 02/24/79)
%X	Time representation (e.g., 04:12:51)
%y	Year, last two digits (00 - 99) (e.g., 76)
%Y	Year (e.g., 2008)
%Z	Time zone name or abbreviation (e.g., EST)
%%	A % sign (e.g., %)

More information can be found at the following websites:


<https://secure.php.net/manual/en/function.strftime.php>  
[www.cplusplus.com/reference/clibrary/ctime/strftime.html](http://www.cplusplus.com/reference/clibrary/ctime/strftime.html)

## Examine a log inspection rule

Log inspection rules are found in the Deep Security Manager at **Policies > Common Objects > Rules > Log Inspection Rules**.

Log inspection rule structure and the event matching process

This screen shot displays the contents of the **Configuration** tab of the Properties window of the "Microsoft Exchange" log inspection rule:



Here is the structure of the rule:

## Trend Micro Deep Security for Azure Marketplace 11.1

- 3800 - Grouping of Exchange Rules - Ignore
  - 3801 - Email rcpt is not valid (invalid account) - Medium (4)
    - 3851 - Multiple email attempts to an invalid account - High (9)
      - Frequency - 10
      - Time Frame - 120
      - Ignore - 120
  - 3802 - Email 500 error code - Medium (4)
    - 3852 - Email 500 error code (spam) - High (9)
      - Frequency - 12
      - Time Frame - 120
      - Ignore - 240

The log inspection engine will apply log events to this structure and see if a match occurs. For example, if an Exchange event occurs, and this event is an email receipt to an invalid account, the event will match line 3800 (because it is an Exchange event). The event will then be applied to line 3800's sub-rules: 3801 and 3802.

If there is no further match, this "cascade" of matches will stop at 3800. Because 3800 has a severity level of "Ignore", no log inspection event would be recorded.

However, an email receipt to an invalid account does match one of 3800's sub-rules: sub-rule 3801. Sub-rule 3801 has a severity level of "Medium(4)". If the matching stopped here, a log inspection event with a severity level of "Medium(4)" would be recorded.

But there is still another sub-rule to be applied to the event: sub-rule 3851. Sub-rule 3851 with its three attributes will match if the same event has occurred 10 times within the last 120 seconds. If so, a log inspection event with a severity "High(9)" is recorded. (The "Ignore" attribute tells sub-rule 3851 to ignore individual events that match sub-rule 3801 for the next 120 seconds. This is useful for reducing "noise".)

Assuming the parameters of sub-rule 3851 have been matched, a log inspection event with Severity "High(9)" is now recorded.


## Trend Micro Deep Security for Azure Marketplace 11.1

Looking at the Options tab of the Microsoft Exchange Rule, we see that Deep Security Manager will raise an alert if any sub-rules with a severity level of "Medium(4)" have been matched. Since this is the case in our example, the alert will be raised (if "Alert when this rule logs an event" is selected).

### Duplicate Sub-rules

Some log inspection rules have duplicate sub-rules. To see an example, open the "Microsoft Windows Events" rule and click on the **Configuration** tab. Note that sub-rule 18125 (Remote access login failure) appears under sub-rules 18102 and 18103. Also note that in both cases sub-rule 18125 does not have a severity value, it only says "See Below".

Instead of being listed twice, Rule 18125 is listed once at the bottom of the **Configuration** page:



## Block access to malicious URLs with web reputation

**Note:** For a list of operating systems where web reputation is supported, see ["Supported features by platform"](#) on page 69.

The web reputation module protects against web threats by blocking access to malicious URLs. Deep Security uses Trend Micro's Web security databases from [Smart Protection Network](#) sources to check the reputation of websites that users are attempting to access. The website's reputation is correlated with the specific web reputation policy enforced on the computer.

Depending on the [security level](#) being enforced, Deep Security will either block or allow access to the URL.

**Note:** The web reputation module does not block HTTPS traffic.

To enable and configure web reputation, perform the basic steps below:

1. ["Turn on the web reputation module" below](#)
2. ["Switch between inline and tap mode" below](#)
3. ["Enforce the security level" on the next page](#)
4. ["Create exceptions" on page 672](#)
5. ["Configure the Smart Protection Server" on page 673](#)
6. ["Edit advanced settings" on page 674](#)

To suppress messages that appear to users of agent computers, see ["Configure notifications on the computer" on page 455](#)

## Turn on the web reputation module

1. Go to **Policies**.
2. Double-click the policy for which you want to enable web reputation.
3. Click **Web Reputation > General**.
4. For **Web Reputation State**, select **On**.
5. Click **Save**.

## Switch between inline and tap mode

Web reputation uses the Deep Security Network Engine which can operate in one of two modes:

- **Inline:** Packet streams pass directly through the Deep Security network engine. All rules, therefore are applied to the network traffic before they proceed up the protocol stack
- **Tap mode:** Packet streams are replicated and diverted from the main stream.

In tap mode, the live stream is not modified. All operations are performed on the replicated stream. When in tap mode, Deep Security offers no protection beyond providing a record of events.

To switch between inline and tap mode, open the **Computer or Policy editor**<sup>1</sup> and go to **Settings > Advanced > Network Engine Mode**.

For more on the network engine, see "[Test firewall rules before deploying them](#)" on page 531.

## Enforce the security level

Web addresses that are known to be or are suspected of being malicious are assigned a **risk level** of:

- **Dangerous:** Verified to be fraudulent or known sources of threats
- **Highly suspicious:** Suspected to be fraudulent or possible sources of threats
- **Suspicious:** Associated with spam or possibly compromised

Security levels determine whether Deep Security will allow or block access to a URL, based on the associated risk level. For example, if you set the security level to low, Deep Security will only block URLs that are known to be web threats. As you set the security level higher, the web threat detection rate improves but the possibility of false positives also increases.

## To configure the security level:

1. Go to **Policies**.
2. Double-click the policy that you want to edit.
3. Click **Web Reputation > General**.
4. Select one of the following security levels:
  - **High:** Blocks pages that are:
    - Dangerous
    - Highly suspicious
    - Suspicious

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

- **Medium:** Blocks pages that are:
  - Dangerous
  - Highly Suspicious
- **Low:** Blocks pages that are:
  - Dangerous

5. Click **Save**.

## Create exceptions

You can override the block and allow behavior dictated by the Smart Protection Network's assessments with your lists of URLs that you want to block or allow.

**Note:** The **Allowed** list takes precedence over the **Blocked** list. URLs that match entries in the **Allowed** list are not checked against the **Blocked** list.

### To create URL exceptions:

1. Go to **Policies**.
2. Double-click the policy that you want to edit.
3. Click **Web Reputation > Exceptions**.
4. To allow URLs:
  - a. Go to the **Allowed** section.
  - b. In the blank under **URLs to be added to the Allowed list (one per line)**, enter your desired URL. Multiple URLs can be added at once but they must be separated by a line break.
  - c. Select either:
    - **Allow URLs from the domain:** Allow all pages from the domain. Sub-domains are supported. Only include the domain (and optionally sub-domain) in the entry. For example, "example.com" and "another.example.com" are valid entries.
    - **Allow the URL::** The URL as entered will be allowed. Wildcards are supported. For example, "example.com/shopping/coats.html", and "example.com/shopping/\*" are valid entries.
  - d. Click **Add**.

To block URLs:

- a. Go to the **Blocked** section
  - b. In the blank under **URLs to be added to the Blocked list (one per line)**, enter your desired URL. Multiple URLs or keywords can be added at once but they must be separated by a line break.
  - c. Select either:
    - **Block URLs from the domain:** Block all pages from the domain. Sub-domains are supported. Only include the domain (and optionally sub-domain) in the entry. For example, "example.com" and "another.example.com" are valid entries.
    - **Block the URL:** The URL as entered will be blocked. Wildcards are supported. For example, "example.com/shopping/coats.html", and "example.com/shopping/\*" are valid entries.
    - **Block URLs containing this keyword:** Any URL containing the keyword will be blocked.
  - d. Click **Add**.
5. Click **Save**.

## Configure the Smart Protection Server

Smart Protection Service for web reputation supplies web information required by the web reputation module. For more information, see [Smart Protection Network - Global Threat Intelligence](#).

To configure Smart Protection Server:

1. Go to **Policies**.
2. Double-click the policy you'd like to edit.
3. Click **Web Reputation > Smart Protection**.
4. Select whether to connect directly to Trend Micro's Smart Protection service:
  - a. Select **Connect directly to Global Smart Protection Service**.
  - b. Optionally select **When accessing Global Smart Protection Service, use proxy**. Select **New** from the drop down menu and enter your desired proxy.

Or to connect to one or more locally installed Smart Protection Servers:

- a. Select **Use locally installed Smart Protection Server (ex: "http://[server]:5274")**.
- b. Enter the Smart Protection Server URL into the field and click **Add**. To find the Smart Protection Server URL, do one of the following:
  - Log in to the Smart Protection Server, and in the main pane, look under **Real Time Status**. The Smart Protection Server's HTTP and HTTPS URLs are listed in the **Web Reputation** row. The HTTPS URL is only supported with 11.0 Deep Security Agents and up. If you have 10.3 or earlier agents, use the HTTP URL.

Or

- If you [deployed the Smart Protection Server in AWS](#), go to the AWS **CloudFormation** service, select the check box next to the Smart Protection Server stack, and in the bottom pane, click the **Outputs** tab. The Smart Protection Server's HTTP and HTTPS URLs appear in the **WRSurl** and **WRSHTTPSurl** fields. The WRSHTTPSurl is only supported with 11.0 Deep Security Agents and up. If you have 10.3 or earlier agents, use the WRSurl URL.
- c. Optionally select **When off domain, connect to global Smart Protection Service. (Windows only)**.
5. Click **Save**.

## Smart Protection Server Connection Warning

This option determines whether error events are generated and alerts are raised if a computer loses its connection to the Smart Protection Server. Select either **Yes** or **No** and click **Save**.

**Note:** If you have a locally installed Smart Protection Server, this option should be set to **Yes** on at least one computer so that you are notified if there is a problem with the Smart Protection Server itself.

## Edit advanced settings

### Blocking Page

When users attempt to access a blocked URL, they will be redirected to a blocking page. In the blank for **Link**, provide a link that users can use to request access to the blocked URL.

## Alert

Decide to raise an alert when a web reputation event is logged by selecting either **Yes** or **No**.

## Ports

Select specific ports to monitor for potentially harmful web pages from the drop down list next to **Ports to monitor for potentially harmful web pages**.

# Deep Security Best Practice Guide

The Deep Security 10.0 Best Practice Guide is intended to help you get the best productivity out of the product. It contains a collection of best practices that are based on knowledge gathered from previous enterprise deployments, lab validations, and lessons learned in the field.

Examples and considerations in this document serve only as a guide and not a representation of strict design requirements. These guidelines do not apply in every environment but will help guide you through the decisions that you need in configuring Deep Security for optimum performance.

The Deep Security 11.0 Best Practice Guide is currently [available in PDF format](#) and includes the following:

- Deployment considerations and recommendations
- Upgrade guidelines and scenarios
- Sizing considerations and recommendations
- Recommended configurations to maximize system performance and reduce administrative overhead
- Best practice tips for VDI, private, and public cloud environments

# Maintain

## Check your license information

**Note:** Does not apply to a multi-tenant configuration that inherits licensing from the parent tenant.

Displays details about your Trend Micro Deep Security product licenses. Deep Security consists of six module packages:

- Anti-Malware and Web Reputation
- Firewall and Intrusion Prevention
- Integrity Monitoring
- Log Inspection
- Multi-Tenancy

Each module package can be licensed fully or for a trial basis. You can see an individual package's license status by clicking **View Details**. Contact Trend Micro if you wish to upgrade your license. If Trend Micro has provided you with a new activation code, click **Enter New Activation Code** and enter it there. Newly licensed features are immediately available.

When a license expires, existing functionality persists but updates are no longer delivered.

Alerts are raised if any module is about to expire or has expired.

## Licensing for Azure Marketplace

- **Deep Security Manager (BYOL)** is for customers who have already obtained a license to use Deep Security from another source. If you are using this type of license, you need to enter the license string or activation code in Deep Security Manager after it is installed.

## Back up and restore your database

If you have a database backup, you can restore your Deep Security deployment if there is a catastrophic failure or if you move Deep Security Manager to another computer.

**Note:** The Deep Security Manager cannot initiate a backup of an Oracle database, a PostgreSQL database, or an Amazon RDS database. To back up your Oracle database, consult your Oracle documentation. To back up your PostgreSQL database, consult your PostgreSQL documentation. For RDS, follow the instructions provided by AWS for backing up your database to an S3 bucket. For example, see [Amazon RDS for SQL Server - Support for Native Backup/Restore to Amazon S3](#).

## Microsoft SQL Server Database

You can back up databases using a scheduled task.

**Note:** Deep Security Manager cannot backup or restore an Oracle database. To backup or restore your Oracle database consult your Oracle documentation.

1. Go to **Administration > Scheduled Tasks**.
2. Click **New**.
3. Select **New Scheduled Task**.
4. Give a name to this task and select **Backup**.
5. To perform a one-time-only backup, select **Once Only** and enter a time (5 minutes from now, for example).
6. Select where to store the backup files.
7. Finish the wizard.

A complete backup shouldn't take more than a minute or so to complete.

A "date-named" folder will be created in the backup location you specified. To restore this database, shut down the Trend Micro Deep Security Manager service (using the Services Microsoft Management Console), copy the backup folders into the corresponding folders of the install directory and restart Deep Security Manager.

If you are using a SQL Server database, a SQL Server database backup file named **[timestamp].dsmbackup** will be written to the backup folder specified in the scheduled task. For instructions on how to restore a SQL Server database refer to your SQL Server documentation.

### Restore the database only

1. Stop the Deep Security Manager service.
2. Restore the database.  
This must be a database from the same version number of the Deep Security Manager.
3. Start the Deep Security Manager service.
4. Verify contents restored.
5. Update all of the computers to ensure they have the proper configuration.

### Restore both the Deep Security Manager and the database

1. Remove any remnants of the lost or corrupted Deep Security Manager and database.
2. Install a fresh Deep Security Manager using a fresh or empty database.
3. Stop the Deep Security Manager service.
4. Restore the database over the freshly installed one, must be the same database name (Must be a database from the same version number of the Manager).
5. Start the Deep Security Manager service.
6. Verify contents restored.
7. Update all of the computers to ensure they have the proper configuration.

### Export objects in XML or CSV format

- **Events:** Go to one of the Events pages and use the Advanced Search options to filter the event data. For example, you could search for all firewall events for computers in the Computers > Laptops computer group that were logged within the last hour whose reason column contains the word spoofed.

## Trend Micro Deep Security for Azure Marketplace 11.1

The screenshot shows the 'Firewall Events' search interface. At the top, there are filters for 'All' and 'No Grouping'. A search bar contains the text 'spoofer' and a search button with a right-facing arrow. Below the search bar, there are three rows of filters: 'Period: Last Hour', 'Computers: In Group: Laptops', and 'Search: Reason Contains spoofer'. A blue button with a right-facing arrow is located to the right of the search bar.

Click the submit button (with the right-facing arrow) to execute the "query". Then click **Export** to export the filtered data in CSV format. You can export all the displayed entries or just selected data. The exporting of logs in this format is primarily for integration with third-party reporting tools.

- **Computer Lists:** Computers lists can be exported in XML or CSV format from the **Computers** page. You might want to do this if you find you are managing too many computers from a single Deep Security Manager and are planning to set up a second Deep Security Manager to manage a collection of computers. Exporting a list of selected computers will save you the trouble of rediscovering all of the computers again and arranging them into groups.

**Note:** Policy, firewall rule, and intrusion prevention rule settings will *not* be included. You will have to export your firewall rules, intrusion prevention rules, firewall stateful configurations, and policies as well and then reapply them to your computers.

- **Policies:** To export these in XML format, go to **Policies**.

**Note:** When you export a selected policy to XML, any child policies the policy might have are included in the exported package. The export package contains all of the actual objects associated with the policy except: intrusion prevention rules, log inspection rules, integrity monitoring rules, and application types.

- **Firewall Rules:** Firewall rules can be exported to an XML or CSV file using the same searching and filtering techniques as above.
- **Firewall Stateful Configurations:** Firewall stateful configurations can be exported to an XML or CSV file using the same searching and filtering techniques as above.
- **Intrusion Prevention Rules:** Intrusion prevention rules can be exported to an XML or CSV file using the same searching and filtering techniques as above.

- **Integrity Monitoring Rules:** Integrity monitoring rules can be exported to an XML or CSV file using the same searching and filtering techniques as above.
- **Log Inspection Rules:** Log inspection rules can be exported to an XML or CSV file using the same searching and filtering techniques as above.
- **Other Common Objects :** All the reusable components common objects can be exported to an XML or CSV file the same way.

When exporting to CSV, only displayed column data is included. Use the Columns tool to change which data is displayed. Grouping is ignored so the data might not be in same order as on the screen.

## Import objects

To import each of the individual objects into Deep Security, next to **New** in the object page's toolbar, select **Import From File** .

## Restart the Deep Security Manager

### Linux

To restart the Deep Security Manager, open a CLI and run the following command:

```
sudo systemctl restart dsm_s
```

### Windows

To restart the Deep Security Manager, first log in to the Windows instance on which the Deep Security Manager is running and then follow the steps below for the ["Windows desktop" below](#), the ["Command prompt" on the next page](#) or ["PowerShell" on the next page](#):

#### Windows desktop

1. Open the Windows Task Manager.
2. Click the **Services** tab.

3. Right click the **Trend Micro Deep Security Manager** service, and then click **Restart**.

### Command prompt

Open the command prompt (`cmd.exe`) and run the following commands:

1. `net stop "Trend Micro Deep Security Manager"`
2. `net start "Trend Micro Deep Security Manager"`

### PowerShell

Open PowerShell and run the following commands:

1. `Stop-Service 'Trend Micro Deep Security Manager'`
2. `Start-Service 'Trend Micro Deep Security Manager'`

## Upgrade Deep Security

### About upgrades

To ensure maximum protection, upgrade your software, security rules and malware patterns when updates are available. Upgrade types include:

- **Software update:** A package of new software such as the Deep Security Manager, Agent and Relay. See ["Upgrade Deep Security Manager VM for Azure Marketplace" on page 686](#) and ["Update the Deep Security Agent" on page 683](#).
- **Security update:** An update to the security rules and malware patterns that Deep Security uses to identify potential threats. See ["Get and distribute security updates" on page 689](#).

Relays distribute both software updates and security updates to your agents. Software updates (but not security updates) can alternatively be [distributed by a local mirror web server](#).

**Warning:** All Deep Security Relays must be upgraded before upgrading the Deep Security Agent. Failure to do so may cause the relay upgrade to fail.

In this topic:

- ["How agents validate the integrity of updates" below](#)
- ["How Deep Security Manager checks for software updates" below](#)

### How agents validate the integrity of updates

All security updates are verified for integrity by Deep Security using methods that include digital signatures and checksums (hashes) as well as other, non-disclosed methods. Software updates are digitally signed.

Agent  Show All Versions

Software	Release Type	Build	Release Date	File Size	Download
<b>1</b>  Deep Security Agent 10.0.0-2775 for amzn1-x86_64	Update: 10.0_U9	10.0.0-2775	2018-04-04	64 MB	
<b>2</b>  Filename: Agent-amzn1-10.0.0-2775_x86_64.zip SHA256: ae057659377494c3275a87ef49332e10ab86c2ad2daf6538d73f268d4dba993b MD5: 38467af6e4aa681b00a279cd1e02b1ab <a href="#">Release Notes</a>					

If you want to manually validate signatures or the checksums available on the [Download Center](#), you can also use a tool such as:

- sha256sum (Linux)
- Checksum Calculator (Windows)
- jarsigner (Java Development Kit (JDK))

For example, you could enter this command to verify a download's signature:

```
jarsigner -verify <filename>.zip
```

### How Deep Security Manager checks for software updates

Deep Security Manager periodically connects to Trend Micro update servers to check for

updates to software that you have [imported into the Deep Security Manager database](#), such as:

- Deep Security Agent
- Deep Security Manager

The check is made against the local inventory, not against what is available on the Download Center. (There is a separate alert for new software on the Download Center.)

**Note:** Deep Security will only inform you of **minor** version updates-not major-of software. For example, if you have agent version **9.6.100**, and Trend Micro releases agent version **9.6.200**, an alert will tell you that software updates are available. However, if Trend Micro then releases agent version **10.0.xxx** (a major version difference) and you don't have any **10.0** agents in the database, no alert will appear (even though **10.0** is newer than **9.6.100**).

An alert on the manager will notify you that software updates are available. The "Trend Micro Download Center" section on **Administration > Updates > Software** also indicates whether there are updates available. Once you import (download) software into the Deep Security Manager database, you can upgrade the software in your deployment. See "[Update the Deep Security Agent](#)" below.

**Tip:** To see *all* software packages that are available for download (even if you haven't imported it before), go to **Administration > Updates > Software > Download Center**.

To determine when the last check was performed, whether it was successful, or to manually initiate a check for updates, go to **Administration > Updates > Software** and view the "Deep Security" section. If you have configured a scheduled task to check for updates, the date and time of the next scheduled check is also listed here. See "[Schedule Deep Security to perform tasks](#)" on page 218.

When imported, software is stored in the Deep Security Manager database. Imported software is periodically replicated to relay-enabled agents.

## Update the Deep Security Agent

Software updates can be initiated via the Deep Security Manager, manually, or a third-party deployment system.

**Warning:** All Deep Security Relays must be upgraded before upgrading the Deep Security Agent. Failure to do so may cause the relay upgrade to fail.

In this topic:

- ["Update available notifications" below](#)
- ["Initiate an agent update" below](#)
- ["Manually upgrade the agent" on the next page](#)

## Update available notifications

When a new agent software version is available, a message appears on **Alerts**.



1. In the alert, click **Show Details** and then click **View all out-of-date computers**. **Computers** opens with all computers showing a **Software Update Status** of **Out-of-Date**.
2. Continue with ["Initiate an agent update" below](#) or ["Manually upgrade the agent" on the next page](#).

## Initiate an agent update

**Tip:** Upgrade when the server is less busy.

On **Administration > Updates > Software**, the "Computers" section indicates whether any computers are running agents for which updates are available. The check is only performed against software that has been imported into Deep Security, not against software available from the Download Center. If any computers are out of date, either:

- To upgrade all out-of-date computers, click **Upgrade Agent / Appliance Software**.
- To upgrade a specific agent computer, go to **Computers**, select the computers that you want to upgrade, and click **Actions > Upgrade Agent Software**. You will be prompted to select the **Agent Version**. We recommend that you select the default **Use the latest version for platform (X.Y.Z.NNNN)**. Depending on your preference, select to **Upgrade Now** or

**Use a Schedule for Upgrade** and specify the time window when the upgrade will be performed. If you choose to use a schedule, the manager will upgrade the agent to the specified version once; it does not continue to upgrade the agent to future versions.

**Note:** If you are using anti-malware on a Windows platform, the computer might require a reboot to complete the upgrade. If this is the case, a Reboot Required alert will be triggered, which you must dismiss manually after completing the reboot. You can also check the Agent Software Upgraded event or Virtual Appliance Upgraded event to see if a reboot is necessary. If you are using anti-malware, plan your upgrades during maintenance windows when reboots are possible.

## Manually upgrade the agent

Sometimes you may not be able to update the agent software from the Deep Security Manager because of connectivity restrictions, or you may prefer to deploy updates using a third-party system. If so, you can update the agent software using an installer that you have copied to the computer.

Download the new agent software either from the [Download Center](#), or by exporting it from the Deep Security Manager (see "[Get Deep Security Agent software](#)" on page 135). Then run the installer. Method varies by operating system.

### Windows

1. Disable agent self-protection. To do this, on the Deep Security Manager, go to **Computer editor**<sup>1</sup> > **Settings** > **General**. In **Agent Self Protection**, and then either deselect **Prevent local end-users from uninstalling, stopping, or otherwise modifying the Agent** or enter a password for local override.
2. Copy the agent installer to the computer.
3. Run the agent installer. It will detect the previous agent and perform the upgrade.

---

<sup>1</sup>To open the Computer editor, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

### Linux

1. Copy the agent installer to the computer.
2. Run the following command:

```
rpm -U <new agent installer rpm>
```

(The "-U" argument instructs the installer to perform an upgrade.)

## Upgrade Deep Security Manager VM for Azure Marketplace

To determine which version of Deep Security Manager you have, go to **Support > About**. The version number of the currently available version is listed on the description page for the Deep Security Manager in Azure Marketplace. Compare these two numbers to determine if you need to upgrade.

Each node must have the same version of Deep Security Manager VM for Azure Marketplace. If you are planning on adding a new node, the version of the new node must match the version used by the existing nodes. This might mean that you have to upgrade the version on the existing nodes to make sure they match the new node.

### Will my virtual machines still be protected during the upgrade?

Your virtual machines will still continue to be protected throughout the entire upgrade process. There will be a brief outage for the Deep Security Manager nodes when they are upgraded but all existing Deep Security Agents will continue to function normally during this period. New agents cannot be activated until the Deep Security Manager services have been restored.

### Before you begin

Before you upgrade to the latest version of Deep Security Manager VM for Azure Marketplace, ensure that you have the following information about your current version:

- Resource group name
- Database credentials: hostname, name, admin name, and admin password
- License type: You can view this by going to **Administration > Licenses** in the Deep Security Manager console.

## Upgrade to the latest version

1. Log in to your Azure portal, go to the resource group that contains your Deep Security Manager, click the Deep Security virtual machine and click **Stop**.
2. Go back to the resource group that contains your Deep Security Manager, click the value in **Public IP address**, click **Dissociate**, and then click **Delete**.

This step ensure that the DNS name will stay the same after the upgrade and this is recommended to ensure that the agents keep functioning properly.

3. Click the **Marketplace** blade in the Azure portal, click the **Security + Identity** blade, and then search for Deep Security Manager.
4. Click the version of Deep Security you want to use from the search results and click **Create**.

**Note:** License types cannot be mixed so make sure you select the same license type that you are currently using.

5. Follow the steps of the Create Deep Security Manager journey to create a Deep Security virtual machine.
  - a. Specify the name of the Deep Security Manager VM and configure other general settings on the Basics blade and then click **OK**.
    - The credentials you specify in this blade are what you will use to log on to the Deep Security Manager virtual machine.
    - Depending on the type of authentication you select, you have to enter a strong password or an SSH public key.
    - Enter a name into **Resource Group** to create a new resource group or click **Select existing** to use an empty resource group that you are using for your current version.

**Note:** Azure does not allow VMs to be deployed into existing resource groups if it contains other resources. Either a new resource group must be created or the existing resource group must be empty.

- Select an Azure region from the **Location** list. Make sure you select the same location when setting up multiple nodes.

- b. Select a virtual machine size, configure the Deep Security Manager URL and ports on the Deep Security Manager VM blade, and then click **OK**.
  - Enter the DNS name you dissociated in step 2 in **Deep Security Manager URL** and the port for logging into Deep Security Manager.
- c. Click **Use Existing** on the Database Settings blade and enter the credentials you recorded in the Before you begin section above and then click **OK**.
- d. Enter the name of the administrator account you currently use to sign in to Deep Security Manager on the Deep Security Credentials blade and enter and confirm the password for that account and click **OK**.

**Note:** You have to provide the current credentials for the Deep Security Manager here and log into the new Deep Security Manager with these original credentials. Any new credentials will be ignored.

- e. Click the arrows to review the settings for the new virtual network and the subnet for the Deep Security Manager VM on the Network Settings blade and click **OK** twice.
- f. Review the information on the Summary blade and click **OK** when Validation passed appears at the top of the summary to finish creating the virtual machine.

A blue horizontal banner with a white information icon on the left and the text "Validation passed" in white.

- g. Click **Terms of use**, **privacy policy**, and **Azure Marketplace Terms** on the Buy blade to review them and then click **Create**.

It will take several minutes before your new virtual machine is running.

6. When installation has completed, open a browser and go to the following address: `https://[DNS_name]:8443`
  - The DNS name is the name you specified on the Deep Security Manager blade. You can view the DNS name for your Deep Security virtual machine by clicking the value in **Public IP address/DNS name label** in the **Settings** blade.
7. Verify that the upgrade was successful by checking the version number **Support > About** in Deep Security Manager and confirming that the older Deep Security Manager node is now offline (**Administration > Manager Nodes**).

8. After confirming that the upgrade was successful, remove the resources that belonged to the older node by purging them. These resources include the following:
  - Virtual machine
  - Network interface
  - Network security group
  - Virtual network

## Error: The installer could not establish a secure connection to the database server

When installing or upgrading Deep Security Manager, the following error message can occur if you are using Microsoft SQL Server as your Deep Security database:

*The installer could not establish a secure connection to the database server. Please upgrade or configure your database server to support TLS 1.2 encryption.*

The error message appears if the `java.security` file on the Deep Security Manager includes `TLSv1` and `TLSv1.1` in the `jdk.tls.disabledAlgorithms=` setting, which disables early TLS and only allows TLS 1.2. (The `java.security` file is set this way if you are doing a fresh install of Deep Security Manager 11.1, where only TLS 1.2 is allowed, or if you are upgrading and previously [enforced TLS 1.2](#).) During the upgrade or installation, the database drivers on the manager try to communicate with the SQL Server using TLS 1.2, and if your SQL Server version does not support TLS 1.2, you'll see this error.

To solve the problem, you must upgrade your SQL Server database to a version that supports TLS 1.2 and then retry the Deep Security Manager installation or upgrade. For a list of SQL Server versions that support TLS 1.2, see [this Microsoft article](#).

## Get and distribute security updates

You must keep your Deep Security deployment up to date with the security updates that Deep Security uses to identify potential threats.

There are two types of security updates:

## Trend Micro Deep Security for Azure Marketplace 11.1


- **Pattern Updates** are used by the anti-malware module.
- **Rule Updates** are used by these modules:
  - Firewall
  - Intrusion Prevention
  - Integrity Monitoring
  - Log Inspection Security

Trend Micro releases new rule updates every Tuesday, with additional updates as new threats are discovered. You can get information about the latest updates from the Trend Micro [Threat Encyclopedia](#).

To configure security updates, you will need to:

1. ["Configure a security update source and settings" on page 692](#)
2. Organize your relay-enabled agents into relay groups, assign relay groups to your agents and appliances, and configure relay settings for security and software updates. (See ["Distribute security and software updates with relays" on page 189.](#))
3. ["Perform security updates" on page 693](#)
4. ["Special case: configure updates on a relay-enabled agent in an air-gapped environment" on page 693](#)

At any time, you can ["Check your security update status" on page 694](#)



**Note:** Alerts are raised if a rule update has been downloaded from Trend Micro and available for more than thirty minutes but computers have yet to be updated.

**Note:** Alerts are raised if a pattern update has been downloaded from Trend Micro and available for more than an hour but computers have yet to be updated.

## Configure a security update source and settings

1. Go to **Administration > System Settings > Updates**.
2. Set your **Primary Security Update Source**. By default this will be the **Trend Micro Update Server** accessed over the internet. Unless your support provider has told you to do otherwise, leave the setting as is. If you were given an alternative source for updates, enter the URL, including "http://" or "https://" in the **Other update source** box.
3. Normally, agents connect to a relay-enabled agent to get security updates. But if you have agents installed on roaming computers that are not always in contact with a Deep Security Manager or relay, you can select **Allow Agents/Appliances to download Pattern updates directly from Primary Security Update Source if Relays are not accessible** to allow agents to use the update source specified in the previous step when their relay group is not available.
4. Normally, the Deep Security Manager instructs agents or appliances to download pattern updates. When **Allow Agents/Appliances to download Pattern updates when Deep Security Manager is not accessible** is selected, even though an agent cannot communicate with the Deep Security Manager, it will continue to download updates from its configured source.

**Tip:** You may want to deselect this option on computers where you do not want to risk a potentially problematic security update when the computer is not in contact with a manager and therefore possibly far away from any support services.

5. Trend Micro will occasionally issue an update to an existing Deep Security rule. The **Automatically apply Rule Updates to Policies** setting determines whether updated rules will automatically be applied to Deep Security policies. If this option is not selected, you will have to manually apply downloaded rule updates to policies from the **Administration > Updates > Security** page by clicking on the **Apply Rules to Policies** button.

**Tip:** Updates to existing rules are either improvements to the efficiency of the rule or bug fixes. So although it's a good idea to test new rules (either in detect-only mode or in a test environment) before deploying them to a production environment, automatically applying updates to existing rules is usually a safe option.

**Note:** By default, changes to policies are automatically applied to computers. You can change this behavior by opening a **Computer or Policy editor**<sup>1</sup> > **Settings** > **General** window and changing the **Automatically send Policy changes to computers** setting in the **Send Policy Changes Immediately** area.

6. You can configure amount of time that can pass between an instruction to perform a security update being sent and the instruction being carried out before an alert is raised. Click **Administration** > **System Settings** > **Alerts** and change the value for **Length of time an Update can be pending before raising an Alert**.

## Perform security updates

The recommended way to check for security updates is to set up a "Check for Security Updates" scheduled task that performs a check on a regular basis. For details, see "[Schedule Deep Security to perform tasks](#)" on page 218

You can also manually initiate security updates:

- To perform security updates on specific agents, go to **Computers**, select the agent, then right-click and select **Actions** > **Download Security Update**.

## Special case: configure updates on a relay-enabled agent in an air-gapped environment

In a typical environment, at least one relay-enabled agent is configured and able to download updates from the Trend Micro Update Server and the rest of the agents and appliances connect to that relay-enabled agent for update distribution. However, if your relay-enabled agent cannot to connect to the Update Server over the Internet, you'll need to set up a relay in your [demilitarized zone \(DMZ\)](#) that can obtain the security updates, which you can then copy to your air-gapped relays. For details, see "[Configure agents that have no Internet access](#)" on page 166.

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the **Policies** page and double-click the policy that you want to edit (or select the policy and click **Details**). To change the settings for a computer, go to the **Computers** page and double-click the computer that you want to edit (or select the computer and click **Details**).

## Check your security update status

The Security Updates Overview page (**Administration > Updates > Security**) displays the state of your security updates:

- **Trend Micro Update Server:** Indicates whether relays can connect to the Trend Micro Update Server to check for the latest security updates.
- **Deep Security:** Indicates when the last successful check and download were performed, and when the next schedule check will be performed.

**Tip: All Relays are in sync** indicates that all relays are distributing the latest successfully downloaded pattern updates. Relays that are out of sync are usually in that state because they cannot communicate with Trend Update Servers. This could be because they are intentionally "air-gapped" and need to be manually updated or because of network connectivity problems. If any relays are out of sync, a link to those relays will be provided.

- **Computers:** Indicates whether any computers are out of date *with respect to the Pattern Updates being stored in the Relays*. You can click **Send Patterns to Computers** to instruct all computers to retrieve the latest pattern updates from their assigned relays.

### See details about pattern updates

The **Administration > Updates > Security > Patterns** page displays a list of the components that make up a pattern update. This page is displayed only when Deep Security has an active relay.

- **Component:** The type of update component.
- **Product Name:** The Deep Security product this component is intended for.
- **Platform:** The operating system for which the update is intended.
- **Current Version:** The version of the component within the Update currently downloaded from Trend Micro to Deep Security and being distributed by the relays and the Deep Security Manager.
- **Last Updated:** When the currently downloaded security update was retrieved from Trend Micro.

**Tip:** You can find the version numbers of the security update components in effect on a specific computer on **Computer Editor > Updates**.

### See details about rule updates

The **Administration > Updates > Security > Rules** page displays a list of the most recent Intrusion Prevention, Integrity Monitoring, and Log Inspection Rules that have been downloaded to the Deep Security Manager database.

From this page, you can:

- **View details about a rule update:** Select a rule update and click **View** to see details, including a list of the specific rules included in the update.
- **Roll back a rule update:** If a recent rule update has caused problems in your environment, you may want to roll back to a previous rule update. If you roll back to a previous update, all policies affected by the rollback will be immediately updated on *all computers using those policies*. Select the rule update that you want to roll back to and click **Rollback**. Deep Security Manager generates a summary of changes that will take place so that you can confirm the changes before finalizing the rollback.
- **Reapply the current rule set:**  indicates that a rule update has been applied. To reapply that rule update to computers being protected by Deep Security, right-click the rule update and click **Reapply**.
- **Import a rule update:** Rule updates are automatically imported into Deep Security during the "Check for Security Updates" scheduled task, or when you click **Check for Updates and Download** on the **Administration > Updates > Security** page. The only time you might have to manually import a rule update is if your installation has no connectivity to the Trend Micro Update Servers or if you are asked to do so by your support provider.
- **Export a rule update:** Under normal circumstances you should not have to export a rule update unless asked to do so by your support provider.
- **Delete a rule update:** Click **Delete** to remove the selected rule update from the Deep Security Manager database.

**Tip:** You can configure the number of rule updates that are kept in the Deep Security Manager database by going to the **Administration > System Settings > Storage** tab.

**Tip:** If the relay functionality is enabled for a computer, the **Computer editor > Security Updates** page displays the components that the relay is currently distributing to the agents and appliances that rely on it for security updates. If the anti-malware module is enabled for a computer, the security updates page also displays the set of patterns that are in effect locally on this computer. From this page, you can also download or roll back security updates.

## Use a web server to distribute software updates

Deep Security software updates are normally hosted and distributed by relays. However, if you already have a web server, you can provide software updates via the web server instead of a relay. To do this, you must mirror the software repository of the relay on your web server.

**Note:** Although Deep Security Agents can download their *software* updates from the web server, at least one relay is still required to distribute *security* package updates such as anti-malware and IPS signatures (see "[Get and distribute security updates](#)" on page 689).

**Note:** Even though you are using your own web servers to distribute software, you must still go to **Administration > Updates > Software** and import software into the Deep Security Manager's database. Then you must ensure that your software web server contains the same software that has been imported into Deep Security Manager. Otherwise the alerts and other indicators that tell you about available updates will not function properly.

## Web server requirements

**Disk Space:** 20 GB

**Ports:** [Web server and relay port numbers](#)

## Copy the folder structure

Mirror the folder structure of the software repository folder on a relay-enabled agent. Methods vary by platform and network. For example, you could use `rsync` over SSH for a Linux computer and network that allows SSH.

On Windows, the default location for the relay-enabled agent's software repository folder is:

## Trend Micro Deep Security for Azure Marketplace 11.1

```
C:\ProgramData\Trend Micro\Deep Security Agent\relay\www\dsa\
```

On Linux, the default location for the Relay's software repository folder is:

```
/var/opt/ds_agent/relay/www/dsa/
```

The structure of the folder is like this:

```
|-- dsa
|   |-- <Platform>.<Architecture>
|       |-- <Filename>
|       |-- <Filename>
|       |-- ...
|
|   |-- <Platform>.<Architecture>
|       |-- <Filename>
|       |-- <Filename>
|       |-- ...
```

For example:

```
|-- dsa
|   |-- CentOS_6.x86_64
|       |-- Feature-AM-CentOS_6-9.5.1-1097.x86_64.dsp
|       |-- Feature-DPI-CentOS_6-9.5.1-1097.x86_64.dsp
|       |-- Feature-FW-CentOS_6-9.5.1-1097.x86_64.dsp
|       |-- Feature-IM-CentOS_6-9.5.1-1097.x86_64.dsp
|       |-- ...
|
|   |-- RedHat_EL6.x86_64
|       |-- Agent-Core-RedHat_EL6-9.5.1-1306.x86_64.rpm
|       |-- Feature-AM-RedHat_EL6-9.5.1-1306.x86_64.dsp
|       |-- Feature-DPI-RedHat_EL6-9.5.1-1306.x86_64.dsp
|       |-- Feature-FW-RedHat_EL6-9.5.1-1306.x86_64.dsp
|       |-- ...
|       |-- Plugin-Filter_2_6_32_131_0_15_el6_x86_64-RedHat_
EL6-9.5.1-1306.x86_64.dsp
```

## Trend Micro Deep Security for Azure Marketplace 11.1

```
|          |--  Plugin-Filter_2_6_32_131_12_1_el6_x86_64-RedHat_
EL6-9.5.1-1306.x86_64.dsp
|          |--  ...
|
|      |--  Windows.x86_64
|          |--  Agent-Core-Windows-9.5.1-1532.x86_64.msi
|          |--  Agent-Core-Windows-9.5.1-1534.x86_64.msi
|          |--  Feature-AM-Windows-9.5.1-1532.x86_64.dsp
|          |--  Feature-AM-Windows-9.5.1-1534.x86_64.dsp
|          |--  Feature-DPI-Windows-9.5.1-1532.x86_64.dsp
|          |--  Feature-DPI-Windows-9.5.1-1534.x86_64.dsp
|          |--  ...
|          |--  Plugin-Filter-Windows-9.5.1-1532.x86_64.dsp
|          |--  Plugin-Filter-Windows-9.5.1-1534.x86_64.dsp
|          |--  ...
```

The example above shows only a few files and folders. Inside a complete `dsa` folder, there are more. If you need to save disk space or bandwidth, you don't need to mirror all of them. You're only required to mirror the files that apply to your computers' platforms.

## Configure agents to use the new software repository

When the mirror on the web server is complete, configure Deep Security Agents to get their software updates from your web server.

1. On Deep Security Manager, go to **Administration > System Settings > Updates**.
2. In the Software Updates section, enter the URL(s) of the mirror folder(s) on your web server (s).
3. Click **Save**.

**Note:** Verify that connectivity between agents and your web server is reliable. If the connection is blocked, agents will instead use the relay.

## Disable emails for New Pattern Update alerts

The "New Pattern Update is Downloaded and Available" alert is raised when a security update has not been applied to an agent one hour after Deep Security Manager has downloaded it. The one-hour time span is not configurable. The alert is sent via email when the alert is raised by default.

If you are receiving too many of these email alerts because one hour is not long enough to disperse the updates, you can disable email notifications for this alert. Instead, you can receive email messages for the "Computer Not Receiving Updates" alert for which you can configure the time that passes before the alert is raised.

1. To ensure that Deep Security Manager is configured to automatically download security updates, in Deep Security Manager, click **Administration > Scheduled Tasks**.
2. If there is no scheduled task of type Check for Security Updates, create one (see ["Schedule Deep Security to perform tasks" on page 218](#)).
3. Click **Administration > System Settings > Updates**. In the Rules section under Security Updates, make sure **Automatically apply Rule Updates to Policies** is selected. For Deep Security as a Service, rule updates are automatically applied by default.
4. Click **Alerts > Configure Alerts**.
5. In the Alert Configuration window, click the **New Pattern Update is Downloadable and Available** alert and then click **Properties**.
6. On the Alert Information window, deselect **Send Email to notify when this alert is raised** and then click **OK**.
7. Click the **Computer Not Receiving Updates** alert and then click **Properties**.
8. Make sure **Send Email to notify when this alert is raised** is selected, and click **OK**. The alert is raised when an update is pending for 7 days.
9. To raise the alert after a different amount of time has passed since the update was pending, click **Administration > System Settings > Alerts**.
10. In the alerts area, use the drop-down to select the period of time, and then click **Save**.

## Harden Deep Security

There are several measures you can take to increase the security of your Deep Security deployment.

- ["Protect Deep Security Manager with an agent" below](#)
- ["Replace the Deep Security Manager SSL certificate" on page 702](#)
- ["Encrypt communication between the Deep Security Manager and the database" on page 709](#)
- ["Change the Deep Security Manager database password" on page 716](#)
- ["Enable Content Security Policy and HTTP Public Key Pinning" on page 718](#)
- ["Enforce user password rules" on page 719](#)

## Protect Deep Security Manager with an agent

To protect the Deep Security Manager, install an Agent on its host computer and apply the Deep Security Manager policy.

1. Install an Agent on the same computer as the Manager.
2. On the **Computers** page, add the Manager's computer. Do not choose to apply a Policy at this time.
3. Double-click the new computer in the **Computers** page to display its **Details** window and go to **Intrusion Prevention > Advanced > SSL Configurations**.
4. A listing of the SSL Configurations for this computer will be displayed. Click **New** to start the wizard to create a new SSL Configuration.
5. Specify the interface used by the Manager. Click **Next**.
6. On the **Port** page, select whether to protect the Deep Security Manager GUI's port number. Click **Next**.
7. Specify whether SSL Intrusion Prevention analysis should take place on all IP addresses for this computer, or just one. (This feature can be used to set up multiple virtual computers on a single computer.)
8. Next, choose to "Use the SSL Credentials built into the Deep Security Manager". (This option only appears when creating an SSL Configuration for the Manager's computer.) Click **Next**.
9. Finish the wizard and close the **SSL Configuration** page.
10. Return to the computer's **Details** window. Apply the **Deep Security Manager Policy**, which includes the Firewall Rules and Intrusion Prevention Rules required to protect the Deep Security Manager's GUI port number.

## Trend Micro Deep Security for Azure Marketplace 11.1

You have now protected the Manager's computer and are now filtering the traffic (including SSL) to the Manager.

**Note:** After configuring the Agent to filter SSL traffic, you may notice that the Deep Security Agent will return several **Renewal Error** events. These are certificate renewal errors caused by the new SSL certificate issued by the Manager computer. To fix this, refresh the web page and reconnect to the Deep Security Manager's GUI.

The **Deep Security Manager** Policy has the basic Firewall Rules assigned to enable remote use of the Manager. Additional Firewall Rules may need to be assigned if the Manager's computer is being used for other purposes. The Policy also includes the Intrusion Prevention Rules in the **Web Server Common** Application Type. Additional Intrusion Prevention Rules can be assigned as desired.

Because the **Web Server Common** Application Type typically filters on the **HTTP** Port List and does not include the Deep Security Manager GUI's port number, it is added as an override to the ports setting in the **Intrusion Prevention Rules** page of the Policy's **Details** window.

For more information on SSL data inspection, see ["Inspect SSL or TLS traffic" on page 519](#).

## Protect Deep Security Agent

If you have enabled manager-initiated communication (see ["Agent-manager communication" on page 155](#) for details), and by extension, manager-initiated activation, it is highly recommended that you bind the agent to a specific manager during this activation. For details, see the section below.

### Bind Deep Security Agent to a specific Deep Security Manager

If manager-initiated activation is enabled between Deep Security Agent and Deep Security Manager, Trend Micro strongly recommends that you protect the agent by allowing it to only be contacted by a known and specific manager during the activation. This configuration should be used if you are in an environment that might include malicious Deep Security Managers.

To bind the agent to a manager, you'll need to export the SSL certificate that is used for securing agent-manager communication, and then add it to the agent computer. Follow these instructions:

## Trend Micro Deep Security for Azure Marketplace 11.1

1. On the Deep Security Manager, export the Deep Security Manager SSL certificate by running this command:

```
dsm_c -action exportdsmcert -output ds_agent_dsm.crt
```

where:

- `ds_agent_dsm.crt` must be specified exactly as shown (you cannot use another name). It is the name of the Deep Security Manager SSL certificate that is used to secure the communication between the agent and manager.
2. On the computer that hosts the agent that you plan to activate, place the `ds_agent_dsm.crt` file in one of these locations:
    - **Windows:** `%ProgramData%\Trend Micro\Deep Security Agent\dsa_core`
    - **Linux:** `/var/opt/ds_agent/dsa_core`

You have now added the Deep Security Manager certificate to the agent. The agent now only accepts activations from the Deep Security Manager that owns the certificate.

**Note:** After completing these steps, the agent enters a 'pre-activated' state. While in this state, operations initiated by other Deep Security Managers or by the agent's local `dsa_control` utility do not work properly, by design. After the agent is fully activated, all normal operation resumes.

**Note:** After resetting or deactivating an agent, the Deep Security Manager certificate is cleared, so the above steps must be re-applied.

## Replace the Deep Security Manager SSL certificate

Deep Security Manager creates a 10-year self-signed certificate for the connections between the Deep Security Manager console and users' web browsers. However, for added security, you can replace it with certificates from a trusted certificate authority (CA). (Such certificates are maintained after a Deep Security Manager upgrade.)

You will be working with the following two Deep Security Manager keystore files

## Trend Micro Deep Security for Azure Marketplace 11.1

- `<DSM_installation_folder>/jre/lib/security/cacerts`

The `cacerts` file contains the Deep Security Manager trusted public keys for the CA server, intermediate CA server and the Deep Security application server.

- `<DSM_installation_folder>/keystore`

The `keystore` file contains the certificate and private key for the Deep Security application server. To use your own certificate(s), you will need to import them to the `keystore` file.

To replace the SSL certificate in a **Windows** environment you will need to:

1. ["Create a new .keystore file and add your certificates to the cacerts file" on the next page](#)
2. ["Create a PKCS12 keychain file and import it into the new .keystore file" on page 705](#)
3. ["Configure Deep Security Manager to use the new .keystore file" on page 706](#)

To replace the SSL certificate in a **Linux** environment you will need to:

1. ["Create a new .keystore file and add your certificates to the cacerts file" on page 707](#)
2. ["Create a PKCS12 keychain file and import it into the new .keystore file" on page 708](#)
3. ["Configure the Deep Security Manager to use the new .keystore file" on page 709](#)

**Note:** If you have enabled FIPS mode (see ["FIPS 140-2 support" on page 991](#)), you will need to disable FIPS mode before replacing the certificate and then re-enable FIPS mode when you're finished.

## See your trusted certificates

Click **Administration > System Settings > Security > View Certificate List** to view a list of all security certificates accepted by Deep Security Manager.

## Replace the SSL certificate in a Windows environment

Create a new `.keystore` file and add your certificates to the `cacerts` file

1. Create backups of the following files:

- `<DSM_installation_folder>/jre/lib/security/cacerts`
- `<DSM_installation_folder>/keystore`
- `<DSM_installation_folder>/configuration.properties`

2. Create a new `.keystore` file:

```
"%ProgramFiles%\Trend Micro\Deep Security Manager\jre\bin\keytool.exe" -genkey  
-alias tomcat -keyalg RSA -dname cn=<Deep Security Manager server host name or  
FQDN> -storepass <keystore password>
```

3. Generate a certificate signing request file from the new `.keystore` file with the following commands:

```
cd "%ProgramFiles%\Trend Micro\Deep Security Manager\jre\bin\  
keytool.exe -certreq -keyalg RSA -alias tomcat -keystore  
%userprofile%\keystore -storepass <keystore password> -file certrequest.csr
```

4. Send the `certrequest.csr` file to your CA for signing. Your CA will provide you with the following certificates:

Root CA certificate: `rootCA.cer`

Intermediate CA certificate: `intermediateCA.cer`

Application server certificate: `dsm.cer`

5. Move the certificates and the new `.keystore` file into the `%userprofile%\certs\` directory.

6. Import the certificates into the `cacerts` file with the following commands:

**Note:** The `cacerts` file requires a unique alias for each certificate. If you have multiple intermediate CA certificates, each one should have a unique alias (for example,

## Trend Micro Deep Security for Azure Marketplace 11.1

intermd1, intermd2, intermd3). You must import the certificates in the same order as that determined by your CA.

```
cd "%ProgramFiles%\Trend Micro\Deep Security Manager\jre\bin\"
```

```
keytool.exe -import -alias root -trustcacerts -file  
%userprofile%\certs\rootCA.cer -keystore "%ProgramFiles%\Trend Micro\Deep  
Security Manager\jre\lib\security\cacerts" -storepass changeit
```

```
keytool.exe -import -alias intermd1 -trustcacerts -file  
%userprofile%\certs\intermediateCA.cer -keystore "%ProgramFiles%\Trend  
Micro\Deep Security Manager\jre\lib\security\cacerts" -storepass changeit
```

```
keytool.exe -import -alias tomcat -trustcacerts -file  
%userprofile%\certs\dsm.cer -keystore "%ProgramFiles%\Trend Micro\Deep  
Security Manager\jre\lib\security\cacerts" -storepass changeit
```

### Create a PKCS12 keychain file and import it into the new .keystore file

To maintain the relationship between the certificates, you must create a PKCS12 keychain file and import the root CA, the intermediate CA and the application server certificates into it using [openssl](#).

1. Generate the private key from the new `.keystore` file with the following commands:

```
cd %ProgramFiles%\Trend Micro\Deep Security Manager\jre\bin\
```

```
keytool.exe -importkeystore -srckeystore %userprofile%\certs\.keystore -  
srcstorepass <keystore password> -deststoretype PKCS12 -destkeystore  
%userprofile%\certs\keystore.p12 -storepass <p12 keystore password>
```

```
cd %ProgramFiles(x86)%\GnuWin32\bin\
```

```
openssl pkcs12 -in %userprofile%\certs\keystore.p12 -passin pass:<above p12  
keystore password you specified> -nocerts -out %userprofile%\certs\private.pem  
-passout pass:<private pem password>
```

```
openssl rsa -in %userprofile%\certs\private.pem -passin pass:<above private  
pem password> -out %userprofile%\certs\private.key
```

2. Create a certificate for the keychain file from the root and intermediate CA certificates:

**Note:** Combine the certificates in the order provided by your CA.

## Trend Micro Deep Security for Azure Marketplace 11.1

```
copy %userprofile%\certs\intermediateCA.cer+%userprofile%\certs\rootCA.cer
%userprofile%\certs\CACertchain.cer
```

### 3. Create the PKCS12 keychain:

**Note:** You will need to create the PKCS12 keychain in a Linux environment. At the time of this article's publication, there is an openssl bug in Windows that will cause openssl to crash if you use the `-name` option. As Java requires each key have an alias, you will not be able to import the PKCS12 keychain into the new `.keystore` file without using this option. Create the PKCS12 keychain in a Linux environment with the below command.

```
openssl pkcs12 -export -in ~/certs/dsm.cer -inkey ~/certs/private.key -
certfile ~/certs/CACertchain.cer -out dsm.p12 -name tomcat -passout
pass:<keychain password>
```

### 4. Import the PKCS12 keychain into the new `.keystore` file:

```
cd %ProgramFiles%\Trend Micro\Deep Security Manager\jre\bin\
keytool.exe -importkeystore -srckeystore %userprofile%\certs\dsm.p12 -
srcstoretype pkcs12 -srcalias tomcat -srcstorepass <keychain password> -
destkeystore %userprofile%\certs\.keystore -storepass <keystore password> -
destalias tomcat
```

## Configure Deep Security Manager to use the new `.keystore` file

### 1. Overwrite the `.keystore` file in the Deep Security Manager installation directory with the new `.keystore` file:

**Note:** Only the default `.keystore` file is kept when you upgrade Deep Security Manager. We recommend that you replace the existing `.keystore` file.

### 2. Open the `configuration.properties` file, find the `keystorekeystorePass=` parameter, and replace the value with the one you specified for the `<keystore password>` in step 2 of the ["Create a new .keystore file and add your certificates to the cacerts file"](#) on page 704 procedure.

### 3. Restart the Deep Security Manager service.

### 4. Open the Deep Security Manager console with `https://< Deep Security Manager server host name or FQDN>:4119` and make sure there is no certificate error message. The `<Deep`

`<Security Manager server host name or FQDN>` should be the one used in step 2 of the ["Create a new .keystore file and add your certificates to the cacerts file" on page 704](#) procedure.

## Replace the SSL certificate in a Linux environment

### Create a new .keystore file and add your certificates to the cacerts file

1. Create backups of the following files:

```
<DSM_installation_folder>/jre/lib/security/cacerts
```

```
<DSM_installation_folder>/keystore
```

```
<DSM_installation_folder>/configuration.properties
```

2. Create a new `.keystore` file:

```
/opt/dsm/jre/bin/keytool -genkey -alias tomcat -keyalg RSA -dname cn=<Deep Security Manager server host name or FQDN> -storepass <keystore password>
```

3. Generate a certificate signing request file from the new `.keystore` file:

```
/opt/dsm/jre/bin/keytool -certreq -keyalg RSA -alias tomcat -keystore ~/.keystore -storepass <keystore password> -file certrequest.csr
```

4. Send the `certrequest.csr` file to your CA for signing. Your CA will provide you with the following certificates:

Root CA certificate: `rootCA.cer`

Intermediate CA certificate: `intermediateCA.cer`

Application server certificate: `dsm.cer`

5. Move the certificates and the new `.keystore` file into the `~/certs` directory.
6. Import the certificates into the `cacerts` file with the following commands:

**Note:** The `cacerts` file requires a unique alias for each certificate. If you have multiple intermediate CA certificates, each one should have a unique alias (for example,

intermd1, intermd2, intermd3). You must import the certificates in the same order as that determined by your CA.

```
keytool -import -alias root -trustcacerts -file ~/certs/rootCA.cer -keystore /opt/dsm/jre/lib/security/cacerts -storepass changeit
```

```
keytool -import -alias intermd1 -trustcacerts -file ~/certs/intermediateCA.cer -keystore /opt/dsm/jre/lib/security/cacerts -storepass changeit
```

```
keytool -import -alias tomcat -trustcacerts -file ~/certs/dsm.cer -keystore /opt/dsm/jre/lib/security/cacerts -storepass changeit
```

### Create a PKCS12 keychain file and import it into the new .keystore file

To maintain the relationship between the certificates, you must create a PKCS12 keychain file and import the root CA, the intermediate CA and the application server certificates into it using [openssl](#).

1. Generate the private key from the new `.keystore` file with the following commands:

```
/opt/dsm/jre/bin/keytool -importkeystore -srckeystore ~/certs/.keystore -srcstorepass <keystore password> -deststoretype PKCS12 -destkeystore ~/certs/keystore.p12 -storepass <p12 keystore password>
```

```
openssl rsa -in ~/certs/keystore.p12 -inform PKCS12 -passin pass:<above p12 keystore password you specified> -out ~/certs/private.key
```

2. Create a certificate for the keychain file from the root and intermediate CA certificates:

```
cat ~/certs/intermediateCA.cer ~/certs/rootCA.cer > ~/certs/CAcertchain.cer
```

**Note:** Combine the certificates in the order provided by your CA.

3. Create the PKCS12 keychain:

```
openssl pkcs12 -export -in ~/certs/dsm.cer -inkey ~/certs/private.key -certfile ~/certs/CAcertchain.cer -out dsm.p12 -name tomcat -passout pass:<keychain password>
```

4. Import the PKCS12 keychain into the new `.keystore` file:

## Trend Micro Deep Security for Azure Marketplace 11.1

```
/opt/dsm/jre/bin/keytool -importkeystore -srckeystore ~/certs/dsm.p12 -
srcstoretype pkcs12 -srcalias tomcat -srcstorepass <keychain password> -
destkeystore ~/certs/.keystore -storepass <keystore password> -destalias
tomcat
```

### Configure the Deep Security Manager to use the new .keystore file

1. Overwrite the `.keystore` file in the Deep Security Manager installation directory with the new `.keystore` file:

```
cp ~/certs/.keystore /opt/dsm/.keystore
```

**Note:** Only the default `.keystore` file is kept when you upgrade Deep Security Manager. We recommend that you replace the existing `.keystore` file.

2. Open the `configuration.properties` file, find the `keystorekeystorePass=` parameter, and replace the value with the one you specified for the `<keystore password>` in step 2 of the ["Create a new .keystore file and add your certificates to the cacerts file"](#) on page 704 procedure.
3. Restart the Deep Security Manager service.
4. Open the Deep Security Manager console with `https://< Deep Security Manager server host name or FQDN>:4119` and make sure there is no certificate error message. The `<Deep Security Manager server host name or FQDN>` should be the one used in step 2 of the ["Create a new .keystore file and add your certificates to the cacerts file"](#) on page 704 procedure.

## Encrypt communication between the Deep Security Manager and the database

Communication between the Deep Security Manager and the database is not encrypted by default. This is for performance reasons and because the channel between the manager and the database may already be secure (either they are running on the same computer or they are connected by crossover cable, a private network segment, or tunneling via IPSec).

However, if the communication channel between the Deep Security Manager and the database is not secure, you should encrypt the communications between them. Do this by editing the

## Trend Micro Deep Security for Azure Marketplace 11.1

`dsm.properties` file located in `\[Deep Security Manager install directory]\webclient\webapps\ROOT\WEB-INF\`

The instructions vary depending on the database you are using:

- ["Microsoft SQL Server database \(Linux\)" below](#)
- ["Microsoft SQL Server \(Windows\)" on the next page](#)
- ["Oracle Database" on page 712](#)
- ["PostgreSQL" on page 713](#)

**Note:** If you are running the Deep Security Manager in multi-node mode, these changes must be made on each node.

This section also provides information on ["Running an agent on the database server" on page 714](#) and how to ["Disable encryption between the manager and database" on page 714](#).

## Encrypt communication between the manager and database

### Microsoft SQL Server database (Linux)

1. Stop the Deep Security Manager service:

```
# service dsm_s stop
```

2. Edit `/opt/dsm/webclient/webapps/ROOT/WEB-INF/dsm.properties` to add the following lines:

```
database.SqlServer.encrypt=true
```

```
database.SqlServer.trustServerCertificate=true
```

**Note:** If you upgraded from Deep Security 10.1 or a previous version, and your connection to the database uses named pipes as the transport, add the following line instead:



```
database.SqlServer.ssl=require
```

3. If you upgraded from Deep Security 10.1 or a previous version, and your connection to the database uses named pipes as the transport, under `/opt/dsm`, create a file named `dsm_s.vmoptions` that contains the following line:

```
-Djsse.enableCBCProtection=false
```

## Trend Micro Deep Security for Azure Marketplace 11.1

4. In the SQL Server Configuration Manager, enable "Force Encryption" in the protocol properties for the instance:



5. Start the Deep Security Manager service:

```
# service dsm_s start
```

For additional information, see [Enable Encrypted Connections to the Database Engine](#) on the Microsoft MSDN site.

## Microsoft SQL Server (Windows)

1. Stop the Deep Security Manager service.
2. Edit `\Program Files\Trend Micro\Deep Security Manager\webclient\webapps\ROOT\WEB-INF\dsm.properties` to add the following line:

```
database.SqlServer.encrypt=true  
database.SqlServer.trustServerCertificate=true
```

**Note:** If you upgraded from Deep Security 10.1 or a previous version, and your connection to the database uses named pipes as the transport, add the following line instead:



```
database.SqlServer.ssl=require
```

## Trend Micro Deep Security for Azure Marketplace 11.1

3. If you upgraded from Deep Security 10.1 or a previous version, and your connection to the database uses named pipes as the transport, under `\Program Files\Trend Micro\Deep Security Manager`, create a file named `Deep Security Manager.vmoptions` that contains the following line:

```
-Djsse.enableCBCProtection=false
```

4. In the SQL Server Configuration Manager, enable "Force Encryption" in the protocol properties for the instance:



5. Start the Deep Security Manager service.

For additional information, see [Enable Encrypted Connections to the Database Engine](#) on the Microsoft MSDN site.

## Oracle Database

1. Add the following lines to `dsm.properties` (example):

```
database.Oracle.oracle.net.encrypted_types_client=(AES256)
```

```
database.Oracle.oracle.net.encrypted_client=REQUIRED
```

```
database.Oracle.oracle.net.crypto_checksum_types_client=(SHA1)
```

## Trend Micro Deep Security for Azure Marketplace 11.1

```
database.Oracle.oracle.net.crypto_checksum_client=REQUIRED
```

2. Save and close the file. "[Restart the Deep Security Manager](#)" on page 680 service.

(All parameters prefixed with database.Oracle. will be passed to the Oracle driver.)

Possible values for the `encryption_types_client` are:

- AES256
- AES192
- AES128
- 3DES168
- 3DES112
- DES56C
- DES40C
- RC4\_256
- RC4\_128
- RC4\_40
- RC4\_56

Possible values for `crypto_checksum_types_client` are:

- MD5
- SHA1

For additional options consult: [https://docs.oracle.com/cd/B28359\\_01/java.111/b31224/clntsec.htm](https://docs.oracle.com/cd/B28359_01/java.111/b31224/clntsec.htm)

## PostgreSQL

1. Turn on SSL in PostgreSQL. For information, on how to do this for an on-premise PostgreSQL database, see [Secure TCP/IP Connections with SSL](#). For an Amazon RDS for PostgreSQL, see [Using SSL with a PostgreSQL DB Instance](#).
2. Stop the Trend Micro Deep Security Manager service.
3. In the `dsm.properties` file, add the following line:

```
database.PostgreSQL.connectionParameters=ssl=true
```

## Trend Micro Deep Security for Azure Marketplace 11.1

- Restart the Trend Micro Deep Security Manager service.
- To check that the manager is connecting using TLS, use the following query and check the SSL column:

```
select a.client_addr, a.application_name, a.username, s.* from pg_stat_ssl s
join pg_stat_activity a using (pid) where a.datname='<Deep Security database
name>';
```

## Running an agent on the database server

Encryption should be enabled if you are using an agent to protect the database. When you perform a security update, the Deep Security Manager stores new intrusion prevention rules in the database. The rule names themselves will almost certainly generate false positives as they get parsed by the agent if the data is not encrypted.

## Disable encryption between the manager and database

If you have encrypted communication between Deep Security Manager and the database, you will need to disable the encryption before performing an upgrade to Deep Security Manager.

### Microsoft SQL Server database (Linux)

- Stop the Deep Security Manager service:

```
# service dsm_s stop
```

- Edit the `/opt/dsm/webclient/webapps/ROOT/WEB-INF/dsm.properties` to remove the following lines:

```
database.SqlServer.encrypt=true
database.SqlServer.trustServerCertificate=true
```

**Note:** If you upgraded from Deep Security 10.1 or a previous version, and your connection to the database uses named pipes as the transport, remove the following line instead:

```
database.SqlServer.ssl=require
```

- In the SQL Server Configuration Manager, disable "Force Encryption" in the protocol properties for the instance:
- Start the Deep Security Manager service:

```
# service dsm_s start
```

### Microsoft SQL Server (Windows)

1. Stop the Deep Security Manager service.
2. Edit `\Program Files\Trend Micro\Deep Security Manager\webclient\webapps\ROOT\WEB-INF\dsm.properties` to remove the following lines:  
`database.SqlServer.encrypt=true`  
`database.SqlServer.trustServerCertificate=true`  
**Note:** If you upgraded from Deep Security 10.1 or a previous version, and your connection to the database uses named pipes as the transport, remove the following line instead:  
`database.SqlServer.ssl=require`
3. In the SQL Server Configuration Manager, disable "Force Encryption" in the protocol properties for the instance:
4. Start the Deep Security Manager service.

### Oracle Database

1. Remove the following lines from `dsm.properties` (example):

```
database.Oracle.oracle.net.encryption_types_client=(AES256)
database.Oracle.oracle.net.encryption_client=REQUIRED
database.Oracle.oracle.net.crypto_checksum_types_client=(SHA1)
database.Oracle.oracle.net.crypto_checksum_client=REQUIRED
```

2. Save and close the file. Stop and restart the Deep Security Manager service.

### PostgreSQL

1. Stop the Trend Micro Deep Security Manager service.
2. In the `dsm.properties` file, remove the following line:  
`database.PostgreSQL.connectionParameters=ssl=true`
3. Restart the Trend Micro Deep Security Manager service.

## Change the Deep Security Manager database password

Your organization's security policies may require that you periodically change the password that Deep Security Manager uses to access the database.

- ["Change your Microsoft SQL Server password" below](#)
- ["Change your Oracle password" on the next page](#)
- ["Change your PostgreSQL password" on the next page](#)

## Change your Microsoft SQL Server password

1. On Windows, stop the Trend Micro Deep Security Manager service on each of your Deep Security Manager instances.

On Linux, the command to stop the service is:

```
# service dsm_s stop
```

2. Use SQL Server Management Studio to change the SQL user password.
3. On each Deep Security Manager instance, modify the

`/opt/dsm/webclient/webapps/ROOT/WEB-INF/dsm.properties` file to specify the new password. When you open this file, you will see an obfuscated value for the password, similar to this:

```
database.SqlServer.password=$1$4ec04f9550e0bf378fa6b1bc9698d0bbc59ac010bfef7ea1e6e47f30394800b1a9554fe206a3ee9ba5f774d205ba03bb86c91c0664c7f05f8c467e03e0d8ebbe
```

Overwrite that value with your new password (the new password will be obfuscated when the service restarts):

```
Database.SqlServer.password=NEW PASSWORD GOES HERE
```

4. On Windows, start the Trend Micro Deep Security Manager service on each of your Deep Security Manager instances.

On Linux, the command to start the service is:

```
# service dsm_s start
```

## Change your Oracle password

1. On Windows, stop the Trend Micro Deep Security Manager service on each of your Deep Security Manager instances.

On Linux, the command to stop the service is:

```
# service dsm_s stop
```

2. Use your Oracle tools to change the password.
3. On each Deep Security Manager instance, modify the

`/opt/dsm/webclient/webapps/ROOT/WEB-INF/dsm.properties` file to specify the new password. When you open this file, you will see an obfuscated value for the password, similar to this:

```
database.Oracle.password=$1$4ec04f9550e0bf378fa6b1bc9698d0bbc59ac010bfef7ea1e6e47f30394800b1a9554fe206a3ee9ba5f774d205ba03bb86c91c0664c7f05f8c467e03e0d8ebbe
```

Overwrite that value with your new password (the new password will be obfuscated when the service restarts):

```
Database.Oracle.password=NEW PASSWORD GOES HERE
```

4. On Windows, start the Trend Micro Deep Security Manager service on each of your Deep Security Manager instances.

On Linux, the command to start the service is:

```
# service dsm_s start
```

## Change your PostgreSQL password

1. On Windows, stop the Trend Micro Deep Security Manager service on each of your Deep Security Manager instances.

On Linux, the command to stop the service is:

```
# service dsm_s stop
```

2. Follow instructions from your PostgreSQL documentation to change the password.

3. On each Deep Security Manager instance, modify the

`/opt/dsm/webclient/webapps/ROOT/WEB-INF/dsm.properties` file to specify the new password. When you open this file, you will see an obfuscated value for the password, similar to this:

```
database.PostgreSQL.password=$1$4ec04f9550e0bf378fa6b1bc9698d0bbc59ac010bfef7ea1e6e47f30394800b1a9554fe206a3ee9ba5f774d205ba03bb86c91c0664c7f05f8c467e03e0d8ebbe
```

Overwrite that value with your new password (the new password will be obfuscated when the service restarts):

```
Database.PostgreSQL.password=NEW PASSWORD GOES HERE
```

4. On Windows, start the Trend Micro Deep Security Manager service on each of your Deep Security Manager instances.

On Linux, the command to start the service is:

```
# service dsm_s start
```

## Enable Content Security Policy and HTTP Public Key Pinning

Enabling Content Security Policy and HTTP Public Key Pinning in the Deep Security Manager can provide additional protection against cross-site scripting attacks and fraudulent certificates.

**Note:** In multi-tenant mode, the Content Security Policy and HTTP Public Key Pin Policy settings are only available to the primary tenant.

### Add a content security policy or public key pin policy

1. Go to **Administration > System Settings > Security**.
2. Enter your Content Security Policy or HTTP Public Key Pin Policy directives in the corresponding field.

**Note:** Before you enable your policies, test them by selecting the **Report Only** option and verifying that the policy violation reports are correct.

**Tip:** You can enter individual policy directives on separate lines.

3. Click **Save** at the bottom of the page.

### Reset your configuration

If you experience trouble while configuring your content security policy or public key pin policy and cannot correct it in the Deep Security Manager, SSH into the Deep Security Manager and run the corresponding commands to reset your configuration(s):

#### Content security policy

```
dsm_c -action changesetting -name settings.configuration.contentSecurityPolicy -value ""
```

```
dsm_c -action changesetting -name settings.configuration.contentSecurityPolicyReportOnly -value "true"
```

#### Public key pin policy

```
dsm_c -action changesetting -name settings.configuration.publicKeyPinPolicy -value ""
```

```
dsm_c -action changesetting -name settings.configuration.publicKeyPinPolicyReportOnly -value "true"
```

### Enforce user password rules

You can specify password requirements for Deep Security Manager passwords, and other settings related to user authentication.

#### Specify password requirements

**Note:** For greater security, enforce stringent password requirements: minimum 8 characters, include both numbers and letters, use upper and lower case, include non-alphanumeric characters, and expire regularly.

Go to **Administration > System Settings > Security**. In the **User Security** section, you can change these settings:

- **Session idle timeout:** Specify the period of inactivity after which a user will be required to sign in again.

- **Maximum session duration:** Maximum length of time that a user can be signed into the Deep Security Manager before they'll be required to sign in again.
- **Number of incorrect sign-in attempts allowed (before lock out):** The number of times an individual user (i.e. with a specific username) can attempt to sign in with an incorrect password before they are locked out. Only a user with "Can Edit User Properties" rights can unlock a locked-out user (see "[Define roles for users](#)" on page 937).

**Note:** If a user gets locked out for a particular reason (too many failed sign-in attempts, for example), and no user remains with the sufficient rights to unlock that account, please contact Trend Micro for assistance.

- **Number of concurrent sessions allowed per User:** Maximum number of simultaneous sessions allowed per user.

**Note:** A note about being signed in as two users at once: Remember that Firefox sets session cookies on a per-process basis, and not on a per-window basis. This means that if for some reason you want to be signed in as two users at the same time, you will either have to use two different browsers (if one of them is Firefox), or sign in from two separate computers.

- **Action when concurrent session limit is exceeded:** Specifies what happens when a user reaches the maximum number of concurrent sessions.
- **User password expires:** Number of days that passwords are valid. You can also set passwords to never expire.
- **User password minimum length:** The minimum number of characters required in a password.
- **User password requires both letters and numbers:** Letters (a-z, A-Z) as well as numbers (0-9) must be used as part of the password.
- **User password requires both upper and lower case characters:** Upper and lower case characters must be used.
- **User password requires non-alphanumeric characters:** Passwords must include non-alphanumeric characters.

- **Send email when a user's password is about the expire:** Before a user's password expires, they will receive an email message. To use this feature, you must ["Configure SMTP settings for email notifications" on page 134](#).

### Use another identity provider for sign-on

You can also configure Deep Security to use SAML single sign-on. For details, see ["Getting started with SAML single sign-on" on page 957](#).

### Add a message to the Deep Security Manager Sign In page

On the **Administration > System Settings > Security** page, use **Sign-In Page Message** to enter text that will be displayed on the Deep Security Manager's sign in page.

### Present users with terms and conditions

You can configure Deep Security Manager so that users must agree to terms and conditions before they can sign in to the Deep Security Manager.

To enable this feature, select **User must agree to the terms and conditions** on the **Administration > System Settings > Security** page. In the two text boxes, enter a title and the list of terms and conditions that will be displayed when a user clicks the **Terms and Conditions** link on the Sign In page.

### Other Security settings

The **Administration > System Settings > Security** page also enables you to:

- ["Manage trusted certificates" on page 175](#)
- ["Enable Content Security Policy and HTTP Public Key Pinning" on page 718](#)

### Set up multi-factor authentication

The Deep Security Manager allows you the option to use multi-factor authentication (MFA). MFA is a method of access control requiring more than a user name and password that is recommended as a best practice.

In this article:


- ["Enable multi-factor authentication" below](#)
- ["Disable multi-factor authentication" on page 724](#)
- ["Supported multi-factor authentication \(MFA\) applications" on page 724](#)
- ["Troubleshooting MFA" on page 725](#)

### Enable multi-factor authentication


1. In Deep Security Manager, select **User Properties** from the menu under your user name in the upper-right corner.
2. On the **General** tab, click the **Enable MFA** button. This will open the **Enable Multi-Factor Authentication** wizard to guide you through the rest of the process.
3. The first screen of the wizard will remind you to install a compatible virtual MFA application, such as Google Authenticator. For more information, see ["Supported multi-factor authentication \(MFA\) applications" on page 724](#) at the bottom of this article.
4. If your device supports scanning QR codes, you can use your camera to configure your MFA application and click **Next**.

Otherwise, you can choose **My device does not support scanning QR codes. Show secret key for manual time-based configuration**.

5. Enter the **Authentication Code** (without the space), for example: 228045.




6. If the authorization code is correct, MFA will be enabled for your account and you will be required to enter a new MFA code each time you sign in.



## Disable multi-factor authentication

1. In the Deep Security Manager, select **User Properties** from the menu under your user name in the upper-right corner.
2. On the **General** tab, click the **Disable MFA** button.
3. Click **OK** on the confirmation screen to disable MFA.



4. Your user properties screen displays with a note to indicate the changes to MFA. Click **OK** to close the screen.

## Supported multi-factor authentication (MFA) applications

The following smartphones and applications are actively supported for MFA. However, any application implementing an RFC 6238 compliant Time-base One-time Password Algorithm should work.

Smartphone	MFA App
Android	<a href="#">Google Authenticator</a> , <a href="#">Duo</a>
iPhone	<a href="#">Google Authenticator</a> , <a href="#">Duo</a>
Blackberry	<a href="#">Google Authenticator</a>

## Troubleshooting MFA

### What if my MFA is enabled but not working?

The most common source of MFA login issues is caused by the time on your Deep Security Manager being out of sync with your device.

Follow the instructions below for your chosen operating system to make sure the time is properly synced:

#### If your Deep Security Manager is Linux:

Check that NTP is working correctly by entering `ntpstat` in the command line. To view the current system time and date, enter `date`.

#### If your Deep Security Manager is Windows:

Check that the Windows Time Service is working correctly. To view the current system time and date, enter `time` and `date` in the command line.

### What if my MFA device is lost or stops working?

If your MFA device is lost, destroyed, or stops working, you'll need to have MFA disabled for your account in order to be able to sign in.

1. Get in touch with the person who provided you with your sign in credentials and ask them to follow the instructions in ["Disable multi-factor authentication" on the previous page](#). (You'll then be able to sign in with just your user name and password.)
2. After you've signed in, change your password.
3. Follow the instructions for ["Enable multi-factor authentication" on page 722](#).

If you are the only administrative user for a Deep Security as a Service account, contact technical support (sign in Deep Security as a Service, and click **Support** in the top right-hand corner) for assistance in temporarily deactivating MFA for your account.

## Configure alerts

Alerts are generated when Deep Security requires your attention, such as an administrator-issued command failing, or a hard disk running out of space. Deep Security includes a pre-defined set of alerts (for a list, see ["Predefined alerts" on page 847](#)). Additionally, when you create protection module rules, you can configure them to generate alerts if they are triggered.

There are several ways to see which alerts have been triggered:

- They're displayed in the "Alert Status" dashboard widget in Deep Security Manager.
- They're displayed on the Alerts page in Deep Security Manager (see ["View alerts in Deep Security Manager" below](#)).
- You can get an email notification when an alert is triggered (see ["Set up email notification for alerts" on the next page.](#))
- You can generate alert reports (see ["Generate reports about alerts and other activity" on page 730](#)).

Unlike security events and system events, alerts are not purged from the database after a period of time. Alerts remain until they are dismissed, either manually or automatically.

## View alerts in Deep Security Manager

The **Alerts** page in Deep Security Manager displays all alerts that have been triggered, but not yet responded to. You can display alerts in a summary view that groups similar alerts together, or in list view, which lists all alerts individually. To switch between the two views, use the menu next to "Alerts" in the page's title. You can also sort the alerts by time or by severity.

In summary view, expanding an Alert panel (by clicking **Show Details**) displays all the computers (or users) that have generated that particular alert. Clicking the computer will display the computer's **Details** window. If an alert applies to more than five computers, an ellipsis ("...") appears after the fifth computer. Clicking the ellipsis displays the full list. Once you have taken the appropriate action to deal with an alert, you can dismiss the alert by selecting the check box next to the target of the alert and clicking **Dismiss**. (In list view, right-click the alert to see the list of options in the context menu.)

Alerts that can't be dismissed (like "Relay Update Service Not Available") will be dismissed automatically when the condition no longer exists.

**Note:** In cases where an alert condition occurs more than once on the same computer, the alert will show the timestamp of the first occurrence of the condition. If the alert is dismissed and the condition reoccurs, the timestamp of the first re-occurrence will be displayed.

**Tip:** Use the Computers filtering bar to view only alerts for computers in a particular computer group, with a particular policy, etc.

Unlike security events and system events, alerts are not purged from the database after a period of time. Alerts remain until they are dismissed, either manually or automatically.

## Configure alert settings

To configure the settings for individual alerts, go to the **Alerts** page in Deep Security Manager and click **Configure Alerts**. This displays a list of all alerts. A green check mark next to an alert indicates that it is enabled. An alert will be triggered if the corresponding situation occurs, and it will appear in the Deep Security Manager.

You can select an alert and click **Properties** to change other settings for the alert, such as the severity level and email notification settings.

## Set up email notification for alerts

Deep Security Manager can send emails to specific users when selected alerts are triggered.

To enable email notifications:


1. Give Deep Security Manager access to an SMTP mail server (see ["Configure SMTP settings for email notifications" on page 134](#)).
2. Specify which alerts cause email notifications to be sent. For example, you can send email only for the most critical alerts. Most alerts send email notifications by default. (see ["Turn alert emails on or off" on the next page](#)).
3. Specify who will receive email notifications. You can configure user accounts so that they receive alert emails (see ["Configure an individual user to receive alert emails" on page 729](#)). You can also configure alerts to specify the email account of a user or a

## Trend Micro Deep Security for Azure Marketplace 11.1

distribution list. With this option, email is sent regardless of the configuration of the user accounts (see ["Configure recipients for all alert emails" on the next page](#)).

### Turn alert emails on or off

1. Go to the **Alerts** page and click **Configure Alerts** to display the list of alerts.



The screenshot shows the 'Alert Configuration' window with a 'No Grouping' dropdown. Below the title bar is a 'Properties...' button. The main area is a table with columns for 'ALERT', 'SEVERITY', and 'ON'. The 'ON' column contains green checkmarks for all listed alerts. At the bottom, it shows 'Item 1 to 100 of 104' and navigation arrows.

ALERT ^	SEVERITY	ON
Abnormal Restart Detected	Warning	✓
Activation Failed	Critical	✓
Agent configuration package too large	Warning	✓
Agent Installation Failed	Critical	✓
Agent Upgrade Recommended (Incompatible with Appliance)	Warning	✓
Agent/Appliance Upgrade Recommended	Warning	✓
Agent/Appliance Upgrade Recommended (Incompatible Security U...	Warning	✓
Agent/Appliance Upgrade Recommended (New Version Available)	Warning	✓
Agent/Appliance Upgrade Required	Warning	✓
An update to the Rules is available	Warning	✓
Anti-Malware Alert	Warning	✓
Anti-Malware Component Failure	Critical	✓
Anti-Malware Component Update Failed	Warning	✓
Anti-Malware Engine Offline	Critical	✓
Anti-Malware protection is absent or out of date	Warning	✓
Anti-Malware Quarantine Alert for Storage Limit	Warning	✓
Application Control Engine Offline	Critical	✓
Application Type Misconfiguration	Warning	✓
Application Type Recommendation	Warning	
Azure AD Application Need Renew	Critical	✓
Azure AD Application Password Expires Soon	Warning	✓
Azure Key Pair Expired	Critical	✓
Azure Key Pair Expires Soon	Warning	✓

2. A green check mark next to an alert indicates that it is enabled. An alert will be triggered if the corresponding situation occurs, and appear in the Deep Security Manager GUI. If you also want to receive email about the alert, double-click on an alert to display its Properties window, then select at least one of the "Send Email" check boxes.

**General**

**Alert Information**

Alert: Anti-Malware Alert

Description: A Malware Scan Configuration that is configured for alerting has raised an event on one or more computers.

Dismissible: Yes

On  
When on, the alert will be raised when the conditions are met.

**Options**

Severity: Warning

Alert for all rules (Regardless of rule settings)

Send Email to notify when this alert is raised.

Send Email to notify when conditions for this alert change (such as the # of items).

Send Email to notify when this alert no longer exists.

Off  
When off, the alert will not be raised. Use this setting if you do not wish this condition to raise an alert.

OK Cancel Apply

### Configure an individual user to receive alert emails

1. Go to **Administration > User Management > Users** and double-click a user account to display its Properties window.
2. On the **Contact Information** tab, enter an email address and select **Receive Alert Emails**.

### Configure recipients for all alert emails

**Note:** All alert emails will be sent to this address or email distribution list, even if the recipients have not been set up in their user account properties to receive email notifications.

1. Go to **Administration > System Settings > Alerts**.
2. For **Alert Email Address - The email address to which all alert emails should be sent**, provide an email address or a distribution list email address.

## Generate reports about alerts and other activity

Deep Security Manager produces reports in PDF or RTF formats. Most of the reports have configurable parameters such as date range or reporting by computer group. Parameter options will be disabled for reports to which they don't apply. You can set up a one-time report (see "[Set up a single report](#)" below) or set up a schedule to run a report on a regular basis (see "[Set up a recurring report](#)" on page 733).

### Set up a single report

1. In the Deep Security Manager, go to the **Events & Reports** tab and then in the left pane, click **Generate Reports**. Go to the **Single Report** tab.
2. In the **Report** list, select the type of report that you want to generate. Depending on which protection modules you are using, these reports may be available:
  - **Alert Report:** List of the most common alerts
  - **Anti-Malware Report:** List of the top 25 infected computers
  - **Attack Report:** Summary table with analysis activity, divided by mode
  - **AWS Metered Billing Report:** Summary table of AWS Metered Billing consumption in hours per day by instance size and deployment type
  - **Computer Report:** Summary of each computer listed on the Computers tab
  - **DPI Rule Recommendation Report:** Intrusion prevention rule recommendations. This report can be run for only one security policy or computer at a time.
  - **Firewall Report:** Record of firewall rule and stateful configuration activity
  - **Forensic Computer Audit Report:** Configuration of an agent on a computer
  - **Integrity Monitoring Baseline Report:** Baseline of the host(s) at a particular time, showing Type, Key, and Fingerprinted Date.
  - **Integrity Monitoring Detailed Change Report:** Details about the changes detected

- **Integrity Monitoring Report:** Summary of the changes detected
  - **Intrusion Prevention Report:** Record of intrusion prevention rule activity
  - **Log Inspection Detailed Report:** Details of log data that has been collected
  - **Log Inspection Report:** Summary of log data that has been collected
  - **Recommendation Report:** Record of recommendation scan activity
  - **Security Module Usage Cumulative Report:** Current computer usage of protection modules, including a cumulative total and the total in blocks of 100
  - **Security Module Usage Report:** Current computer usage of protection modules
  - **Summary Report:** Consolidated summary of Deep Security activity
  - **Suspicious Application Activity Report:** Information about suspected malicious activity
  - **System Event Report:** Record of system (non-security) activity
  - **System Report:** Overview of computers, contacts, and users
  - **User and Contact Report:** Content and activity detail for users and contacts
  - **Web Reputation Report:** List of computers with the most web reputation events
3. Select the **Format** for the report, either PDF or RTF. (The "Security Module Usage Report" and "Security Module Usage Cumulative Report" are exceptions and are always output as CSV files.)
  4. You can also add an optional **Classification** to PDF or RTF reports: BLANK, TOP SECRET, SECRET, CONFIDENTIAL, FOR OFFICIAL USE ONLY, LAW ENFORCEMENT SENSITIVE (LES), LIMITED DISTRIBUTION, UNCLASSIFIED, INTERNAL USE ONLY.
  5. You can use the **Tag Filter** area to filter the report data using event tags (if you have selected a report that contains event data). Select **All** for all events, **Untagged** for only untagged events, or select **Tag(s)** and specify one or more tags to include only those events with your selected tag(s).

**Note:** If you apply multiple contradicting tags, the tags will counteract each other, rather than combine. For example, if you select "User Signed In" and "User Signed Out", there will be no system events.

6. You can use the **Time Filter** area to set a time filter for any period for which records exist.

This is useful for security audits. Time filter options:

- **Last 24 Hours:** Includes events from the past 24 hours, starting and ending at the top of the hour. For example if you generate a report on December 5th at 10:14am, you will get a report for events that occurred between December 4th at 10:00am and December 5th at 10:00am.
- **Last 7 Days:** Includes events from the past week. Weeks start and end at midnight (00:00). For example if you generate a report on December 5th at 10:14am, you will get a report for events that occurred between November 28th at 0:00am and December 5th at 0:00am.
- **Previous Month:** Includes events from the last full calendar month, starting and ending at midnight (00:00). For example, if you select this option on November 15, you will receive a report for events that occurred between midnight October 1 to midnight November 1.
- **Custom Range:** Enables you to specify your own date and time range for the report. In the report, the start time may be changed to midnight if the start date is more than two days ago.
- **Note:** Reports use data stored in counters. Counters are data aggregated periodically from Events. Counter data is aggregated on an hourly basis for the most recent three days. Data from the current hour is not included in reports. Data older than three days is stored in counters that are aggregated on a daily basis. For this reason, the time period covered by reports for the last three days can be specified at an hourly level of granularity, but beyond three days, the time period can only be specified on a daily level of granularity.

7. In the **Computer Filter** area, select the computers whose data will be included in the report.

- **All Computers:** Every computer in Deep Security Manager
- **My Computers:** If the signed in user has restricted access to computers based on their user role's rights settings, these are the computers the signed in User has view access right to.
- **In Group:** The computers in a Deep Security group.

- **Using Policy:** The computers using a specific protection Policy.
- **Computer:** A single computer.


**Note:** To generate a report on specific computers from multiple computer groups, create a user who has viewing rights only to the computers in question and then either create a scheduled task to regularly generate an "All Computers" report for that user or sign in as that user and run an "All Computers" report. Only the computers to which that user has viewing rights will be included in the report.

8. In the **Encryption** area, you can protect the report with the password of the currently signed in user or with a new password for this report only:
- **Disable Report Password:** Report is not password protected.
  - **Use Current User's Report Password:** Use the current user's PDF report password. To view or modify the user's PDF report password, go to **Administration > User Management > Users > Properties > Settings > Reports**.
  - **Use Custom Report Password:** Create a one-time-only password for this report. The password does not have any complexity requirements.

## Set up a recurring report

Recurring reports are scheduled tasks that periodically generate and distribute reports to any number of users and contacts.

To set up a recurring report, go to the **Events & Reports** tab and then in the left pane, click **Generate Reports**. Go to the **Recurring Reports** tab and click **New**. The New Scheduled Task wizard opens and will step you through the configuration process. Most of the options are identical to those for single reports, with the exception of Time Filter:



The screenshot shows a configuration window with two sections: **Time Filter** and **Computer Filter**. In the **Time Filter** section, there is a text input field labeled "Last" containing the number "1", and a dropdown menu currently showing "Hour(s)". The dropdown menu is open, displaying a list of options: "Hour(s)", "Day(s)", "Week(s)", and "Month(s)". The "Hour(s)" option is highlighted in blue. In the **Computer Filter** section, there is a radio button selected next to the text "All Computer".

- **Last [N] Hour(s):** When [N] is less than 60, the start and end times will be at the top of the specified hour. When [N] is more than 60, hourly data is not available for the beginning of the time range, so the start time in the report will be changed to midnight (00:00) of the start day.
- **Last [N] Day(s):** Includes data from midnight [N] days ago to midnight of the current day.
- **Last [N] Week(s):** Includes events from the last [N] weeks, starting and ending at midnight (00:00).
- **Last [N] Month(s):** Includes events from the last [N] full calendar month, starting and ending at midnight (00:00). For example, if you select "Last 1 Month(s)" on November 15, you will receive a report for events that occurred between midnight October 1 to midnight November 1.

**Note:** Reports use data stored in counters. Counters are data aggregated periodically from events. Counter data is aggregated on an hourly basis for the most recent three days. Data from the current hour is not included in reports. Data older than three days is stored in counters that are aggregated on a daily basis. For this reason, the time period covered by reports for the last three days can be specified at an hourly level of granularity, but beyond three days, the time period can only be specified on a daily level of granularity.


For more information on scheduled tasks, see the ["Schedule Deep Security to perform tasks" on page 218](#).

## Customize the dashboard

The dashboard is the first page that appears after you log into Deep Security Manager.


Each user can customize the contents and layout of their dashboard. Deep Security Manager automatically saves your settings, and will remember your dashboard the next time that you log in. You can also configure the data's time period, and which computer's or computer group's data is displayed.

# Trend Micro Deep Security for Azure Marketplace 11.1



## Date and time range


The dashboard can display data from either the last 24 hours, or the last seven days.



## Computers and computer groups

Use the **Computer** menu to filter the displayed data to display only data from specific computers. For example, only those using the **Linux Server** security policy:


## Trend Micro Deep Security for Azure Marketplace 11.1



### Filter by tags

In Deep Security, a **Tag** is a unit of meta-data that you can apply to an Event in order to create an additional attribute for the Event that is not originally contained within the Event itself. Tags can be used to filter Events in order to simplify the task of Event monitoring and management. A typical use of tagging is to distinguish between Events that require action and those that have been investigated and found to be benign.


The data displayed in the Dashboard can be filtered by tags:



For more information on tagging see ["Apply tags to identify and group events" on page 748](#).


## Select dashboard widgets

Click **Add/Remove Widgets** to display the widget selection window and choose which widgets to display.




## Change the layout

The selected widgets can be moved around the dashboard by dragging them by their title bar. Move the widget over an existing one and they will exchange places. (The widget that is about to be displaced will temporarily gray out.)



## Save and manage dashboard layouts

You can create multiple dashboard layouts and save them as separate tabs. Your Dashboard settings and layouts will not be visible to other Users after you sign out. To create a new Dashboard tab, click the "plus" symbol to the right of the last tab on the Dashboard:



## Event collection in Deep Security

Deep Security Agents record when a protection module rule or condition is triggered (a "security event"). Agents and Deep Security Manager also record when administrative or system-related events occur (a "system event"), such as an administrator logging in, or agent software being upgraded. Event data is used to populate the various reports and graphs in Deep Security Manager.

To view events, go to **Events & Reports** tab in Deep Security Manager.

## Where are event logs on the agent?

Location varies by the computer's operating system. On Windows, event logs are stored in this location:

```
C:\Program Data\Trend Micro\Deep Security Agent\Diag
```

On Linux, event logs are stored here:

```
/var/opt/ds_agent/diag
```

**Note:** These locations only contain standard-level logs; diagnostic debug-level logs have a different location. For performance reasons, debug-level logging is not enabled by default. You should only enable debug logging if diagnosing an issue with Trend Micro technical support, and make sure to disable debug logging when you are done. For more information, see [Enabling detailed logging on Deep Security Agent \(DSA\)](#).

## When are events sent to the manager?

Most events that take place on a computer are sent to the Deep Security Manager during the next heartbeat operation except the following, which will be sent right away if communication settings allow relays/agents/appliances to initiate communication:

- Smart Scan Server is offline
- Smart Scan Server is back online
- Integrity Monitoring scan is complete

- Integrity Monitoring baseline created
- Unrecognized elements in an Integrity Monitoring Rule
- Elements of an Integrity Monitoring Rule are unsupported on the local platform
- Abnormal restart detected
- Low disk space warning
- Log Inspection offline
- Log Inspection back online
- Reconnaissance scan detected (if the setting is enabled in **Computer or Policy editor**<sup>1</sup> > **Firewall > Reconnaissance**)

## How long are events stored?

Once collected by the Deep Security Manager, events are kept for a period of time, which is specified on the **Administration > System Settings > Storage** page. For details, see ["Log and event storage best practices" on page 743](#).

## System events

All the Deep Security system events are listed and can be configured on the **Administration > System Settings > System Events** tab. You can set whether to record the individual events and whether to forward them to a SIEM system. For details on system events, see ["System events" on page 862](#).

## Security events

Each protection module generates events when rules are triggered or other configuration conditions are met. Some of this security event generation is configurable. For information on specific types of security events, refer to these articles:

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the **Policies** page and double-click the policy that you want to edit (or select the policy and click **Details**). To change the settings for a computer, go to the **Computers** page and double-click the computer that you want to edit (or select the computer and click **Details**).

- ["Anti-malware events" on page 886](#)
- ["View and restore identified malware" on page 472](#)
- ["Firewall events" on page 888](#)
- ["Integrity monitoring events" on page 901](#)
- ["Intrusion prevention events" on page 897](#)
- ["Log inspection events" on page 904](#)
- ["Web reputation events" on page 906](#)

The firewall stateful configuration in effect on a computer can be modified to enable or disable TCP, UDP, and ICMP event logging. To edit the properties of a stateful firewall configuration, go to **Policies > Common Objects > Other > Firewall Stateful Configurations**. The logging options are in the **TCP**, **UDP**, and **ICMP** tabs of the firewall stateful configuration's **Properties** window. For more information about firewall events, see ["Firewall events" on page 888](#).

## See the events associated with a policy or computer

The **Policy editor**<sup>1</sup> and the **Computer editor**<sup>2</sup> both have **Events** tabs for each protection module. The policy editor displays events associated with the current policy. The computer editor displays events specific to the current computer.

## View details about an event

To see details about an event, double-click it.

The **General** tab displays:

- **Time:** The time according to the system clock on the computer hosting the Deep Security Manager.

---

<sup>1</sup>To open the Policy editor, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details).

<sup>2</sup>To open the Computer editor, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

## Trend Micro Deep Security for Azure Marketplace 11.1

- **Level:** The severity level of event that occurred. Event levels include **Info**, **Warning**, and **Error**.
- **Event ID:** The event type's unique identifier.
- **Event:** The name of the event (associated with the event ID.)
- **Target:** The system object associated with the event will be identified here. Clicking the object's identification will display the object's properties sheet.
- **Event Origin:** The Deep Security component from which the event originated.
- **Action Performed By:** If the event was initiated by a user, that user's username will be displayed here. Clicking the username will display the **User Properties** window.
- **Manager:** The hostname of the Deep Security Manager computer.
- **Description:** If appropriate, the specific details of what action was performed to trigger this event are displayed here.


The **Tags** tab displays tags that have been attached to this event. For more information on event tagging, see **Policies > Common Objects > Other > Tags**, and "[Apply tags to identify and group events](#)" on page 748.

## Filter the list to search for an event

The **Period** toolbar lets you filter the list to display only those events that occurred within a specific timeframe.

The **Computers** toolbar lets you organize the display of event log entries by computer groups or computer policies.

Clicking **Search > Open Advanced Search** toggles the display of the advanced search bar.



Clicking the "Add Search Bar" button (+) to the right of the search bar will display an additional search bar so you can apply multiple parameters to your search. When you are ready, press the "Submit Request" button (at the right of the toolbars with the right-arrow on it).

## Export events

You can export displayed events to a CSV file. (Paging is ignored, all pages will be exported.) You have the option of exporting the displayed list or the selected items.

## Improve logging performance

Here are some suggestions to help maximize the performance of event collection:

- Reduce or disable log collection for computers that are not of interest.
- Consider reducing the logging of firewall rule activity by disabling some logging options in the firewall stateful configuration **Properties** window. For example, disabling the UDP logging will eliminate the "Unsolicited UDP" log entries.

## Log and event storage best practices

Best practices for log and event data storage depend on the data compliance regulations you must meet, such as PCI and HIPAA. Also consider optimizing the use of your database. Storing too much data may affect database performance and size requirements.

If you're storing too much data in your database, these symptoms may occur:

- Error messages that systems may be experiencing loss of database activity
- Inability to import software updates
- General slow-down in Deep Security

To avoid those symptoms:

1. Store system events according to the compliance standard requirement.
2. Forward system and security events to external storage. See ["Forward Deep Security"](#)

[events to an external syslog or SIEM server " on page 758](#). Then you can reduce how long events are kept in the local database.

3. Set thresholds in the log inspection module for event storage or event forwarding. **Severity clipping** allows you to send events to a Syslog server (if enabled) or to store events based on the severity level of the log inspection rule. See ["Configure log inspection event forwarding and storage" on page 641](#).

Default local storage settings are in the table below. To change these settings, go to **Administration > System Settings > Storage**. To delete software versions or older rule updates, go to **Administration > Updates > Software > Local** or **Administration > Updates > Security > Rules**.

**Tip:** To reduce database disk space usage, forward events to an external Syslog server or SIEM and reduce the local event retention time. Only keep counters locally.

Data type settings	Data pruning default setting
Automatically delete Anti-Malware Events older than	7 Days
Automatically delete Web Reputation Events older than:	7 Days
Automatically delete Firewall Events older than:	7 Days
Automatically delete Intrusion Prevention Events older than:	7 Days
Automatically delete Integrity Monitoring Events older than:	7 Days
Automatically delete Log Inspection Events older than:	7 Days
Automatically delete Application Control Events older than:	7 Days
Automatically delete System Events older than:	13 Weeks
Automatically delete Server Logs older than:	7 Days
Automatically delete Counters older than:	13 Weeks
Number of older software versions to keep per platform:*	5
Number of older Rule Updates to keep:	10

\* If multi-tenancy is enabled, this setting will not be available.

**Note:** If using a PostgreSQL database, old events might not be pruned immediately. PostgreSQL maintenance jobs periodically remove the old events' database partitions. Pruning will occur during the next scheduled job.

*Events* are records of individual events. They populate the **Events** pages.

*Counters* are the number of times individual events have occurred. They populate the dashboard widgets (number of firewall events over the last 7 days, etc.) and the reports.

*Server log files* are from Deep Security Manager's web server. They don't include event logs from agents installed on your network's web servers.

## Troubleshooting

During troubleshooting, it may be useful to increase the logging level and record more detailed events.

Increased logging can significantly increase disk space usage. Reduce the logging level again when you have finished troubleshooting.

1. Open the **Computer or Policy editor**<sup>1</sup>.
2. Go to **Settings > General > Logging Level**.
3. Choose whether to inherit the logging override settings from the policy assigned to this computer (**Inherited**), to not override logging settings (**Do Not Override**), to log all triggered firewall rules (**Full Firewall Event Logging**), to log all triggered intrusion prevention rules (**Full Intrusion Prevention Event Logging**), or to log all triggered rules (**Full Logging**).
4. Click **Save** .

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

## Limit log file sizes

You can set the maximum size of each individual log file and how many of the most recent files are kept. Event log files will be written to until they reach the maximum allowed size, at which point a new file will be created and written to until it reaches the maximum size and so on. Once the maximum number of files is reached, the oldest will be deleted before a new file is created. Event log entries usually average around 200 bytes in size and so a 4 MB log file will hold about 20,000 log entries. How quickly your log files fill up depends on the number of rules in place.

1. Open the **Computer or Policy editor**<sup>1</sup> for the policy that you want to configure.
2. Go to **Settings > Advanced > Events**.
3. Configure these properties:
  - **Maximum size of the event log files (on Agent/Appliance):** Maximum size that the log file can reach before a new log file is created.
  - **Number of event log files to retain (on Agent/Appliance):** Maximum number of log files that will be kept. Once the maximum number of log files is reached, the oldest file will be deleted before a new one is created.
  - **Do Not Record Events with Source IP of:** This option is useful if you don't want Deep Security to make record events for traffic from certain trusted computers.

**Note:** The following three settings let you fine tune event aggregation. To save disk space, Deep Security Agents and Appliances will take multiple occurrences of identical events and aggregate them into a single entry and append a "repeat count", a "first occurrence" timestamp, and a "last occurrence" timestamp. To aggregate event entries, Deep Security Agents and Appliances need to cache the entries in memory and then write them to disk.

- **Cache Size:** Determines how many types of events to track at any given time. Setting a value of 10 means that 10 types of events will be tracked (with a repeat count, first

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

occurrence timestamp, and last occurrence timestamp). When a new type of event occurs, the oldest of the 10 aggregated events will be flushed from the cache and written to disk.

- **Cache Lifetime:** Determines how long to keep a record in the cache before flushing it to disk. If this value is 10 minutes and nothing else causes the record to be flushed, any record that reaches an age of 10 minutes gets flushed to disk.
- **Cache Stale time:** Determines how long to keep a record whose repeat count has not been recently incremented. If Cache Lifetime is 10 minutes and Cache Staletime is two minutes, an event record which has gone two minutes without being incremented will be flushed and written to disk.

**Note:** Regardless of the above settings, the cache is flushed whenever events are sent to the Deep Security Manager.

4. Click **Save**.

### Event logging tips

- On computers that are less important, modify the amount of logs collected. This can be done in the **Events** and **Advanced Network Engine Options** areas on the **Computer or Policy editor**<sup>1</sup> > **Settings** > **Advanced** tab.
- Consider reducing the event logging of firewall rule activity by disabling the event logging options in the firewall stateful configuration. (For example, if you disable UDP logging, it will eliminate unsolicited UDP log entries.)
- For intrusion prevention rules, the best practice is to log only dropped packets. If you log packet modifications, it may cause too many log entries.
- For intrusion prevention rules, only include packet data (an option in the intrusion prevention rule's **Properties** window) when you are interested in examining the behavior of a specific attack. Packet data increases log sizes, so it shouldn't be used for everything.

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

## Apply tags to identify and group events

Deep Security enables you to create tags that you can use to identify and sort events. For example, you might use tags to separate events that are benign from those that require further investigation. You can use tags to create customized dashboards and reports.

Although you can use event tagging for a variety of purposes, it was designed to ease the burden of event management. After you have analyzed an event and determined that it is benign, you can look through the event logs of the computer (and any other similarly configured and tasked computers) to find similar events and apply the same label to them, eliminating the need to analyze each event individually.

To view tags that are currently in use, go to **Policies > Common Objects > Other > Tags**.

**Note:** Tags do not alter the data in the events themselves, nor do they allow users to delete events. They are simply extra attributes provided by the manager.

You can perform tagging the following ways:

- **"Manual tagging" below** lets you tag specific events as needed.
- **"Auto-tagging" on the next page** lets you use an existing event as the model for auto-tagging similar events on the same or other computers. You define the parameters for "similarity" by selecting which event attributes have to match the model event attributes for a tag to be applied.
- **"Trusted source tagging" on page 751** lets you auto-tag integrity monitoring events based on their similarity to known-good events from a trusted source.

**Note:** An important difference between standard tagging and trusted source tagging is that "Run on Existing Events Now" can only be done with standard event tagging

### Manual tagging

1. Go to **Events & Reports > Events** and select an event list. Right-click the event (or select multiple events and right-click) and select **Add Tag(s)**.

2. Type a name for the tag. Deep Security Manager will suggest matching names of existing tags as you type.
3. Select **The Selected [Event Type] Event**. Click **Next**.
4. Enter some optional comments and click **Finish**.

In the events list, you can see your tag in the **TAG(S)** column.

## Auto-tagging

Deep Security Manager enables you to define rules that apply the same tag to similar events automatically. To view existing saved auto-tagging rules, click **Auto-Tagging** in the menu bar on any **Events** page. You can run saved rules manually from this page.

1. Go to **Events & Reports > Events** and select an event list. Right-click a representative event and select **Add Tag(s)**.
2. Type a name for the tag. Deep Security Manager will suggest matching names of existing tags as you type.
3. Select **Apply to selected and similar [Event Type] Events** and click **Next**.
4. Select the computers where you want to auto-tag events and click **Next**. When applying tags to system events, this page is skipped.
5. Select which attributes will be examined to determine whether events are similar. For the most part, the attribute options are the same as the information displayed in the columns of the **Events** list pages. When you have selected which attributes to include in the event selection process, click **Next**.
6. On the next page, specify when events should be tagged. If you select **Existing [Event Type] Events**, you can select **Apply Auto-Tag Rule now** to apply the auto-tagging rule immediately, or **Apply Auto-Tag Rule in the background** to have it run in the background at a lower priority. Select **Future [Event Type] Events** to apply the auto-tagging rule to events that will happen in the future. You can also save the auto-tagging rule by selecting **Save Auto-Tag Rule** and optionally entering a name. Click **Next**.
7. Review the summary of your auto-tagging rule and click **Finish**.

In the events list, you can see that your original event and all similar events have been tagged

**Note:** Event tagging only occurs after events have been retrieved from the agents or appliances to the Deep Security Manager database.

### Set the precedence for an auto-tagging rule

Once an auto-tagging rule is created, you can assign it a **Precedence** value. If the auto-tagging rule has been configured to run on future events, the rule's precedence determines the order in which all auto-tagging rules are applied to incoming events. For example, you can have a rule with a precedence value of "1" that tags all "User Signed In" events as "suspicious", and a rule with a precedence value of "2" that removes the "suspicious" tag from all "User Signed In" events where the target (user) is you. This will result in a "suspicious" tag being applied to all future "User Signed In" events where the user is not you.

1. In an events list, click **Auto-Tagging** to display a list of saved auto-tagging rules.
2. Right-click an auto-tagging rule and select **Details**.
3. In the **General** tab, select a **Precedence** for the rule.

### Auto-tagging log inspection events

Log inspection events are auto-tagged based upon their grouping in the log file structure. This simplifies and automates the processing of log inspection events within Deep Security Manager. You can use auto-tagging to automatically apply tags for the log inspection groups. Log inspection rules have groups associated with them in the rules. For example:

```
<rule id="18126" level="3">
  <if_sid>18101</if_sid>
  <id>^20158</id>
  <description>Remote access login success</description>
  <group>authentication_success,</group>
</rule>

<rule id="18127" level="8">
  <if_sid>18104</if_sid>
  <id>^646|^647</id>
  <description>Computer account changed/deleted</description>
  <group>account_changed,</group>
</rule>
```

Each group name has a "friendly" name string associated with it. In the above example, "authentication\_success" would be "Authentication Success", "account\_changed" would be

"Account Changed". When this checkbox is set, the friendly names are automatically added as a tag for that event. If multiple rules trigger, multiple tags will be attached to the event.

### Trusted source tagging

**Note:** Trusted source event tagging can only be used with events generated by the integrity monitoring protection module.

The integrity monitoring module allows you to monitor system components and associated attributes on a computer for changes. ("Changes" include creation and deletion as well as edits.) Among the components that you can monitor for changes are files, directories, groups, installed software, listening port numbers, processes, registry keys, and so on.

Trusted source event tagging is designed to reduce the number of events that need to be analyzed by automatically identifying events associated with authorized changes.

In addition to auto-tagging similar events, the integrity monitoring module allows you to tag events based on their similarity to events and data found on **Trusted Sources**. A trusted source can be either:

1. A **local trusted computer**,
2. The **Trend Micro Certified Safe Software Service**, or
3. A **trusted common baseline**, which is a set of file states collected from a group of computers.

#### Local trusted computer

A trusted computer is a computer that will be used as a "model" computer that you know will only generate benign or harmless events. A "target" computer is a computer that you are monitoring for unauthorized or unexpected changes. The auto-tagging rule examines events on target computers and compares them to events from the trusted computer. If any events match, they are tagged with the tag defined in the auto-tagging rule.

You can establish auto-tagging rules that compare events on protected computers to events on a trusted computer. For example, a planned rollout of a patch can be applied to the trusted computer. The events associated with the application of the patch can be tagged as "Patch X".

Similar events raised on other systems can be auto-tagged and identified as acceptable changes and filtered out to reduce the number of events that need to be evaluated.

How does Deep Security determine whether an event on a target computer matches an event on a trusted source computer?

Integrity monitoring events contain information about transitions from one state to another. In other words, events contain *before* and *after* information. When comparing events, the auto-tagging engine will look for matching before and after states; if the two events share the same before and after states, the events are judged to be a match and a tag is applied to the second event. This also applies to creation and deletion events.

**Note:** Remember that when using a trusted computer for trusted source event tagging, the events being tagged are events generated by integrity monitoring rules. This means that the integrity monitoring rules that are generating events on the target computer must also be running on the trusted source computer.

**Note:** Trusted source computers must be scanned for malware before applying trusted source event tagging.

**Note:** Utilities that regularly make modifications to the content of files on a system (prelinking on Linux, for example) can interfere with trusted source event tagging.

### Tag events based on a local trusted computer

1. Make sure the trusted computer is free of malware by running a full anti-malware scan.
2. Make sure the computer(s) on which you want to auto-tag events are running the same (or some of the same) integrity monitoring rules as the trusted source computer.
3. In Deep Security Manager, go to **Events & Reports > Integrity Monitoring Events** and click **Auto-Tagging** in the toolbar.
4. In the **Auto-Tag Rules (Integrity Monitoring Events)** window, click **New Trusted Source** to display the **Tag Wizard**.
5. Select **Local Trusted Computer** and click **Next**.
6. From the list, select the computer that will be the trusted source and click **Next**.
7. Specify one or more tags to apply to events on target computers when they match events on this trusted source computer. Click **Next**.

**Note:** You can enter the text for a new tag or select from a list of existing tags.

8. Identify the target computers whose events will be matched to those of the trusted source. Click **Next**.
9. Optionally, give the rule a name and click **Finish**.

### Tag events based on the Trend Micro Certified Safe Software Service

The Certified Safe Software Service is an allow of known-good file signatures maintained by Trend Micro. This type of trusted source tagging will monitor target computers for file-related integrity monitoring events. When an event has been recorded, the file's signature (after the change) is compared to Trend Micro's list of known good file signatures. If a match is found, the event is tagged.

1. In Deep Security Manager, go to **Events & Reports > Integrity Monitoring Events** and click **Auto-Tagging** in the toolbar.
2. In the **Auto-Tag Rules (Integrity Monitoring Events)** window, click **New Trusted Source** to display the **Tag Wizard**.
3. Select **Certified Safe Software Service** and click **Next**.
4. Specify one or more tags to apply to events on target computers when they match the Certified Safe Software Service. Click **Next**.
5. Identify the target computers whose events will be matched to the Certified Safe Software Service. Click **Next**.
6. Optionally, give the rule a name and click **Finish**.

### Tag events based on a trusted common baseline

The trusted common baseline method compares events within a group of computers. A group of computers is identified and a common baseline is generated based on the files and system states targeted by the integrity monitoring rules in effect on the computers in the group. When an integrity monitoring event occurs on a computer within the group, the signature of the file after the change is compared to the common baseline. If the file's new signature has a match elsewhere in the common baseline, a tag is applied to the event. In trusted computer method, the before and after states of an integrity monitoring event are compared, but in the trusted common baseline method, only the after state is compared.

**Note:** This method relies on all the computers in the common group being secure and free of malware. A full anti-malware scan should be run on all the computers in the group before the common baseline is generated.

**Note:** When an integrity monitoring baseline is generated for a computer, Deep Security will first check if that computer is part of a trusted common baseline group. If it is, it will include the computer's baseline data in the trusted common baseline for that group. For this reason, the trusted common baseline auto-tagging rule must be in place before any integrity monitoring rules have been applied to the computers in the common baseline group.

1. Make sure all the computers that will be in the group that will make up the trusted common baseline are free of malware by running a full anti-malware scan on them.
2. In Deep Security Manager, go to **Events & Reports > Integrity Monitoring Events** and click **Auto-Tagging** in the toolbar.
3. In the **Auto-Tag Rules (Integrity Monitoring Events)** window, click **New Trusted Source** to display the **Tag Wizard**.
4. Select **Trusted Common Baseline** and click **Next**.
5. Specify one or more tags to apply to events when they have a match in the trusted common baseline and click **Next**.
6. Identify the computers to include in the group used to generate the trusted common baseline. Click **Next**.
7. Optionally, give this rule a name and click **Finish**.

### Delete a tag

1. In an events list, right-click the events with the tag you want to delete, and select **Remove Tag(s)**.
2. Select the tag you'd like to remove. Choose to remove the tag from **The Selected [Event Type] Event** or to **Apply to selected similar [Event Type] Events**. Click **Next**.
3. Enter some optional comments and click **Finish**.

### Reduce the number of logged events

To reduce the number of events being logged, the Deep Security Manager can be configured to operate in one of several **Advanced Logging Policy** modes. These modes are set in the

**Computer or Policy editor**<sup>1</sup> on the **Settings > Advanced > Advanced Network Engine Settings** area.

The following table lists the types of events that are ignored in four of the more complex Advanced Logging Policy modes:

Mode	Ignored Events
<b>Stateful and Normalization Suppression</b>	Out Of Connection Invalid Flags Invalid Sequence Invalid ACK Unsolicited UDP Unsolicited ICMP Out Of Allowed Policy Dropped Retransmit
<b>Stateful, Normalization, and Frag Suppression</b>	Out Of Connection Invalid Flags Invalid Sequence Invalid ACK Unsolicited UDP Unsolicited ICMP Out Of Allowed Policy CE Flags Invalid IP Invalid IP Datagram Length Fragmented Invalid Fragment Offset First Fragment Too Small Fragment Out Of Bounds Fragment Offset Too Small IPv6 Packet Max Incoming Connections Max Outgoing Connections Max SYN Sent License Expired IP Version Unknown Invalid Packet Info Maximum ACK Retransmit Packet on Closed Connection Dropped Retransmit

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

## Trend Micro Deep Security for Azure Marketplace 11.1

Mode	Ignored Events
<b>Stateful, Frag, and Verifier Suppression</b>	Out Of Connection Invalid Flags Invalid Sequence Invalid ACK Unsolicited UDP Unsolicited ICMP Out Of Allowed Policy CE Flags Invalid IP Invalid IP Datagram Length Fragmented Invalid Fragment Offset First Fragment Too Small Fragment Out Of Bounds Fragment Offset Too Small IPv6 Packet Max Incoming Connections Max Outgoing Connections Max SYN Sent License Expired IP Version Unknown Invalid Packet Info Invalid Data Offset No IP Header Unreadable Ethernet Header Undefined Same Source and Destination IP Invalid TCP Header Length Unreadable Protocol Header Unreadable IPv4 Header Unknown IP Version Maximum ACK Retransmit Packet on Closed Connection Dropped Retransmit
<b>Tap Mode</b>	Out Of Connection Invalid Flags Invalid Sequence Invalid ACK Maximum ACK Retransmit Packet on Closed Connection Dropped Retransmit

## Rank events to quantify their importance

The ranking system provides a way to quantify the importance of events. By assigning "asset values" to computers, and assigning severity or risk values to rules, the importance ("rank") of an event is calculated by multiplying the two values together. This allows you to sort events by rank.

### Web reputation event risk values

Risk values for web reputation events are linked to the three levels of risk used by the web reputation settings on the **General** tab of the **Web Reputation** page:

- **Dangerous:** corresponds to "A URL that has been confirmed as fraudulent or a known source of threats."
- **Highly Suspicious:** corresponds to "A URL that is suspected to be fraudulent or a known source of threats."
- **Suspicious:** corresponds to "A URL that is associated with spam or possibly compromised."
- **Blocked by Administrator:** A URL that is on the Web Reputation Service **Blocked** list.
- **Untested:** A URL that does not have a risk level.

### Firewall rule severity values

Severity values for firewall rules are linked to their actions: Deny, Log Only, and Packet Rejection. (The latter refers to packets rejected because of a firewall stateful configuration setting.) Use this panel to edit the severity values which will be multiplied by a computer's asset value to determine the rank of a firewall event. (A firewall rule's actions can be viewed and edited in the rule's **Properties** window.)

### Intrusion prevention rule severity values

Intrusion prevention rule severity values are linked to their severity levels: Critical, High, Medium, Low, or Error. Use this panel to edit their values which will be multiplied by a computer's asset value to determine the rank of an intrusion prevention event. An intrusion prevention rule's severity setting can be viewed in the rule's **Properties** window.

## Integrity monitoring rule severity values

Integrity monitoring rule severity values are linked to their severity levels: Critical, High, Medium, or Low. Use this panel to edit their values which will be multiplied by a computer's asset value to determine the rank of an integrity monitoring event. An integrity monitoring rule's severity can be viewed in the rule's **Properties** window.

## Log inspection rule severity values

Log inspection rule severity values are linked to their severity levels: Critical, High, Medium, or Low. Use this panel to edit their values which will be multiplied by a computer's asset value to determine the rank of a log inspection event. A log inspection rule's severity level can be viewed and edited from the rule's **Properties** window.

## Asset values

Asset values are not associated with any of their other properties like intrusion prevention rules or firewall rules. Instead, asset values are properties in themselves. A computer's asset value can be viewed and edited from the computer's **Details** window. To simplify the process of assigning asset values, you can predefine some values that will appear in the **Asset Importance** list in the first page of the computer's **Details** window. To view existing predefined computer asset values, click the **View Asset Values** button in this panel. The **Asset Values** window displays the predefined settings. These values can be changed, and new ones can be created. (New settings will appear in the list for all computers.)

## Forward Deep Security events to an external syslog or SIEM server

**Note:** If you want to publish events to Amazon SNS, see ["Access events with Amazon SNS" on page 808](#).

Deep Security records two types of events:

- **System events:** Administrative or system-related events such as an administrator logging in or agent software being upgraded. These events are generated by the Deep Security Manager.
- **Security events:** Recorded when a protection module rule or condition is triggered. These events are generated by the Deep Security Agent.

You can configure Deep Security to forward both types of events to an external syslog or Security Information and Event Management (SIEM) server. The content and format of the log messages differs slightly depending on whether they are sent by the Deep Security Manager or from an agent computer. For more information on the format, see ["Syslog message formats" on page 765](#)

The two different types of events that can be forwarded have to be configured separately:

- ["Forward system events to a syslog or SIEM server" below](#)
- ["Forward security events to a syslog or SIEM server" on the next page](#)

**Note:** Deep Security still records all system and security events and display them in reports and graphs in the Deep Security Manager even if you enable event forwarding to a syslog or SIEM server.

**Tip:** If you are using Splunk as your syslog or SIEM server, consider using the [Deep Security app for Splunk](#), which provides dashboards and saved searches.

### Forward system events to a syslog or SIEM server

1. Go to **Administration > System Settings > Event Forwarding**.
2. In the **Forward System Events to a remote computer (via Syslog) using configuration list**, select an existing syslog configuration or select **New** and define a new configuration (for details, see ["Define a syslog configuration" on page 761.](#))
3. Click **Save**.

## Forward security events to a syslog or SIEM server

Security events are generated by the agents for each protection module. You have two options for forwarding these types of events:

- ["Forward security events directly from agent computers to a syslog or SIEM server" below](#)
- ["Forward security events from the agent computers via the Deep Security Manager" on the next page](#)

If you want to use TLS to send secure syslog messages, they must be sent via the Deep Security Manager. Syslog messages sent directly from the agent use UDP and are sent as clear text.

**Note:** The best practice is to use a high-level parent policy to propagate configuration settings throughout your environment. Like with other settings in Deep Security, you can override event forwarding settings for specific policies or computers (see ["Policies, inheritance, and overrides" on page 300.](#))

### Forward security events directly from agent computers to a syslog or SIEM server

1. Go to **Policies**.
2. Double-click the policy you want to use for computers to forward events directly to a syslog server.
3. Go to **Settings > Event Forwarding**.
4. Under **Event Forwarding Frequency (from the Agent/Appliance)**, specify how often events are sent from the agent or appliance to the syslog or SIEM server.
5. Under **Event Forwarding Configuration (from the Agent/Appliance)**, specify the syslog configuration to use for each protection module. The options are:
  - *Inherited (configuration name)*: The behavior is being inherited from a parent policy or computer
  - *None*: Events are not forwarded
  - *Syslog configuration name*: Events are forwarded to the specified syslog configuration. To see details about the configuration or edit it, click **Edit**. The configuration must have **Transport** set to "UDP" and **Agents should forward logs** set to "Directly to the Syslog server".

- **New:** Enables you to define a new configuration (for details, see "[Define a syslog configuration](#)" below.) The configuration must have **Transport** set to "UDP" and **Agents should forward logs** set to "Directly to the Syslog server".

6. Click **Save**.

### Forward security events from the agent computers via the Deep Security Manager

When you choose to forward events via the Deep Security Manager, the manager collects the events at every heartbeat (**Settings > General > Heartbeat Interval**.)

1. Go to **Policies**.
2. Double-click the policy you want to use for computers to forward security events via the Deep Security Manager.
3. Go to **Settings > Event Forwarding**.
4. Under **Event Forwarding Configuration (from the Agent/Appliance)**, specify the syslog configuration to use for each protection module. The options are:
  - **Inherited (*configuration name*):** The behavior is being inherited from a parent policy or computer
  - **None:** Events are not forwarded
  - **Syslog configuration name:** Events are forwarded to the specified syslog configuration. To see details about the configuration or edit it, click **Edit**. The configuration must have **Agents should forward logs** set to "Via the Deep Security Manager".
  - **New:** Enables you to define a new configuration (for details, see "[Define a syslog configuration](#)" below.) The configuration must have **Agents should forward logs** set to "Via the Deep Security Manager".
5. Click **Save**.

### Define a syslog configuration

You can define a syslog configuration and assign it to system events, security events, or both. You can define as many syslog configurations as you need.

To see any existing syslog configurations, go to **Policies > Common Objects > Other > Syslog Configurations**. From that page, you can add or edit configurations. You can also import and export configurations.

**Note:** If you configured syslog or SIEM server settings prior to January 26th, 2017, they have been converted to syslog configurations and appear on the **Syslog Configurations** page. Any identical configurations are merged together.

To add a new configuration:

1. Click **New > New Configuration**.
2. On the **General** tab:
  - **Name:** Meaningful name that identifies the configuration. The name must be unique.
  - **Description:** Optional description of the configuration.
  - **Log Source Identifier:** When syslog messages are sent to a syslog or SIEM server, they include a reported hostname that identifies the source of the messages. If you leave the Log Source Identifier setting empty and you are running a multi-node Deep Security Manager, each node sends a different hostname as the identifier. If you want to use the same identifier for each manager node (to treat the syslog messages as if they all come from the same source), you can specify a common Log Source Identifier. Note that syslog messages sent directly from the Deep Security Agent to a syslog or SIEM server use the reported computer hostname and cannot use the Log Source Identifier instead.
  - **Server Name:** Hostname or IP address to which events should be sent. The syslog or SIEM server and any routers, firewalls, and security groups must allow inbound traffic from the Deep Security Manager for event forwarding to work.

**Note:** If you are going to forward events directly from the Deep Security Agent, traffic from the agent must also be allowed.

- **Server Port:** UDP or TLS port to which events should be sent. For UDP, this is usually port 514. For TLS, it's usually port 6514. For more information, see ["Port numbers" on page 90](#).
- **Event Format:** The format of the log message. For more information on formats, see ["Syslog message formats" on page 765](#)

**Note:** The LEEF format is only supported for messages sent from the Deep Security Manager. Basic Syslog format is not supported by the anti-malware, web reputation, integrity monitoring, and application control protection modules.

- **Transport:** UDP or TLS. Security events sent directly from the agent must be sent with UDP. System events and security events sent via the manager can be sent via UDP or TLS (which is the newer version of SSL). If you select UDP, the events are sent in clear text. If you select TLS, the events are sent encrypted over TLS 1.2, 1.1, or 1.0. (TLS is not supported as a transport mode when operating in FIPS mode. See "[FIPS 140-2 support](#)" on page 991.) Syslog messages are limited to 64 KB if they are transferred over UDP. If the message is longer, data may be truncated.
- **Facility:** The type of program or process that is logging the message.
- **Agents should forward logs:** This setting applies when forwarding security events. You can choose to send the syslog messages **Directly to the Syslog server** or **Via the Deep Security Manager**.

**Note:** When either LEEF or TLS is selected, this option is hard-coded to **Via the Deep Security Manager**.

3. If you selected TLS as the transport mechanism, perform these additional steps:
  - If your syslog or SIEM server is configured to require TLS client authentication, you'll need to provide the Deep Security Manager's TLS certificate. Do the following: Click the **Credentials** tab and supply the Deep Security Manager certificate's **Private Key**, **Certificate**, and **Certificate Chain** (if required) in PEM format (also known as base64 encoded format). The syslog or SIEM server may or may not accept a self-signed certificate. Consult its documentation for details.
  - Click **Test Connection**.
  - An **Accept Server Certificate?** message appears if the syslog or SIEM server certificate is not yet known to Deep Security Manager. The message shows the contents of the certificate. Review it and click **OK**. The certificate is added to the

manager's Deep Security list, under **Administration > System Settings > Security**. Deep Security Manager accepts self-signed certificates as long as they pass standard validation such as expiry checks.

- Click **Test Connection** again to establish a TLS connection using the certificate you just accepted. (See [this article on the TLS handshake](#) for details on how the TLS session is established.) You see a pass or fail message at the top of the manager.

## Troubleshooting

### "Failed to Send Syslog Message" alert

If there is a problem with your syslog configuration, you might see this alert:

```
Failed to Send Syslog Message
The Deep Security Manager was unable to forward messages to a Syslog Server.
Unable to forward messages to a Syslog Server
```

The alert also contains a link to the affected syslog configuration. Click the link to open the configuration and then click the **Test Connection** button to get more troubleshooting information. An indication that the connection was successful or an error message that provides more detailed information on what's causing the problem is displayed.

### Can't edit syslog configurations

If you can see the syslog configurations but can't edit them, the role associated with your account might not have the appropriate rights. An administrator who is able to configure roles can check your rights by going to **Administration > User Management**. Then select your name and click **Properties**. On the **Other Rights** tab, the **Syslog Configurations** setting controls your ability to edit syslog configurations. For more information on users and roles, see "[Create and manage users](#)" on page 931.

### Can't see the syslog configuration sections of Deep Security Manager

If you can't see the syslog configurations UI in Deep Security Manager, you may be a tenant in a multi-tenant environment where the primary tenant has disabled this feature or configured it for you.

### Syslog not transferred due to an expired certificate

If you set up TLS client authentication and the certificate expires, syslog messages are not sent to the syslog server. To fix this problem, obtain a new certificate, update the syslog configuration with the new certificate values, test the connection, and then save the configuration.

### Syslog not delivered due to an expired or changed server certificate

If the syslog server's certificate has expired or changed, open the syslog configuration and click the **Test Connection** button. You are prompted to accept the new certificate.

### Syslog or SIEM servers used for testing

Deep Security has been tested with the Enterprise version of these products:

- Splunk 6.5.1
- IBM QRadar 7.2.8 Patch 3 (with the TLS protocol patch, PROTOCOL-TLSSyslog-7.2-20170104125004.noarch)
- HP ArcSight 7.2.2 (with a TLS Syslog-NG connector created using the ArcSight-7.2.2.7742.0-Connector tool)

### Syslog message formats

Common Event Format (CEF) and Log Event Extended Format (LEEF) log message formats are slightly different. For example, the "Source User" column in the GUI corresponds to a field named "suser" in CEF; in LEEF, the same field is named "usrName" instead. Log message fields also vary by whether the event originated on the agent or Deep Security Manager and which feature created the log message.

**Note:** If your syslog messages are being truncated, it may be because you're using User Datagram Protocol (UDP). To prevent truncation, transfer your syslog messages over Transport Layer Security (TLS) instead. For instructions on switching to TLS, see ["Define a syslog configuration" on page 761](#).

**Note:** Basic syslog format is not supported by the anti-malware, web reputation, integrity monitoring, and application control protection modules.

## Trend Micro Deep Security for Azure Marketplace 11.1

If the syslog messages are sent from the Manager, there are several differences. In order to preserve the original hostname (the source of the event), a new extension ("dvc" or "dvchost") is present. "dvc" is used if the hostname is an IPv4 address; "dvchost" is used for hostnames and IPv6 addresses. Additionally, the extension "TrendMicroDsTags" is used if the events are tagged (This applies only to auto-tagging with run on future, since events are forwarded via syslog only as they are collected by the manager). The product for logs relayed through the Manager will still read " Deep Security Agent"; however, the product version is the version of the Manager.

### CEF syslog message format

All CEF events include dvc=IPv4 Address or dvchost=Hostname (or the IPv6 address) for the purposes of determining the original source of the event. This extension is important for events sent from a virtual appliance or the manager, since in this case the syslog sender of the message is not the originator of the event.

**Base CEF format:** CEF:Version|Device Vendor|Device Product|Device Version|Signature ID|Name|Severity|Extension

To determine whether the log entry comes from the Deep Security Manager or a Deep Security Agent, look at the "Device Product" field:

**Sample CEF Log Entry:** Jan 18 11:07:53 dsmhost CEF:0|Trend Micro|Deep Security Manager|<DSM version>|600|Administrator Signed In|4|user=Master...

**Note:** Events that occur on a VM that is protected by a virtual appliance, but that don't have an in-guest agent, will still be identified as coming from an agent.

To further determine what kind of rule triggered the event, look at the "Signature ID" and "Name" fields:

**Sample Log Entry:** Mar 19 15:19:15 root CEF:0|Trend Micro|Deep Security Agent|<DSA version>|123|Out Of Allowed Policy|5|cn1=1...

The "Signature ID" value indicates what kind of event has been triggered:

Signature IDs	Description
10	Custom intrusion prevention (IPS) rule

## Trend Micro Deep Security for Azure Marketplace 11.1

Signature IDs	Description
20	Log-only firewall rule
21	Deny firewall rule
30	Custom integrity monitoring rule
40	Custom log inspection rule
100-7499	System events
100-199	Policy firewall rule and firewall stateful configuration
200-299	IPS internal errors
300-399	SSL/TLS events
500-899	IPS normalization
1,000,000-1,999,999	Trend Micro IPS rule. The signature ID is the same as the IPS rule ID.
2,000,000-2,999,999	Integrity monitoring rule. The signature ID is the integrity monitoring rule ID + 1,000,000.
3,000,000-3,999,999	Log inspection rule. The signature ID is the log inspection rule ID + 2,000,000.
4,000,000-4,999,999	Anti-malware events. Currently, only these signature IDs are used: <ul style="list-style-type: none"> <li>• 4,000,000</li> <li>• 4,000,001</li> <li>• 4,000,002</li> <li>• 4,000,003</li> <li>• 4,000,010</li> <li>• 4,000,011</li> <li>• 4,000,012</li> <li>• 4,000,013</li> <li>• 4,000,020</li> <li>• 4,000,030</li> </ul>
5,000,000-5,999,999	Web reputation events. Currently, only these signature IDs are used: <ul style="list-style-type: none"> <li>• 5,000,000</li> <li>• 5,000,001</li> </ul>
6,000,000-6,999,999	Application control events. Currently, only these signature IDs are used: <ul style="list-style-type: none"> <li>• 6,001,100</li> <li>• 6,001,200</li> <li>• 6,002,100</li> <li>• 6,002,200</li> </ul>

**Note:** Log entries don't always have all CEF extensions described in the event log format tables below. CEF extensions also may not be always in the same order. If you are using regular expressions (regex) to parse the entries, make sure your expressions do not depend on each key-value pair to exist, or to be in a specific order.

**Note:** Syslog messages are limited to 64 KB by the syslog protocol specification. If the message is longer, data may be truncated. The basic syslog format is limited to 1 KB.

### LEEF 2.0 syslog message format

**Base LEEF 2.0 format:** LEEF:2.0|Vendor|Product|Version|EventID|(Delimiter Character, optional if the Delimiter Character is tab)|Extension

**Sample LEEF 2.0 Log Entry (DSM System Event Log Sample):** LEEF:2.0|Trend Micro|Deep Security Manager|<DSA version>|192|cat=System name=Alert Ended desc=Alert: CPU Warning Threshold Exceeded\nSubject: 10.201.114.164\nSeverity: Warning sev=3 src=10.201.114.164 usrName=System msg=Alert: CPUWarning Threshold Exceeded\nSubject: 10.201.114.164\nSeverity:Warning TrendMicroDsTenant=Primary

### Events originating in the Manager

#### System event log format

**Base CEF Format:** CEF:Version|Device Vendor|Device Product|Device Version|Signature ID|Name|Severity|Extension

**Sample CEF Log Entry:** CEF:0|Trend Micro|Deep Security Manager|<DSM version>|600|User Signed In|3|src=10.52.116.160 suser=admin target=admin msg=User signed in from 2001:db8::5

**Base LEEF 2.0 format:** LEEF:2.0|Vendor|Product|Version|EventID|(Delimiter Character, optional if the Delimiter Character is tab)|Extension

**Sample LEEF 2.0 Log Entry:** LEEF:2.0|Trend Micro|Deep Security Manager|<DSA version>|192|cat=System name=Alert Ended desc=Alert: CPU Warning Threshold Exceeded\nSubject: 10.201.114.164\nSeverity: Warning sev=3 src=10.201.114.164 usrName=System msg=Alert: CPU Warning Threshold Exceeded\nSubject: 10.201.114.164\nSeverity: Warning TrendMicroDsTenant=Primary

## Trend Micro Deep Security for Azure Marketplace 11.1

**Note:** LEEF format uses a reserved "sev" key to show severity and "name" for the Name value.

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
src	src	Source IP Address	Deep Security Manager IP address.	src=10.52.116.23
suser	usrName	Source User	Deep Security Manager administrator's account.	suser=MasterAdmin
target	target	Target Entity	The subject of the event. It can be the administrator account logged into Deep Security Manager, or a computer.	target=MasterAdmin target=server01
targetID	targetID	Target Entity ID	The identifier added in the manager.	targetID=1
targetType	targetType	Target Entity Type	The event target entity type.	targetType=Host
msg	msg	Details	Details of the system event. May contain a verbose description of the event.	msg=User password incorrect for username MasterAdmin on an attempt to sign in from 127.0.0.1 msg=A Scan for Recommendations on computer (localhost) has completed...
TrendMicroDsTags	TrendMicroDsTags	Event Tags	Deep Security event tags assigned to the event	TrendMicroDsTags=suspicious
TrendMicroDsTenant	TrendMicroDsTenant	Tenant Name	Deep Security tenant	TrendMicroDsTenant=Primary
TrendMicroDsTenantId	TrendMicroDsTenantId	Tenant ID	Deep Security tenant ID	TrendMicroDsTenantId=0
None	sev	Severity	The severity of the event. 1 is the least severe; 10 is the most severe.	sev=3
None	cat	Category	Event category	cat=System
None	name	Name	Event name	name=Alert Ended
None	desc	Description	Event description	desc:Alert: CPU Warning Threshold Exceeded

### Events originating in the agent

#### Anti-malware event format

**Base CEF format:** CEF:Version|Device Vendor|Device Product|Device Version|Signature ID|Name|Severity|Extension

## Trend Micro Deep Security for Azure Marketplace 11.1

**Sample CEF Log Entry:** CEF:0|Trend Micro|Deep Security Agent|<DSA version>|4000000|Eicar\_test\_file|6|cn1=1 cn1Label=Host ID dvchost=hostname cn2=205 cn2Label=Quarantine File Size cs6=ContainerImageName | ContainerName | ContainerID cs6Label=Container filePath=C:\\Users\\trend\\Desktop\\eicar.exe act=Delete msg=Realtime TrendMicroDsMalwareTarget=N/A TrendMicroDsMalwareTargetType=N/TrendMicroDsFileMD5=44D88612FEA8A8F36DE82E1278ABB02F TrendMicroDsFileSHA1=3395856CE81F2B7382DEE72602F798B642F14140 TrendMicroDsFileSHA256=275A021BBFB6489E54D471899F7DB9D1663FC695EC2FE2A2C4538AABF651FD0F TrendMicroDsDetectionConfidence=95 TrendMicroDsRelevantDetectionNames=Ransom\_CERBER.BZC;Ransom\_CERBER.C;Ransom\_CRYPNISCA.SM

**Base LEEF 2.0 format:** LEEF:2.0|Vendor|Product|Version|EventID|(Delimiter Character, optional if the Delimiter Character is tab)|Extension

**Sample LEEF Log Entry:** LEEF: 2.0|Trend Micro|Deep Security Agent|<DSA version>|4000030|cat=Anti-Malware name=HEU\_AEGIS\_CRYPT desc=HEU\_AEGIS\_CRYPT sev=6 cn1=241 cn1Label=Host ID dvc=10.0.0.1 TrendMicroDsTags=FS TrendMicroDsTenant=Primary TrendMicroDsTenantId=0 filePath=C:\\Windows\\System32\\virus.exe act=Terminate msg=Realtime TrendMicroDsMalwareTarget=Multiple TrendMicroDsMalwareTargetType=File System TrendMicroDsFileMD5=1947A1BC0982C5871FA3768CD025453E#011 TrendMicroDsFileSHA1=5AD084DDCD8F80FBF2EE3F0E4F812E812DEE60C1#011 TrendMicroDsFileSHA256=25F231556700749F8F0394CAABDED83C2882317669DA2C01299B45173482FA6E TrendMicroDsDetectionConfidence=95 TrendMicroDsRelevantDetectionNames=Ransom\_CERBER.BZC;Ransom\_CERBER.C;Ransom\_CRYPNISCA.SM

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
cn1	cn1	Host Identifier	The agent computer's internal unique identifier.	cn1=1
cn1Label	cn1Label	Host	The name	cn1Label=Host ID

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
		ID	label for the field cn1.	
cn2	cn2	File Size	The size of the quarantine file. This extension is included only when the "direct forward" from agent /appliance is selected.	cn2=100
cn2Label	cn2Label	File Size	The name label for the field cn2.	cn2Label=Quarantine File Size
cs3	cs3	Infected Resource	The path of the spyware item. This field is only for spyware detection events.	cs3=C:\test\atse_samples\SPYW_Test_Virus.exe
cs3Label	cs3Label	Infected Resource	The name label for the field cs3. This field is only for spyware detection events.	cs3Label=Infected Resource
cs4	cs4	Resource Type	Resource Type values: 10=File	cs4=10

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
			s and Directori es  11=Syst em Registry  12=Inter net Cookies  13=Inter net URL Shortcut  14=Pro grams in Memory  15=Pro gram Startup Areas  16=Bro wser Helper Object  17=Lay ered	

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
			Service Provider  18=Hosts File  19=Windows Policy Settings  20=Browser  23=Windows Shell Setting  24=IE Downloaded Program Files  25=Add/Remove Programs  26=Services	

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
			<p>other=Other</p> <p>For example, if there's a spyware file named spy.exe that creates a registry run key to keep its persistence after system reboot, there will be two items in the spyware report: the item</p>	

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
			<p>for spy.exe has cs4=10 (Files and Directories), and the item for the run key registry has cs4=11 (System Registry).</p> <p>This field is only for spyware detection events.</p>	
cs4Label	cd4Label	Resource Type	The name label for the field cs4. This field is only for spyware detection events.	cs4Label=Resource Type

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
cs5	cs5	Risk Level	<p>Risk level values:</p> <p>0=Very Low</p> <p>25=Low</p> <p>50=Medium</p> <p>75=High</p> <p>100=Very High</p> <p>This field is only for spyware detection events.</p>	cs5=25
cs5Label	cs5Label	Risk Level	The name label for the field cs5. This field is only for spyware detection events.	cs5Label=Risk Level
cs6	cs6	Container	The image name of the Docker container,	cs6=ContainerImageName   ContainerName   ContainerID

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
			container name, and container ID where the malware was detected.	
cs6Label	cs6Label	Container	The name label for the field cs6.	cs6Label=Container
filePath	filePath	File Path	The location of the malware file.	filePath=C:\\Users\\Mei\\Desktop\\virus.exe
act	act	Action	The action performed by the anti-malware engine. Possible values are: Deny Access, Quarantine, Delete, Pass, Clean, Terminate, and Unspecified.	act=Clean act=Pass
msg	msg	Message	The type of scan. Possible values are: Realtime,	msg=Realtime msg=Scheduled

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
			Scheduled, and Manual.	
dvc	dvc	Device address	<p>The IPv4 address for cn1.</p> <p>Does not appear if the source is an IPv6 address or hostname. (Uses dvchost instead.)</p>	dvc=10.1.144.199
dvchost	dvchost	Device hostname	<p>The hostname or IPv6 address for cn1.</p> <p>Does not appear</p>	<p>dvchost=www.example.com</p> <p>dvchost=fe80::f018:a3c6:20f9:afa6%5</p>

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
			if the source is an IPv4 address. (Uses dvc field instead.)	
TrendMicroDsTags	TrendMicroDsTags	Events tags	Deep Security event tags assigned to the event	TrendMicroDsTags=suspicious
TrendMicroDsTenant	TrendMicroDsTenant	Tenant name	Deep Security tenant	TrendMicroDsTenant=Primary
TrendMicroDsTenantId	TrendMicroDsTenantId	Tenant ID	Deep Security tenant ID	TrendMicroDsTenantId=0
TrendMicroDsMalwareTarget	TrendMicroDsMalwareTarget	Target(s)	The file, process, or registry key (if any) that the malware was trying to affect. If the malware was	<p>TrendMicroDsMalwareTarget=N/A</p> <p>TrendMicroDsMalwareTarget=C:\\Windows\\System32\\cmd.exe</p> <p>TrendMicroDsMalwareTarget=HKCU\\Software\\Microsoft\\Windows\\CurrentVersion\\Internet Settings</p> <p>TrendMicroDsMalwareTarget=Multiple</p>

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
			<p>trying to affect more than one, this field will contain the value "Multiple."</p> <p>Only suspicious activity monitoring and unauthorized change monitoring have values for this field.</p>	
TrendMicroDsMalwareTargetType	TrendMicroDsMalwareTargetType	Target Type	The type of system resource	TrendMicroDsMalwareTargetType=N/A TrendMicroDsMalwareTargetType=Exploit TrendMicroDsMalwareTargetType=File System TrendMicroDsMalwareTargetType=Process TrendMicroDsMalwareTargetType=Registry

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
			<p>e that this malware was trying to affect, such as the file system, a process, or Windows registry.</p> <p>Only suspicious activity monitoring and unauthorized change monitoring have values for this field.</p>	
TrendMicroDsFileMD5	TrendMicroDsFileMD5	File MD5	The MD5 hash of	TrendMicroDsFileMD5=1947A1BC0982C5871FA3768CD025453E

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
			the file	
TrendMicroDsFileSHA1	TrendMicroDsFileSHA1	File SHA1	The SHA1 hash of the file	TrendMicroDsFileSHA1=5AD084DDCD8F80FBF2EE3F0E4F812E812DEE60C1
TrendMicroDsFileSHA256	TrendMicroDsFileSHA256	File SHA256	The SHA256 hash of the file	TrendMicroDsFileSHA256=25F231556700749F8F0394CAABDED83C2882317669DA2C01299B45173482FA6E
TrendMicroDsDetectionConfidence	TrendMicroDsDetectionConfidence	Threat Probability	Indicates how closely (in %) the file matched the malware model	TrendMicroDsDetectionConfidence=95
TrendMicroDsRelevantDetectionNames	TrendMicroDsRelevantDetectionNames	Probable Threat Type	Indicates the most likely type of threat contained in the file after Predictive Machine Learning compared the analysis to other known threats (separate by semicolon";")	TrendMicroDsRelevantDetectionNames=Ransom_CERBER.BZC;Ransom_CERBER.C;Ransom_CRYPNISCA.SM
None	sev	Severity	The severity of the event. 1 is the least severe; 10 is the most	sev=6

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
			severe.	
None	cat	Category	Category	cat=Anti-Malware
None	name	Name	Event name	name=SPYWARE_KEYL_ACTIVE
None	desc	Description	Event description. Anti-malware uses the event name as the description.	desc=SPYWARE_KEYL_ACTIVE

### Application control event format

**Base CEF format:** CEF:Version|Device Vendor|Device Product|Device Version|Signature ID|Name|Severity|Extension

**Example CEF Log Entry:** CEF: 0|Trend Micro|Deep Security

```
Agent|10.2.229|6001200|AppControl detectOnly|6|cn1=202 cn1Label=Host ID
dvc=192.168.33.128 TrendMicroDsTenant=Primary TrendMicroDsTenantId=0
fileHash=80D4AC182F97D2AB48EE4310AC51DA5974167C596D133D64A83107B9069745E0 suser=root
suid=0 act=detectOnly filePath=/home/user1/Desktop/Directory1//heartbeatSync.sh
fsize=20 aggregationType=0 repeatCount=1 cs1=notWhitelisted cs1Label=actionReason
cs2=0CC9713BA896193A527213D9C94892D41797EB7C cs2Label=sha1
cs3=7EA8EF10BEB2E9876D4D7F7E5A46CF8D cs3Label=md5
```

**Base LEEF 2.0 format:** LEEF:2.0|Vendor|Product|Version|EventID|(Delimiter Character, optional if the Delimiter Character is tab)|Extension

**Example LEEF Log Entry:** LEEF:2.0|Trend Micro|Deep Security

```
Agent|10.0.2883|60|cat=AppControl name=blocked desc=blocked sev=6 cn1=2
cn1Label=Host ID dvc=10.203.156.39 TrendMicroDsTenant=Primary TrendMicroDsTenantId=0
fileHash=E3B0C44298FC1C149AFBF4C8996FB92427AE41E4649B934CA495991B7852B85
5 suser=root suid=0 act=blocked filePath=/bin/my.jar fsize=123857 aggregationType=0
repeatCount=1 cs1=notWhitelisted cs1Label=actionReason
```

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
cn1	cn1	Host Identifier	The agent computer's internal unique identifier.	cn1=2
cn1Label	cn1Label	Host ID	The name label for the field cn1.	cn1Label=Host ID
cs1	cs1	Reason	The reason why application control performed the specified action, such as "notWhitelisted" (the software did not have a matching rule, and application control was configured to block unrecognized software).	cs1=notWhitelisted
cs1Label	cs1Label		The name label for the field cs1.	cs1Label=actionReason
cs2	cs2		If it was calculated, the SHA-1 hash of the file.	cs2=156F4CB711FDBD668943711F853FB6DA89581AAD
cs2Label	cs2Label		The name label for the field cs2.	cs2Label=sha1
cs3	cs3		If it was calculated, the MD5 hash of the file.	cs3=4E8701AC951BC4537F8420FDAC7EFBB5
cs3Label	cs3Label		The name label for the	cs3Label=md5

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
			field cs3.	
act	act	Action	The action performed by the application control engine. Possible values are: Blocked, Allowed.	act=blocked
dvc	dvc	Device addresses	The IPv4 address for cn1.  Does not appear if the source is an IPv6 address or hostname. (Uses dvchost instead.)	dvc=10.1.1.10
dvchost	dvchost	Device host name	The hostname or IPv6 address for cn1.  Does not appear if the source is an IPv4 address.	dvchost=www.example.com dvchost=2001:db8::5

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
			(Uses dvc field instead.)	
suid	suid	User ID	The account ID number of the user name.	suid=0
suser	suser	User Name	The name of the user account that installed the software on the protected computer.	suser=root
TrendMicroDsTenant	TrendMicroDsTenant	Tenant name	Deep Security tenant name.	TrendMicroDsTenant=Primary
TrendMicroDsTenantId	TrendMicroDsTenantId	Tenant ID	Deep Security tenant ID number.	TrendMicroDsTenantId=0
fileHash	fileHash	File hash	The SHA 256 hash that identifies the software file.	fileHash=E3B0C44298FC1C149AFBF4C8996FB92427AE41E4649B934CA495991B7852B855
filePath	filePath	File Path	The location of the malware file.	filePath=/bin/my.jar
filesize	filesize	File Size	The file size in bytes.	filesize=16
aggregationType	aggregationType	Aggregation Type	An integer that indicates how the event is aggregated: <ul style="list-style-type: none"> <li>• 0:</li> </ul>	aggregationType=2

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
			<p>The event is not aggregated</p> <ul style="list-style-type: none"> <li>• 1: The event is aggregated based on file name, path, and event type.</li> <li>• 2: The event is aggregated base</li> </ul>	

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
			<p>d on event type.</p> <p>For information, about event aggregation, see <a href="#">"View application control event logs" on page 418.</a></p>	
repeatCount	repeatCount	Repeat Count	The number of occurrences of the event. Non-aggregated events have a value of 1. Aggregated events have a value of 2 or more.	repeatCount=4
None	sev	Severity	The severity of the event. 1 is the least severe; 10 is the most severe.	sev=6
None	cat	Category	Category	cat=AppControl
None	name	Name	Event name	name=blocked
None	desc	Description	Event	desc=blocked

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
		tion	description. Application control uses the action as the description.	

### Firewall event log format

**Base CEF format:** CEF:Version|Device Vendor|Device Product|Device Version|Signature ID|Name|Severity|Extension

**Sample CEF Log Entry:** CEF:0|Trend Micro|Deep Security Agent|<DSA version>|20|Log for TCP Port 80|0|cn1=1 cn1Label=Host ID dvc=hostname act=Log dmac=00:50:56:F5:7F:47 smac=00:0C:29:EB:35:DE TrendMicroDsFrameType=IP src=192.168.126.150 dst=72.14.204.147 out=1019 cs3=DF MF cs3Label=Fragmentation Bits proto=TCP spt=49617 dpt=80 cs2=0x00 ACK PSH cs2Label=TCP Flags cnt=1 TrendMicroDsPacketData=AFB...

**Sample LEEF Log Entry:** LEEF:2.0|Trend Micro|Deep Security Agent|<DSA version>|21|cat=Firewall name=Remote Domain Enforcement (Split Tunnel) desc=Remote Domain Enforcement (Split Tunnel) sev=5 cn1=37 cn1Label=Host ID dvchost=www.example.com TrendMicroDsTenant=Primary TrendMicroDsTenantId=0 act=Deny dstMAC=67:BF:1B:2F:13:EE srcMAC=78:FD:E7:07:9F:2C TrendMicroDsFrameType=IP src=10.0.110.221 dst=105.152.185.81 out=177 cs3= cs3Label=Fragmentation Bits proto=UDP srcPort=23 dstPort=445 cnt=1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
act	act	Action		act=Log act=Deny
cn1	cn1	Host Identifier	The agent computer's internal unique identifier.	cn1=113
cn1Label	cn1Label	Host ID	The name label for the field cn1.	cn1Label=Host ID
cnt	cnt	Repeat Count	The number of times this	cnt=8

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
			event was sequentially repeated.	
cs2	cs2	TCP Flags		cs2=0x10 ACK cs2=0x14 ACK RST
cs2Label	cs2Label	TCP Flags	The name label for the field cs2.	cs2Label=TCP Flags
cs3	cs3	Packet Fragmentation Information		cs3=DF cs3=MF cs3=DF MF
cs3Label	cs3Label	Fragmentation Bits	The name label for the field cs3.	cs3Label=Fragmentation Bits
cs4	cs4	ICMP Type and Code	(For the ICMP protocol only) The ICMP type and code, delimited by a space.	cs4=11 0 cs4=8 0
cs4Label	cs4Label	ICMP	The name label for the field cs4.	cs4Label=ICMP Type and Code
dmac	dstMAC	Destination MAC Address	MAC address of the destination computer's network interface.	dmac= 00:0C:29:2F:09:B3
dpt	dstPort	Destination Port	(For TCP and UDP protocol only) <a href="#">Port number</a> of the destination computer's connection or session.	dpt=80 dpt=135
dst	dst	Destination IP Address	IP address of the destination computer.	dst=192.168.1.102 dst=10.30.128.2
in	in	Inbound Bytes Read	(For inbound connections only) Number of inbound bytes read.	in=137 in=21
out	out	Outbound	(For outbound	out=216

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
		Bytes Read	connections only) Number of outbound bytes read.	out=13
proto	proto	Transport protocol	Name of the transport protocol used.	proto=tcp proto=udp proto=icmp
smac	srcMAC	Source MAC Address	MAC address of the source computer's network interface.	smac= 00:0E:04:2C:02:B3
spt	srcPort	Source Port	(For TCP and UDP protocol only) Port number of the source computer's connection or session.	spt=1032 spt=443
src	src	Source IP Address	IP address of the source computer.	src=192.168.1.105 src=10.10.251.231
TrendMicroDsFrameType	TrendMicroDsFrameType	Ethernet frame type	Connection ethernet frame type.	TrendMicroDsFrameType=IP TrendMicroDsFrameType=ARP TrendMicroDsFrameType=RevARP  TrendMicroDsFrameType=NetBEUI
TrendMicroDsPacketData	TrendMicroDsPacketData	Packet data		TrendMicroDsPacketData=AA...BA  =
dvc	dvc	Device address	The IPv4 address for cn1.  Does not appear if the source is an IPv6 address or hostname.	dvc=10.1.144.199

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
			(Uses dvchost instead.)	
dvchost	dvchost	Device host name	The hostname or IPv6 address for cn1.  Does not appear if the source is an IPv4 address. (Uses dvc field instead.)	dvchost=exch01.example.com dvchost=2001:db8::5
TrendMicroDsTags	TrendMicroDsTags	Event Tags	Deep Security event tags assigned to the event	TrendMicroDsTags=suspicious
TrendMicroDsTenant	TrendMicroDsTenant	Tenant Name	Deep Security tenant	TrendMicroDsTenant=Primary
TrendMicroDsTenantId	TrendMicroDsTenantId	Tenant ID	Deep Security tenant ID	TrendMicroDsTenantId=0
None	sev	Severity	The severity of the event. 1 is the least severe; 10 is the most severe.	sev=5
None	cat	Category	Category	cat=Firewall
None	name	Name	Event name	name=Remote Domain Enforcement (Split Tunnel)
None	desc	Description	Event description. Firewall events use the event name as	desc=Remote Domain Enforcement (Split Tunnel)

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
			the description.	

Integrity monitoring log event format

**Base CEF format:** CEF:Version|Device Vendor|Device Product|Device Version|Signature ID|Name|Severity|Extension

**Sample CEF Log Entry:** CEF:0|Trend Micro|Deep Security Agent|<DSA version>|30|New Integrity Monitoring Rule|6|cn1=1 cn1Label=Host ID dvchost=hostname act=updated filePath=c:\\windows\\message.dll suser=admin msg=lastModified,sha1,size

**Base LEEF 2.0 format:** LEEF:2.0|Vendor|Product|Version|EventID|(Delimiter Character, optional if the Delimiter Character is tab)|Extension

**Sample LEEF Log Entry:** LEEF:2.0|Trend Micro|Deep Security Agent|<DSA version>|2002779|cat=Integrity Monitor name=Microsoft Windows - System file modified desc=Microsoft Windows - System file modified sev=8 cn1=37 cn1Label=Host ID dvchost=www.example.com TrendMicroDsTenant=Primary TrendMicroDsTenantId=0 act=updated suser=admin

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
act	act	Action	The action detected by the integrity rule. Can contain: created, updated, detected or renamed.	act=created act=deleted
cn1	cn1	Host Identifier	The agent computer's internal unique identifier.	cn1=113
cn1Label	cn1Label	Host ID	The name label for the field cn1.	cn1Label=Host ID
filePath	filePath	Target Entity	The integrity	filePath=C:\WINDOWS\system32\drivers\etc\hosts

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
			rule target entity. May contain a file or directory path, registry key, etc.	
suser	suser	Source User	Deep Security Manager administrator's account.	suser=MasterAdmin
msg	msg	Attribute changes	(For "renamed" action only) A list of changed attribute names. If "Relay via Manager" is selected, all event action types include a full description.	msg=lastModified,sha1,size
oldfilePath	oldfilePath	Old target entity	(For "renamed" action only) The previous integrity rule target entity to capture the rename action from the previous target entity to the new, which is recorded in the filePath field.	oldFilePath=C:\WINDOWS\system32\logfiles\d s_agent.log
dvc	dvc	Device address	The IPv4 address for cn1.	dvc=10.1.144.199

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
			Does not appear if the source is an IPv6 address or hostname. (Uses dvchost instead.)	
dvchost	dvchost	Device host name	The hostname or IPv6 address for cn1.  Does not appear if the source is an IPv4 address. (Uses dvc field instead.)	dvchost=www.example.com dvchost=2001:db8::5
TrendMicroDsTags	TrendMicroDsTags	Events tags	Deep Security event tags assigned to the event	TrendMicroDsTags=suspicious
TrendMicroDsTenant	TrendMicroDsTenant	Tenant name	Deep Security tenant	TrendMicroDsTenant=Primary
TrendMicroDsTenantId	TrendMicroDsTenantId	Tenant ID	Deep Security tenant ID	TrendMicroDsTenantId=0
None	sev	Severity	The severity of the event.	sev=8

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
			1 is the least severe; 10 is the most severe.	
None	cat	Category	Category	cat=Integrity Monitor
None	name	Name	Event name	name=Microsoft Windows - System file modified
None	desc	Description	Event description. Integrity monitoring uses the event name as the description.	desc=Microsoft Windows - System file modified

### Intrusion prevention event log format

**Base CEF format:** CEF:Version|Device Vendor|Device Product|Device Version|Signature ID|Name|Severity|Extension

**Sample CEF Log Entry:** CEF:0|Trend Micro|Deep Security Agent|<DSA version>|1001111|Test Intrusion Prevention Rule|3|cn1=1 cn1Label=Host ID dvchost=hostname dmac=00:50:56:F5:7F:47 smac=00:0C:29:EB:35:DE TrendMicroDsFrameType=IP src=192.168.126.150 dst=72.14.204.105 out=1093 cs3=DF MF cs3Label=Fragmentation Bits proto=TCP spt=49786 dpt=80 cs2=0x00 ACK PSH cs2Label=TCP Flags cnt=1 act=IDS:Reset cn3=10 cn3Label=Intrusion Prevention Packet Position cs5=10 cs5Label=Intrusion Prevention Stream Position cs6=8 cs6Label=Intrusion Prevention Flags TrendMicroDsPacketData=R0VUIC9zP3...

**Base LEEF 2.0 format:** LEEF:2.0|Vendor|Product|Version|EventID|(Delimiter Character, optional if the Delimiter Character is tab)|Extension

**Sample LEEF Log Entry:** LEEF:2.0|Trend Micro|Deep Security Agent|<DSA version>|1000940|cat=Intrusion Prevention name=Sun Java RunTime Environment Multiple Buffer Overflow Vulnerabilities desc=Sun Java RunTime Environment Multiple Buffer Overflow Vulnerabilities sev=10 cn1=6 cn1Label=Host ID dvchost=exch01 TrendMicroDsTenant=Primary TrendMicroDsTenantId=0 dstMAC=55:C0:A8:55:FF:41 srcMAC=CA:36:42:B1:78:3D TrendMicroDsFrameType=IP src=10.0.251.84 dst=56.19.41.128 out=166 cs3=cs3Label=Fragmentation Bits proto=ICMP srcPort=0 dstPort=0 cnt=1 act=IDS:Reset cn3=0

## Trend Micro Deep Security for Azure Marketplace 11.1

cn3Label=DPI Packet Position cs5=0 cs5Label=DPI Stream Position cs6=0 cs6Label=DPI  
Flags

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
act	act	Action	(IPS rules written before Deep Security version 7.5 SP1 could additionally perform Insert, Replace, and Delete actions. These actions are no longer performed. If an older IPS Rule is triggered which still attempts to perform those actions, the event will indicate that the rule was applied in detect-only mode.)	act=Block
cn1	cn1	Host Identifier	The agent computer's internal unique identifier.	cn1=113
cn1Label	cn1Label	Host ID	The name label for the field cn1.	cn1Label=Host ID
cn3	cn3	Intrusion Prevention Packet Position	Position within packet of data that triggered the event.	cn3=37
cn3Label	cn3Label	Intrusion Prevention Packet Position	The name label for the field cn3.	cn3Label=Intrusion Prevention Packet Position
cnt	cnt	Repeat Count	The number of times this	cnt=8

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
			event was sequentially repeated.	
cs1	cs1	Intrusion Prevention Filter Note	(Optional) A note field which can contain a short binary or text note associated with the payload file. If the value of the note field is all printable ASCII characters, it will be logged as text with spaces converted to underscores. If it contains binary data, it will be logged using Base-64 encoding.	cs1=Drop_data
cs1Label	cs1Label	Intrusion Prevention Note	The name label for the field cs1.	cs1Label=Intrusion Prevention Note
cs2	cs2	TCP Flags	(For the TCP protocol only) The raw TCP flag byte followed by the URG, ACK, PSH, RST, SYN and FIN fields may be present if the TCP header was set.	cs2=0x10 ACK cs2=0x14 ACK RST
cs2Label	cs2Label	TCP Flags	The name label for the field cs2.	cs2Label=TCP Flags

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
cs3	cs3	Packet Fragmentation Information		cs3=DF cs3=MF cs3=DF MF
cs3Label	cs3Label	Fragmentation Bits	The name label for the field cs3.	cs3Label=Fragmentation Bits
cs4	cs4	ICMP Type and Code	(For the ICMP protocol only) The ICMP type and code stored in their respective order delimited by a space.	cs4=11 0 cs4=8 0
cs4Label	cs4Label	ICMP	The name label for the field cs4.	cs4Label=ICMP Type and Code
cs5	cs5	Intrusion Prevention Stream Position	Position within stream of data that triggered the event.	cs5=128 cs5=20
cs5Label	cs5Label	Intrusion Prevention Stream Position	The name label for the field cs5.	cs5Label=Intrusion Prevention Stream Position
cs6	cs6	Intrusion Prevention Filter Flags	A combined value that includes the sum of the flag values:  1 - Data truncated - Data could not be logged. 2 - Log Overflow - Log overflowed after this log. 4 - Suppressed - Logs threshold suppressed after this log. 8 - Have Data - Contains	The following example would be a summed combination of 1 (Data truncated) and 8 (Have Data): cs6=9

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
			packet data 16 - Reference Data - References previously logged data.	
cs6Label	cs6Label	Intrusion Prevention Flags	The name label for the field cs6.	cs6=Intrusion Prevention Filter Flags
dmac	dstMAC	Destination MAC Address	Destination computer network interface MAC address.	dmac= 00:0C:29:2F:09:B3
dpt	dstPort	Destination Port	(For TCP and UDP protocol only) Destination computer connection port.	dpt=80 dpt=135
dst	dst	Destination IP Address	Destination computer IP Address.	dst=192.168.1.102 dst=10.30.128.2
in	in	Inbound Bytes Read	(For inbound connections only) Number of inbound bytes read.	in=137 in=21
out	out	Outbound Bytes Read	(For outbound connections only) Number of outbound bytes read.	out=216 out=13
proto	proto	Transport protocol	Name of the connection transport protocol used.	proto=tcp proto=udp proto=icmp
smac	srcMAC	Source MAC Address	Source computer network interface MAC address.	smac= 00:0E:04:2C:02:B3
spt	srcPort	Source Port	(For TCP and UDP protocol	spt=1032 spt=443

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
			only) Source computer connection port.	
src	src	Source IP Address	Source computer IP Address.	src=192.168.1.105 src=10.10.251.231
TrendMicroDsFrameType	TrendMicroDsFrameType	Ethernet frame type	Connection ethernet frame type.	TrendMicroDsFrameType=IP TrendMicroDsFrameType=ARP TrendMicroDsFrameType=RevARP  TrendMicroDsFrameType=NetBEUI
TrendMicroDsPacketData	TrendMicroDsPacketData	Packet data		TrendMicroDsPacketData=AA...BA  =
dvc	dvc	Device address	The IPv4 address for cn1.  Does not appear if the source is an IPv6 address or hostname. (Uses dvchost instead.)	dvc=10.1.144.199
dvchost	dvchost	Device host name	The hostname or IPv6 address for cn1.  Does not appear if	dvchost=www.example.com dvchost=2001:db8::5

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
			the source is an IPv4 address. (Uses dvc field instead.)	
TrendMicroDsTags	TrendMicroDsTags	Event tags	Deep Security event tags assigned to the event	TrendMicroDsTags=Suspicious
TrendMicroDsTenant	TrendMicroDsTenant	Tenant name	Deep Security tenant name	TrendMicroDsTenant=Primary
TrendMicroDsTenantId	TrendMicroDsTenantId	Tenant ID	Deep Security tenant ID	TrendMicroDsTenantId=0
None	sev	Severity	The severity of the event. 1 is the least severe; 10 is the most severe.	sev=10
None	cat	Category	Category	cat=Intrusion Prevention
None	name	Name	Event name	name=Sun Java RunTime Environment Multiple Buffer Overflow Vulnerabilities
None	desc	Description	Event description. Intrusion prevention events use the event name as the description.	desc=Sun Java RunTime Environment Multiple Buffer Overflow Vulnerabilities

### Log inspection event format

**Base CEF format:** CEF:Version|Device Vendor|Device Product|Device Version|Signature ID|Name|Severity|Extension

**Sample CEF Log Entry:** CEF:0|Trend Micro|Deep Security Agent|<DSA version>|3002795|Microsoft Windows Events|8|cn1=1 cn1Label=Host ID dvchost=hostname cs1Label=LI Description cs1=Multiple Windows Logon Failures fname=Security src=127.0.0.1

## Trend Micro Deep Security for Azure Marketplace 11.1

duser=(no user) shost=WIN-RM6HM42G65V msg=WinEvtLog Security: AUDIT\_FAILURE (4625): Microsoft-Windows-Security-Auditing: (no user): no domain: WIN-RM6HM42G65V: An account failed to log on. Subject: ..

**Base LEEF 2.0 format:** LEEF:2.0|Vendor|Product|Version|EventID|(Delimiter Character, optional if the Delimiter Character is tab)|Extension

**Sample LEEF Log Entry:** LEEF:2.0|Trend Micro|Deep Security Agent|<DSA version>|3003486|cat=Log Inspection name=Mail Server - MDAemon desc=Server Shutdown. sev=3 cn1=37 cn1Label=Host ID dvchost=exch01.example.com TrendMicroDsTenant=Primary TrendMicroDsTenantId=0 cs1=Server Shutdown. cs1Label=LI Description fname= shost= msg=

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
cn1	cn1	Host Identifier	The agent computer's internal unique identifier.	cn1=113
cn1Label	cn1Label	Host ID	The name label for the field cn1.	cn1Label=Host ID
cs1	cs1	Specific Sub-Rule	The Log Inspection sub-rule which triggered this event.	cs1=Multiple Windows audit failure events
cs1Label	cs1Label	LI Description	The name label for the field cs1.	cs1Label=LI Description
duser	duser	User Information	(If parse-able username exists) The name of the target user initiated the log entry.	duser=(no user) duser=NETWORK SERVICE
fname	fname	Target entity	The log inspection rule target entity. May contain a file or directory path, registry key, etc.	fname=Application fname=C:\Program Files\CMS\logs\server0.log
msg	msg	Details	Details of the log inspection event. May contain a verbose description of the detected log event.	msg=WinEvtLog: Application: AUDIT_FAILURE(20187): pgEvent: (no user): no domain: SERVER01: Remote login failure for user 'xyz'
shost	shost	Source Hostname	Source computer hostname.	shost=webserver01.corp.com
src	src	Source IP Address	Source computer IP address.	src=192.168.1.105 src=10.10.251.231
dvc	dvc	Device address	The IPv4 address for cn1.	dvc=10.1.144.199

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
			Does not appear if the source is an IPv6 address or hostname. (Uses dvchost instead.)	
dvchost	dvchost	Device host name	The hostname or IPv6 address for cn1.  Does not appear if the source is an IPv4 address. (Uses dvc field instead.)	dvchost=www.example.com dvchost=2001:db8::5
TrendMicroDsTags	TrendMicroDsTags	Events tags	Deep Security event tags assigned to the event	TrendMicroDsTags=suspicious
TrendMicroDsTenant	TrendMicroDsTenant	Tenant name	Deep Security tenant	TrendMicroDsTenant=Primary
TrendMicroDsTenantId	TrendMicroDsTenantId	Tenant ID	Deep Security tenant ID	TrendMicroDsTenantId=0
None	sev	Severity	The severity of the event. 1 is the least severe; 10 is the most severe.	sev=3
None	cat	Category	Category	cat=Log Inspection
None	name	Name	Event name	name=Mail Server - MDAemon
None	desc	Description	Event description.	desc=Server Shutdown

### Web reputation event format

**Base CEF format:** CEF:Version|Device Vendor|Device Product|Device Version|Signature ID|Name|Severity|Extension

**Sample CEF Log Entry:** CEF:0|Trend Micro|Deep Security Agent|<DSA version>|5000000|WebReputation|5|cn1=1 cn1Label=Host ID dvchost=hostname request=example.com msg=Blocked By Admin

## Trend Micro Deep Security for Azure Marketplace 11.1

**Base LEEF 2.0 format:** LEEF:2.0|Vendor|Product|Version|EventID|(Delimiter Character, optional if the Delimiter Character is tab)|Extension

**Sample LEEF Log Entry:** LEEF:2.0|Trend Micro|Deep Security Agent|<DSA version>|5000000|cat=Web Reputation name=WebReputation desc=WebReputation sev=6 cn1=3 cn1Label=Host ID dvchost=exch01.example.com TrendMicroDsTenant=Primary TrendMicroDsTenantId=0 request=http://yw.olx5x9ny.org.it/HvuauRH/eighgSS.htm msg=Suspicious

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
cn1	cn1	Host Identifier	The agent computer's internal unique identifier.	cn1=1
cn1Label	cn1Label	Host ID	The name label for the field cn1.	cn1Label=Host ID
request	request	Request	The URL of the request.	request=http://www.example.com/index.php
msg	msg	Message	The type of action. Possible values are: Realtime, Scheduled, and Manual.	msg=Realtime msg=Scheduled
dvc	dvc	Device address	The IPv4 address for cn1.  Does not appear if the source is an IPv6 address or hostname. (Uses dvchost instead.)	dvc=10.1.144.199

## Trend Micro Deep Security for Azure Marketplace 11.1

CEF Extension Field	LEEF Extension Field	Name	Description	Examples
dvchost	dvchost	Device host name	The hostname or IPv6 address for cn1.  Does not appear if the source is an IPv4 address. (Uses dvc field instead.)	dvchost=www.example.com dvchost=2001:db8::5
TrendMicroDsTags	TrendMicroDsTags	Events tags	Deep Security event tags assigned to the event	TrendMicroDsTags=suspicious
TrendMicroDsTenant	TrendMicroDsTenant	Tenant name	Deep Security tenant	TrendMicroDsTenant=Primary
TrendMicroDsTenantId	TrendMicroDsTenantId	Tenant ID	Deep Security tenant ID	TrendMicroDsTenantId=0
None	sev	Severity	The severity of the event. 1 is the least severe; 10 is the most severe.	sev=6
None	cat	Category	Category	cat=Web Reputation
None	name	Name	Event name	name=WebReputation
None	desc	Description	Event description. Web reputation uses the event name as the description.	desc=WebReputation

# Configure Red Hat Enterprise Linux to receive event logs

## Set up a Syslog on Red Hat Enterprise Linux 6 or 7

The following steps describe how to configure rsyslog on Red Hat Enterprise Linux 6 or 7 to receive logs from Deep Security.

1. Log in as root
2. Execute:

```
vi /etc/rsyslog.conf
```

3. Uncomment the following lines near the top of the `rsyslog.conf` to change them from:

```
#$ModLoad imudp
#$UDPServerRun 514
#
#$ModLoad imtcp
#$InputTCPServerRun 514
```

to

```
$ModLoad imudp
$UDPServerRun 514
#
$ModLoad imtcp
$InputTCPServerRun 514
```

4. Add the following two lines of text to the end of the `rsyslog.conf`:

- `#Save Deep Security Manager logs to DSM.log`
- `Local4.* /var/log/DSM.log`

**Note:** You may need to replace `Local4` with another value, depending on your Manager settings.

5. Save the file and exit
6. Create the `/var/log/DSM.log` file by typing `touch /var/log/DSM.log`
7. Set the permissions on the DSM log so that syslog can write to it
8. Save the file and exit

## Trend Micro Deep Security for Azure Marketplace 11.1

### 9. Restart syslog:

- On Red Hat Enterprise Linux 6: `service rsyslog restart`
- On Red Hat Enterprise Linux 7: `systemctl restart rsyslog`

When Syslog is functioning you will see logs populated in: `/var/log/DSM.log`

## Set up a Syslog on Red Hat Enterprise Linux 5

The following steps describe how to configure Syslog on Red Hat Enterprise Linux to receive logs from Deep Security.

1. Log in as root
2. Execute:

```
vi /etc/syslog.conf
```

### 3. Add the following two lines of text to the end of the `syslog.conf` :

- `#Save Deep Security Manager logs to DSM.log`
- `Local4.* /var/log/DSM.log`

**Note:** You may need to replace `Local4` with another value, depending on your Manager settings.

4. Save the file and exit
5. Create the `/var/log/DSM.log` file by typing `touch /var/log/DSM.log`
6. Set the permissions on the DSM log so that syslog can write to it
7. Execute:

```
vi /etc/sysconfig/syslog
```

8. Modify the line " `SYSLOGD_OPTIONS` " and add a " `-r` " to the options
9. Save the file and exit
10. Restart syslog: `/etc/init.d/syslog restart`

When Syslog is functioning you will see logs populated in: `/var/log/DSM.log`

## Access events with Amazon SNS

If you have an AWS account, you can take advantage of the Amazon Simple Notification Service (SNS) to publish notifications about Deep Security events and deliver them to subscribers. For details about SNS, see <https://aws.amazon.com/sns/>.

To set up Amazon SNS:

1. ["Create an AWS user" below.](#)
2. ["Create an Amazon SNS topic" on the next page.](#)
3. ["Enable SNS" on the next page.](#)
4. ["Create subscriptions" on page 811.](#)

See the sections below for details on how to perform these tasks.

### Create an AWS user

In order to use Amazon SNS with Deep Security, you need to create an AWS user with the appropriate permissions for SNS. Note the access key and secret key for the user, because you will need that information for step 3, below.

The AWS user will need the "sns:Publish" permission on all SNS topics that Deep Security will publish to. This is an example of a policy with this permission:

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Action": [
        "sns:Publish"
      ],
      "Effect": "Allow",
      "Resource": "*"
    }
  ]
}
```

If you want to limit publishing rights to a single topic, you can replace `"Resource": "*" with "Resource": "TOPIC ARN".`

For more information, see [Controlling User Access to Your AWS Account](#) and [Special Information for Amazon SNS Policies](#) in the Amazon AWS documentation.

## Create an Amazon SNS topic

In AWS, create an SNS topic where the events will be published. For instructions on how to create an Amazon SNS topic, see "Create a Topic" in the [Amazon SNS documentation](#). Note the SNS Topic ARN because you will need this information in step 3, below.

## Enable SNS

1. In the Deep Security Manager, go to **Administration > System Settings > Event Forwarding**.
2. In the Amazon SNS section, select **Publish Events to Amazon Simple Notification Service**.
3. Enter this information:
  - **Access Key:** The access key of the AWS user you created in section 1.
  - **Secret Key:** The secret key of the AWS user you created in section 1.
  - **SNS Topic ARN:** The SNS Topic ARN that events will be sent to. This is the ARN that you noted in section 2.

4. Select the types of events that you want to forward to SNS.

Selecting the events automatically generates a JSON SNS configuration.

5. (Optional) You can also click **Edit JSON SNS configuration** to edit the JSON SNS configuration directly if you want to filter the events in greater detail and configure the forwarding instructions for each filter. For details on the configuration language, see "[JSON SNS configuration](#)" on the next page.

**Note:** If you edit the JSON, the event check boxes will become unavailable. If you want to select or deselect any of the event check boxes, you can click **Revert to basic SNS configuration**, but any customizations you have made to the JSON SNS configuration will be discarded.

6. Click **Save**.

### Create subscriptions

Now that SNS is enabled and events are being published to the topic, go to the Amazon SNS console and subscribe to the topic to access the events. There are several ways that you can subscribe to events, including [email](#), [SMS](#), and [Lambda endpoints](#).

**Note:** Lambda is not available in all AWS regions.

### JSON SNS configuration

For instructions on how to enable the forwarding of events to Amazon SNS topics, see "[Access events with Amazon SNS](#)" on page 808. If you opt to directly edit the JSON SNS configuration, this page provides details on how to do it.

The configuration language used to define which events are sent to which topics is modeled after Amazon's Policy language for SNS, described in the [Amazon documentation](#).

The configuration is a special [JSON](#)-encoded document that says which conditions an event must meet in order to be published to a topic. A basic configuration looks like:

```
{
  "Version": "2014-09-24",
  "Statement": [statement1, statement2, ...]
}
```

#### Version

The **Version** element specifies the version of the configuration language. The only currently valid value is the string "2014-09-24"

```
"Version": "2014-09-24",
```

#### Statement

The **Statement** element is an array of individual statements. Each individual statement is a distinct JSON object giving the SNS topic to send to if an event meets given conditions.

## Trend Micro Deep Security for Azure Marketplace 11.1

```
"Statement": [{...}, {...}, ...]
```

An individual statement has the form

```
{
  "Topic": "destination topic",
  "Condition": {conditions event must meet to be published to the
destination topic}
}
```

### Topic

The **Topic** element must be the Amazon Resource Name of the SNS Topic to publish to.

```
"Topic": "arn:aws:sns:us-east-1:012345678901:myTopic"
```

### Condition

The **Condition** element is the most complex part of the configuration. It contains one or more conditions an event must match in order to be published to the topic. Each condition may itself contain multiple key-value pairs, and some conditions support multiple values for each key. The keys in conditions are the names of properties from events.

```
"Condition": {
  "ConditionName": {
    "key1": [value1, value2],
    "key2": value3
  },
  "ConditionName2": {
    "key3": [value4]
  },
  ...
}
```

## Trend Micro Deep Security for Azure Marketplace 11.1

Possible condition names and their syntax are described below.

### Bool

The **Bool** condition performs Boolean matching. To match, an event must have a property with the desired Boolean value. If the property in the event exists but is not itself a Boolean value, the property is tested as follows:

- Numbers equal to 0 evaluate to false. Numbers not equal to 0 evaluate to true.
- Empty strings and the special strings "false" and "0" evaluate to false. Other strings evaluate to true.
- Any other property value in an event cannot be converted to a Boolean and will not match.

Allows for multiple values? No

The following example shows a configuration that publishes events that have a "DetectOnly" property with a value false:

```
{
  "Version": "2014-09-24",
  "Statement": [
    {
      "Topic": "arn:aws:sns:us-east-1:012345678901:myTopic",
      "Condition": {
        "Bool": {
          "DetectOnly": false
        }
      }
    }
  ]
}
```

### Exists

The **Exists** condition tests for the existence or non-existence of a property in an event. The value of the property is not considered.

Allows for multiple values? No

The following example shows a configuration that publishes events when the event has the property "Severity" but does not have the property "Title":

```
{
  "Version": "2014-09-24",
  "Statement": [
    {
      "Topic": "arn:aws:sns:us-east-1:012345678901:myTopic",
      "Condition": {
        "Exists": {
          "Severity": true,
          "Title": false
        }
      }
    }
  ]
}
```

### IpAddress

The **IpAddress** condition tests the value of an event's property is an IP address in a range given in CIDR format, or exactly equals a single IP address.

Allows for multiple values? Yes

The following example shows a configuration that publishes events when the event has the property "DestinationIP" with an IP address in the range 64.23.0.0/16, or to 216.104.20.189:

```
{
  "Version": "2014-09-24",
  "Statement": [
    {
      "Topic": "arn:aws:sns:us-east-1:012345678901:myTopic",
      "Condition": {
```

## Trend Micro Deep Security for Azure Marketplace 11.1

```
    "IpAddress": {
      "DestinationIP": ["64.23.0.0/16", "216.104.20.189"]
    }
  }
}
]
```

### NotIpAddress

The **NotIpAddress** condition tests the value of an event's property is not an IP address in any of the specified IP address ranges.

Allows for multiple values? Yes

The following example shows a configuration that publishes events when the event has the property "DestinationIP" with an IP address not in the range 10.0.0.0/8:

```
{
  "Version": "2014-09-24",
  "Statement": [
    {
      "Topic": "arn:aws:sns:us-east-1:012345678901:myTopic",
      "Condition": {
        "NotIpAddress": {
          "DestinationIP": "10.0.0.0/8"
        }
      }
    }
  ]
}
```

### NumericEquals

The **NumericEquals** condition tests the numeric value of an event's property equals one or more desired values. If the property in the event exists but is not itself a numeric value, the property is tested as follows:

- Strings are converted to numbers. Strings that cannot be converted to numbers will not match.
- Any other property value in an event cannot be converted to a number and will not match.

Allows for multiple values? Yes

The following example shows a configuration that publishes events when the event has the property "Protocol" with the value 6 or 17:

```
{
  "Version": "2014-09-24",
  "Statement": [
    {
      "Topic": "arn:aws:sns:us-east-1:012345678901:myTopic",
      "Condition": {
        "NumericEquals": {
          "Protocol": [6, 17]
        }
      }
    }
  ]
}
```

### NumericNotEquals

The **NumericNotEquals** condition tests the numeric value of an event's property is not equal to any one of an undesired set of values.

Allows for multiple values? Yes

## Trend Micro Deep Security for Azure Marketplace 11.1

The following example shows a configuration that publishes events when the event has the property "Protocol" not equal to 6, and the property "Risk" not equal to 2 or 3:

```
{
  "Version": "2014-09-24",
  "Statement": [
    {
      "Topic": "arn:aws:sns:us-east-1:012345678901:myTopic",
      "Condition": {
        "NumericNotEquals": {
          "Protocol": 6,
          "Risk" : [2, 3]
        }
      }
    }
  ]
}
```

### NumericGreaterThan

The **NumericGreaterThan** condition tests the numeric value of an event's property is strictly greater than a desired value. If the property in the event exists but is not itself a numeric value it is converted to a number as described for NumericEquals.

Allows for multiple values? No

The following example shows a configuration that publishes events when the event has the property "Protocol" with the value greater than 6:

```
{
  "Version": "2014-09-24",
  "Statement": [
    {
      "Topic": "arn:aws:sns:us-east-1:012345678901:myTopic",
      "Condition": {
        "NumericGreaterThan": {
```

```
        "Protocol": 6
      }
    }
  ]
}
```

### NumericGreaterThanOrEquals

The **NumericGreaterThanOrEquals** condition tests the numeric value of an event's property is greater than or equal to a desired value. If the property in the event exists but is not itself a numeric value it is converted to a number as described for **NumericEquals**.

Allows for multiple values? No

The following example shows a configuration that publishes events when the event has the property "Number" with a value greater than or equal to 600:

```
{
  "Version": "2014-09-24",
  "Statement": [
    {
      "Topic": "arn:aws:sns:us-east-1:012345678901:myTopic",
      "Condition": {
        "NumericGreaterThanOrEquals": {
          "Number": 600
        }
      }
    }
  ]
}
```

### NumericLessThan

The **NumericLessThan** condition tests the numeric value of an event's property is strictly less than a desired value. If the property in the event exists but is not itself a numeric value it is converted to a number as described for NumericEquals.

Allows for multiple values? No

The following example shows a configuration that publishes events when the event has the property "Number" with a value greater than 1000:

```
{
  "Version": "2014-09-24",
  "Statement": [
    {
      "Topic": "arn:aws:sns:us-east-1:012345678901:myTopic",
      "Condition": {
        "NumericLessThan": {
          "Number": 1000
        }
      }
    }
  ]
}
```

### NumericLessThanEquals

The **NumericLessThanEquals** condition tests the numeric value of an event's property is less than or equal to a desired value. If the property in the event exists but is not itself a numeric value it is converted to a number as described for NumericEquals.

Allows for multiple values? No

The following example shows a configuration that publishes events when the event has the property "Number" with a value less than or equal to 500:

## Trend Micro Deep Security for Azure Marketplace 11.1

```
{
  "Version": "2014-09-24",
  "Statement": [
    {
      "Topic": "arn:aws:sns:us-east-1:012345678901:myTopic",
      "Condition": {
        "NumericLessThanEquals": {
          "Number": 500
        }
      }
    }
  ]
}
```

### StringEquals

The **StringEquals** condition tests the string value of an event's property is strictly equal to or more desired values.

Allows for multiple values? Yes

The following example shows a configuration that publishes events when the event has the property "EventType" equal to "SystemEvent" and property "TargetType" equal to "User" or "Role":

```
{
  "Version": "2014-09-24",
  "Statement": [
    {
      "Topic": "arn:aws:sns:us-east-1:012345678901:myTopic",
      "Condition": {
        "StringEquals": {
          "EventType": ["SystemEvent"],
          "TargetType" : ["User", "Role"]
        }
      }
    }
  ]
}
```

```
    }
  }
]
}
```

### StringNotEquals

The **StringNotEquals** condition tests the string value of an event's property does not equal any of an undesired set of values.

Allows for multiple values? Yes

The following example shows a configuration that publishes events when the event has the property "EventType" not equal to "PacketLog" or "IntegrityEvent":

```
{
  "Version": "2014-09-24",
  "Statement": [
    {
      "Topic": "arn:aws:sns:us-east-1:012345678901:myTopic",
      "Condition": {
        "StringNotEquals": {
          "EventType": ["PacketLog", "IntegrityEvent"]
        }
      }
    }
  ]
}
```

### StringEqualsIgnoreCase

The **StringEqualsIgnoreCase** condition is the same as the StringEquals condition, except string matching is performed in a case-insensitive manner.

### StringNotEqualsIgnoreCase

The **StringNotEqualsIgnoreCase** condition is the same as the `StringNotEquals` condition, except string matching is performed in a case-insensitive manner.

### StringLike

The **StringLike** condition tests the string value of an event's property is equal to or more desired values, where the desired values may include the wildcard '\*' to match any number of characters or '?' to match a single character. String comparisons are case-sensitive.

Allows for multiple values? Yes

The following example shows a configuration that publishes events when the event has the property "Title" which contains the string "User" or "Role":

```
{
  "Version": "2014-09-24",
  "Statement": [
    {
      "Topic": "arn:aws:sns:us-east-1:012345678901:myTopic",
      "Condition": {
        "StringLike": {
          "Title": ["*User*", "*Role*"]
        }
      }
    }
  ]
}
```

### StringNotLike

The **StringNotLike** condition tests that the string value of an event's property is not equal to any of an undesired set of values, where the values may include the wildcard '\*' to match any number of characters or '?' to match a single character. String comparisons are case-sensitive.

Allows for multiple values? Yes

## Trend Micro Deep Security for Azure Marketplace 11.1

The following example shows a configuration that publishes all events except the "System Settings Saved" event:

```
{
  "Version": "2014-09-24",
  "Statement": [
    {
      "Topic": "arn:aws:sns:us-east-1:012345678901:myTopic",
      "Condition": {
        "StringNotLike": {
          "Title": "System Settings Saved"
        }
      }
    }
  ]
}
```

The next example shows a configuration that publishes events when the event has the property "Title" that does not start with "User" and does not end with "Created":

```
{
  "Version": "2014-09-24",
  "Statement": [
    {
      "Topic": "arn:aws:sns:us-east-1:012345678901:myTopic",
      "Condition": {
        "StringNotLike": {
          "Title": ["User*", "*Created"]
        }
      }
    }
  ]
}
```

## Event Description

When published to Amazon SNS, events are sent as simple JSON objects encoded as strings. The properties in the objects are the elements of the event, and the values of the properties are typically strings or numbers. This section describes the properties that events can have and what values these properties can take.

## Event Data Types

Properties in an event will be one of the data types described in the following table:

Data Type	Description
Boolean	The value will be the JSON <code>true</code> or <code>false</code> value.
Integer	The value will be a JSON <code>int</code> value. Deep Security does not output floating point numbers in events. Note that integer types in events are <i>not</i> guaranteed to fit in 32 bit integers.
Integer (enum)	The value will be a JSON <code>int</code> value, with the additional restriction that it can only be one of a limited set of enumerated values.
String	The value will be a JSON <code>string</code> value.
String (Date)	The value will be a date and time encoded in a JSON <code>string</code> value. Dates are encoded using ISO 8601 format YYYY-MM-DDThh:mm:ss.sssZ, always using 'Z' for the time zone designator and including three digits for sub-seconds. See the <a href="#">W3C note on date and time formats</a> for more details about this encoding.
String (IP)	The value will be an IPv4 or IPv6 address encoded in a JSON <code>string</code> value.
String (MAC)	The value will be a JSON <code>string</code> value, with the additional restriction that it will contain a network MAC address.
String (URL)	The value will be a JSON <code>string</code> value, with the additional restriction that it will contain a URL.
String (enum)	The value will be a JSON <code>string</code> value, with the additional restriction that it can only be one of a limited set of enumerated values.

## Event Properties

This section describes all the properties that may be seen in an event. Note that events will not necessarily contain all of the properties that are listed as applicable for the event type; in some circumstances a property will not apply and will not be present in the JSON object.

Property Name	Data Type	Description	Applies To Event Type (s)
Action	Integer (enum)	Action taken for intrusion prevention event. 0=Unknown, 1=Deny, 2=Reset, 3=Insert, 4=Delete, 5=Replace, 6=Log Only, 0x81=Detect Only: Deny, 0x82=Detect Only: Reset, 0x83=Detect Only: Insert, 0x84=Detect Only: Delete, 0x85=Detect Only: Replace.	Intrusion prevention events
Action	Integer (enum)	Action taken for firewall event. "Detect Only" values show what would have happened if the rule had been enabled. 0=Unknown, 1=Deny, 6=Log Only, 0x81=Detect Only: Deny.	Firewall events
ActionBy	String	The name of the Deep Security Manager User who performed the event, or "System" if the event was not generated by a User.	System events
ActionString	String	Conversion of Action to a readable string.	Firewall events, intrusion prevention events
AdministratorID	Integer	Unique identifier of the Deep Security User who performed an action. Events generated by the system and not by a user will not have an identifier.	System events
ApplicationType	String	Name of the Application Type associated with the Intrusion Prevention Rule, if available.	Intrusion prevention events
Change	Integer (enum)	What type of change was made to a file, process, registry key, etc. for an integrity monitoring event. 1=Created, 2=Updated, 3=Deleted, 4=Renamed.	Integrity events, integrity events

## Trend Micro Deep Security for Azure Marketplace 11.1

Property Name	Data Type	Description	Applies To Event Type (s)
ContainerID	String	ID of the Docker container where the malware was found.	Anti-malware events
ContainerImageName	String	Image name of the Docker container where the malware was found.	Anti-malware events
ContainerName	String	Name of the Docker container where the malware was found.	Anti-malware events
Description	String	Description of the change made to the entity (created, deleted, updated) along with details about the attributes changed.	Integrity events
Description	String	Brief description of what happened during an event.	System events
DestinationIP	String (IP)	The IP Address of the destination of a packet.	Firewall events, intrusion prevention events
DestinationMAC	String (MAC)	The MAC Address of the destination of a packet.	Firewall events, intrusion prevention events
DestinationPort	Integer	The network <a href="#">port number</a> a packet was sent to.	Firewall events, intrusion prevention events
DetectionCategory	Integer (enum)	The detection category for a web reputation event. 12=User Defined, 13=Custom, 91=Global.	Web reputation events
DetectOnly	Boolean	Whether or not the event was returned with the Detect Only flag turned on. If true, this indicates that the URL was not blocked, but access was detected.	Web reputation events

## Trend Micro Deep Security for Azure Marketplace 11.1

Property Name	Data Type	Description	Applies To Event Type (s)
Direction	Integer (enum)	Network packet direction. 0=Incoming, 1=Outgoing.	Firewall events, intrusion prevention events
DirectionString	String	Conversion Direction to a readable string.	Firewall events, intrusion prevention events
DriverTime	Integer	The time the log was generated as recorded by the driver.	Firewall events, intrusion prevention events
EndLogDate	String (Date)	The last log date recorded for repeated events. Will not be present for events that did not repeat.	Firewall events, intrusion prevention events
EngineType	Integer	The anti-malware engine type.	Anti-malware events
EngineVersion	String	The anti-malware engine version.	Anti-malware events
EntityType	String (enum)	The type of entity an integrity monitoring event applies to. One of: Directory, File, Group, InstalledSoftware, Port, Process, RegistryKey, RegistryValue, Service, User, Wql	Integrity events
ErrorCode	Integer	Error code for malware scanning events. If non-zero the scan failed, and the scan action and scan result fields contain more details.	Anti-malware events
EventID	Integer	The identifier of the event. Identifiers are unique per event type, but events of different types may share the same identifier. For example, it is possible for events	All event types

## Trend Micro Deep Security for Azure Marketplace 11.1

Property Name	Data Type	Description	Applies To Event Type (s)
		with EventType firewall and ips to have EventID equal to 1. The combination of EventID, EventType and TenantID are required to completely identify an event in Deep Security. Note that this property is not related to the "Event ID" property of a System Event in the Deep Security Manager.	
EventType	String (enum)	The type of the event. One of: "SystemEvent", "PacketLog", "PayloadLog", "AntiMalwareEvent", "WebReputationEvent", "IntegrityEvent", "LogInspectionEvent".	All event types
Flags	String	Flags recorded from a network packet; a space-separated list of strings.	Firewall events, intrusion prevention events
Flow	Integer (enum)	Network connection flow. Possible values: -1=Not Applicable, 0=Connection Flow, 1=Reverse Flow	Firewall events, intrusion prevention events
FlowString	String	Conversion of Flow to a readable string.	Firewall events, intrusion prevention events
Frame	Integer (enum)	Frame type. -1=Unknown, 2048=IP, 2054=ARP, 32821=REVARP, 33169=NETBEUI, 0x86DD=IPv6	Firewall events, intrusion prevention events
FrameString	String	Conversion of Frame to a readable string.	Firewall events, intrusion prevention events

## Trend Micro Deep Security for Azure Marketplace 11.1

Property Name	Data Type	Description	Applies To Event Type (s)
HostAgentVersion	String	The version of the agent protecting the computer where the event was detected.	Anti-malware events, web reputation events, integrity events, log inspection events, firewall events, intrusion prevention events
HostAssetValue	Integer	The asset value assigned to the computer at the time the event was generated.	Anti-malware events, web reputation events, integrity events, log inspection events, firewall events, intrusion prevention events
HostGroupID	Integer	The unique identifier of the Computer Group of the computer where the event was detected.	Anti-malware events, web reputation events, integrity events, log inspection events, firewall events, intrusion prevention events
HostGroupName	String	The name of the Computer Group of the computer	Anti-malware

## Trend Micro Deep Security for Azure Marketplace 11.1

Property Name	Data Type	Description	Applies To Event Type (s)
		where the event was detected. Note that Computer Group names may not be unique.	events, web reputation events, integrity events, log inspection events, firewall events, intrusion prevention events
HostID	Integer	Unique identifier of the computer the event applies to.	Anti-malware events, web reputation events, integrity events, log inspection events, firewall events, intrusion prevention events
HostInstanceID	String	The cloud instance ID of the computer where the event was detected. This property will only be set for computers synchronized with a Cloud Connector.	Anti-malware events, web reputation events, integrity events, log inspection events, firewall events, intrusion prevention events
Hostname	String	Name of the computer on which the event was generated.	Anti-malware events, web

## Trend Micro Deep Security for Azure Marketplace 11.1

Property Name	Data Type	Description	Applies To Event Type (s)
			reputation events, integrity events, log inspection events, firewall events, intrusion prevention events
HostOS	String	The Operating System running on the computer where the event was detected.	Anti-malware events, web reputation events, integrity events, log inspection events, firewall events, intrusion prevention events
HostOwnerID	String	The cloud account ID of the computer where the event was detected. This property will only be set for computers synchronized with a Cloud Connector.	Anti-malware events, web reputation events, integrity events, log inspection events, firewall events, intrusion prevention events
HostSecurityPolicyID	Integer	The unique identifier of the Security Policy applied to the computer where the event was detected.	Anti-malware events, web reputation

## Trend Micro Deep Security for Azure Marketplace 11.1

Property Name	Data Type	Description	Applies To Event Type (s)
			events, integrity events, log inspection events, firewall events, intrusion prevention events
HostSecurityPolicyName	String	The name of the Security Policy applied to the computer where the event was detected. Note that Security Policy names may not be unique.	Anti-malware events, web reputation events, integrity events, log inspection events, firewall events, intrusion prevention events
HostVCUID	String	The vCenter UUID of the computer the event applies to, if known.	Anti-malware events, web reputation events, integrity events, log inspection events, firewall events, intrusion prevention events
InfectedFilePath	String	Path of the infected file in the case of malware detection.	Anti-malware events
InfectionSource	String	The name of the computer that's the source of a	Anti-malware

## Trend Micro Deep Security for Azure Marketplace 11.1

Property Name	Data Type	Description	Applies To Event Type (s)
		malware infection, if known.	events
Interface	String (MAC)	MAC address of the network interface sending or receiving a packet.	Firewall events, intrusion prevention events
IPDatagramLength	Integer	The length of the IP datagram.	Intrusion prevention events
IsHash	String	The SHA-1 content hash (hexadecimal encoded) of the file after it was modified.	Integrity events
Key	String	The file or registry key an integrity event refers to.	Integrity events
LogDate	String (Date)	The date and time the event was recorded. For Agent-generated events (Firewall, IPS, etc.) the date is the date the event was recorded by the Agent, not the time the event was sent to Deep Security Manager.	All event types
MajorVirusType	Integer (enum)	The classification of malware detected. 0=Joke, 1=Trojan, 2=Virus, 3=Test, 4=Spyware, 5=Packer, 6=Generic, 7=Other	Anti-malware events
MajorVirusTypeString	String	Conversion of MajorVirusType to a readable string.	Anti-malware events
MalwareName	String	The name of the malware detected.	Anti-malware events
MalwareType	Integer (enum)	The type of malware detected. 1=General malware, 2=Spyware. General malware events will have an InfectedFilePath, spyware events will not.	Anti-malware events
ManagerNodeID	Integer	Unique identifier of the Deep Security Manager Node where the event was generated.	System events
ManagerNodeName	String	Name of the Deep Security Manager Node where the	System

## Trend Micro Deep Security for Azure Marketplace 11.1

Property Name	Data Type	Description	Applies To Event Type (s)
		event was generated.	events
Number	Integer	System events have an additional ID that identifies the event. Note that in the Deep Security Manager, this property appears as "Event ID".	System events
Origin	Integer (enum)	The origin of the event. -1=Unknown, 0=Agent, 1=In-VM guest agent, 2=Appliance, 3=Deep Security Manager	All event types
OriginString	String	Conversion of Origin to a readable string.	All event types
OSSEC_Action	String	OSSEC action	Log inspection events
OSSEC_Command	String	OSSEC command	Log inspection events
OSSEC_Data	String	OSSEC data	Log inspection events
OSSEC_Description	String	OSSEC description	Log inspection events
OSSEC_DestinationIP	String	OSSEC dstip	Log inspection events
OSSEC_DestinationPort	String	OSSEC dstport	Log inspection events
OSSEC_DestinationUser	String	OSSEC dstuser	Log inspection events

## Trend Micro Deep Security for Azure Marketplace 11.1

Property Name	Data Type	Description	Applies To Event Type (s)
OSSEC_FullLog	String	OSSEC full log	Log inspection events
OSSEC_Groups	String	OSSEC groups result (e.g. syslog,authentication_failure)	Log inspection events
OSSEC_Hostname	String	OSSEC hostname. This is the name of the host as read from a log entry, which is not necessarily the same as the name of the host on which the event was generated.	Log inspection events
OSSEC_ID	String	OSSEC id	Log inspection events
OSSEC_Level	Integer (enum)	OSSEC level. An integer in the range 0 to 15 inclusive. 0-3=Low severity, 4-7=Medium severity, 8-11=High severity, 12-15=Critical severity.	Log inspection events
OSSEC_Location	String	OSSEC location	Log inspection events
OSSEC_Log	String	OSSEC log	Log inspection events
OSSEC_ProgramName	String	OSSEC program_name	Log inspection events
OSSEC_Protocol	String	OSSEC protocol	Log inspection events
OSSEC_RuleID	Integer	OSSEC rule id	Log inspection events

## Trend Micro Deep Security for Azure Marketplace 11.1

Property Name	Data Type	Description	Applies To Event Type (s)
OSSEC_SourceIP	Integer	OSSEC srcip	Log inspection events
OSSEC_SourcePort	Integer	OSSEC srcport	Log inspection events
OSSEC_SourceUser	Integer	OSSEC srcuser	Log inspection events
OSSEC_Status	Integer	OSSEC status	Log inspection events
OSSEC_SystemName	Integer	OSSEC systemname	Log inspection events
OSSEC_URL	Integer	OSSEC url	Log inspection events
PacketData	Integer	Hexadecimal encoding of captured packet data, if the rule was configured to capture packet data.	Intrusion prevention events
PacketSize	Integer	The size of the network packet.	Firewall events
PatternVersion	Integer (enum)	The malware detection pattern version.	Anti-malware events
PayloadFlags	Integer	Intrusion Prevention Filter Flags. A bitmask value that can include the following flag values: 1 - Data truncated - Data could not be logged. 2 - Log Overflow - Log overflowed after this log. 4 - Suppressed - Logs threshold suppressed after this log. 8 - Have Data - Contains packet data. 16 - Reference Data - References previously logged data.	Intrusion prevention events

## Trend Micro Deep Security for Azure Marketplace 11.1

Property Name	Data Type	Description	Applies To Event Type (s)
PosInBuffer	Integer	Position within packet of data that triggered the event.	Intrusion prevention events
PosInStream	Integer	Position within stream of data that triggered the event.	Intrusion prevention events
Process	String	The name of the process that generated the event, if available.	Integrity events
Protocol	Integer (enum)	The numerical network protocol identifier. - 1=Unknown, 1=ICMP, 2=IGMP, 3=GGP, 6=TCP, 12=PUP, 17=UDP, 22=IDP, 58=ICMPv6, 77=ND, 255=RAW	Firewall events, Intrusion prevention events
ProtocolString	String	Conversion of Protocol to a readable string.	Firewall events, intrusion prevention events
Rank	Integer	The numerical rank of the event; the product of the computer's assigned asset value and the severity value setting for an event of this severity.	Integrity events, log inspection events, firewall events, intrusion prevention events
Reason	String	Name of the Firewall Rule that caused the event, or a mapping of Status to String if the event was not caused by a Rule.	Firewall events
Reason	String	Name of Integrity Rule that caused this event, if known.	Integrity events
Reason	String	Name of the Anti-Malware configuration that caused the event, if known.	Anti-malware events

## Trend Micro Deep Security for Azure Marketplace 11.1

Property Name	Data Type	Description	Applies To Event Type (s)
Reason	String	Name of the Intrusion Prevention Rule that caused the event, or a mapping of Status to String if the event was not caused by a Rule.	Intrusion prevention events
RepeatCount	Integer	The number of times this event was sequentially repeated. A repeat count of 1 indicates the event was only observed once and did not repeat.	Firewall events, intrusion prevention events
Risk	Integer (enum)	Translated risk level of the URL accessed. 2=Suspicious, 3=Highly Suspicious, 4=Dangerous, 5=Untested, 6=Blocked by Administrator	Web reputation events
RiskLevel	Integer	The raw risk level of the URL from 0 to 100. Will not be present if the URL was blocked because it was blocked by a block rule.	Web reputation events
RiskString	String	Conversion of Risk to a readable string.	Web reputation events
ScanAction1	Integer	Scan action 1. Scan action 1 & 2 and scan result actions 1 & 2 and ErrorCode are combined to form the single "summaryScanResult".	Anti-malware events
ScanAction2	Integer	Scan action 2.	Anti-malware events
ScanResultAction1	Integer	Scan result action 1.	Anti-malware events
ScanResultAction2	Integer	Scan result action 2.	Anti-malware events
ScanResultString	String	Malware scan result, as a string. A combination of ScanAction 1 and 2, ScanActionResult 1 and 2, and ErrorCode.	Anti-malware events
ScanType	Integer (enum)	Malware scan type that created the event. 0=Real-Time, 1=Manual, 2=Scheduled, 3=Quick Scan	Anti-malware events

## Trend Micro Deep Security for Azure Marketplace 11.1

Property Name	Data Type	Description	Applies To Event Type (s)
ScanTypeString	String	Conversion of ScanType to a readable string.	Anti-malware events
Severity	Integer	1=Info, 2=Warning, 3=Error	System events
Severity	Integer (enum)	1=Low, 2=Medium, 3=High, 4=Critical	Integrity events, intrusion prevention events
SeverityString	String	Conversion of Severity to a readable string.	System events, integrity events, intrusion prevention events
SeverityString	String	Conversion of OSSEC_Level to a readable string.	Log inspection events
SourceIP	String (IP)	The IP address of the source of a packet.	Firewall events, intrusion prevention events
SourceMAC	String (MAC)	The MAC Address of the source of a packet.	Firewall events, intrusion prevention events
SourcePort	Integer	The network port number a packet was sent from.	Firewall events, intrusion prevention events

## Trend Micro Deep Security for Azure Marketplace 11.1

Property Name	Data Type	Description	Applies To Event Type (s)
Status	Integer	If this event was not generated by a specific Firewall Rule then this status is one of approximately 50 hard-coded rules, e.g. 123=Out Of Allowed Policy	Firewall events
Status	Integer	If this event was not generated by a specific IPS Rule then this status is one of approximately 50 hard-coded reasons, e.g. -504=Invalid UTF8 encoding	Intrusion prevention events, intrusion prevention events
Tags	String	Comma-separated list of tags that have been applied to the event. This list will only include tags that are automatically applied when the event is generated.	All event types
TargetID	Integer	Unique identifier of the target of the event. This identifier is unique for the targets of the same type within a tenant. It is possible for target IDs to be reused across different types, for example, both a Computer and a Policy may have target ID 10.	System events
TargetIP	String (IP)	IP Address that was being contacted when a Web Reputation Event was generated.	Web reputation events
TargetName	String	The name of the target of the event. The target of a system event can be many things, including computers, policies, users, roles, and tasks.	System events
TargetType	String	The type of the target of the event.	System events
TenantID	Integer	Unique identifier of the tenant that generated the event.	All event types
TenantName	String	Name of the tenant that generated the event.	All event types
Title	String	Title of the event.	System events

## Trend Micro Deep Security for Azure Marketplace 11.1

Property Name	Data Type	Description	Applies To Event Type (s)
URL	String (URL)	The URL being accessed that generated the event.	Web reputation events
User	String	The user account that was the target of an integrity monitoring event, if known.	Integrity events

### Example events in JSON format

The following is an example of a system event:

```
{
  "ActionBy": "System",
  "Description": "A request has been made to synchronize
computers with Cloud Account: Amazon",
  "EventID": 4947,
  "EventType": "SystemEvent",
  "LogDate": "2014-10-29T13:13:38.500Z",
  "ManagerNodeID": 41,
  "ManagerNodeName": "192.168.0.1",
  "Number": 1906,
  "Origin": 3,
  "OriginString": "Manager",
  "Severity": 1,
  "SeverityString": "Info",
  "Tags": "",
  "TargetID": 1,
  "TargetName": "Amazon - US East (Virginia)",
  "TargetType": "Cloud",
  "TenantID": 1984,
  "TenantName": "Planet Express",
  "Title": "Cloud Provider Synchronization Requested"
```

## Trend Micro Deep Security for Azure Marketplace 11.1

```
}
```

The following is an example of an integrity monitoring event:

```
{  
  "Change": 4,  
  "ChangeString": "Renamed",  
  "Description": "No description is available.",  
  "EventID": 2187499,  
  "EventType": "IntegrityEvent",  
  "HostAgentVersion": "9.0.0.883",  
  "HostAssetValue": 1,  
  "HostGroupID": 2,  
  "HostGroupName": "Intranet",  
  "HostID": 2,  
  "Hostname": "hr_data2",  
  "HostOS": "Microsoft Windows Server 2008 R2",  
  "HostSecurityPolicyID": 9,  
  "HostSecurityPolicyName": "Windows Server 2008",  
  "Key": "C:\\Windows\\system32\\explorer.exe -\\u003e  
C:\\Windows\\system32\\explorer2.exe",  
  "LogDate": "2014-10-29T13:18:08.380Z",  
  "Origin": 0,  
  "OriginString": "Agent",  
  "Process": "",  
  "Rank": 50,  
  "Reason": "1002777 - Microsoft Windows - System configuration  
file modified",  
  "Severity": 3,  
  "SeverityString": "High",  
  "Tags": "",  
  "TenantID": 0,  
  "TenantName": "Primary",  
}
```

## Trend Micro Deep Security for Azure Marketplace 11.1

```
    "Type": "File"
  }
```

### Example Configurations

This section gives some SNS configuration examples for different scenarios.

#### Send all critical intrusion prevention events to an SNS topic

```
{
  "Version": "2014-09-24",
  "Statement": [
    {
      "Topic": "arn:aws:sns:us-east-1:012345678901:myTopic",
      "Condition": {
        "NumericEquals": {
          "Severity": 4
        },
        "StringEquals" : {
          "EventType" : "PayloadLog"
        }
      }
    }
  ]
}
```

#### Send different events to different SNS topics

This example shows sending all system events to one topic and all integrity monitoring events to a different topic.

```
{
  "Version": "2014-09-24",
  "Statement": [
    {
      "Topic": "arn:aws:sns:us-east-
```

## Trend Micro Deep Security for Azure Marketplace 11.1

```
1:012345678901:systemEventsTopic",
  "Condition": {
    "StringEquals" : {
      "EventType" : "SystemEvent"
    }
  },
  {
    "Topic": "arn:aws:sns:us-east-
1:012345678901:integrityTopic",
    "Condition": {
      "StringEquals" : {
        "EventType" : "IntegrityEvent"
      }
    }
  }
]
```

### Multiple statements vs. multiple conditions

If you create multiple statements for the same SNS topic, those statements are evaluated as if they are joined by "or". If a statement contains multiple conditions, those conditions are evaluated as if they are joined by "and".

### Multiple statements

This is an example of what not to do. The first statement says to forward all events other than "System Settings Saved". The second statement says to forward all "System Settings Saved" events. The result is that all events will be forwarded because any event will match either the condition in the first statement **or** the one in the second statement:

```
{
  "Version": "2014-09-24",
  "Statement": [
    {
```

## Trend Micro Deep Security for Azure Marketplace 11.1

```
    "Topic": "arn:aws:sns:us-east-1:012345678901:myTopic",
    "Condition": {
      "StringNotLike" : {
        "Title" : "System Settings Saved"
      }
    },
    {
      "Topic": "arn:aws:sns:us-east-1:012345678901:myTopic",
      "Condition": {
        "StringLike" : {
          "Title" : "System Settings Saved"
        }
      }
    }
  ]
}
```

### Multiple conditions

This is another example of what not to do. The first condition says to forward all events other than "System Settings Saved". The second condition says to forward all "System Settings Saved" events. The result is that no events will be forwarded because no events will match both the condition in the first statement **and** the one in the second statement:

```
{
  "Version": "2014-09-24",
  "Statement": [
    {
      "Topic": "arn:aws:sns:us-east-1:012345678901:myTopic",
      "Condition": {
        "StringNotLike" : {
          "Title" : "System Settings Saved"
        },
        "StringLike" : {
```

```
        "Title" : "System Settings Saved"
    }
}
}
]
}
```

## DevOps, automation and scaling

### DevOps, automation and scaling

To support DevOps workflows, Deep Security offers APIs to automate, monitor, and manage security throughout the release lifecycle. (See ["Use the Deep Security API to automate tasks"](#) on [page 216](#).)

To accelerate integration with popular DevOps tools, we've provided the following resources in Github for Chef, Puppet, and Ansible:

- <https://github.com/deep-security/puppet>
- <https://github.com/deep-security/chef>
- <https://github.com/deep-security/ansible>

These resources provide a starting point to integrate Deep Security with your specific deployment, including agent deployment and configuration and support for elastic workloads.

Deep Security also offers many other ways to speed up the protection of your computers and other resources:

- ["Schedule Deep Security to perform tasks"](#) on [page 218](#)
- ["Automatically perform tasks when a computer is added or changed"](#) on [page 221](#)
- [Auto Scaling and Deep Security](#)
- ["Use deployment scripts to add and protect computers"](#) on [page 233](#)
- [Automatically assign policies based on AWS EC2 instance tags](#)
- ["Command-line basics"](#) on [page 198](#)

In addition, Deep Security provides the ability to forward events to SIEMs such as Splunk, QRadar, ArcSight, as well as Amazon SNS. For details, see:

- ["Access events with Amazon SNS" on page 808](#)

## Forward system events to a remote computer via SNMP

Deep Security supports SNMP for forwarding system events to a computer from Deep Security Manager. On Windows, the MIB file ("DeepSecurity.mib") is located in \Trend Micro\Deep Security Manager\util. On Linux, the default location is /opt/dsm/util.

## Lists of events and alerts

The following sections list all of the Deep Security alerts and events you could encounter.

- ["Predefined alerts" below](#)
- ["Agent events" on page 858](#)
- ["System events" on page 862](#)
- ["Anti-malware events" on page 886](#)
- ["Firewall events" on page 888](#)
- ["Intrusion prevention events" on page 897](#)
- ["Integrity monitoring events" on page 901](#)
- ["Log inspection events" on page 904](#)

## Predefined alerts

Alert	Default Severity	Dismissible	Description
Abnormal Restart Detected	Warning	Yes	An abnormal restart has been detected on the computer. This condition may be caused by a variety of conditions. If the agent/appliance is suspected as the root cause then the diagnostics package (located in the Support section of the Computer Details dialog) should be invoked.

## Trend Micro Deep Security for Azure Marketplace 11.1

Alert	Default Severity	Dismissible	Description
Activation Failed	Critical	No	This may indicate a problem with the agent/appliance, but it also can occur if agent self-protection is enabled. On the Deep Security Manager, go to <b>Computer editor</b> <sup>1</sup> > <b>Settings</b> > <b>General</b> . In <b>Agent Self Protection</b> , and then either deselect <b>Prevent local end-users from uninstalling, stopping, or otherwise modifying the Agent</b> or enter a password for local override.
A Deep Security Relay cannot download security components	Critical	No	A Deep Security Relay can't successfully download security components. This might be due to network connectivity issues or misconfigurations in Deep Security Manager under <b>Administration</b> > <b>System Settings</b> > <b>Updates</b> . Check your network configurations (for example, the proxy settings of the relay group) and <b>System Settings</b> , and then manually initiate an update on the relay using the <b>Download Security Update</b> option on the <b>Administration</b> > <b>Updates</b> > <b>Software</b> page.
Agent configuration package too large	Warning	Yes	This is usually caused by too many firewall and intrusion prevention rules being assigned. Run a recommendation scan on the computer to determine if any rules can be safely unassigned.
Agent Installation Failed	Critical	Yes	The agent failed to install successfully on one or more computers. Those computers are currently unprotected. You must reboot the computers which will automatically restart the agent install program.  This may indicate a problem with the agent/appliance, but it also can occur if agent self-protection is enabled. On the Deep Security Manager, go to <b>Computer editor</b> <sup>2</sup> > <b>Settings</b> > <b>General</b> . In <b>Agent Self Protection</b> , and then either deselect <b>Prevent local end-users from uninstalling, stopping, or otherwise modifying the Agent</b> or enter a password for local override.
Agent Upgrade Recommended (Incompatible with Appliance)	Warning	No	Deep Security Manager has detected a computer with a version of the agent that is not compatible with the appliance. The appliance will always filter network traffic in this configuration resulting in redundant protection. (Deprecated in 9.5)

<sup>1</sup>To open the Computer editor, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

<sup>2</sup>To open the Computer editor, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

## Trend Micro Deep Security for Azure Marketplace 11.1

Alert	Default Severity	Dismissible	Description
Agent/Appliance Upgrade Recommended	Warning	No	The Deep Security Manager has detected an older agent/appliance version on the computer that does not support all available features. An upgrade of the agent/appliance software is recommended. (Deprecated in 9.5)
Agent/Appliance Upgrade Recommended (Incompatible Security Update(s))	Warning	No	Deep Security Manager has detected a computer with a version of the agent/appliance that is not compatible with one or more security updates assigned to it. An upgrade of the agent/appliance software is recommended.
Agent/Appliance Upgrade Recommended (New Version Available)	Warning	No	Deep Security Manager has detected one or more computers with a version of the agent/appliance that is older than the latest version imported into the manager. An upgrade of the agent/appliance software is recommended.
Agent/Appliance Upgrade Required	Warning	No	Deep Security Manager has detected a computer with a version of the agent/appliance that is not compatible with this version of the manager. An upgrade of the agent/appliance software is required.
An update to the Rules is available	Warning	No	Updated rules have been downloaded but not applied to your policies. To apply the rules, go to <b>Administration &gt; Updates &gt; Security</b> and in the <b>Rule Updates</b> column, click <b>Apply Rules to Policies</b> .
Anti-Malware Alert	Warning	Yes	A malware scan configuration that is configured for alerting has raised an event on one or more computers.
Anti-Malware Component Failure	Critical	Yes	An anti-malware component failed on one or more computers. See the event descriptions on the individual computers for specific details.
Anti-Malware Component Update Failed	Warning	No	One or more agent or relay failed to update anti-malware components. See the affected computers for more information.
Anti-Malware Engine Offline	Critical	No	The agent or appliance has reported that the anti-malware engine is not responding. Please check the system events for the computer to determine the cause of the failure.
Anti-Malware protection is absent or out of date	Warning	No	The agent on this computer has not received its initial anti-malware protection package, or its anti-malware protection is out of date. Make sure a relay is available and that the agent has been properly configured to communicate with it. To configure relays and other update options, go to Administration > System Settings > Updates.
Anti-malware module maximum disk space used to store identified files exceeded	Warning	Yes	The Anti-Malware module was unable to analyze or quarantine a file because the maximum disk space used to store identified files was reached. To change the maximum disk space for identified files setting, open the computer or policy editor and go to the Anti-malware > Advanced tab.
Application Control Ruleset is incompatible with agent version	Critical	No	An application control ruleset could not be assigned to one or more computers because the ruleset is not supported by the installed version of the agent. Typically, the problem is that a

## Trend Micro Deep Security for Azure Marketplace 11.1

Alert	Default Severity	Dismissible	Description
			hash-based ruleset (which is compatible only with Deep Security Agent 11.0 or newer) has been assigned to an older Deep Security Agent. Deep Security Agent 10.x supports only file-based rulesets. (For details, see <a href="#">"Differences in how Deep Security Agent 10.x and 11.x compare files" on page 408.</a> ) To fix this issue, upgrade the Deep Security Agent to version 11.0 or newer. Alternatively, if you are using local rulesets, reset application control for the agent. Or if you are using a shared ruleset, use a shared ruleset that was created with Deep Security 10.x until all agents using the shared ruleset are upgraded to Deep Security Agent 11.0 or newer.
Application Type Misconfiguration	Warning	No	Misconfiguration of application types may prevent proper security coverage.
Application Type Recommendation	Warning	Yes	Deep Security Manager has determined that a computer should be assigned an application type. This could be because an agent was installed on a new computer and vulnerable applications were detected, or because a new vulnerability has been discovered in an installed application that was previously thought to be safe. To assign the application type to the computer, open the 'Computer Details' dialog box, click on 'Intrusion Prevention Rules', and assign the application type.
Maintenance Mode Active	Warning	No	<a href="#">Maintenance mode</a> is currently active for application control on one or more computers. While this mode is active, application control continues to enforce block rules (if you selected <b>Block unrecognized software until it is explicitly allowed</b> ), but will allow software updates, and automatically add them to the inventory part of the ruleset. When the software update is finished for each computer, disable maintenance mode so that unauthorized software is not accidentally added to the ruleset.
Census, Good File Reputation, and Predictive Machine Learning Service Disconnected			Disconnected from Census, Good File Reputation, and Predictive Machine Learning Service. Please see the event details below for possible solutions.  Refer to <a href="#">"Warning: Census, Good File Reputation, and Predictive Machine Learning Service Disconnected"</a> on page 927 for troubleshooting tips.
Certified Safe Software Service Offline	Warning	No	A Deep Security Manager node cannot connect to the Trend Micro Certified Safe Software Service to perform file signature comparisons for the integrity monitoring module. A locally cached database will be used until connectivity is restored. Make sure the manager node has internet connectivity and that proxy settings (if any) are correct.
Clock Change Detected	Warning	Yes	A clock change has been detected on the computer. Unexpected clock changes may indicate a problem on the computer and

## Trend Micro Deep Security for Azure Marketplace 11.1

Alert	Default Severity	Dismissible	Description
			should be investigated before the alert is dismissed.
Cloud Computer Not Managed as Part of Cloud Account	Warning	Yes	An agent was activated on one or more Amazon WorkSpace but WorkSpaces are not enabled for your AWS account. To enable WorkSpaces, click 'Edit AWS Account' above, and select the 'Include Amazon WorkSpaces' check box. Your WorkSpace(s) are moved into the WorkSpaces folder of the AWS Account.
Communications Problem Detected	Warning	Yes	A communications problem has been detected on the computer. Communications problems indicate that the computer cannot initiate communication with the Deep Security Manager(s) because of network configuration or load reasons. Please check the system events in addition to verifying communications can be established to the Deep Security Manager(s) from the computer. The cause of the issue should be investigated before the alert is dismissed.
Computer Not Receiving Updates	Warning	No	These computer(s) have stopped receiving updates. Manual intervention may be required.
Computer Reboot Required	Critical	Yes	The agent software upgrade was successful, but the computer must be rebooted for the install to be completed. The computer(s) should be manually updated before the alert is dismissed.
Computer Reboot Required for Anti-Malware Protection	Critical	No	The anti-malware protection on the agent has reported that the computer needs to be rebooted. Please check the system events for the computer to determine the reason for the reboot.
Configuration Required	Warning	No	One or more computers are using a policy that defines multiple interface types where not all interfaces have been mapped.
Connection to Filter Driver Failure	Critical	No	An appliance has reported a failure connecting to the filter driver. This may indicate a configuration issue with the filter driver running on the ESXi or with the appliance. The appliance must be able to connect to the filter driver in order to protect guests. The cause of the issue should be investigated and resolved.
CPU Critical Threshold Exceeded	Critical	No	The CPU critical threshold has been exceeded.
CPU Warning Threshold Exceeded	Warning	No	The CPU warning threshold has been exceeded.
Duplicate Computer Detected	Warning	Yes	A duplicate computer has been activated or imported. Please remove the duplicate computer and reactivate the original computer if necessary.
Duplicate Unique Identifiers Detected	Warning	No	Duplicate UUIDs have been detected. Please remove the duplicate UUID.
Empty Relay Group Assigned	Critical	No	These computers have been assigned an empty relay group. Assign a different relay group to the computers or add relays to the empty relay group(s).
Events Suppressed	Warning	Yes	The agent/appliance encountered an unexpectedly high volume of events. As a result, one or more events were not recorded (suppressed) to prevent a potential denial of service. Check the firewall events to determine the cause of the suppression.

## Trend Micro Deep Security for Azure Marketplace 11.1

Alert	Default Severity	Dismissible	Description
Events Truncated	Warning	Yes	Some events were lost because the data file grew too large for the agent/appliance to store. This may have been caused by an unexpected increase in the number of events being generated, or the inability of the agent/appliance to send the data to the Deep Security Manager. For more information, see the properties of the "Events Truncated" system event on the computer.
Files Could Not Be Scanned for Malware	Warning	No	Files could not be scanned for malware because the file path exceeded the maximum file path length limit or the directory depth exceeded the maximum directory depth limit. Please check the system events for the computer to determine the reason.
Firewall Engine Offline	Critical	No	The agent/appliance has reported that the firewall engine is offline. Please check the status of the engine on the agent/appliance.
Firewall Rule Alert	Warning	Yes	A firewall rule that is selected for alerting has been encountered on one or more computers.
Firewall Rule Recommendation	Warning	Yes	Deep Security Manager has determined that a computer on your network should be assigned a firewall rule. This could be because an agent was installed on a new computer and vulnerable applications were detected, or because a new vulnerability has been discovered in an installed application that was previously thought to be safe. To assign the firewall rule to the computer, open the 'Computer Details' dialog box, click on the 'Firewall Rules' node, and assign the firewall rule.
Heartbeat Server Failed	Warning	No	The heartbeat server failed to start properly. This may be due to a <a href="#">port number</a> conflict. Agents/appliances will not be able to contact the manager until this problem is resolved. To resolve this problem ensure that another service is not using the port number reserved for use by the heartbeat server and <a href="#">"Restart the Deep Security Manager" on page 680</a> service. If you do not wish to use the heartbeat you can turn this alert off in the Alert Configuration section.
Incompatible Agent/Appliance Version	Warning	No	Deep Security Manager has detected a more recent agent/appliance version on the computer that is not compatible with this version of the manager. An upgrade of the manager software is recommended.
Insufficient Disk Space	Warning	Yes	The agent/appliance has reported that it was forced to delete an old log file to free up disk space for a new log file. Please immediately free up disk space to prevent loss of intrusion prevention, firewall and agent/appliance events. See <a href="#">"Warning: Insufficient disk space" on page 931</a> .
Integrity Monitoring Engine Offline	Critical	No	The agent/appliance has reported that the integrity monitoring engine is not responding. Please check the system events for the computer to determine the cause of the failure.
Integrity Monitoring information collection	Warning	No	The rate at which integrity monitoring information is collected has been temporarily delayed due to an increased amount of integrity

## Trend Micro Deep Security for Azure Marketplace 11.1

Alert	Default Severity	Dismissible	Description
has been delayed			monitoring data. During this time the baseline and integrity event views may not be current for some computers. This alert will be dismissed automatically once integrity monitoring data is no longer being delayed.
Integrity Monitoring Rule Alert	Warning	Yes	An integrity monitoring rule that is selected for alerting has been encountered on one or more computers.
Integrity Monitoring Rule Compilation Error	Critical	No	An error was encountered compiling an integrity monitoring rule on a computer. This may result in the integrity monitoring rule not operating as expected.
Integrity Monitoring Rule Recommendation	Warning	Yes	Deep Security Manager has determined that a computer on your network should be assigned an integrity monitoring rule. To assign the integrity monitoring rule to the computer, open the 'Computer Details' dialog box, click on the 'Integrity Monitoring > Integrity Monitoring Rules' node, and assign the integrity monitoring rule.
Integrity Monitoring Rule Requires Configuration	Warning	No	An integrity monitoring rule that requires configuration before use has been assigned to one or more computers. This rule will not be sent to the computer(s). Open the integrity monitoring rule properties and select the Configuration tab for more information.
Integrity Monitoring Trusted Platform Module Not Enabled	Warning	Yes	Trusted platform module not enabled. Please ensure the hardware is installed and the BIOS setting is correct.
Integrity Monitoring Trusted Platform Module Register Value Changed	Warning	Yes	Trusted platform module register value changed. If you have not modified the ESXi hypervisor configuration this may represent an attack.
Intrusion Prevention Engine Offline	Critical	No	The agent/appliance has reported that the intrusion prevention engine is offline. Please check the status of the engine on the agent/appliance.
Intrusion Prevention Rule Alert	Warning	Yes	An intrusion prevention rule that is selected for alerting has been encountered on one or more computers.
Intrusion Prevention Rule Recommendation	Warning	Yes	Deep Security Manager has determined that a computer on your network should be assigned an intrusion prevention rule. This could be because an agent was installed on a new computer and vulnerable applications were detected, or because a new vulnerability has been discovered in an installed application that was previously thought to be safe. To assign the intrusion prevention rule to the computer, open the 'Computer Details' dialog box, click on 'Intrusion Prevention Rules', and assign the intrusion prevention rule.
Intrusion Prevention Rule Removal Recommendation	Warning	Yes	Deep Security Manager has determined that a computer on your network has an intrusion prevention rule assigned to it that is not required. This could be because a vulnerable application was uninstalled, an existing vulnerability was patched, or the rule was unnecessarily assigned to begin with. To unassign the intrusion prevention rule from the computer, open the 'Computer Details' dialog box, click on Intrusion Prevention > Intrusion Prevention

## Trend Micro Deep Security for Azure Marketplace 11.1

Alert	Default Severity	Dismissible	Description
			Rules, and clear the checkbox next to the intrusion prevention rule.
Intrusion Prevention Rule Requires Configuration	Warning	No	An intrusion prevention rule that requires configuration before use has been assigned to one or more computers. This rule will not be sent to the computer(s). Open the intrusion prevention rule properties and select the Configuration tab for more information.
Log Inspection Engine Offline	Critical	No	The agent/appliance has reported that the log inspection engine has failed to initialize. Please check the system events for the computer to determine the cause of the failure.
Log Inspection Rule Alert	Warning	Yes	A log inspection rule that is selected for alerting has been encountered on one or more computers.
Log Inspection Rule Recommendation	Warning	Yes	Deep Security Manager has determined that a computer on your network should be assigned a log inspection rule. To assign the log inspection rule to the computer, open the 'Computer Details' dialog box, click on the 'Log Inspection > Log Inspection Rules' node, and assign the log inspection rule.
Log Inspection Rule Requires Configuration	Warning	No	A log inspection rule that requires configuration before use has been assigned to one or more computers. This rule will not be sent to the computer(s). Open the Log Inspection Rule properties and select the Configuration tab for more information.
Low Disk Space	Warning	No	A Deep Security Manager Node has less than 10% remaining disk space. Please free space by deleting old or unnecessary files, or add more storage capacity.
Manager Offline	Warning	No	A Deep Security Manager node is offline. It is possible the computer has a hardware or software problem, or has simply lost network connectivity. Please check the status of the manager's computer.
Manager Time Out of Sync	Critical	No	The clock on each manager node must be synchronized with the clock on the database. If the clocks are too far out of sync (more than 30 seconds) the manager node will not perform its tasks correctly. Synchronize the clock on your manager node with the clock on the database.
Memory Critical Threshold Exceeded	Critical	No	The memory critical threshold has been exceeded.
Memory Warning Threshold Exceeded	Warning	No	The memory warning threshold has been exceeded.
Multiple Activated Appliances Detected	Warning	Yes	The appliance has reported that multiple connections have been made to the filter driver on the same ESXi. This indicates that there may be multiple activated Appliances running on the same ESXi, which is not supported. The cause of the issue should be investigated before the alert is dismissed.
Network Engine Mode Incompatibility	Warning	No	Setting "Network Engine Mode" to "Tap" is only available on agent versions 5.2 or higher. Review and update the agent's configuration or upgrade the agent to resolve the incompatibility.
New Pattern Update is	Warning	No	New patterns are available as part of a security update. The

## Trend Micro Deep Security for Azure Marketplace 11.1

Alert	Default Severity	Dismissible	Description
Downloaded and Available			patterns have been downloaded to Deep Security but have not yet been applied to your computers. To apply the update to your computers, go to the Administration > Updates > Security page.
New Rule Update is Downloaded and Available	Warning	No	New rules are available as part of a security update. The rules have been downloaded to Deep Security but have not yet been applied to policies and sent to your computers. To apply the update and send the updated policies to your computers, go to the Administration > Updates > Security page.
Newer Version of Deep Security Manager is Available	Warning	No	A new version of the Deep Security Manager is available. Download the latest version from the Trend Micro Download Center at <a href="http://downloadcenter.trendmicro.com/">http://downloadcenter.trendmicro.com/</a>
Newer Versions of Software Available	Warning	No	New software is available. Software can be downloaded from the Download Center.
Number of Computers exceeds database limit	Warning	No	The number of activated computers has exceeded the recommended limit for an embedded database. Performance will degrade rapidly if more computers are added and it is strongly suggested that another database option (Oracle or SQL Server) be considered at this point. Please contact Trend Micro for more information on upgrading your database.
Protection Module Licensing Expired	Warning	Yes	The protection module license has expired.
Protection Module Licensing Expires Soon	Warning	No	The protection module licensing will expire soon. You can remove this alert by changing your license on the Administration > Licenses page.
Recommendation	Warning	Yes	Deep Security Manager has determined that the security configuration of one of your computers should be updated. To see what changes are recommended, open the <b>Computer editor</b> <sup>1</sup> and look through the module pages for warnings of unresolved recommendations. In the Assigned Rules area, click <b>Assign/Unassign</b> to display the list of available rules and then filter them using the "Show Recommended for Assignment" viewing filter option. (Select "Show Recommended for Unassignment" to display rules that can safely be unassigned.)
Reconnaissance Detected: Computer OS Fingerprint Probe	Warning	Yes	The agent or appliance detected an attempt to identify the computer operating system via a "fingerprint" probe. Such activity is often a precursor to an attack that targets specific vulnerabilities. Check the computer's events to see the details of the probe and see " <a href="#">Warning: Reconnaissance Detected</a> " on <a href="#">page 929</a> .
Reconnaissance Detected: Network or Port Scan	Warning	Yes	The agent or appliance detected network activity typical of a network or port scan. Such activity is often a precursor to an attack that targets specific vulnerabilities. Check the computer's

<sup>1</sup>To open the Computer editor, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

## Trend Micro Deep Security for Azure Marketplace 11.1

Alert	Default Severity	Dismissible	Description
			events to see the details of the probe and see <a href="#">"Warning: Reconnaissance Detected" on page 929</a> .
Reconnaissance Detected: TCP Null Scan	Warning	Yes	The agent or appliance detected a TCP "Null" scan. Such activity is often a precursor to an attack that targets specific vulnerabilities. Check the computer's events to see the details of the probe and see <a href="#">"Warning: Reconnaissance Detected" on page 929</a> .
Reconnaissance Detected: TCP SYNFIN Scan	Warning	Yes	The agent or appliance detected a TCP "SYNFIN" scan. Such activity is often a precursor to an attack that targets specific vulnerabilities. Check the computer's events to see the details of the probe and see <a href="#">"Warning: Reconnaissance Detected" on page 929</a> .
Reconnaissance Detected: TCP Xmas Scan	Warning	Yes	The agent or appliance detected a TCP "Xmas" scan. Such activity is often a precursor to an attack that targets specific vulnerabilities. Check the computer's events to see the details of the probe and see <a href="#">"Warning: Reconnaissance Detected" on page 929</a> .
Scheduled Malware Scan Missed	Warning	No	Scheduled malware scan tasks were initiated on computers that already had pending scan tasks. This may indicate a scanning frequency that is too high. Consider lowering the scanning frequency, or selecting fewer computers to scan during each scheduled scan job.
Send Policy Failed	Critical	No	Inability to send policy may indicate a problem with the agent/appliance. Please check the affected computers.
Smart Protection Server Connection Failed	Warning	Yes	Failed to connect to a Smart Protection Server. This could be due to a configuration issue, or due to network connectivity.
Software Package Not Found	Critical	No	An agent software package is required for the proper operation of one or more virtual appliance(s). Please import a Red Hat Enterprise Linux 6 (64 bit) agent software package with the correct version for each appliance. If the required version is not available then please import the latest package and upgrade the appliance to match.
Software Updates Available for Import	Warning	No	New software is available. To import new software to Deep Security, go to Administration > Updates > Software > Download Center.
Unable to communicate	Critical	No	Deep Security Manager has been unable to query the agent/appliance for its status within the configured period. Please check your network configuration and the affected computer's connectivity.
Unable to Upgrade the Agent Software	Warning	Yes	Deep Security Manager was unable to upgrade the agent software on the computer.

## Trend Micro Deep Security for Azure Marketplace 11.1

Alert	Default Severity	Dismissible	Description
			This may indicate a problem with the agent/appliance, but it also can occur if agent self-protection is enabled. On the Deep Security Manager, go to <b>Computer editor</b> <sup>1</sup> > <b>Settings</b> > <b>General</b> . In <b>Agent Self Protection</b> , and then either deselect <b>Prevent local end-users from uninstalling, stopping, or otherwise modifying the Agent</b> or enter a password for local override.
Unrecognized Software Detected	Warning	No	During ongoing file system monitoring, application control detected that new software had been installed, and it did not match any configured allow or block rule. If your system administrators did not install the software, and no other users have permissions to install software, this could indicate a security compromise. If the software tries to launch, depending on your lockdown configuration at that time, it may or may not be allowed to execute.
Unresolved software change limit	Critical	No	Software changes detected on the file system exceeded the maximum amount. Application control will continue to enforce existing rules, but will not record any more changes, and it will stop displaying any of that computer's software changes. You must resolve and prevent excessive software change.
Upgrade of the Deep Security Manager Software Recommended (Incompatible Security Update(s))	Warning	No	Deep Security Manager has detected a computer that is using security updates that are not compatible with the current version of Deep Security Manager. An upgrade of Deep Security Manager software is recommended.
Upgrade of the Filter Driver Recommended (New Version Available)	Warning	No	Deep Security Manager has detected one or more ESXi Servers with a version of the filter driver that does not match the latest version available. An upgrade of the filter driver is recommended.
User Locked Out	Warning	No	Users can be locked out manually, by repeated incorrect sign-in attempts, if their password expires, or if they have been imported but not yet unlocked.
User Password Expires Soon	Warning	No	The password expiry setting is enabled and one or more users have passwords that will expire within the next 7 days.
Virtual Appliance is Incompatible With Filter Driver	Warning	No	The appliance is incompatible with the filter driver. Please ensure both are upgraded to their latest versions.
Virtual Machine	Warning	No	One or more of the virtual machines monitored by a Deep

<sup>1</sup>To open the Computer editor, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

## Trend Micro Deep Security for Azure Marketplace 11.1

Alert	Default Severity	Dismissible	Description
Interfaces Out of Sync			Security Virtual Appliance has reported that its interfaces are out of sync with the filter driver. This means that the appliance may not be properly monitoring the virtual machine's interfaces. The virtual machine may require manual intervention such as a configuration change, or a restart, to correct the issue.
Virtual Machine Moved to Unprotected ESXi Server	Warning	Yes	A virtual machine was moved to an ESXi Server that does not have an activated Deep Security Virtual Appliance.
Virtual Machine Unprotected after move to another ESXi	Warning	Yes	A virtual machine that was appliance-protected has been unprotected during or after it was moved to another ESXi. This may be due to an appliance reboot or power off during the move, or it may indicate a configuration issue. The cause of the issue should be investigated before the alert is dismissed.
VMware Tools Not Installed	Critical	Yes	A protected virtual machine in an NSX environment does not have VMware Tools installed. VMware Tools is required to protect virtual machines in an NSX environment.
Web Reputation Event Alert	Warning	Yes	A web reputation event has been encountered on one or more computers that are selected for alerting.
WorkSpaces Disabled for AWS Account	Warning	Yes	An agent was activated on one or more Amazon WorkSpaces but WorkSpaces are not enabled for your AWS account. To enable WorkSpaces, click 'Edit AWS Account' above, and select the 'Include Amazon WorkSpaces' check box. Your WorkSpace(s) will be moved into the WorkSpaces folder of the AWS account.

## Agent events

ID	Severity	Event	Notes
<b>Special Events</b>			
0	Error	Unknown Agent/Appliance Event	
<b>Driver-Related Events</b>			
1000	Error	Unable To Open Engine	
1001	Error	Engine Command Failed	
1002	Warning	Engine List Objects Error	
1003	Warning	Remove Object Failed	
1004	Error	Driver Upgrade Stalled	
1005	Warning	Upgrading Driver	
1006	Warning	Driver Upgrade Requires Reboot	
1007	Warning	Driver Upgrade Succeeded	
1008	Error	Kernel Unsupported	
<b>Configuration-Related Events</b>			
2000	Info	Policy Sent	

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Severity	Event	Notes
2001	Warning	Invalid Firewall Rule Assignment	
2002	Warning	Invalid Firewall Stateful Configuration	
2003	Error	Save Security Configuration Failed	
2004	Warning	Invalid Interface Assignment	
2005	Warning	Invalid Interface Assignment	
2006	Warning	Invalid Action	
2007	Warning	Invalid Packet Direction	
2008	Warning	Invalid Rule Priority	
2009	Warning	Unrecognized IP Format	
2010	Warning	Invalid Source IP List	
2011	Warning	Invalid Source Port List	
2012	Warning	Invalid Destination IP List	
2013	Warning	Invalid Destination Port List	
2014	Warning	Invalid Schedule	
2015	Warning	Invalid Source MAC List	
2016	Warning	Invalid Destination MAC List	
2017	Warning	Invalid Schedule Length	
2018	Warning	Invalid Schedule String	
2019	Warning	Unrecognized IP Format	
2020	Warning	Object Not Found	
2021	Warning	Object Not Found	
2022	Warning	Invalid Rule Assignment	
2050	Warning	Firewall Rule Not Found	
2075	Warning	Traffic Stream Not Found	
2076	Warning	Intrusion Prevention Rule Not Found	
2077	Warning	Pattern List Not Found	
2078	Warning	Traffic Stream Conversion Error	
2080	Warning	Conditional Firewall Rule Not Found	
2081	Warning	Conditional Intrusion Prevention Rule Not Found	
2082	Warning	Empty Intrusion Prevention Rule	
2083	Warning	Intrusion Prevention Rule XML Rule Conversion Error	
2085	Error	Security Configuration Error	
2086	Warning	Unsupported IP Match Type	
2087	Warning	Unsupported MAC Match Type	
2088	Warning	Invalid SSL Credential	
2089	Warning	Missing SSL Credential	
<b>Hardware-Related Events</b>			
3000	Warning	Invalid MAC Address	
3001	Warning	Get Event Data Failed	
3002	Warning	Too Many Interfaces	
3003	Error	Unable To Run External Command	

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Severity	Event	Notes
3004	Error	Unable To Read External Command Output	
3005	Error	Operating System Call Error	
3006	Error	Operating System Call Error	
3007	Error	File Error	
3008	Error	Machine-Specific Key Error	
3009	Error	Unexpected Agent/Appliance Shutdown	
3010	Error	Agent/Appliance Database Error	
3300	Warning	Get Event Data Failed	Linux error.
3302	Warning	Get Security Configuration Failed	Linux error.
3303	Error	File Mapping Error	Linux error. File type error.
3600	Error	Get Windows System Directory Failed	
3601	Warning	Read Local Data Error	Windows error.
3602	Warning	Windows Service Error	Windows error.
3603	Error	File Mapping Error	Windows error. File size error.
3700	Warning	Abnormal Restart Detected	Windows error.
3701	Info	System Last Boot Time Change	Windows error.
<b>Communications-Related Events</b>			
4000	Warning	Invalid Protocol Header	Content length out of range.
4001	Warning	Invalid Protocol Header	Content length missing.
4002	Info	Command Session Initiated	
4003	Info	Configuration Session Initiated	
4004	Info	Command Received	
4011	Warning	Failure to Contact Manager	
4012	Warning	Heartbeat Failed	
<b>Agent-Related Events</b>			
5000	Info	Agent/Appliance Started	
5001	Error	Thread Exception	
5002	Error	Operation Timed Out	
5003	Info	Agent/Appliance Stopped	
5004	Warning	Clock Changed	
5005	Info	Agent/Appliance Auditing Started	
5006	Info	Agent/Appliance Auditing Stopped	
5007	Info	Appliance Protection Change	
5008	Warning	Filter Driver Connection Failed	
5009	Info	Filter Driver Connection Success	
5010	Warning	Filter Driver Informational Event	
5100	Info	Protection Module Deployment Started	
5101	Info	Protection Module Deployment Succeeded	
5102	Error	Protection Module Deployment Failed	
5103	Info	Protection Module Download Succeeded	
5104	Info	Protection Module Disablement Started	

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Severity	Event	Notes
5105	Info	Protection Module Disablement Succeeded	
5106	Error	Protection Module Disablement Failed	
5107	Info	Agent Self-Protection enabled	
5108	Info	Agent Self-Protection disabled	
<b>Logging-Related Events</b>			
6000	Info	Log Device Open Error	
6001	Info	Log File Open Error	
6002	Info	Log File Write Error	
6003	Info	Log Directory Creation Error	
6004	Info	Log File Query Error	
6005	Info	Log Directory Open Error	
6006	Info	Log File Delete Error	
6007	Info	Log File Rename Error	
6008	Info	Log Read Error	
6009	Warning	Log File Deleted Due To Insufficient Space	
6010	Warning	Events Were Suppressed	
6011	Warning	Events Truncated	
6012	Error	Insufficient Disk Space	See <a href="#">"Warning: Insufficient disk space" on page 931</a> .
6013	Warning	Agent configuration package too large	
<b>Attack-, Scan-, and Probe-Related Events</b>			
7000	Warning	Computer OS Fingerprint Probe	
7001	Warning	Network or Port Scan	
7002	Warning	TCP Null Scan	
7003	Warning	TCP SYNFIN Scan	
7004	Warning	TCP Xmas Scan	
<b>Download Security Update Events</b>			
9050	Info	Update of Anti-Malware Component on Agent Succeeded	
9051	Error	Update of Anti-Malware Component on Agent Failed	
9100	Info	Security Update Successful	
9101	Error	Security Update Failure	
9102	Error	Security Update Failure	Specific information recorded in error message.
<b>Relay Events</b>			
9103	Info	Relay Web Server Disabled	
9104	Info	Relay Web Server Enabled	
9105	Error	Enable Relay Web Server Failed	
9106	Error	Disable Relay Web Server Failed	
9107	Error	Relay Web Server failed	
9108	Info	Unable to Connect to Update Source	
9109	Error	Component Update Failure	

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Severity	Event	Notes
9110	Error	Anti-Malware license is expired	
9111	Info	Security Update Rollback Success	
9112	Error	Security Update Rollback Failure	
9113	Info	Relay Replicated All Packages	
9114	Error	Relay Failed to Replicate All Packages	
<b>Integrity Scan Status Events</b>			
9201	Info	Integrity Scan Started	
9203	Info	Integrity Scan Terminated Abnormally	
9204	Info	Integrity Scan Paused	
9205	Info	Integrity Scan Resumed	
9208	Warning	Integrity Scan failed to start	
9209	Warning	Integrity Scan Stalled	
<b>Smart Protection Server Status Events</b>			
9300	Warning	Smart Protection Server Disconnected for Web Reputation	See <a href="#">"Troubleshoot "Smart Protection Server disconnected" errors" on page 909.</a>
9301	Info	Smart Protection Server Connected for Web Reputation	See <a href="#">"Troubleshoot "Smart Protection Server disconnected" errors" on page 909.</a>

## System events

To view system events, go to **Events & Reports > Events**.

Depending on whether it's a system configuration change or security incident, each log will appear in either the **System Events** sub-menu, or the sub-menu corresponding to the event's protection module, such as **Anti-Malware Events**.

These events sometimes also appear in the Status column on **Computers**.

ID	Severity	Event	Description or Solution
0	Error	Unknown Error	
100	Info	Deep Security Manager Started	
101	Info	License Changed	
102	Info	Trend Micro Deep Security Customer Account Changed	
103	Warning	Check For Updates Failed	
104	Warning	Automatic Software Download Failed	
105	Warning	Scheduled Rule Update Download and Apply Failed	
106	Info	Scheduled Rule Update Downloaded and Applied	
107	Info	Rule Update Downloaded and Applied	

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Severity	Event	Description or Solution
108	Info	Script Executed	
109	Error	Script Execution Failed	
110	Info	System Events Exported	
111	Info	Firewall Events Exported	
112	Info	Intrusion Prevention Events Exported	
113	Warning	Scheduled Rule Update Download Failed	
114	Info	Scheduled Rule Update Downloaded	
115	Info	Rule Update Downloaded	
116	Info	Rule Update Applied	
117	Info	Deep Security Manager Shutdown	
118	Warning	Deep Security Manager Offline	
119	Info	Deep Security Manager Back Online	
120	Error	Heartbeat Server Failed	The server within Deep Security Manager that listens for incoming agent heartbeats did not start. Check that the manager's <a href="#">incoming heartbeat port number</a> is not in use by another application on the server. Once the port is free, the manager's heartbeat server should bind to it, and this error should be fixed.
121	Error	Scheduler Failed	
122	Error	Manager Message Thread Failed	An internal thread has failed. There is no resolution for this error. If it persists, please contact customer support.
123	Info	Deep Security Manager Forced Shutdown	
124	Info	Rule Update Deleted	
130	Info	Credentials Generated	
131	Warning	Credential Generation Failed	
140	Info	Discover Computers	
141	Warning	Discover Computers Failed	
142	Info	Discover Computers Requested	
143	Info	Discover Computers Canceled	
150	Info	System Settings Saved	
151	Info	Software Added	
152	Info	Software Deleted	
153	Info	Software Updated	
154	Info	Software Exported	
155	Info	Software Platforms Changed	
160	Info	Authentication Failed	
161	Info	Rule Update Exported	
162	Info	Log Inspection Events Exported	
163	Info	Anti-Malware Event Exported	
164	Info	Security Update Successful	
165	Error	Security Update Failed	

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Severity	Event	Description or Solution
166	Info	Check for New Software Success	
167	Error	Check for New Software Failed	
168	Info	Manual Security Update Successful	
169	Error	Manual Security Update Failed	
170	Error	Manager Available Disk Space Too Low	The manager does not have enough free disk space to function and will shut down. Either expand the disk space or delete unused files to free some disk space, then <a href="#">"Restart the Deep Security Manager" on page 680</a> .
171	Info	Anti-Malware Spyware Item Exported	
172	Info	Web Reputation Events Exported	
173	Info	Anti-Malware Identified Files List Exported	
174	Info	Anti-Malware Unauthorized Change Targeted Item Exported	
180	Info	Alert Type Updated	
190	Info	Alert Started	
191	Info	Alert Changed	
192	Info	Alert Ended	
197	Info	Alert Emails Sent	
198	Warning	Alert Emails Failed	An alert email could not be sent. Verify that your <a href="#">SMTP settings</a> are correct.
199	Error	Alert Processing Failed	The current alert status could be inaccurate because an alert was not completely processed. If the problem persists, contact your support provider.
248	Info	Software Update: Disable Relay Requested	
249	Info	Software Update: Enable Relay Requested	
250	Info	Computer Created	
251	Info	Computer Deleted	
252	Info	Computer Updated	
253	Info	Policy Assigned to Computer	
254	Info	Computer Moved	
255	Info	Activation Requested	
256	Info	Send Policy Requested	
257	Info	Locked	
258	Info	Unlocked	
259	Info	Deactivation Requested	
260	Info	Scan for Open Ports	
261	Warning	Scan for Open Ports Failed	
262	Info	Scan for Open Ports Requested	
263	Info	Scan for Open Ports Canceled	
264	Info	Agent Software Upgrade Requested	
265	Info	Agent Software Upgrade Cancelled	
266	Info	Warnings/Errors Cleared	

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Severity	Event	Description or Solution
267	Info	Check Status Requested	
268	Info	Get Events Requested	
269	Info	Computer Added to Cloud Connector	
270	Error	Computer Creation Failed	
271	Info	Agent Software Upgrade Timed Out	
272	Info	Appliance Software Upgrade Timed Out	
273	Info	Security Update: Security Update Check and Download Requested	
274	Info	Security Update: Security Update Rollback Requested	
275	Warning	Duplicate Computer	
276	Info	Update: Summary Information	
280	Info	Computers Exported	
281	Info	Computers Imported	
286	Info	Computer Log Exported	
287	Info	Relay Group Assigned to Computer	
290	Info	Group Added	
291	Info	Group Removed	
292	Info	Group Updated	
293	Info	Interface Renamed	
294	Info	Computer Bridge Renamed	
295	Info	Interface Deleted	
296	Info	Interface IP Deleted	
297	Info	Recommendation Scan Requested	
298	Info	Recommendations Cleared	
299	Info	Asset Value Assigned to Computer	
300	Info	Recommendation Scan Completed	
301	Info	Agent Software Deployment Requested	
302	Info	Agent Software Removal Requested	
303	Info	Computer Renamed	
305	Info	Scan for Integrity Requested	
306	Info	Rebuild Baseline Requested	
307	Info	Cancel Update Requested	
308	Info	Integrity Monitoring Rule Compile Issue	
309	Info	Integrity Monitoring Rule Compile Issue Resolved	
310	Info	Directory Added	
311	Info	Directory Removed	
312	Info	Directory Updated	
320	Info	Directory Synchronization	
321	Info	Directory Synchronization Finished	
322	Error	Directory Synchronization Failed	
323	Info	Directory Synchronization Requested	

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Severity	Event	Description or Solution
324	Info	Directory Synchronization Cancelled	
325	Info	User Synchronization	Synchronization of the user accounts with Microsoft Active Directory has been started.
326	Info	User Synchronization Finished	Synchronization of the user accounts with Microsoft Active Directory has completed.
327	Error	User Synchronization Failed	
328	Info	User Synchronization Requested	
329	Info	User Synchronization Cancelled	
330	Info	SSL Configuration Created	
331	Info	SSL Configuration Deleted	
332	Info	SSL Configuration Updated	
333	Info	Host Merge Finished	
334	Error	Host Merge Failed	
350	Info	Policy Created	
351	Info	Policy Deleted	
352	Info	Policy Updated	
353	Info	Policies Exported	
354	Info	Policies Imported	
355	Info	Scan for Recommendations Canceled	
360	Info	VMware vCenter Added	
361	Info	VMware vCenter Removed	
362	Info	VMware vCenter Updated	
363	Info	VMware vCenter Synchronization	
364	Info	VMware vCenter Synchronization Finished	
365	Error	VMware vCenter Synchronization Failed	
366	Info	VMware vCenter Synchronization Requested	
367	Info	VMware vCenter Synchronization Cancelled	
368	Warning	Interfaces Out of Sync	Interfaces reported by the Deep Security Virtual Appliance are different than the interfaces reported by the vCenter. This can typically be resolved by rebooting the VM.
369	Info	Interfaces in Sync	
370	Info	Filter Driver Installed	
371	Info	Filter Driver Removed	The VMware ESXi server has been restored to the state it was in before the filter driver software was installed.
372	Info	Filter Driver Upgraded	
373	Info	Virtual Appliance Deployed	
374	Info	Virtual Appliance Upgraded	
375	Warning	Virtual Appliance Upgrade Failed	
376	Warning	Virtual Machine Moved to Unprotected ESXi	
377	Info	Virtual Machine Moved to Protected ESXi	
378	Warning	Virtual Machine unprotected after move to another ESXi	A VM was moved to an ESXi where there is no Deep Security Virtual Appliance.

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Severity	Event	Description or Solution
379	Info	Virtual Machine unprotected after move to another ESXi Resolved	
380	Error	Filter Driver Offline	The filter driver on an ESXi server is offline. Use the VMware vCenter console to troubleshoot problems with the hypervisor and the ESXi.
381	Info	Filter Driver Back Online	
382	Info	Filter Driver Upgrade Requested	
383	Info	Appliance Upgrade Requested	
384	Warning	Prepare ESXi Failed	
385	Warning	Filter Driver Upgrade Failed	
386	Warning	Removal of Filter Driver from ESXi Failed	
387	Error	Connection to Filter Driver Failure	
388	Info	Connection to Filter Driver Success	
389	Error	Multiple Activated Appliances Detected	
390	Info	Multiple Activated Appliances Detected Resolved	
391	Error	Network Settings Out of Sync With vCenter Global Settings	
392	Info	Network Settings in Sync With vCenter Global Settings	
393	Error	Anti-Malware Engine Offline	The anti-malware protection module is not functioning. This is probably because the VMware environment does not meet the requirements. See " <a href="#">System requirements</a> " on page 61.
394	Info	Anti-Malware Engine Back Online	
395	Error	Virtual Appliance is Incompatible With Filter Driver	
396	Info	Virtual Appliance is Incompatible With Filter Driver Resolved	
397	Warning	VMware NSX Callback Authentication Failed	
398	Error	VMware Tools Not Installed	
399	Info	VMware Tools Not Installed Resolved	
410	Info	Firewall Rule Created	
411	Info	Firewall Rule Deleted	
412	Info	Firewall Rule Updated	
413	Info	Firewall Rule Exported	
414	Info	Firewall Rule Imported	
420	Info	Firewall Stateful Configuration Created	
421	Info	Firewall Stateful Configuration Deleted	
422	Info	Firewall Stateful Configuration Updated	
423	Info	Firewall Stateful Configuration Exported	
424	Info	Firewall Stateful Configuration Imported	
460	Info	Application Type Created	An administrator configured a new IPS network application definition.

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Severity	Event	Description or Solution
461	Info	Application Type Deleted	An administrator removed an IPS network application definition.
462	Info	Application Type Updated	An administrator changed an existing IPS network application definition.
463	Info	Application Type Exported	An administrator downloaded an IPS network application definition.
464	Info	Application Type Imported	An administrator uploaded an IPS network application definition.
470	Info	Intrusion Prevention Rule Created	
471	Info	Intrusion Prevention Rule Deleted	
472	Info	Intrusion Prevention Rule Updated	
473	Info	Intrusion Prevention Rule Exported	
474	Info	Intrusion Prevention Rule Imported	
480	Info	Integrity Monitoring Rule Created	
481	Info	Integrity Monitoring Rule Deleted	
482	Info	Integrity Monitoring Rule Updated	
483	Info	Integrity Monitoring Rule Exported	
484	Info	Integrity Monitoring Rule Imported	
490	Info	Log Inspection Rule Created	
491	Info	Log Inspection Rule Deleted	
492	Info	Log Inspection Rule Updated	
493	Info	Log Inspection Rule Exported	
494	Info	Log Inspection Rule Imported	
495	Info	Log Inspection Decoder Created	
496	Info	Log Inspection Decoder Deleted	
497	Info	Log Inspection Decoder Updated	
498	Info	Log Inspection Decoder Exported	
499	Info	Log Inspection Decoder Imported	
505	Info	Context Created	
506	Info	Context Deleted	
507	Info	Context Updated	
508	Info	Context Exported	
509	Info	Context Imported	
510	Info	IP List Created	
511	Info	IP List Deleted	
512	Info	IP List Updated	
513	Info	IP List Exported	
514	Info	IP List Imported	
520	Info	Port List Created	
521	Info	Port List Deleted	
522	Info	Port List Updated	
523	Info	Port List Exported	
524	Info	Port List Imported	

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Severity	Event	Description or Solution
525	Info	Scan Cache Configuration Created	
526	Info	Scan Cache Configuration Exported	
530	Info	MAC List Created	
531	Info	MAC List Deleted	
532	Info	MAC List Updated	
533	Info	MAC List Exported	
534	Info	MAC List Imported	
540	Info	Proxy Created	
541	Info	Proxy Deleted	
542	Info	Proxy Updated	
543	Info	Proxy Exported	
544	Info	Proxy Imported	
550	Info	Schedule Created	
551	Info	Schedule Deleted	
552	Info	Schedule Updated	
553	Info	Schedule Exported	
554	Info	Schedule Imported	
560	Info	Scheduled Task Created	
561	Info	Scheduled Task Deleted	
562	Info	Scheduled Task Updated	
563	Info	Scheduled Task Manually Executed	
564	Info	Scheduled Task Started	
565	Info	Backup Finished	
566	Error	Backup Failed	
567	Info	Sending Outstanding Alert Summary	
568	Warning	Failed To Send Outstanding Alert Summary	
569	Warning	Email Failed	An e-mail notification could not be sent. Verify that your <a href="#">SMTP settings</a> are correct.
570	Info	Sending Report	
571	Warning	Failed To Send Report	
572	Error	Invalid Report Jar	
573	Info	Asset Value Created	
574	Info	Asset Value Deleted	
575	Info	Asset Value Updated	
576	Error	Report Uninstall Failed	
577	Error	Report Uninstalled	
578	Warning	Integrity Monitoring Rules Require Configuration	
580	Warning	Application Type Port List Misconfiguration	
581	Warning	Application Type Port List Misconfiguration Resolved	
582	Warning	Intrusion Prevention Rules Require Configuration	

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Severity	Event	Description or Solution
583	Info	Intrusion Prevention Rules Require Configuration Resolved	
584	Warning	Application Types Require Configuration	IPS rules require network application definitions, and cannot correctly scan traffic until you define them.
585	Info	Integrity Monitoring Rules Require Configuration Resolved	
586	Warning	Log Inspection Rules Require Configuration	
587	Info	Log Inspection Rules Require Configuration Resolved	
588	Warning	Log Inspection Rules Require Log Files	
589	Info	Log Inspection Rules Require Log Files Resolved	
590	Warning	Scheduled Task Unknown Type	
591	Info	Relay Group Created	
592	Info	Relay Group Updated	
593	Info	Relay Group Deleted	
594	Info	Event-Based Task Created	
595	Info	Event-Based Task Deleted	
596	Info	Event-Based Task Updated	
597	Info	Event-Based Task Triggered	
600	Info	User Signed In	
601	Info	User Signed Out	
602	Info	User Timed Out	
603	Info	User Locked Out	
604	Info	User Unlocked	
608	Error	User Session Validation Failed	Deep Security Manager could not confirm that a session was initiated after successful authentication. The user will be redirected to the login page, and asked to re-authenticate. This could be normal if the authenticated session list was cleared.
609	Error	User Made Invalid Request	Deep Security Manager received invalid request to access audit data (events). Access was denied.
610	Info	User Session Validated	
611	Info	User Viewed Firewall Event	
613	Info	User Viewed Intrusion Prevention Event	
615	Info	User Viewed System Event	
616	Info	User Viewed Integrity Monitoring Event	
617	Info	User Viewed Log Inspection Event	
618	Info	User Viewed Identified File Detail	
619	Info	User Viewed Anti-Malware Event	
620	Info	User Viewed Web Reputation Event	
621	Info	User Signed In As Tenant	
622	Info	Access from Primary Tenant Enabled	

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Severity	Event	Description or Solution
623	Info	Access from Primary Tenant Disabled	
624	Info	Access from Primary Tenant Allowed	
625	Info	Access from Primary Tenant Revoked	
626	Info	Access from Primary Tenant Expired	
630	Info	Syslog Configuration Created	
631	Info	Syslog Configuration Deleted	
632	Info	Syslog Configuration Updated	
633	Info	Syslog Configuration Exported	
634	Info	Syslog Configuration Imported	
650	Info	User Created	
651	Info	User Deleted	
652	Info	User Updated	
653	Info	User Password Set	
660	Info	Role Created	
661	Info	Role Deleted	
662	Info	Role Updated	
663	Info	Roles Imported	
664	Info	Roles Exported	
670	Info	Contact Created	
671	Info	Contact Deleted	
672	Info	Contact Updated	
700	Info	Agent Software Installed	
701	Error	Agent Software Installation Failed	
702	Info	Credentials Generated	
703	Error	Credential Generation Failed	
704	Info	Activated	
705	Error	Activation Failed	This can occur if agent self-protection is enabled. On the Deep Security Manager, go to <b>Computer editor</b> <sup>1</sup> > <b>Settings</b> > <b>General</b> . In <b>Agent Self Protection</b> , and then either deselect <b>Prevent local end-users from uninstalling, stopping, or otherwise modifying the Agent</b> or enter a password for local override.
706	Info	Software Update: Agent Software Upgraded	
707	Warning	Software Update: Agent Software Upgrade Failed	This can occur if agent self-protection is enabled. On the Deep Security Manager, go to <b>Computer editor</b> <sup>2</sup> > <b>Settings</b> > <b>General</b> . In <b>Agent Self Protection</b> , and then either deselect <b>Prevent local</b>

<sup>1</sup>To open the Computer editor, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

<sup>2</sup>To open the Computer editor, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Severity	Event	Description or Solution
			<b>end-users from uninstalling, stopping, or otherwise modifying the Agent</b> or enter a password for local override.
708	Info	Deactivated	
709	Error	Deactivation Failed	
710	Info	Events Retrieved	
711	Info	Agent Software Deployed	
712	Error	Agent Software Deployment Failed	This can occur if agent self-protection is enabled. On the Deep Security Manager, go to <b>Computer editor</b> <sup>1</sup> > <b>Settings &gt; General</b> . In <b>Agent Self Protection</b> , and then either deselect <b>Prevent local end-users from uninstalling, stopping, or otherwise modifying the Agent</b> or enter a password for local override.
713	Info	Agent Software Removed	
714	Error	Agent Software Removal Failed	This can occur if agent self-protection is enabled. On the Deep Security Manager, go to <b>Computer editor</b> <sup>2</sup> > <b>Settings &gt; General</b> . In <b>Agent Self Protection</b> , and then either deselect <b>Prevent local end-users from uninstalling, stopping, or otherwise modifying the Agent</b> or enter a password for local override.
715	Info	Agent/Appliance Version Changed	
716	Info	Reactivation Attempted by Unknown Agent	An agent that is currently unknown to the Deep Security Manager has attempted reactivation. This usually happens when a computer was deleted from Deep Security Manager without first removing the agent on the computer. For more information, see the 'Reactivation Attempted by Unknown Agent' section in <a href="#">Agent settings</a> .
720	Info	Policy Sent	Agent/Appliance updated.
721	Error	Send Policy Failed	
722	Warning	Get Interfaces Failed	
723	Info	Get Interfaces Failure Resolved	
724	Warning	Insufficient Disk Space	An agent detected low disk space. Free space on the

<sup>1</sup>To open the Computer editor, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

<sup>2</sup>To open the Computer editor, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Severity	Event	Description or Solution
			Agent's host. See <a href="#">"Warning: Insufficient disk space" on page 931</a> .
725	Warning	Events Suppressed	
726	Warning	Get Agent/Appliance Events Failed	Manager was unable to retrieve Events from Agent/Appliance. This error does not mean that the data was lost on the Agent/Appliance. This error is normally caused by a network interruption while events are being transferred. Clear the error and run a "Check Status" to retry the operation.
727	Info	Get Agent/Appliance Events Failure Resolved	
728	Error	Get Events Failed	Manager was unable to retrieve audit data from Agent/Appliance. This error does not mean that the data was lost on the Agent/Appliance. This error is normally caused by a network interruption while events are being transferred. Clear the error and run a "Get Events Now" to retry the operation.
729	Info	Get Events Failure Resolved	
730	Error	Offline	Manager cannot communicate with Computer. Usually, however, the offline Agent is still protecting the computer with its last configured settings. See <a href="#">Computer and Agent/Appliance Status and "Offline" agent" on page 1033</a> .
731	Info	Back Online	
732	Error	Firewall Engine Offline	The Firewall Engine is offline and traffic is flowing unfiltered. This is normally due to an error during installation or verification of the driver on the computer's OS platform. Check the status of the network driver at the computer to ensure it is properly loaded.
733	Info	Firewall Engine Back Online	
734	Warning	Computer Clock Change	A clock change has occurred on the Computer which exceeds the maximum allowed specified in <a href="#">Computer or Policy editor</a> <sup>1</sup> > Settings > General > Heartbeat area. Investigate what has caused the clock change on the computer.
735	Warning	Misconfiguration Detected	The Agent's configuration does not match the configuration indicated in the Manager's records. This is typically because of a recent backup restoration of the Manager or the Agent. Unanticipated misconfiguration warnings should be

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Severity	Event	Description or Solution
			investigated.
736	Info	Check Status Failure Resolved	
737	Error	Check Status Failed	See " <a href="#">Error: Check Status Failed</a> " on page 923.
738	Error	Intrusion Prevention Engine Offline	The Intrusion Prevention Engine is offline and traffic is flowing unfiltered. This is normally due to an error during installation or verification of the driver on the computer's OS platform. Check the status of the network driver at the computer to ensure it is properly loaded.
739	Info	Intrusion Prevention Engine Back Online	
740	Error	Agent/Appliance Error	
741	Warning	Abnormal Restart Detected	
742	Warning	Communications Problem	The Agent is having problems communicating its status to Manager. It usually indicates network or load congestion in the Agent --> Manager direction. Further investigation is warranted if the situation persists
743	Info	Communications Problem Resolved	
745	Warning	Events Truncated	
748	Error	Log Inspection Engine Offline	
749	Info	Log Inspection Engine Back Online	
750	Warning	Last Automatic Retry	
755	Info	Deep Security Manager Version Compatibility Resolved	
756	Warning	Deep Security Manager Upgrade Recommended (Incompatible Security Update(s))	
760	Info	Agent/Appliance Version Compatibility Resolved	
761	Warning	Agent/Appliance Upgrade Recommended	
762	Warning	Agent/Appliance Upgrade Required	
763	Warning	Incompatible Agent/Appliance Version	
764	Warning	Agent/Appliance Upgrade Recommended (Incompatible Security Update(s))	
765	Error	Computer Reboot Required	
766	Warning	Network Engine Mode Configuration Incompatibility	
767	Warning	Network Engine Mode Version Incompatibility	
768	Warning	Network Engine Mode Incompatibility Resolved	
770	Warning	Agent/Appliance Heartbeat Rejected	
771	Warning	Contact by Unrecognized Client	
780	Info	Recommendation Scan Failure Resolved	
781	Warning	Recommendation Scan Failure	See " <a href="#">Troubleshooting: Recommendation Scan Failure</a> " on page 314.

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Severity	Event	Description or Solution
782	Info	Rebuild Baseline Failure Resolved	
783	Warning	Rebuild Baseline Failure	
784	Info	Security Update: Security Update Check and Download Successful	
785	Warning	Security Update: Security Update Check and Download Failed	
786	Info	Scan For Change Failure Resolved	
787	Warning	Scan For Change Failure	
790	Info	Agent-Initiated Activation Requested	
791	Warning	Agent-Initiated Activation Failure	
792	Info	Manual Malware Scan Failure Resolved	
793	Warning	Manual Malware Scan Failure	A Malware Scan has failed. Use the VMware vCenter console to check the status of the VM on which the scan failed.
794	Info	Scheduled Malware Scan Failure Resolved	
795	Warning	Scheduled Malware Scan Failure	A scheduled Malware Scan has failed. Use the VMware vCenter console to check the status of the VM on which the scan failed.
796	Warning	Scheduled Malware Scan Task has been Missed	This occurs when a scheduled Malware Scan is initiated on a computer when a previous scan is still pending. This typically indicates that Malware Scans are being scheduled too frequently.
797	Info	Malware Scan Cancellation Failure Resolved	
798	Warning	Malware Scan Cancellation Failure	A Malware Scan cancellation has failed. Use the VMware vCenter console to check the status of the VM on which the scan failed.
799	Warning	Malware Scan Stalled	A Malware Scan has stalled. Use the VMware vCenter console to check the status of the VM on which the scan stalled.
800	Info	Alert Dismissed	
801	Info	Error Dismissed	
804	Error	Intrusion Prevention Rule Compiler Failed	
805	Error	Intrusion Prevention Rules Failed to Compile	
806	Error	Intrusion Prevention Rules Failed to Compile	
850	Warning	Reconnaissance Detected: Computer OS Fingerprint Probe	See <a href="#">"Warning: Reconnaissance Detected" on page 929</a>
851	Warning	Reconnaissance Detected: Network or Port Scan	See <a href="#">"Warning: Reconnaissance Detected" on page 929</a>
852	Warning	Reconnaissance Detected: TCP Null Scan	See <a href="#">"Warning: Reconnaissance Detected" on page 929</a>
853	Warning	Reconnaissance Detected: TCP SYNFIN Scan	See <a href="#">"Warning: Reconnaissance Detected" on page 929</a>
854	Warning	Reconnaissance Detected: TCP Xmas Scan	See <a href="#">"Warning: Reconnaissance Detected" on page 929</a>

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Severity	Event	Description or Solution
900	Info	Deep Security Manager Audit Started	
901	Info	Deep Security Manager Audit Shutdown	
902	Info	Deep Security Manager Installed	
903	Warning	License Related Configuration Change	
910	Info	Diagnostic Package Generated	
911	Info	Diagnostic Package Exported	
912	Info	Diagnostic Package Uploaded	
913	Error	Automatic Diagnostic Package Error	
914	Info	Identified File Deletion Succeeded	
915	Info	Identified File Deletion Failed	
916	Info	Identified File Download Succeeded	
917	Info	Identified File Download Failed	
918	Info	Identified File Administration Utility Download Succeeded	
919	Info	Identified File Not Found	
920	Info	Usage Information Generated	
921	Info	Usage Information Package Exported	
922	Info	Usage Information Package Uploaded	
923	Error	Usage Information Package Error	
924	Warning	File cannot be analyzed or quarantined (VM maximum disk space used to store identified files exceeded)	The Anti-Malware module was unable to analyze or quarantine a file because the VM maximum disk space used to store identified files was reached. To change the maximum disk space for identified files setting, open the computer or policy editor and go to the Anti-malware > Advanced tab.
925	Warning	File cannot be analyzed or quarantined (maximum disk space used to store identified files exceeded)	The Anti-Malware module was unable to analyze or quarantine a file because the maximum disk space used to store identified files was reached. To change the maximum disk space for identified files setting, open the computer or policy editor and go to the Anti-malware > Advanced tab.
926	Warning	Smart Protection Server Disconnected for Smart Scan	See " <a href="#">Troubleshoot "Smart Protection Server disconnected" errors</a> " on page 909.
927	Info	Smart Protection Server Connected for Smart Scan	
928	Info	Identified File Restoration Succeeded	
929	Warning	Identified File Restoration Failed	
930	Info	Certificate Accepted	
931	Info	Certificate Deleted	
932	Warning	Smart Protection Server Disconnected for Web Reputation	See " <a href="#">Troubleshoot "Smart Protection Server disconnected" errors</a> " on page 909.
933	Info	Smart Protection Server Connected for Web Reputation	
934	Info	Software Update: Anti-Malware Windows Platform Update Successful	

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Severity	Event	Description or Solution
935	Error	Software Update: Anti-Malware Windows Platform Update Failed	
936	Info	Submission of identified file to Deep Discovery Analyzer succeeded	
937	Info	Submission of identified file to Deep Discovery Analyzer failed	
938	Info	Identified File Submission Queued	
940	Info	Auto-Tag Rule Created	
941	Info	Auto-Tag Rule Deleted	
942	Info	Auto-Tag Rule Updated	
943	Info	Tag Deleted	
944	Info	Tag Created	
945	Warning	Census, Good File Reputation, and Predictive Machine Learning Service Disconnected	
946	Info	Census, Good File Reputation, and Predictive Machine Learning Service Connected	
970	Info	Command Line Utility Started	
978	Info	Command Line Utility Failed	
979	Info	Command Line Utility Shutdown	Deep Security Manager was manually stopped.
980	Info	System Information Exported	
990	Info	Manager Node Added	
991	Info	Manager Node Decommissioned	
992	Info	Manager Node Updated	
995	Info	Connection to the Certified Safe Software Service has been restored	
996	Warning	Unable to connect to the Certified Safe Software Service	
997	Error	Tagging Error	
998	Error	System Event Notification Error	
999	Error	Internal Software Error	
1101	Error	Plug-in Installation Failed	
1102	Info	Plug-in Installed	
1103	Error	Plug-in Upgrade Failed	
1104	Info	Plug-in Upgraded	
1105	Error	Plug-in Start Failed	
1106	Error	Plug-in Uninstall Failed	
1107	Info	Plug-in Uninstalled	
1108	Info	Plug-in Started	
1109	Info	Plug-in Stopped	
1110	Error	Software Package Not Found	
1111	Info	Software Package Found	
1500	Info	Malware Scan Configuration Created	
1501	Info	Malware Scan Configuration Deleted	

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Severity	Event	Description or Solution
1502	Info	Malware Scan Configuration Updated	
1503	Info	Malware Scan Configuration Exported	
1504	Info	Malware Scan Configuration Imported	
1505	Info	Directory List Created	
1506	Info	Directory List Deleted	
1507	Info	Directory List Updated	
1508	Info	Directory List Exported	
1509	Info	Directory List Imported	
1510	Info	File Extension List Created	
1511	Info	File Extension List Deleted	
1512	Info	File Extension List Updated	
1513	Info	File Extension List Exported	
1514	Info	File Extension List Imported	
1515	Info	File List Created	
1516	Info	File List Deleted	
1517	Info	File List Updated	
1518	Info	File List Exported	
1519	Info	File List Imported	
1520	Info	Manual Malware Scan Pending	
1521	Info	Manual Malware Scan Started	
1522	Info	Manual Malware Scan Completed	
1523	Info	Scheduled Malware Scan Started	
1524	Info	Scheduled Malware Scan Completed	
1525	Info	Manual Malware Scan Cancellation In Progress	
1526	Info	Manual Malware Scan Cancellation Completed	
1527	Info	Scheduled Malware Scan Cancellation In Progress	
1528	Info	Scheduled Malware Scan Cancellation Completed	
1529	Info	Manual Malware Scan Paused	
1530	Info	Manual Malware Scan Resumed	
1531	Info	Scheduled Malware Scan Paused	
1532	Info	Scheduled Malware Scan Resumed	
1533	Info	Computer reboot required for Anti-Malware cleanup task	
1534	Error	Computer reboot required for Anti-Malware protection	
1536	Info	Quick Malware Scan Pending	
1537	Info	Quick Malware Scan Started	
1538	Info	Quick Malware Scan Completed	
1539	Info	Quick Malware Scan Cancellation In Progress	

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Severity	Event	Description or Solution
1540	Info	Quick Malware Scan Cancellation Completed	
1541	Info	Quick Malware Scan Paused	
1542	Info	Quick Malware Scan Failure Resolved	
1543	Warning	Quick Malware Scan Failure	
1544	Info	Quick Malware Scan Resumed	
1545	Info	Files could not be scanned for malware	Anti-malware could not scan a file because its file path exceeded the maximum number of characters. Maximum file path length varies by OS and file system. To prevent this problem, try moving the file to a directory path and file name with fewer characters.
1546	Info	Files could not be scanned for malware	Anti-malware could not scan a file because its location exceeded the maximum directory depth. To prevent this problem, try reducing the number of layers of nested directories.
1550	Info	Web Reputation Settings Updated	
1551	Info	Malware Scan Configuration Updated	
1552	Info	Integrity Configuration Updated	
1553	Info	Log Inspection Configuration Updated	
1554	Info	Firewall Stateful Configuration Updated	
1555	Info	Intrusion Prevention Configuration Updated	
1600	Info	Relay Group Update Requested	
1601	Info	Relay Group Update Success	
1602	Error	Relay Group Update Failed	
1603	Info	Security Update: Security Update Rollback Success	
1604	Warning	Security Update: Security Update Rollback Failure	
1605	Info	Successfully send file back up command to host	
1606	Warning	Failed to send file back up command to host	
1607	Info	Successfully back up file	
1608	Error	Failed to back up file	
1650	Warning	Anti-Malware protection is not enabled or is out of date	
1651	Info	Anti-Malware module is ready	
1660	Info	Rebuild Baseline Started	
1661	Info	Rebuild Baseline Paused	
1662	Info	Rebuild Baseline Resumed	
1663	Warning	Rebuild Baseline Failure	
1664	Warning	Rebuild Baseline Stalled	
1665	Info	Rebuild Baseline Completed	
1666	Info	Scan for Integrity Started	
1667	Info	Scan for Integrity Paused	

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Severity	Event	Description or Solution
1668	Info	Scan for Integrity Resumed	
1669	Warning	Scan for Integrity Failure	
1670	Warning	Scan for Integrity Stalled	
1671	Info	Scan for Integrity Completed	
1675	Error	Integrity Monitoring Engine Offline	
1676	Info	Integrity Monitoring Engine Back Online	
1677	Error	Trusted Platform Module Error	
1678	Info	Trusted Platform Module Register Values Loaded	
1679	Warning	Trusted Platform Module Register Values Changed	
1680	Info	Trusted Platform Module Checking Disabled	
1681	Info	Trusted Platform Module Information Unreliable	
1700	Info	No Agent Detected	
1800	Error	Deep Security Protection Module Failure	
1900	Info	Cloud Account Added	
1901	Info	Cloud Account Removed	
1902	Info	Cloud Account Updated	
1903	Info	Cloud Account Synchronization In Progress	
1904	Info	Cloud Account Synchronization Finished	
1905	Error	Cloud Account Synchronization Failed	
1906	Info	Cloud Account Synchronization Requested	
1907	Info	Cloud account Synchronization Cancelled	
1908	Info	AWS Account Synchronization Requested	
1909	Info	AWS Account Synchronization Finished	
1910	Error	AWS Account Synchronization Failed	
1911	Info	AWS Account Added	
1912	Info	AWS Account Removed	
1913	Info	AWS Account Updated	
1914	Info	Azure Account Added	
1915	Info	Azure Account Removed	
1916	Info	Azure Account Updated	
1917	Info	Azure Account Synchronization Finished	
1918	Error	Azure Account Synchronization Failed	
1919	Info	Azure Account Synchronization Requested	
1921	Info	vCloud Account Added	
1922	Info	vCloud Account Removed	
1923	Info	vCloud Account Updated	
1924	Info	vCloud Account Synchronization Finished	
1925	Error	vCloud Account Synchronization Failed	
1926	Info	vCloud Account Synchronization Requested	
1927	Info	Upgrade Connector to AWS Account	

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Severity	Event	Description or Solution
		Requested	
1928	Warning	AWS Account Update Failed	
1929	Info	Upgrade Connector to AWS Account Finished	
1950	Info	Tenant Created	
1951	Info	Tenant Deleted	
1952	Info	Tenant Updated	
1953	Info	Tenant Database Server Created	
1954	Info	Tenant Database Server Deleted	
1955	Info	Tenant Database Server Updated	
1957	Error	Tenant Initialization Failure	
1958	Info	Tenant Features Updated	
2000	Info	Scan Cache Configuration Object Added	
2001	Info	Scan Cache Configuration Object Removed	
2002	Info	Scan Cache Configuration Object Updated	
2200	Info	Software Update: Anti-Malware Module Installation Started	
2201	Info	Software Update: Anti-Malware Module Installation Successful	
2202	Warning	Software Update: Anti-Malware Module Installation Failed	
2203	Info	Software Update: Anti-Malware Module Download Successful	
2204	Info	Security Update: Pattern Update on Agents/Appliances Successful	
2205	Warning	Security Update: Pattern Update on Agents/Appliances Failed	
2300	Info	Software Update: Web Reputation Module Installation Started	
2301	Info	Software Update: Web Reputation Module Installation Successful	
2302	Warning	Software Update: Web Reputation Module Installation Failed	
2303	Info	Software Update: Web Reputation Download Successful	
2400	Info	Software Update: Firewall Module Installation Started	
2401	Info	Software Update: Firewall Module Installation Successful	
2402	Warning	Software Update: Firewall Module Installation Failed	
2403	Info	Software Update: Firewall Module Download Successful	
2500	Info	Software Update: Intrusion Prevention Module Installation Started	

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Severity	Event	Description or Solution
2501	Info	Software Update: Intrusion Prevention Module Installation Successful	
2502	Warning	Software Update: Intrusion Prevention Module Installation Failed	
2503	Info	Software Update: Intrusion Prevention Module Download Successful	
2600	Info	Software Update: Integrity Monitoring Module Installation Started	
2601	Info	Software Update: Integrity Monitoring Module Installation Successful	
2602	Warning	Software Update: Integrity Monitoring Module Installation Failed	
2603	Info	Software Update: Integrity Monitoring Module Download Successful	
2700	Info	Software Update: Log Inspection Module Installation Started	
2701	Info	Software Update: Log Inspection Module Installation Successful	
2702	Warning	Software Update: Log Inspection Module Installation Failed	
2703	Info	Software Update: Log Inspection Module Download Successful	
2800	Info	Software Update: Software Automatically Downloaded	
2801	Error	Software Update: Unable to retrieve Download Center inventory	
2802	Error	Software Update: Unable to download software from Download Center	
2803	Info	Online Help Update Started	
2804	Info	Online Help Update Ended	
2805	Info	Online Help Update Success	
2806	Warning	Online Help Update Failed	
2803	Info	Online Help Update Started	
2804	Info	Online Help Update Ended	
2805	Info	Online Help Update Success	
2806	Warning	Online Help Update Failed	
2900	Info	Software Update: Relay Module Installation Started	
2901	Info	Software Update: Relay Module Installation Successful	
2902	Warning	Software Update: Relay Module Installation Failed	
2903	Info	Software Update: Relay Module Download Successful	

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Severity	Event	Description or Solution
2904	Info	VMware NSX Synchronization Finished	
2905	Error	VMware NSX Synchronization Failed	
2906	Info	Agent Self-Protection enabled	
2907	Info	Agent Self-Protection disabled	
2908	Info	Agent Self-Protection enabled	
2909	Info	Agent Self-Protection disabled	
2915	Info	Data migration complete	
2916	Warning	Data migration finished with error	
2920	Info	Querying report from DDAn Finished	
2921	Error	Querying report from DDAn Failed	
2922	Info	Submission to Deep Discovery Analyzer processed	
2923	Error	File submission to Deep Discovery Analyzer Failed	
2924	Info	Security Update: Suspicious Object Check and Update Successful	
2925	Error	Security Update: Suspicious Object Check and Update Failed	
2926	Warning	Submission to Deep Discovery Analyzer queued	
2930	Info	File back up pending	
2931	Info	Smart Folder Added	
2932	Info	Smart Folder Removed	
2933	Info	Smart Folder Updated	
2934	Error	Failed to send Amazon SNS message	
2935	Info	System resumed sending SNS messages	
7000	Info	Application Control Events Exported	An administrator downloaded application control event logs in CSV format.
7007	Info	User Viewed Application Control Event	An administrator dismissed an application control alert. This is normal unless your system has been compromised by an intruder that has gained an administrator login.
7008	Error	Application Control Engine Offline	An agent's application control engine failed to come online. This could happen if you have enabled application control on a computer whose kernel is not supported.
7009	Info	Application Control Engine Online Again	An agent's application control engine started.
7010	Info	Application Control Configuration Updated	Deep Security Manager updated the application control settings on an agent.
7011	Info	Software Update: Application Control Module Installation Started	The agent received a policy from Deep Security Manager where application control was selected, but detected that it did not have the application control engine installed or needed to update it, so it began to download it. This is normal when you enable application control on a computer for the first time, or

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Severity	Event	Description or Solution
			when it has been disabled while application control engine updates were released.
7012	Info	Software Update: Application Control Module Installation Successful	The agent installed the application control engine. The application control engine is also used by the integrity monitoring feature.
7013	Error	Software Update: Application Control Module Installation Failed	The agent could not install the application control engine. This is not normal.
7014	Info	Software Update: Application Control Module Download Successful	The agent finished downloading the application control engine.
7015	Info	Application Control Ruleset Updated	The <a href="#">API</a> was used to allow or block software. This message does not occur when administrators perform the same action in the GUI.
7020	Info	Application Control Ruleset Retrieved	The <a href="#">API</a> uploaded a computer's initial allow rules to Deep Security Manager.
7021	Info	Application Control Ruleset Build Started	The application control engine was enabled, and the agent detected that it did not have any allow rules for that computer, so it began to build initial rules based on the currently installed software. This is normal when you enable application control for the first time. This message does not occur when you use the <a href="#">API</a> to replace the allow rules.
7022	Info	Application Control Ruleset Build Completed	The agent finished building the initial allow rules for that computer. After this, any new software that is detected which is not in the allow or block rules will, if configured, cause and alert.
7023	Error	Application Control Ruleset Build Failed	The agent could not build the initial allow rules for that computer. This is not normal.
7024	Info	Application Control Ruleset Updated	An administrator allowed or blocked software in the <b>Actions</b> tab, or changed a rule by clicking <b>Change rule</b> in an application control log message. This message does not occur when you use the <a href="#">API</a> to replace the allow rules.
7025	Info	Application Control Ruleset Build Requested	You manually forced application control to delete the current rules and rebuild them based on the currently installed software. This could be normal if you needed to change many rules at the same time.
7026	Info	Application Control Maintenance Mode Start Requested	An administrator or API sent the command to enable maintenance mode.
7027	Info	Application Control Maintenance Mode Stop Requested	An administrator or API sent the command to disable maintenance mode.
7028	Info	Application Control Maintenance Mode Started	Maintenance mode was enabled. While enabled, the agent automatically adds updated or newly installed software to its allow rules, indicating that you know and want to allow the software update. The agent continues to apply block rules during this time.
7029	Info	Application Control Maintenance Mode	Maintenance mode was disabled. Once

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Severity	Event	Description or Solution
		Stopped	maintenance mode is stopped, all new or changed software will be considered "unrecognized" until you specifically allow or block it.
7030	Info	Application Control Ruleset Build Cancelled	The agent began to build the initial allow rules, but an administrator canceled the process.
7031	Error	Sending Application Control Ruleset Failed	An agent could not download a shared ruleset for application control. This can occur if network connectivity is interrupted (such as a firewall or proxy between the agent and relay), or if there isn't enough free disk space on the agent.
7032	Info	Sending Application Control Ruleset Succeeded	An agent downloaded a shared ruleset for application control. This normally occurs whenever an administrator or API allows or blocks software, or when a different shared ruleset is applied.
7033	Info	Application Control Ruleset Created	The API was used to create an application control ruleset. This message does not occur when administrators perform the same action in the GUI.
7034	Info	Application Control Ruleset Updated	The API was used to allow or block software via an application control ruleset. This message does not occur when administrators perform the same action in the GUI.
7035	Info	Application Control Ruleset Deleted	The API was used to delete an application control ruleset. This message does not occur when administrators perform the same action in the GUI.
7036	Info	Application Control Maintenance Mode Reset Duration Requested	An administrator changed the time period for when maintenance mode is active.
7037	Error	Newly applied ruleset will block some running processes on restart	An administrator applied a new ruleset, but some of the currently running processes exist in block rules. Application control will not terminate the processes, but the next time you reboot or restart those services, depending on your configuration, it will either alert you or block them. If the processes are not authorized, you should terminate them manually. If they are authorized, but are missing from the ruleset, you should add them to the ruleset.
7038	Error	Unresolved software change limit reached	Software changes detected on the file system exceeded the maximum amount. Application control will continue to enforce existing rules, but will not record any more changes, and it will stop displaying any of that computer's software changes. You must resolve and prevent excessive software change.
7040	Error	Incompatible Application Control Ruleset	An application control ruleset could not be assigned to one or more computers because the ruleset is not supported by the installed version of the agent. Typically, the problem is that a hash-based ruleset (which is compatible only with Deep Security Agent

ID	Severity	Event	Description or Solution
			11.0 or newer) has been assigned to an older Deep Security Agent. Deep Security Agent 10.x supports only file-based rulesets. (For details, see <a href="#">"Differences in how Deep Security Agent 10.x and 11.x compare files" on page 408.</a> ) To fix this issue, upgrade the Deep Security Agent to version 11.0 or newer. Alternatively, if you are using local rulesets, reset application control for the agent. Or if you are using a shared ruleset, use a shared ruleset that was created with Deep Security 10.x until all agents using the shared ruleset are upgraded to Deep Security Agent 11.0 or newer.
7041	Info	Application Control Ruleset Upgraded	An application control ruleset was upgraded from a file-based ruleset to a hash-based ruleset. (For details, see <a href="#">"Differences in how Deep Security Agent 10.x and 11.x compare files" on page 408.</a> )

## Anti-malware events

For general best practices related to events, see ["Event collection in Deep Security" on page 739.](#)

To see the anti-malware events captured by Deep Security, go to **Events & Reports > Events > Anti-Malware Events.**

### What information is displayed for anti-malware events?

These columns can be displayed on the Anti-Malware Events page. You can click **Columns** to select which columns are displayed in the table.

- **Time:** Time the event took place on the computer.
- **Computer:** The computer on which this event was logged. (If the computer has been removed, this entry will read "Unknown Computer".)
- **Infected File(s):** The location and name of the infected file.
- **Tag(s):** Event tags associated with this event.
- **Malware:** The name of the malware that was found.
- **Action Taken:** Displays the results of the actions specified in the malware scan configuration associated with the event.

- **Cleaned:** Deep Security successfully terminated processes or deleted registries, files, cookies, or shortcuts, depending on the type of malware.
  - **Clean Failed:** Malware could not be cleaned for a variety of possible reasons.
  - **Deleted:** An infected file was deleted.
  - **Delete Failed:** An infected file could not be deleted for a variety of possible reasons. For example, the file may be locked by another application, is on a CD, or is in use. If possible, Deep Security will delete the infected file once it is released.
  - **Quarantined:** An infected file was moved to the identified files folder.
  - **Quarantine Failed:** An infected file could not be quarantined for a variety of possible reasons. For example, the file may be locked by another application, is on a CD, or is in use. If possible, Deep Security will quarantine the infected file once it is released. It is also possible that the "Maximum disk space used to store identified files" (specified on the **Policy/Computer Editor > Anti-Malware > Advanced** tab) has been exceeded.
  - **Access Denied:** Deep Security has prevented the infected file from being accessed without removing the file from the system.
  - **Passed:** Deep Security did not take any action but logged the detection of the malware.
- 
- **Scan Type:** The type of scan that found the malware (Real-Time, Scheduled, or Manual).
  - **Event Origin:** Indicates from which part of the Deep Security system the event originated.
  - **Reason:** The malware scan configuration that was in effect when the malware was detected.
  - **Major Virus Type:** The type of malware detected. Possible values are: Joke, Trojan, Virus, Test, Spyware, Packer, Generic, or Other. For information on these types of malware, see the anti-malware event details or see ["Protect against malware" on page 432](#)
  - **Target(s):** The file, process, or registry key (if any) that the malware was trying to affect. If the malware was trying to affect more than one, this field will contain the value "Multiple."
  - **Target Type:** The type of system resource that this malware was trying to affect, such as the file system, a process, or Windows registry.
  - **Container ID:** ID of the Docker container where the malware was found.

## Trend Micro Deep Security for Azure Marketplace 11.1

- **Container Image Name:** Image name of the Docker container where the malware was found.
- **Container Name:** Name of the Docker container where the malware was found.
- **File MD5:** The MD5 hash of the file.

### List of all anti-malware events

ID	Severity	Event
9001	Info	Anti-Malware Scan Started
9002	Info	Anti-Malware Scan Completed
9003	Info	Anti-Malware Scan Terminated Abnormally
9004	Info	Anti-Malware Scan Paused
9005	Info	Anti-Malware Scan Resumed
9006	Info	Anti-Malware Scan Cancelled
9007	Warning	Anti-Malware Scan Cancel Failed
9008	Warning	Anti-Malware Scan Start Failed
9009	Warning	Anti-Malware Scan Stalled
9010	Error	File cannot be analyzed or quarantined (VM maximum disk space used to store identified files exceeded)
9011	Error	File cannot be analyzed or quarantined (maximum disk space used to store identified files exceeded)
9012	Warning	Smart Protection Server Disconnected for Smart Scan
9013	Info	Smart Protection Server Connected for Smart Scan
9014	Warning	Computer reboot is required for Anti-Malware protection
9016	Info	Anti-Malware Component Update Successful
9017	Error	Anti-Malware Component Update Failed
9018	Error	Files could not be scanned for malware
9019	Error	Directory could not be scanned for malware

## Firewall events

For general best practices related to events, see ["Event collection in Deep Security" on page 739](#).

To see the firewall events captured by Deep Security, go to **Events & Reports > Events > Firewall Events**.

Firewall event icons:

 Single event

 Single event with data

 Folded event

 Folded event with data

**Note:** Event folding occurs when multiple events of the same type occur in succession. This saves disk space and protects against DoS attacks that may attempt to overload the logging mechanism.

### What information is displayed for firewall events?

These columns can be displayed on the firewall events page. You can click **Columns** to select which columns are displayed in the table.

- **Time:** Time the event took place on the computer.
- **Computer:** The computer on which this event was logged. (If the computer has been removed, this entry will read "Unknown Computer".)
- **Reason:** Log entries on this page are generated either by firewall rules or by firewall stateful configuration settings. If an entry is generated by a firewall rule, the column entry will be prefaced by "Firewall Rule:" followed by the name of the firewall rule. Otherwise the column entry will display the firewall stateful configuration setting that generated the log entry.
- **Tag(s):** Event tags that are applied to this event.
- **Action:** The action taken by the firewall rule or firewall stateful configuration. Possible actions are: Allow, Deny, Force Allow, and Log Only.
- **Rank:** The ranking system provides a way to quantify the importance of intrusion prevention and firewall events. By assigning "asset values" to computers, and assigning "severity values" to intrusion prevention rules and firewall rules, the importance ("rank") of an event is calculated by multiplying the two values together. This allows you to sort events by rank when viewing intrusion prevention or firewall events.
- **Direction:** The direction of the affected packet (incoming or outgoing).

- **Interface:** The MAC address of the interface through which the packet was traveling.
- **Frame Type:** The frame type of the packet in question. Possible values are "IPV4", "IPV6", "ARP", "REVARP", and "Other: XXXX" where XXXX represents the four digit hex code of the frame type.
- **Protocol:** Possible values are "ICMP", "ICMPV6", "IGMP", "GGP", "TCP", "PUP", "UDP", "IDP", "ND", "RAW", "TCP+UDP", AND "Other: nnn" where nnn represents a three digit decimal value.
- **Flags:** Flags set in the packet.
- **Source IP:** The packet's source IP.
- **Source MAC:** The packet's source MAC address.
- **Source Port:** The packet's source port.
- **Destination IP:** The packet's destination IP address.
- **Destination MAC:** The packet's destination MAC address.
- **Destination Port:** The packet's destination port.
- **Packet Size:** The size of the packet in bytes.
- **Repeat Count:** The number of times the event was sequentially repeated.
- **Time (microseconds):** Microsecond resolution for the time the event took place on the computer.
- **Event Origin:** The Deep Security component from which the event originated.

**Note:** Log-only rules will only generate a log entry if the packet in question is not subsequently stopped either by a **deny** rule, or an **allow** rule that excludes it. If the packet is stopped by one of those two rules, *those* rules will generate a log entry and *not* the **log-only** rule. If no subsequent rules stop the packet, the log-only rule will generate an entry.

### List of all firewall events

ID	Event	Notes
100	Out Of Connection	A packet was received that was not associated with an existing connection.
101	Invalid Flags	Flag(s) set in a packet were invalid. This event can indicate that a flag does not make sense within the context of a current connection (if any), or that a nonsensical combination of flags.

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Event	Notes
		"Firewall Stateful Configuration" must be On for connection context to be assessed.
102	Invalid Sequence	A packet with an invalid sequence number or out-of-window data size was encountered.
103	Invalid ACK	A packet with an invalid acknowledgment number was encountered.
104	Internal Error	
105	CE Flags	A packet has congestion flags set and the policy's Anti Evasion settings use a custom configuration where the TCP Congestion Flags property is set to Log or Deny. (See <a href="#">"Configure anti-evasion settings" on page 524.</a> )
106	Invalid IP	Packet's source IP was not valid.
107	Invalid IP Datagram Length	The length of the IP datagram is less than the length specified in the IP header.
108	Fragmented	A fragmented packet was encountered and fragmented packets are not allowed.
109	Invalid Fragment Offset	
110	First Fragment Too Small	<p>A fragmented packet was encountered, and the size of the first fragment is less than the size of a TCP packet (no data).</p> <p>A packet is dropped with this event when the packet header has the following configuration:</p> <ul style="list-style-type: none"> <li>• Fragment Offset = 0 (The fragment is the first in the packet)</li> <li>• Total length (maximum combined header length) &lt; 120 bytes (the default allowed minimum fragment size)</li> </ul> <p>To prevent this event from occurring, configure the policy's Advanced Network Engine settings to use a lower value for the Minimum Fragment Size property, or set it to 0 to turn off this inspection. (See "Advanced Network Engine Options" in <a href="#">"Network engine settings" on page 324.</a>)</p>
111	Fragment Out Of Bounds	The offsets(s) specified in a fragmented packet sequence is outside the range of the maximum size of a datagram.
112	Fragment Offset Too Small	A fragmented packet was encountered, the size of the fragment was less than the size of a TCP packet (no data).
113	IPv6 Packet	An IPv6 Packet was encountered, and IPv6 blocking is enabled. See the "Block IPv6 on Agents and Appliances verions 9 and later" property in the Advanced Network Engine Options (see <a href="#">"Network engine settings" on page 324.</a> )
114	Max Incoming Connections	The number of incoming connections has exceeded the maximum number of connections allowed. See the "Enable TCP stateful inspection" property in <a href="#">"TCP packet inspection" on</a>

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Event	Notes
		<a href="#">page 573</a> .
115	Max Outgoing Connections	The number of outgoing connections has exceeded the maximum number of connections allowed. See the "Enable TCP stateful inspection" property in " <a href="#">TCP packet inspection</a> " on <a href="#">page 573</a> .
116	Max SYN Sent	The number of half open connections from a single computer exceeds that specified in the firewall stateful configuration. See the "Limit the number of half-open connections from a single computer to" property in " <a href="#">TCP packet inspection</a> " on <a href="#">page 573</a> .
117	License Expired	
118	IP Version Unknown	An IP packet other than IPv4 or IPv6 was encountered.
119	Invalid Packet Info	
120	Internal Engine Error	Insufficient system memory. Add more system resources to fix this issue.
121	Unsolicited UDP	Incoming UDP packets that were not solicited by the computer are rejected.
122	Unsolicited ICMP	ICMP stateful has been enabled (in firewall stateful configuration) and an unsolicited packet that does not match any Force Allow rules was received.
123	Out Of Allowed Policy	The packet does not meet any of the Allow or Force Allow rules and so is implicitly denied.
124	Invalid Port Command	An invalid FTP port command was encountered in the FTP control channel data stream.
125	SYN Cookie Error	The SYN cookies protection mechanism encountered an error.
126	Invalid Data Offset	Invalid data offset parameter.
127	No IP Header	The packet IP header is invalid or incomplete.
128	Unreadable Ethernet Header	Data contained in this Ethernet frame is smaller than the Ethernet header.
129	Undefined	
130	Same Source and Destination IP	Source and destination IPs were identical.
131	Invalid TCP Header Length	
132	Unreadable Protocol Header	The packet contains an unreadable TCP, UDP or ICMP header.
133	Unreadable IPv4 Header	The packet contains an unreadable IPv4 header.
134	Unknown IP Version	Unrecognized IP version.
135	Invalid Adapter Configuration	An invalid adapter configuration has been received.

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Event	Notes
136	Overlapping Fragment	This packet fragment overlaps a previously sent fragment.
138	Packet on Closed Connection	A packet was received belonging to a connection already closed.
139	Dropped Retransmit	<p>The network engine detected a TCP Packet that overlaps with data already received on the same TCP connection but does not match the already-received data. (The network engine compares the packet data that was queued in the engine's connection buffer to the data in the packet that was re-transmitted.)</p> <p>The network engine reconstructs the sequenced data stream of each TCP connection it processes. The sequence number and length in the received packet specify a specific region in this data stream. The note field in the log indicates the location of the changed content in the TCP stream: prev-full, prev-part, next-full and next-part:</p> <ul style="list-style-type: none"> <li>"prev-full" and "prev-part": The changed area is in the packet that immediately precedes the retransmitted packet in the sequenced data stream. "prev-full" indicates that the changed area is completely contained in the packet which immediately precedes the retransmitted packet in the sequenced data stream. Otherwise, the note is "prev-part".</li> <li>"next-full" and "next-part": The changed area is in the packet that immediately follows the retransmitted packet in the sequenced data stream. "next-full" indicates that the changed area is completely contained in the packet that immediately follows the retransmitted packet in the sequenced data stream. Otherwise, the note is "next-part".</li> </ul>
140	Undefined	
141	Out of Allowed Policy (Open Port)	
142	New Connection Initiated	
143	Invalid Checksum	
144	Invalid Hook Used	

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Event	Notes
145	IP Zero Payload	
146	IPv6 Source Is Multicast	
147	Invalid IPv6 Address	
148	IPv6 Fragment Too Small	
149	Invalid Transport Header Length	
150	Out of Memory	
151	Max TCP Connections	The maximum number of TCP connections has been exceeded. See <a href="#">"Event: Max TCP connections" on page 927</a> .
152	Max UDP Connections	
200	Region Too Big	A region (edit region, uri etc) exceeded the maximum allowed buffering size (7570 bytes) without being closed. This is usually because the data does not conform to the protocol.
201	Insufficient Memory	The packet could not be processed properly because resources were exhausted. This can be because too many concurrent connections require buffering (max 2048) or matching resources (max 128) at the same time or because of excessive matches in a single IP packet (max 2048) or simply because the system is out of memory.
202	Maximum Edits Exceeded	The maximum number of edits (32) in a single region of a packet was exceeded.
203	Edit Too Large	Editing attempted to increase the size of the region above the maximum allowed size (8188 bytes).
204	Max Matches in Packet Exceeded	There are more than 2048 positions in the packet with pattern match occurrences. An error is returned at this limit and the connection is dropped because this usually indicates a garbage or evasive packet.
205	Engine Call Stack Too Deep	
206	Runtime Error	Runtime error.
207	Packet Read Error	Low level problem reading packet data.
257	Fail Open: Deny	Log the packet that should be dropped but not when Fail-Open feature is on and in Inline mode.
300	Unsupported Cipher	An unknown or unsupported cipher suite has been requested.
301	Error Generating Master Key(s)	Unable to derive the cryptographic keys, Mac secrets, and initialization vectors from the master secret.
302	Record Layer Message (not ready)	The SSL state engine has encountered an SSL record before initialization of the session.

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Event	Notes
303	Handshake Message (not ready)	The SSL state engine has encountered a handshake message after the handshake has been negotiated.
304	Out Of Order Handshake Message	A well formatted handshake message has been encountered out of sequence.
305	Memory Allocation Error	The packet could not be processed properly because resources were exhausted. This can be because too many concurrent connections require buffering (max 2048) or matching resources (max 128) at the same time or because of excessive matches in a single IP packet (max 2048) or simply because the system is out of memory.
306	Unsupported SSL Version	A client attempted to negotiate an SSL V2 session.
307	Error Decrypting Pre-master Key	Unable to un-wrap the pre-master secret from the ClientKeyExchange message.
308	Client Attempted to Rollback	A client attempted to rollback to an earlier version of the SSL protocol than that which was specified in the ClientHello message.
309	Renewal Error	An SSL session was being requested with a cached session key that could not be located.
310	Key Exchange Error	The server is attempting to establish an SSL session with temporarily generated key.
311	Maximum SSL Key Exchanges Exceeded	The maximum number of concurrent key exchange requests was exceeded.
312	Key Too Large	The master secret keys are larger than specified by the protocol identifier.
313	Invalid Parameters In Handshake	An invalid or unreasonable value was encountered while trying to decode the handshake protocol.
314	No Sessions Available	
315	Compression Method Unsupported	
316	Unsupported Application-Layer Protocol	An unknown or unsupported SSL Application-Layer Protocol has been requested.
385	Fail Open: Deny	Log the packet that should be dropped but not when Fail-Open feature is on and in Tap mode.
500	URI Path Depth Exceeded	Too many "/" separators. Max 100 path depth.
501	Invalid Traversal	Tried to use "../" above root.
502	Illegal	Illegal character used in uri.

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Event	Notes
	Character in URI	
503	Incomplete UTF8 Sequence	URI ended in middle of utf8 sequence.
504	Invalid UTF8 encoding	Invalid or non-canonical encoding attempt.
505	Invalid Hex Encoding	%nn where nn are not hex digits.
506	URI Path Length Too Long	Path length is greater than 512 characters.
507	Invalid Use of Character	Use of disabled characters
508	Double Decoding Exploit	Double decoding exploit attempt (%25xx, %25%xxd, etc).
700	Invalid Base64 Content	Packet content that was expected to be encoded in Base64 format was not encoded correctly.
710	Corrupted Deflate/GZIP Content	Packet content that was expected to be encoded in Base64 format was not encoded correctly.
711	Incomplete Deflate/GZIP Content	Incomplete Deflate/GZIP content
712	Deflate/GZIP Checksum Error	Deflate/GZIP checksum error.
713	Unsupported Deflate/GZIP Dictionary	Unsupported Deflate/GZIP dictionary.
714	Unsupported GZIP Header Format/Method	Unsupported GZIP header format or method.
801	Protocol Decoding Search Limit Exceeded	A protocol decoding rule defined a limit for a search or pdu object but the object was not found before the limit was reached.
802	Protocol Decoding Constraint Error	A protocol decoding rule decoded data that did not meet the protocol content constraints.
803	Protocol Decoding Engine Internal Error	

ID	Event	Notes
804	Protocol Decoding Structure Too Deep	A protocol decoding rule encountered a type definition and packet content that caused the maximum type nesting depth (16) to be exceeded.
805	Protocol Decoding Stack Error	A rule programming error attempted to cause recursion or use too many nested procedure calls.
806	Infinite Data Loop Error	

## Intrusion prevention events

For general best practices related to events, see ["Event collection in Deep Security" on page 739](#).

To see the intrusion prevention events captured by Deep Security, go to **Events & Reports > Events > Intrusion Prevention Events**.

### What information is displayed for intrusion prevention events?

These columns can be displayed on the Intrusion Prevention Events page. You can click **Columns** to select which columns are displayed in the table.

- **Time:** Time the event took place on the computer.
- **Computer:** The computer on which this event was logged. (If the computer has been removed, this entry will read "Unknown Computer".)
- **Reason:** The intrusion prevention rule associated with this event.
- **Tag(s):** Any tags attached with the event.
- **Application Type:** The application type associated with the intrusion prevention rule which caused this event.
- **Action:** What action the intrusion prevention rule took (Block or Reset). If the rule is in **Detect Only** mode, the action is prefaced with "Detect Only:").

**Note:** Intrusion prevention rules created before Deep Security 7.5 SP1 could also perform Insert, Replace, and Delete actions. These actions are no longer performed. If an

older rule is triggered and attempts to perform those actions, the event will indicate that the rule was applied in detect-only mode.

- **Rank:** The ranking system provides a way to quantify the importance of intrusion prevention and firewall events. By assigning "asset values" to computers, and assigning "severity values" to intrusion prevention rules and firewall rules, the importance ("rank") of an event is calculated by multiplying the two values together. This allows you to sort events by rank when viewing intrusion prevention or firewall events.
- **Severity:** The intrusion prevention rule's severity value.
- **Direction:** The direction of the packet (incoming or outgoing)
- **Flow:** whether the packets(s) that triggered this event was travelling with ("Connection Flow") or against ("Reverse Flow") the direction of traffic being monitored by the intrusion prevention rule.
- **Interface:** The MAC address of the interface through which the packet was passing.
- **Frame Type:** The frame type of the packet in question. Possible values are "IPV4", "IPV6", "ARP", "REVARP", and "Other: XXXX" where XXXX represents the four digit hex code of the frame type.
- **Protocol:** Possible values are "ICMP", "ICMPV6", "IGMP", "GGP", "TCP", "PUP", "UDP", "IDP", "ND", "RAW", "TCP+UDP", AND "Other: nnn" where nnn represents a three digit decimal value.
- **Flags:** Flags set in the packet.
- **Source IP:** The packet's source IP.
- **Source MAC:** The packet's source MAC address.
- **Source Port:** The packet's source port.
- **Destination IP:** The packet's destination IP address.
- **Destination MAC:** The packet's destination MAC address.
- **Destination Port:** The packet's destination port.
- **Packet Size:** The size of the packet in bytes.
- **Repeat Count:** The number of times the event was sequentially repeated.

## Trend Micro Deep Security for Azure Marketplace 11.1

- **Time (microseconds):** Microsecond resolution for the time the event took place on the computer.
- **Event Origin:** The Deep Security component from which the event originated.

### List of all intrusion prevention events

ID	Event	Notes
200	Region Too Big	A region (edit region, uri etc) exceeded the maximum allowed buffering size (7570 bytes) without being closed. This is usually because the data does not conform to the protocol.
201	Insufficient Memory	The packet could not be processed properly because resources were exhausted. This can be because there are too many concurrent connections at the same time or simply because the system is out of memory.
202	Maximum Edits Exceeded	The maximum number of edits (32) in a single region of a packet was exceeded.
203	Edit Too Large	Editing attempted to increase the size of the region above the maximum allowed size (8188 bytes).
204	Max Matches in Packet Exceeded	There are more than 2048 positions in the packet with pattern match occurrences. An error is returned at this limit and the connection is dropped because this usually indicates a garbage or evasive packet.
205	Engine Call Stack Too Deep	
206	Runtime Error	Runtime error.
207	Packet Read Error	Low level problem reading packet data.
258	Fail Open: Reset	Log the connection that should be reset but not when Fail-Open feature is on and in Inline mode
300	Unsupported Cipher	An unknown or unsupported Cipher Suite has been requested.
301	Error Generating Master Key(s)	Unable to derive the cryptographic keys, Mac secrets, and initialization vectors from the master secret.
302	Record Layer Message (not ready)	The SSL state engine has encountered an SSL record before initialization of the session.
303	Handshake Message (not ready)	The SSL state engine has encountered a handshake message after the handshake has been negotiated.
304	Out Of Order Handshake Message	A well formatted handshake message has been encountered out of sequence.
305	Memory Allocation Error	The packet could not be processed properly because resources were exhausted. This can be because there are too many concurrent connections at the same time or simply because the system is out of memory.
306	Unsupported SSL Version	A client attempted to negotiate an SSL V2 session.
307	Error Decrypting Pre-master Key	Unable to un-wrap the pre-master secret from the ClientKeyExchange message.
308	Client Attempted	A client attempted to rollback to an earlier version of the SSL protocol than that which was

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Event	Notes
	to Rollback	specified in the ClientHello message.
309	Renewal Error	An SSL session was being requested with a cached session key that could not be located.
310	Key Exchange Error	The server is attempting to establish an SSL session with temporarily generated key.
311	Maximum SSL Key Exchanges Exceeded	The maximum number of concurrent key exchange requests was exceeded.
312	Key Too Large	The master secret keys are larger than specified by the protocol identifier.
313	Invalid Parameters In Handshake	An invalid or unreasonable value was encountered while trying to decode the handshake protocol.
314	No Sessions Available	
315	Compression Method Unsupported	
316	Unsupported Application-Layer Protocol	An unknown or unsupported SSL Application-Layer Protocol has been requested.
386	Fail Open: Reset	Log the connection that should be reset but not when Fail-Open feature is on and in Tap mode.
500	URI Path Depth Exceeded	Too many "/" separators. Max 100 path depth.
501	Invalid Traversal	Tried to use "../" above root.
502	Illegal Character in URI	Illegal character used in uri.
503	Incomplete UTF8 Sequence	URI ended in middle of utf8 sequence.
504	Invalid UTF8 encoding	Invalid or non-canonical encoding attempt.
505	Invalid Hex Encoding	%nn where nn are not hex digits.
506	URI Path Length Too Long	Path length is greater than 512 characters.
507	Invalid Use of Character	Use of disabled characters
508	Double Decoding Exploit	Double decoding exploit attempt (%25xx, %25%xxd, etc).
700	Invalid Base64 Content	Packet content that was expected to be encoded in Base64 format was not encoded correctly.
710	Corrupted Deflate/GZIP Content	Packet content that was expected to be encoded in Base64 format was not encoded correctly.
711	Incomplete Deflate/GZIP Content	Incomplete Deflate/GZIP content

ID	Event	Notes
712	Deflate/GZIP Checksum Error	Deflate/GZIP checksum error.
713	Unsupported Deflate/GZIP Dictionary	Unsupported Deflate/GZIP dictionary.
714	Unsupported GZIP Header Format/Method	Unsupported GZIP header format or method.
801	Protocol Decoding Search Limit Exceeded	A protocol decoding rule defined a limit for a search or pdu object but the object was not found before the limit was reached.
802	Protocol Decoding Constraint Error	A protocol decoding rule decoded data that did not meet the protocol content constraints.
803	Protocol Decoding Engine Internal Error	
804	Protocol Decoding Structure Too Deep	A protocol decoding rule encountered a type definition and packet content that caused the maximum type nesting depth (16) to be exceeded.
805	Protocol Decoding Stack Error	A rule programming error attempted to cause recursion or use too many nested procedure calls.
806	Infinite Data Loop Error	

## Integrity monitoring events

For general best practices related to events, see ["Event collection in Deep Security" on page 739](#).

To see the integrity monitoring events captured by Deep Security, go to **Events & Reports > Events > Integrity Monitoring Events**.

What information is displayed for integrity monitoring events?

These columns can be displayed on the Integrity Monitoring Events page. You can click **Columns** to select which columns are displayed in the table.

- **Time:** Time the event took place on the computer.
- **Computer:** The computer on which this event was logged. (If the computer has been removed, this entry will read "Unknown Computer".)

## Trend Micro Deep Security for Azure Marketplace 11.1

- **Reason:** The integrity monitoring rule associated with this event.
- **Tag(s):** Event tags that are applied to this event.
- **Change:** The change detected by the integrity rule. Can be: Created, Updated, Deleted, or Renamed.
- **Rank:** The ranking system provides a way to quantify the importance of events. By assigning "asset values" to computers, and assigning "severity values" to rules, the importance ("rank") of an event is calculated by multiplying the two values together. This allows you to sort events by rank.
- **Severity:** The integrity monitoring rule's severity value
- **Type:** Type of entity from which the event originated
- **Key:** Path and file name or registry key from which the event originated
- **User:** User ID of the file owner
- **Process:** Process from which the event originated
- **Event Origin:** The Deep Security component from which the event originated

### List of all integrity monitoring events

ID	Severity	Event	Notes
8000	Info	Full Baseline Created	Created when the agent has been requested to build a baseline or went from 0 integrity monitoring rules to n (causing the baseline to be built). This event includes information on the time taken to scan (ms), and number of entities cataloged.
8001	Info	Partial Baseline Created	Created when the agent had a security configuration where one or more integrity monitoring rules changed. This event includes information on the time taken to scan (ms), and number of entities cataloged.
8002	Info	Scan for Change Completed	Created when the agent is requested to do a full or partial on-demand scan. This event includes information on the time taken to scan (ms), and number of CHANGES cataloged. (Ongoing scans for changes based on the FileSystem Driver or the notify do not generate an 8002 event.)
8003	Error	Unknown Environment Variable in Integrity Monitoring Rule	Created when a rule uses a <code>\${env.EnvironmentVar}</code> and "EnvironmentVar" is not a known environment variable. This event includes the ID of the integrity monitoring rule containing the problem, the name of the integrity monitoring rule, and the name of the unknown environment variable.
8004	Error	Bad Base in Integrity Monitoring Rule	Created when a rule contains an invalid base directory or key. For example, specifying a FileSet with a base of "c:\foo\d:\bar" would generate this event, or the invalid value could be the result of environment variable substitution the yields a bad value. This event includes the ID of the integrity monitoring rule containing the problem, the name of the integrity monitoring rule, and the bad base value.

## Trend Micro Deep Security for Azure Marketplace 11.1

ID	Severity	Event	Notes
8005	Error	Unknown Entity in Integrity Monitoring Rule	Created when an unknown EntitySet is encountered in an integrity monitoring rule. This event includes the ID of the integrity monitoring rule containing the problem, the name of the integrity monitoring rule, and a comma-separated list of the unknown EntitySet names encountered.
8006	Error	Unsupported Entity in Integrity Monitoring Rule	Created when a known but unsupported EntitySet is encountered in an integrity monitoring rule. This event includes the ID of the integrity monitoring rule containing the problem, the name of the integrity monitoring rule, and a comma-separated list of the unsupported EntitySet names encountered. Some EntitySet types such as RegistryKeySet are platform-specific.
8007	Error	Unknown Feature in Integrity Monitoring Rule	Created when an unknown feature is encountered in an integrity monitoring rule. This event includes the ID of the integrity monitoring rule containing the problem, the name of the integrity monitoring rule, the type of entity set (for example, FileSet), and a comma-separated list of the unknown feature names encountered. Examples of valid feature values are "whereBaseInOtherSet", "status", and "executable".
8008	Error	Unsupported Feature in Integrity Monitoring Rule	Created when a known but unsupported feature is encountered in an integrity monitoring rule. This event includes the ID of the integrity monitoring rule containing the problem, the name of the integrity monitoring rule, the type of entity set (for example, FileSet), and a comma-separated list of the unsupported feature names encountered. Some feature values such as "status" (used for Windows service states) are platform-specific.
8009	Error	Unknown Attribute in Integrity Monitoring Rule	Created when an unknown attribute is encountered in an integrity monitoring rule. This event includes the ID of the integrity monitoring rule containing the problem, the name of the integrity monitoring rule, the type of entity set (for example, FileSet), and a comma-separated list of the unknown attribute names encountered. Examples of valid attribute values are "created", "lastModified" and "inodeNumber".
8010	Error	Unsupported Attribute in Integrity Monitoring Rule	Created when a known but unsupported attribute is encountered in an integrity monitoring rule. This event includes the ID of the integrity monitoring rule containing the problem, the name of the integrity monitoring rule, the type of entity set (for example, FileSet), and a comma-separated list of the unsupported attribute names encountered. Some attribute values such as "inodeNumber" are platform-specific.
8011	Error	Unknown Attribute in Entity Set in Integrity Monitoring Rule	Created when an unknown EntitySet XML attribute is encountered in an integrity monitoring rule. This event includes the ID of the integrity monitoring rule containing the problem, the name of the integrity monitoring rule, the type of entity set (for example, FileSet), and a comma-separated list of the unknown EntitySet attribute names encountered. You would get this event if you wrote <FileSet dir="c:\foo"> instead of <FileSet base="c:\foo">
8012	Error	Unknown Registry String in Integrity Monitoring Rule	Created when a rule references a registry key that doesn't exist. This event includes the ID of the integrity monitoring rule containing the problem, the name of the integrity monitoring rule, and the name of the unknown registry string.
8013	Error	Invalid WQLSet was used. Namespace	Indicates that the namespace is missing from a WQL query because an integrity rule XML is incorrectly formatted. This can occur only in an advanced case, with custom integrity rules that use and monitor WQL queries.

ID	Severity	Event	Notes
		or WQL query was missing.	
8014	Error	Invalid WQLSet was used. An unknown provider value was used.	
8015	Warning	Inapplicable Integrity Monitoring Rule	Can be caused by a number of reasons, such as platform mismatch, nonexistent target directories or files, or unsupported functionality.
8016	Warning	Suboptimal Integrity Rule Detected	
8050	Error	Regular expression could not be compiled. Invalid wildcard was used.	

## Log inspection events

For general best practices related to events, see ["Event collection in Deep Security" on page 739](#).

To see the log inspection events captured by Deep Security, go to **Events & Reports > Events > Log Inspection Events**.

### What information is displayed for log inspection events?

These columns can be displayed on the log inspection events page. You can click **Columns** to select which columns are displayed in the table.

- **Time:** Time the event took place on the computer.
- **Computer:** The computer on which this event was logged. (If the computer has been removed, this entry will read "Unknown Computer".)

- **Reason:** The log inspection rule associated with this event.
- **Tag(s):** Any tags attached with the event.
- **Description:** Description of the rule.
- **Rank:** The ranking system provides a way to quantify the importance of events. By assigning "asset values" to computers, and assigning "severity values" to log inspection rules, the importance ("rank") of an event is calculated by multiplying the two values together. This allows you to sort events by rank.
- **Severity:** The log inspection rule's severity value.
- **Groups:** Group that the rule belongs to.
- **Program Name:** Program name. This is obtained from the syslog header of the event.
- **Event:** The name of the event.
- **Location:** Where the log came from.
- **Source IP:** The packet's source IP.
- **Source Port:** The packet's source port.
- **Destination IP:** The packet's destination IP address.
- **Destination Port:** The packet's destination port.
- **Protocol:** Possible values are "ICMP", "ICMPV6", "IGMP", "GGP", "TCP", "PUP", "UDP", "IDP", "ND", "RAW", "TCP+UDP", AND "Other: nnn" where nnn represents a three digit decimal value.
- **Action:** The action taken within the event
- **Source User:** Originating user within the event.
- **Destination User:** Destination user within the event.
- **Event HostName:** Hostname of the event source.
- **ID:** Any ID decoded as the ID from the event.
- **Status:** The decoded status within the event.
- **Command:** The command being called within the event.
- **URL:** The URL within the event.
- **Data:** Any additional data extracted from the event.

- **System Name:** The system name within the event.
- **Rule Matched:** Rule number that was matched.
- **Event Origin:** The Deep Security component from which the event originated.

### List of log inspection security events

**Note:** For system events related to log inspection, see ["System events" on page 862](#).

ID	Severity	Event
8100	Error	Log Inspection Engine Error
8101	Warning	Log Inspection Engine Warning
8102	Info	Log Inspection Engine Initialized

### Web reputation events

For general best practices related to events, see ["Event collection in Deep Security" on page 739](#).

To see the web reputation events captured by Deep Security, go to **Events & Reports > Events > Web Reputation Events**.

### What information is displayed for web reputation events?

These columns can be displayed on the web reputation events page. You can click **Columns** to select which columns are displayed in the table.

- **Time:** Time the event took place on the computer.
- **Computer:** The computer on which this event was logged. (If the computer has been removed, this entry will read "Unknown Computer".)
- **URL:** The URL that triggered this event.
- **Tag(s):** Event tags associated with this event.
- **Risk:** What was the risk level of the URL that triggered the event ("Suspicious", "Highly Suspicious", "Dangerous", "Untested", or "Blocked by Administrator").
- **Rank:** Rank provides a way to quantify the importance of events. It is calculated by multiplying the asset value of the computer by the severity of the rule. (See ["Rank events to](#)

[quantify their importance" on page 757.](#))

- **Event Origin:** Indicates from which part of the Deep Security system the event originated.

## Add a URL to the list of allowed URLs

If you want to add the URL that triggered an event to the list of allowed URLs, right-click the event and select **Add to Allow List**. (To view or edit the **Allowed** and **Blocked** lists, go to the **Exceptions** tab on the main **Web Reputation** page.)

## Troubleshoot common events, alerts, and errors

This section provides troubleshooting tips for some common events, alerts, and errors.

- ["Why am I seeing firewall events when the firewall module is off?" on the next page](#)
- ["Why am I getting "Unrecognized Client" events?" on the next page](#)
- Event: Configuration package too large (See ["Maximum size for configuration packages " on page 528.](#))
- ["Troubleshoot "Smart Protection Server disconnected" errors" on page 909](#)
- ["Error: Activation Failed" on page 909](#)
- ["Error: Agent version not supported" on page 911](#)
- ["Error: Installation of Feature 'dpi' failed: Not available: Filter" on page 911](#)
- ["Error: Interface out of sync" on page 912](#)
- ["Error: Integrity Monitoring Engine Offline and other errors occur after activating a virtual machine" on page 916](#)
- ["Error: Module installation failed \(Linux\)" on page 916](#)
- ["Error: There are one or more application type conflicts on this computer" on page 917](#)
- ["Error: Unable to connect to the cloud account" on page 919](#)
- ["Error: Unable to resolve instance hostname" on page 920](#)
- ["Error: Anti-malware engine offline" on page 920](#)
- ["Error: Check Status Failed" on page 923](#)
- ["Error: Log Inspection Rules Require Log Files" on page 924](#)

- ["Alert: Integrity Monitoring information collection has been delayed" on page 925](#)
- ["Alert: The memory warning threshold of Manager Node has been exceeded" on page 925](#)
- ["Alert: Manager Time Out of Sync" on page 926](#)
- ["Warning: Reconnaissance Detected" on page 929](#)
- ["Warning: Insufficient disk space" on page 931](#)

## Why am I seeing firewall events when the firewall module is off?

If you have the intrusion prevention module enabled, you may see some firewall events because the intrusion prevention module leverages the firewall's stateful configuration mechanism to perform inspections.

## Why am I getting "Unrecognized Client" events?

The **Unrecognized Client** event message appears when the Deep Security Manager is contacted by a Deep Security Agent that it doesn't recognize.

The most common reason is that an instance has been manually deleted from the **Computers** page in Deep Security Manager *before* deactivating the agent on that instance.

The Deep Security Agent on the instance will continue to try to connect to the Deep Security Manager periodically, generating the **Contact by Unrecognized Client** event message.

In order to bring the deleted computer back into the list of computers in Deep Security Manager, you need to do the following:

1. Go to **Administration > System Settings > Agents > Agent-Initiated Activation** and select **Allow reactivation of unknown VMs**. With this setting enabled, instances will be re-added on their next heartbeat.
2. If you no longer want to protect this computer, use the **Computer > Actions** menu to deactivate the agent.

**Note:** After the agent has been deactivated, then you can manually delete the computer from the **Computers** list in the Deep Security Manager.

## Troubleshoot "Smart Protection Server disconnected" errors

If you are using the anti-malware or web reputation modules, you may see either a "Smart Protection Server Disconnected for Smart Scan" or "Smart Protection Server Disconnected for Web Reputation" error in the Deep Security Manager console. To fix the error, try the following troubleshooting tips.

### Check the error details

Double-click the error message to display more detailed information, including the URL that the server is trying to contact. The error may include:

- Timeout was reached
- Couldn't resolve hostname

From a command prompt, use nslookup to check whether the DNS name resolves to an IP address. If the URL doesn't resolve, then there is a DNS issue on the local server.

Use a telnet client to test connectivity to the URL on ports 80 and 443. If you can't connect, check that all of your firewalls, security groups, etc. are allowing outbound communication to the URL on those ports.

## Error: Activation Failed

Several events can trigger an "Activation Failed" alert:

- ["Activation Failed - Protocol Error" below](#)
- ["Activation Failed - Unable to resolve hostname" on the next page](#)
- ["Activation Failed - No Agent/Appliance" on the next page](#)

### Activation Failed - Protocol Error

This error typically occurs when you use Deep Security Manager to attempt to activate an agent and the manager is unable to communicate with the agent. The communication directionality that the agent uses determines the method that you should use to troubleshoot this error. (See ["Agent-manager communication" on page 155.](#))

### Agent-initiated communication

When the agent uses agent-initiated communication, you need to activate the agent from the agent computer. (See ["Activate an agent" on page 211.](#))

*When using Deep Security as a Service, agent-initiated communication is the recommended communication directionality.*

### Bidirectional communication

Use the following troubleshooting steps when the error occurs and the agent uses bidirectional communication:

1. Ensure that the agent is installed on the computer and that the agent is running.
2. Ensure that the ports are open between the manager and the agent. (See ["Port numbers" on page 90](#) and ["Create a firewall rule" on page 543.](#))

### Activation Failed - Unable to resolve hostname

The error: Activation Failed (Unable to resolve hostname) could be the result of an unresolvable hostname in DNS or of activating the agent from Deep Security Manager when you are not using agent-initiated activation.

If your agent is in bidirectional or manager-initiated mode, your hostname must be resolvable in DNS. Check the DNS on your Deep Security Manager to ensure it can resolve your hosts.

If you are a Deep Security as a Service user or your computers are in cloud accounts, we recommend that you always use agent-initiated activation. Learn how to configure policy rules for agent-initiated communication and deploy agents using deployment scripts, see ["Use agent-initiated communication with cloud accounts" on page 161.](#)

### Activation Failed - No Agent/Appliance

This error message indicates that the agent software has not been installed on the computer that you would like to protect.

## Error: Agent version not supported

The error message "Agent version not supported" indicates that the agent version currently installed on the computer is not supported by the Deep Security Manager.

Although the unsupported agent will still protect the computer based on the last policy settings it received from the Deep Security Manager, we recommend that you upgrade the agent so that you can react quickly to the latest threats. For more information, see "[Update the Deep Security Agent](#)" on page 683.

## Error: Installation of Feature 'dpi' failed: Not available: Filter

The error message "Installation of Feature 'dpi' failed: Not available: Filter" indicates that your operating system kernel version is not supported yet by the network driver. You will get this message typically when applying intrusion prevention, web reputation, or firewall because the Deep Security Agent will install a network driver at the same time in order to examine traffic. The same circumstances can cause **engine offline** alerts.

An update may be on its way. Trend Micro actively monitors a variety of operating system vendors for new kernel releases. After completing quality assurance tests, we will release an update with support for these kernels.

Your system will install the required support automatically when an update for your operating system kernel version becomes available.

Contact technical support (sign in Deep Security, and click **Support** in the top right-hand corner) to find out when support for your operating system kernel version will be released.

### Additional information

This only affects intrusion prevention, web reputation, and firewall. All other protection (anti-malware, file integrity monitoring, and log inspection) will operate correctly.

To review supported operating system kernel versions, visit the [Deep Security 9.6 Supported Linux Kernels](#) page and look for your operating system distribution.

## Error: Interface out of sync

This error occurs when the interface information that the Deep Security Manager has stored in its database for the guest virtual machine is not the same as the interface information being reported by the Deep Security Virtual Appliance (for example, different MAC addresses).

To determine the root cause of this issue, you need to find out where the information has become out of sync.

The first step is to check the error message from Deep Security Manager to determine which virtual computer and which interface has the issue.

### Check the specific virtual computer interfaces

1. Log on to the virtual computer.
2. Open a command prompt and type the following: `ipconfig /all`
3. Verify all of the NICs and MAC addresses and make sure that the NICs have the correct driver and that they are working properly.

### Check the virtual computer interface information in vCenter

1. Check the VM interface information from the Managed Object Reference (MoRef) in the vCenter Server by accessing the virtual computer MOB from the web browser and going to:  
**`https://<VC_SERVER>/mob/?moid=<OBJECT_ID>`**

For example: `https://192.168.100.100/mob/?moid=vm-1136&doPath=config`

Where:

<VC\_SERVER> is the FQDN or IP of the vCenter Server

=<OBJECT\_ID> is the ID of the object you are looking up

For more information on accessing the VC MOB see [Looking up Managed Object Reference \(MoRef\) in vCenter Server](#).

2. Go to **Config > extraConfig["ethernet0.filter0....."] > hardware** to check all the NICs and MAC address.
3. Compare the MAC addresses with [step 3](#) from above.

### Check the vmx file and the virtual computer interface information in Deep Security Manager

1. Use the vCenter Server datastore browser to download the specific vmx file of the virtual computer.
2. Open the vmx file using Notepad and check the IPs, uuid.bios, and MAC addresses.  
For example:

```
Check virtual computer UUID
- uuid.bios = "42 23 d6 5d f2 d5 22 41-87 41 86 83 ea 2f 23 ac"
Check EPSec Settings
- VFILE.globaloptions = "svmip=169.254.50.39 svmport=8888"
- scsi0:0.filters = "VFILE"
Check DvFilter Settings
- ethernet0.filter0.name = "dvfilter-dsa"
- ethernet0.filter0.onFailure = "failOpen"
- ethernet0.filter0.param0 = "4223d65d-f2d5-2241-8741-8683ea2f23ac"
- ethernet0.filter0.param2 = "1"
- ethernet0.filter0.param1 = "00:50:56:A3:02:D8"
```

3. Go to the Deep Security Manager dashboard, double-click the specific **VM > Interfaces**, and verify the IPs and MAC addresses.
4. Compare the IP and MAC address with the results from above.

### Check the virtual computer interface information in the Deep Security Virtual Appliance

1. Use the vCenter Server datastore browser to download the specific vmx file of the virtual computer.
2. Open the vmx file using Notepad and check the uuid.bios value.
3. Log on to the Deep Security Virtual Appliance console and press **Alt + F2** to switch to command mode and then enter the Deep Security Virtual Appliance user name and password.
4. Run the following command to verify if the interface of the virtual computer was recognized by Deep Security Virtual Appliance. (Note: Replace \$uuid with your actual bios uuid.)

```
cd /var/opt/ds_agent/guests/$uuid
>/opt/ds_guest_agent/ratt if
```

## Trend Micro Deep Security for Azure Marketplace 11.1

5. Execute the `ifconfig -a` command to verify if the Deep Security Virtual Appliance NIC settings and IP are configured correctly.
6. Compare the IP and MAC address with the results from above.

### Workaround Options

If any of the above items are out of sync then you need to fix this issue.

#### Option 1

When cloning an activated virtual computer in Deep Security, you might receive the interface out of sync alert if you power on and activate a virtual computer. As a work around, clean the dvfilter settings before powering on the cloned virtual computer.

- `ethernet0.filter0.name = "dvfilter-dsa"`
- `ethernet0.filter0.onFailure = "failOpen"`
- `ethernet0.filter0.param0 = "4223d65d-f2d5-2241-8741-8683ea2f23ac"`
- `ethernet0.filter0.param2 = "1"`
- `ethernet0.filter0.param1 = "00:50:56:A3:02:D8"`

#### Option 2

1. Suspend the specific virtual computer and power it on again.
2. Restart the Deep Security Virtual Appliance.
3. Deactivate the virtual computer and then activate it again.

#### Option 3

vMotion the specific VM to a protected host and then clean the warning message.

**Note:** The vCenter must be connected to the Deep Security Manager all the time. Otherwise, the interface out of sync issue will happen often.

### Further Troubleshooting

1. Provide the results of the step from above where you [verified the IP and MAC Addresses](#) in "Check the virtual computer interface information in the Deep Security Virtual Appliance " on the previous page

2. Get the rattif.txt file from the step from above where you [verified that the interface of the virtual computer was recognized by Deep Security Virtual Appliance](#).
3. Get the output from the following commands:

```
$ ls -alR > /home/dsva/ls.txt
$ netstat -an > /home/dsva/netstat.txt
$ ps auxww > /home/dsva/ps.txt
$ lsof > /home/dsva/lsof.txt
$ ifconfig -a > /home/dsva/ifconfig.txt
$ cp /var/log/syslog /home/dsva/syslog.txt
```
4. Get the [diagnostic packages for the Deep Security Manager, Deep Security Agent, and the Deep Security Virtual Appliance](#).
5. Collect the following files and send them to [Trend Micro Technical Support](#).
  - rattif.txt
  - ls.txt
  - netstat.txt
  - ps.txt
  - lsof.txt
  - ifconfig.txt
  - syslog.txt

If you cannot find the MAC address of the virtual computer from the output of the `ratt if` command, then use the following workaround:

1. Deploy a virtual computer from a template in vCenter.
2. Delete the existing NIC.
3. Power on this virtual computer but there is no need to log on.
4. Power off this virtual computer.
5. Add a new NIC.
6. Power on the virtual computer.

## Error: Integrity Monitoring Engine Offline and other errors occur after activating a virtual machine

The following errors are displayed in Deep Security Manager when activating a virtual machine protected by Deep Security Virtual Appliance (DSVA). These errors appear even when the activation is successful:

- Anti-Malware Engine Offline
- Rebuild Baseline Failure (Agent or Appliance error)
- Integrity Monitoring Engine Offline

The issue remains unresolved even when the following troubleshooting tasks are performed:

- Confirm that vSphere Endpoint is already installed.
- Confirm that VMware tools are installed and up to date.
- Confirm that VMCI and VSEPFLT drivers are installed and running on the VM.
- Synchronize vCenter on the DSM console.
- Deactivate and reactivate the DSVA.
- Deactivate and reactivate the particular VM with issue.
- Reinstall VMware tools.

These errors appear because the virtual machine is not running VMversion 7 or above. To resolve the issue, you need to [upgrade the VM to the latest hardware version](#).

## Error: Module installation failed (Linux)

The error message "Module Installation Failed" indicates that your operating system's kernel version is not supported by the Deep Security network driver, or file system hook. These circumstances can cause **engine offline** alerts. Lack of a compatible network driver is the most common cause of this message.

When you apply intrusion prevention, web reputation, or firewall, the Deep Security Agent installs a network driver so it can examine traffic. Anti-malware and integrity monitoring install a

## Trend Micro Deep Security for Azure Marketplace 11.1

file system hook module. This is required to monitor file system changes in real time. (Scheduled scans do not require the same file system hook.)

An update may be in progress. Trend Micro monitors many vendors for new kernel releases. After completing quality assurance tests, we release an update with support for these kernels. To ask when support for your kernel version will be supported, contact technical support. (When logged in, you can click **Support** in the top right corner.)

Your system will install the module support update automatically when it becomes available.

To view supported operating system kernel versions, see ["Deep Security Agent Linux kernel support" on page 67](#).

### Error: There are one or more application type conflicts on this computer

This error message appears in the DPI Events tab in Deep Security Manager when updating the Deep Security Agents:

*There are one or more application type conflicts on this computer. One or more DPI rules associated with one application type are dependent on one or more DPI rules associated with another application type. The conflict exists because the two application types use different ports.*

The conflicting application types are:

```
[A] "Web Application Tomcat" Ports: [80,8080,4119]
```

```
[B] "Web Server Common" Ports: [80,631,8080,7001,7777,7778,7779,7200,7501,8007,8004,4000,32000,5357,5358,9000]
```

```
[A] "Web Server Miscellaneous" Ports:  
[80,4000,7100,7101,7510,8043,8080,8081,8088,8300,8500,  
8800,9000,9060,19300,32000,3612,10001,8093,8094]
```

```
[B] "Web Server Common" Ports: [80,631,8080,7001,7777,7778,7779,7200,7501,8007,  
8004,4000,32000,5357,5358,9000]"
```

### Resolution

To resolve the conflict, edit the port numbers used by application types B so that they include the port numbers used by application types A. The two application types (Web Application Tomcat

## Trend Micro Deep Security for Azure Marketplace 11.1

and Web Server Miscellaneous) are both dependent on the application type Web Server Common. This is why the ports listed in the first two application types should also appear in the Web Server Common ports.

If you consolidate the port numbers for these three application types, the result is as follows:

80, 631, 3612, 4000, 4119, 5357, 5358, 7001, 7100, 7101, 7200, 7501, 7510, 7777, 7778, 7779, 8004, 8007, 8043, 8080, 8081, 8088, 8093, 8094, 8300, 8500, 8800, 9000, 9060, 10001, 19300, 32000

After adding this to the Web Server Common port list, you will see the following message in the Events tab: *The Application Type Port List Misconfiguration has been resolved.*

### Consolidate ports

1. Log on to Deep Security Manager and go to **Policies > Rules > Intrusion Prevention Rules**.
2. Search for **Web Server Common** in the search box in the and double-click the Web Server Common application type.
3. Go to **General > Details > Application type > Edit > Web server common**.
4. Go to **General > Connection > Port** and click **Edit** to replace all of the ports with this consolidated entry: 80, 631, 3612, 4000, 4119, 5357, 5358, 7001, 7100, 7101, 7200, 7501, 7510, 7777, 7778, 7779, 8004, 8007, 8043, 8080, 8081, 8088, 8093, 8094, 8300, 8500, 8800, 9000, 9060, 10001, 19300, 32000
5. Click **OK**.

### Disable the inherit option

It is also recommended that administrators disable the inherit option for DPI for a security profile. Any change you make to the application type will only affect this particular security profile.

1. Log on to Deep Security Manager and go to **Security Profiles**.
2. Double-click a security profile in the right pane.
3. Go to the **DPI** section and click to clear **Inherit**.
4. Click **OK**.

Check the IPS rule 1000128.

1. Right-click **Application Type Properties**.
2. Click to clear **Inherit**.

3. Verify that the current inherited port list contains the [listening port number for the Deep Security Manager's GUI](#). If not, add this port to the Web Server Common port group.
4. Click **Inherit**.

### Error: Unable to connect to the cloud account

When adding an Amazon Cloud account, the error "Unable to connect to the cloud account" can occur. The cause can be:

- invalid key ID or secret
- incorrect permissions
- failed network connectivity

Your AWS account access key ID or secret access key is invalid

#### To resolve this:

Verify the security credentials that you entered.

The incorrect AWS IAM policy has been applied to the account being used by Deep Security

#### To resolve this:

Go to your AWS account and review the IAM policy for that account.

The AWS IAM policy must have these permissions:

- Effect: Allow
- AWS Service: Amazon EC2
- Select the following Actions:
  - DescribeImages
  - DescribeInstances
  - DescribeTags
- Amazon Resource Name (ARN) to: \*

### NAT, proxy, or firewall ports are not open, or settings are incorrect

This can occur in a few cases, including if you are deploying a new Deep Security Manager installation using the AMI on AWS Marketplace.

Your Deep Security Manager must be able to connect to the Internet, specifically to Amazon Cloud, on the [required port numbers](#).

To resolve this:

You may need to:

- configure NAT or port forwarding on a firewall or router between your AMI and the Internet
- get an external IP address for your AMI

The network connection must also be reliable. If it is intermittent, this error message may occur sometimes (but not every time).

### Error: Unable to resolve instance hostname

The error message "Unable to Resolve Instance Hostname" may occur as a result of activating the Agent from Deep Security Manager when you are not using agent-initiated activation.

We recommend that you always use **Agent-Initiated Activation**. Learn how to configure policy rules for agent-initiated communication and deploy agents using deployment scripts, see "[Use agent-initiated communication with cloud accounts](#)" on page 161.

### Error: Anti-malware engine offline

This error can occur for a variety of reasons. To resolve the issue, follow the instructions below for the mode of protection that is being used:

- "[Agent-based protection](#)" on the next page
- "[Agentless protection](#)" on page 922

For an overview of the anti-malware module, see "[Protect against malware](#)" on page 432.

### Agent-based protection

1. In the Deep Security Manager, check for other errors on the same machine. If errors exist, there could be other issues that are causing your anti-malware engine to be offline, such as communications or agent installation failure.
2. Check communications from the agent to the relay and the Deep Security Manager.
3. In the Deep Security Manager, view the details for the agent with the issue. Verify that the policy or setting for anti-malware is turned on, and that the configuration for each scan (real-time, manual, scheduled) is in place and active. (See ["Enable and configure anti-malware" on page 440.](#))
4. Deactivate and uninstall the agent before reinstalling and re-activating it. See ["Uninstall Deep Security" on page 1022](#) and ["Activate the agent" on page 178](#) for more information.
5. In the Deep Security Manager, go to the **Updates** section for that computer. Verify that the Security Updates are present and current. If not, click **Download Security Updates** to initiate an update.
6. Check if there are conflicts with another anti-virus product, such as OfficeScan. If conflicts exist, uninstall the other agent and Deep Security Agent, reboot, and reinstall the Deep Security Agent. To remove OfficeScan, see [Uninstalling clients or agents in OfficeScan \(OSCE\)](#).

If your agent is Windows:

1. Make sure the following services are running:
  - Trend Micro Deep Security Agent
  - Trend Micro Solution Platform
2. Check that all the anti-malware related drivers are running properly by running the following commands:
  - `# sc query AMSP`
  - `# sc query tmcomm`
  - `# sc query tmactmon`
  - `# sc query tmevtmgr`

If a driver is not running, restart the Trend Micro services. If it is still not running, continue with the following steps below.

3. Verify the installation method. Only install the MSI, not the zip file.
4. The agent might need to be manually removed and reinstalled. For more information, see [Manually uninstalling Deep Security Agent, Relay, and Notifier from Windows](#)
5. The installed Comodo certificate could be the cause of the issue. To resolve the issue, see ["Anti-Malware Driver offline" status occurs due to Comodo certificate issue](#).
6. All instances and virtual machines deployed from a catalog or vApp template from vCloud Director are given the same BIOS UUID. Deep Security distinguishes different VMs by their BIOS UUID, so a duplicate value in the vCenter causes an Anti-Malware Engine Offline error. To resolve the issue, see [VM BIOS UUIDs are not unique when virtual machines are deployed from vApp templates \(2002506\)](#).

If your agent is Linux:

1. To check that the agent is running, enter the following command in the command line:
  - `service ds_agent status`
2. If you're using a Linux server, your kernel might not be supported. For more information, see ["Error: Module installation failed \(Linux\)" on page 916](#).

If the problem is still unresolved after following these instructions, create a diagnostic package and contact support. For more information, see ["Create a diagnostic package and logs" on page 1041](#).

### Agentless protection

1. In the Deep Security Manager, verify synchronization to vcenter and nsx. Under the **Computers** section, right click on your Vcenter and go to **Properties**. Click **Test Connection**. Then click on the NSX tab and test the connection. Click **Add/Update Certificate** in case the certificate has changed.
2. Log into the NSX manager and verify that it is synching to Vcenter properly.
3. Log into your Vsphere client and go to **Network & Security > Installation > Service Deployments**. Check for errors with Trend Micro Deep Security and Guest Introspection, and resolve any that are found.
4. In Vsphere client, go to **Network & Security > Service Composer**. Verify that the security policy is assigned to the appropriate security group.
5. Verify that your vmware tools are compatible with Deep Security. For more information, see [VMware Tools 10.x Interoperability Issues with Deep Security](#).

6. Verify that the File Introspection Driver (vsepflt) is installed and running on the target VM. As an admin, run `sc query vsepflt` at the command prompt.
7. All instances and virtual machines deployed from a catalog or vApp template from vCloud Director are given the same BIOS UUID. Deep Security distinguishes different VMs by their BIOS UUID, so a duplicate value in the vCenter causes an Anti-Malware Engine Offline error. To resolve the issue, see [VM BIOS UUIDs are not unique when virtual machines are deployed from vApp templates \(2002506\)](#).
8. If the problem is still unresolved, open a case with support with the following information:
  - Diagnostic package from each Deep Security Manager. For more information, see ["Create a diagnostic package and logs" on page 1041](#).
  - Diagnostic package from the Deep Security Virtual Appliance.
  - Vcenter support bundle for the effected hosts.

### Error: Check Status Failed

You can check the status of the agent / appliance on a computer from the Deep Security Manager console. On the Computers page, right-click the computer and click **Actions > Check Status**.

If you get a "Check Status Failed" error, open the error message to see a more detailed description.

If description indicates a protocol error, it's usually caused by a communication issue. There are a few possible causes:

- Check whether the computer (or the policy assigned to the computer) is configured for agent-initiated communication or bidirectional communication. Unless you are using Deep Security as a Service, the "Check Status" operation will fail if you are using agent-initiated communication.
- Check that the Deep Security Manager can communicate with the agent. The manager should be able to reach the agent. See ["Port numbers" on page 90](#).
- Check the resources on the agent computer. Lack of memory, CPU, or disk space can cause this error.

If the description indicates a `SQLITE_IOERR_WRITE[778]: disk I/O error`, there is likely a problem with the agent computer. The most common problem is that the disk is full or write-protected.

### Error: Log Inspection Rules Require Log Files

If a log inspection rule requires you to add the location of the files to be monitored, or if you add an unnecessary log inspection rule and the files do not exist on your machine, the following error will occur in the **Computer**<sup>1</sup> or **Policy editor**<sup>2</sup>:

To resolve the error:

1. Click on the **Log Inspection Rules Require Log Files** error. A window will open with more information about the error. Under **Description**, the name of the rule causing the error will be listed.
2. In the Deep Security Manager, go to **Policies > Common Objects > Rules > Log Inspection Rules** and locate the rule that is causing the error.
3. Double-click the rule. The rule's properties window will appear.
4. Go to the **Configuration** tab.

If the file's location is required:

1. Enter the location under **Log Files to monitor** and click **Add**.
2. Click **OK**. Once the agent receives the policy, the error will clear.

If the files listed do not exist on the protected machine:

1. Go to the **Computer**<sup>3</sup> or **Policy editor**<sup>4</sup> > **Log Inspection**.
2. Click **Assign/Unassign**.

---

<sup>1</sup>To open the Computer editor, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

<sup>2</sup>To open the Policy editor, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details).

<sup>3</sup>To open the Computer editor, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

<sup>4</sup>To open the Policy editor, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details).

## Trend Micro Deep Security for Azure Marketplace 11.1

3. Locate the unnecessary rule and uncheck the checkbox.
4. Click **OK**. Once the agent receives the policy, the error will clear.

To prevent this error, run a recommendation scan for suggested rules:

1. On the Deep Security Manager, go to **Computers**.
2. Right-click the computer you'd like to scan and click **Actions > Scan for Recommendations**.
3. View the results on the **General** tab of the protection module in the **Computer**<sup>1</sup> or **Policy editor**<sup>2</sup>.

### Alert: Integrity Monitoring information collection has been delayed

This alert indicates that the rate at which integrity monitoring information is collected has been temporarily delayed. The delay is due to an increase in the volume of integrity monitoring data that is being transmitted from agents to Deep Security Manager. During this time the baseline and integrity monitoring event views may not be current for some computers.

This alert is automatically dismissed when the collection of integrity monitoring data is no longer delayed.

For more information about integrity monitoring, see "[Set up integrity monitoring](#)" on page 578.

### Alert: The memory warning threshold of Manager Node has been exceeded

The **Memory Warning Threshold Exceeded** or **Memory Critical Threshold Exceeded** alerts appear in Deep Security when the maximum memory that has been allotted for Deep Security Manager has been exceeded.

The following Deep Security Manager message is also logged:

---

<sup>1</sup>To open the Computer editor, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

<sup>2</sup>To open the Policy editor, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details).

## Trend Micro Deep Security for Azure Marketplace 11.1

```
The DSM has reached the maximum memory that's been allocated for the application.
(default = 4GB) <InformationItem> <Name>usedMemory</Name> <Value>3.98 GB
(4,269,473,792 bytes)</Value> </InformationItem> <InformationItem>
<Name>maxMemory</Name> <Value>3.98 GB (4,269,473,792 bytes)</Value>
```

To resolve the issue, increase the RAM available to the Deep Security Manager to a minimum of 8 GB.

### Increase the allocated memory on a Windows server

1. Go to the Deep Security Manager folder and create a new file called `Deep Security Manager.voptions`.

This is the same folder where Deep Security Manager.exe is located. For example:

```
C:\Program Files\Trend Micro\Deep Security Manager
```

2. Add the following line to the file: `-Xmx8g`
3. Save the file and ["Restart the Deep Security Manager" on page 680](#).

### Increase the allocated memory on a Linux server

1. Go to `/opt/dsm` and create a new file called `dsm_s.voptions`.
2. Add the following line to the file: `-Xmx8g`
3. Save the file and ["Restart the Deep Security Manager" on page 680](#).

### Verify the memory allocation change

You can confirm that the memory allocation change has taken effect by going to **Administration > System Information Deep Security Manager** and viewing the memory information under **System Details > Manager Node**.

## Alert: Manager Time Out of Sync

The system time on the Deep Security Manager operating system must be synchronized with the time on the database computer. This alert appears in the Alert Status widget of the manager console when the computer times are more than 30 seconds out of sync.

To synchronize the times, apply the following configurations:

## Trend Micro Deep Security for Azure Marketplace 11.1

- Configure the database and all manager nodes to use the same time zone.
- Ensure that the database and all manager nodes are synchronizing time to the same time source.
- If the manager runs on a Linux operating system, ensure the ntpd daemon is running.

### Event: Max TCP connections

Deep Security is configured to allow a maximum number of TCP connections to protected computers. When the number of connections exceeds the maximum, network traffic is dropped and Max TCP Connections firewall events occur. To prevent dropped connections, increase the maximum allowed TCP connections on the computer where the Max TCP Connection event occurs.

**Note:** The intrusion protection module enables the network engine which enforces the allowed number of TCP connections.

1. In Deep Security Manager, click **Policies**.
2. Determine which policy to configure to affect the computer in question. See "[Policies, inheritance, and overrides](#)" on page 300.
3. To open the policy that you want to configure, double-click the policy.
4. In the left-hand pane, click **Settings** and then click the **Advanced** tab.
5. In the **Advanced Network Engine Settings** area, if Inherit is selected clear the checkbox to enable changes.
6. Increase the value of the **Maximum TCP Connections** property to 10000 or more, according to your needs.
7. Click **Save**.

### Warning: Census, Good File Reputation, and Predictive Machine Learning Service Disconnected

The Census, Good File Reputation, and Predictive Machine Learning Services are security services hosted by Trend Micro in its Smart Protection Network. They are necessary for the full and successful operation of the Deep Security behavior monitoring, predictive machine learning, and process memory scan features.

## Trend Micro Deep Security for Azure Marketplace 11.1

The following table maps the services to features.

Service name	Required for these features
Global Census Service	<a href="#">behavior monitoring</a> , <a href="#">predictive machine learning</a>
Good File Reputation Service	<a href="#">behavior monitoring</a> , <a href="#">predictive machine learning</a> , <a href="#">process memory scans</a>
Predictive Machine Learning Service	<a href="#">predictive machine learning</a>

If you see the alert...

*Census, Good File Reputation, and Predictive Machine Learning Service Disconnected*

...there are a few causes:

- ["Cause 1: The agent or relay-enabled agent doesn't have Internet access"](#) below
- ["Cause 2: A proxy was enabled but not configured properly"](#) below

### Cause 1: The agent or relay-enabled agent doesn't have Internet access

If your agent or relay-enabled agent doesn't have access to the Internet, then it can't reach these services.

Solutions:

- Check your firewall policies and ensure that the outbound HTTP and HTTPS ports (by default, 80 or 443) are open.
- If you are unable to open those ports, see ["Configure agents that have no Internet access"](#) on page 166 for other solutions.

### Cause 2: A proxy was enabled but not configured properly

The Census, Good File Reputation and Predictive Machine Learning Services can be accessed using a proxy.

To check whether a proxy was enabled and make sure it was configured properly:

1. Open the **Computer or Policy editor**<sup>1</sup>.
2. On the left, click Settings.
3. In the main pane, click the General tab.
4. Find the heading titled, **Network Setting for Census, Good File Reputation Service, and Predictive Machine Learning**.
5. If a proxy was specified, click **Edit** and make sure its **Proxy Protocol, Address, Port** and optional **User Name** and **Password** are accurate.

## Warning: Reconnaissance Detected

The reconnaissance scan detection feature serves as an early warning of a potential attack or intelligence gathering effort against a network.

### Types of reconnaissance scans

Deep Security can detect several types of reconnaissance scans:

- **Computer OS Fingerprint Probe:** The agent or appliance detects an attempt to discover the computer's OS.
- **Network or Port Scan:** The agent or appliance reports a network or port scan if it detects that a remote IP is visiting an abnormal ratio of IPs to ports. Normally, an agent or appliance computer will only see traffic destined for itself, so a port scan is the most common type of probe that will be detected. The statistical analysis method used in computer or port scan detection is derived from the "TAPS" algorithm proposed in the paper "Connectionless Port Scan Detection on the Backbone" presented at IPCCC in 2006.
- **TCP Null Scan:** The agent or appliance detects packages with no flags set.
- **TCP SYNFIN Scan:** The agent or appliance detects packets with only the SYN and FIN flags set.

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

- **TCP Xmas Scan:** The agent or appliance detects packets with only the FIN, URG, and PSH flags set or a value of 0xFF (every possible flag set).

### Suggested actions

When you receive a Reconnaissance Detected alert, double-click it to display more detailed information, including the IP address that is performing the scan. Then, you can try one of these suggested actions:

- The alert may be caused by a scan that is not malicious. If the IP address listed in the alert is known to you and the traffic is okay, you can add the IP address to the reconnaissance allow list:
  - a. In the **Computer or Policy editor**<sup>1</sup>, go to **Firewall > Reconnaissance**.
  - b. The **Do not perform detection on traffic coming from** list should contain a list name. If a list name hasn't already been specified, select one.
  - c. You can edit the list by going to **Policies > Common Objects > Lists > IP Lists**. Double-click the list you want to edit and add the IP address.
- You can instruct the agents and appliances to block traffic from the source IP for a period of time. To set the number of minutes, open the **Computer or Policy editor**<sup>2</sup>, go to **Firewall > Reconnaissance** and change the **Block Traffic** value for the appropriate scan type.
- You can use a firewall or Security Group to block the incoming IP address.

**Note:** Deep Security Manager does not automatically clear the "Reconnaissance Detected" alerts, but you can manually clear the issue from Deep Security Manager.

For more information on reconnaissance scans, see "[Firewall settings](#)" on page 558.

---

<sup>1</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

<sup>2</sup>You can change these settings for a policy or for a specific computer. To change the settings for a policy, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details). To change the settings for a computer, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

## Warning: Insufficient disk space

An "Insufficient Disk Space" warning indicates that the computer where the Deep Security Agent or Appliance is running is low on disk space and may not be able to store more events. If you open the warning to display its details, it will show you the location of the agent or appliance, how much free space is left, and how much is required by the agent or appliance.

To fix this issue, check the drive or file system that's affected and clear anything you can.

**Note:** The agent or appliance will continue to protect your instance even if the drive is out of space; however, it will stop recording events.

### Tips

- Even though the warning is generated by the Deep Security Agent or Appliance, another program that shares the same file system could be causing the space issue.
- Deep Security Agent automatically truncates and rotates its log files.
- Deep Security Agent will clean up its own log files, but not those of other applications.
- Deep Security Manager does not automatically clear the "Insufficient Disk Space" warnings, but you can manually clear them from Deep Security Manager.

## Create and manage users

Deep Security has users, roles, and contacts that can be created and managed under **Administration > User Management**.

- **Users** are Deep Security account holders who can sign in to the Deep Security Manager with a unique user name and password. You can ["Synchronize with an Active Directory" on the next page](#) or ["Add or edit an individual user" on page 933](#)
- **Roles** are a collection of permissions to view data and perform operations within Deep Security Manager. Each user is assigned a role. See ["Define roles for users" on page 937](#).
- **Contacts** do not have a user account and cannot sign in to Deep Security Manager but they can be designated as the recipients of email notifications and scheduled reports. See ["Add users who can only receive reports" on page 952](#).

## Synchronize with an Active Directory

If you use Active Directory to manage users, you can synchronize Deep Security with the Active Directory to populate the user list. Users can then sign into Deep Security Manager using the password stored in the directory.

**Note:** To successfully import an Active Directory user account into Deep Security as a Deep Security user or contact, the Active Directory user account must have a **userPrincipalName** attribute value. The **userPrincipalName** attribute corresponds to an Active Directory account holder's "User logon name".

**Note:** If you are using Deep Security in FIPS mode, you must import the Active Directory's SSL certificate before synchronizing with the Directory. See "[Manage trusted certificates](#)" on [page 175](#).

1. In Deep Security Manager go to **Administration > User Management > Users**.
2. Click **Synchronize with Directory** to display the **Synchronize with Directory** wizard.
3. Type the address of the directory server and your access credentials and click **Next**. The wizard attempts to connect to the Active Directory.

**Note:** If you are using Deep Security in FIPS mode, click **Test Connection** in the Trusted Certificate section to check whether the Active Directory's SSL certificate has been imported successfully into Deep Security Manager.

4. You will then be prompted to select which Active Directory group of users to import and whether they will be users or contacts. Once they have been imported, you are given the option to create a scheduled task to periodically synchronize with the directory to keep your list up to date.

The imported list of users are locked out of the Deep Security Manager by default. You will have to modify their properties to allow them to sign in to the Deep Security Manager.

**Note:** If you delete a user from Deep Security Manager who was added as a result of synchronizing with an Active Directory and then resynchronize with the directory, the user will reappear in your user list if they are still in the Active Directory.

## Filtering the Active Directory

The **Synchronize with Directory** wizard has an area called Search Options where you can write filters to specify a subset of users to import into the Deep Security Manager. The filter language follows the Internet Engineering Task Force "Lightweight Directory Access Protocol (LDAP): String Representation of Search Filters RFC 4515".

The default filter (objectClass=group) imports all users.

The RFC 4515 filter syntax can be used to filter for specific users or groups in a directory. For example, the following filter would import only users who are members of an Active Directory group called "DeepSecurityUsers": "(&(objectClass=group)(cn=DeepSecurityUsers))".

The RFC 4515 definition is available at <https://datatracker.ietf.org/doc/rfc4515/>.

**Note:** The new users, although being in the "locked out" state, are given the Full Access user role.

## Add or edit an individual user

1. In Deep Security Manager go to **Administration > User Management > Users**.
2. Click **New** to add a new user or double-click an existing user account to edit its settings.
3. Specify the general properties for the user, including:
  - **Username:** The username that the user will enter on the Deep Security Manager login screen.
  - **Password and Confirm Password:** Note the password requirements listed in the dialog box. You can password requirements in the user security settings (see ["Enforce user password rules" on page 719](#))
  - **Name:** (Optional) The name of the account holder.
  - **Description:** (Optional) A description of the account.
  - **Role:** Use the list to assign a predefined role to this user. You can also assign a role to a user from the Users list, by right-clicking a user and then clicking **Assign roles**.

**Note:** The Deep Security Manager comes preconfigured with two roles: Full Access and Auditor. The Full Access role grants users all possible privileges for

managing the Deep Security system, such as creating, editing, and deleting computers, computer groups, policies, rules, and so on. The auditor role gives users the ability to view all of the information in the Deep Security system but not the ability to make any modifications except to their personal settings (password, contact information, view preferences, and so on). Roles with various levels of system access rights can be created and modified on the Roles page or by selecting **New** in the **Role** list.

- **Language:** The language that will be used in the interface when this user logs in.
  - **Time zone:** Time zone where the user is located. This time zone is used when displaying dates and times in the Deep Security Manager.
  - **Time format:** Time format used to display time in the Deep Security Manager. You can use 12-hour or 24-hour format.
  - **Password never expires:** When this option is selected, the user's password will never expire. Otherwise, it will expire as specified in the user security settings (see ["Enforce user password rules" on page 719](#))
4. If you want to enable multi-factor authentication (MFA), click **Enable MFA**. If MFA is already enabled for this user, you can select **Disable MFA** to disable it. For details, see ["Set up multi-factor authentication" on page 721](#).
  5. Click the **Contact information** tab and enter any contact information that you have for the user and also indicate if they are your primary contact or not. You can also check the **Receive Alert Emails** check box to include this user in the list of users who receive email notifications when alerts are triggered.
  6. You can also edit the settings on the **Settings** tab. However, increasing some of these values will affect Deep Security Manager performance. If you make changes and aren't happy with the results, you can click **Reset to Default Settings** (at the bottom of the tab) to reset all settings on this page to their default values:

### Module

- **Hide Unlicensed Modules:** This setting determines whether unlicensed modules will be hidden rather than simply grayed out for this User. This option can be set globally on the **Administration > System Settings > Advanced** tab.

### Refresh Rate

- **Status Bar:** This setting determines how often the status bar of the Deep Security Manager refreshes during various operations such as discovering or scanning computers.
- **Alerts List/Summary:** How often to refresh the data on the Alerts page in List view or Summary view.
- **Computers List:** How often to refresh the data on the Computers page.

**Note:** The **Last Successful Update** column value will not be recalculated unless the page is manually reloaded.

- **Computer Details:** The frequency with which an individual computer's property page refreshes itself with the latest information (if required).

### List Views

- **Remember last Tag filter on each page:** Events pages let you filter displayed events by Tag(s). This List Views setting determines if the "Tag" filter setting is retained when you navigate away from and return to an Events page.
- **Remember last Time filter on each page:** Events pages let you filter displayed events by Time period and computer(s). These List Views settings determine if the "Period" and "Computer" filter settings are retained when you navigate away from and return to an Events page.
- **Remember last Computer filter on each page:** Events pages let you filter displayed events by Time period and computer(s). These List Views settings determine if the "Period" and "Computer" filter settings are retained when you navigate away from and return to an Events page.
- **Remember last Advanced Search on each page:** If you have performed an "Advanced Search" on an Events page, this setting will determine if the search results are kept if you navigate away from and return to the page.
- **Number of items to show on a single page:** Screens that display lists of items will display a certain number of items per "Page". To view the next page, you must use the

pagination controls. Use this setting to change the number of list-items displayed per page.

- **Maximum number of items to retrieve from database:** This setting limits the number of items that can be retrieved from the database for display. This prevents the possibility of the Deep Security Manager getting bogged down trying to display an excessive number of results from a database query. If a query produces more than this many results, a message will appear at the top of the display informing you that only a portion of the results are being displayed.

**Note:** Increasing these values will affect Deep Security Manager performance.

### Reports

- **Enable PDF Encryption:** When this option is selected, reports exported in PDF format will be password protected with the **Report Password**.

## Change a user's password

To change a user's password, click **Administration > User Management > Users**, right-click the user, and click **Set Password**. You will be prompted for the old password as well as the new password.

## Lock out a user or reset a lockout

If a user enters the wrong password too many times when trying to sign in, they will be locked out automatically. If you have resolved the situation and want to allow the user to log in, see ["Unlock a locked out user name" on page 954](#).

## View system events associated with a user

To see any system events associated with a user, click **Administration > User Management > Users**, right-click the user, and click **View System Events**.

## Delete a user

To remove a user account from Deep Security Manager, click **Administration > User Management > Users**, click the user, and then click **Delete**.

**Note:** If you delete a user from Deep Security Manager who was added as a result of synchronizing with an Active Directory and then resynchronize with the directory, the user will reappear in your user list if they are still in the Active Directory.

## Define roles for users

Deep Security uses role-based access control (RBAC) to restrict user permissions to parts of Deep Security. Access rights and editing privileges are attached to roles and not to users. Once you have installed Deep Security Manager, you should create individual accounts for each user and assign each user a role that will restrict their activities to all but those necessary for the completion of their duties. To change the access rights and editing privileges of an individual user, you must assign a different role to the user or edit the role.

The access that roles have to computers and policies can be restricted to subsets of computers and policies. For example, users can be permitted to view all existing computers, but only permitted to modify those in a particular group.

Deep Security comes preconfigured with two roles:

- **Full Access:** The full access role grants the user all possible privileges in terms of managing the Deep Security system including creating, editing, and deleting computers, computer groups, policies, rules, malware scan configurations, and others.
- **Auditor:** The auditor role gives the user the ability to view all the information in the Deep Security system but without the ability to make any modifications except to their own personal settings, such as password, contact information, dashboard layout preferences, and others.

**Note:** Depending on the level of access granted, controls in Deep Security Manager will be either visible and changeable, visible but disabled, or hidden. For a list of the rights granted in

the preconfigured roles, as well as the default rights settings when creating a new role, see ["Default settings for full access, auditor, and new roles" on page 944](#).

You can create new roles that can restrict users from editing or even seeing Deep Security objects such as specific computers, the properties of security rules, or the system settings.

Before creating user accounts, identify the roles that your users will take and itemize what Deep Security objects those roles will require access to and what the nature of that access will be (viewing, editing, creating, and so on). Once you have created your roles, you can then begin creating user accounts and assigning them specific roles.

**Note:** Do not create a new role by duplicating and then modifying the full access role. To ensure that a new role only grants the rights you intend, create the new role by clicking **New** in the toolbar. The rights for a new role are set at the most restrictive settings by default. You can then proceed to grant only the rights that are required. If you duplicate the full access role and then apply restrictions, you risk granting some rights that you did not intend.

Clicking **New** () or **Properties** () displays the **Role properties window** with six tabs (**General**, **Computer Rights**, **Policy Rights**, **User Rights**, **Other Rights**, and **Assigned To**).

### Add or edit a role

1. In Deep Security Manager go to **Administration > User Management > Roles**.
2. Click **New** to add a new role or double-click an existing role to edit its settings.
3. Specify the general properties for the role, including:
  - **Name:** The name of the role, which will appear on the Roles page and in the list of available roles when adding a user.
  - **Description:** (Optional) A description of the role.
  - **Access Type:** Select whether users with this role will have access to Deep Security Manager, the Deep Security Manager Web service API, or both.
  - **Note:** To enable the Web service API, go to **Administration > System Settings > Advanced > SOAP Web Service API**.
4. Use the **Computer Rights** pane to confer viewing, editing, deleting, alert-dismissal, and

event tagging rights to users in a role. These rights can apply to all computers and computer groups or they can be restricted to only certain computers. If you wish to restrict access, select the **Selected Computers** radio button and put a check next to the computer groups and computers that users in this role will have access to.

5. **Note:** These rights restrictions will affect not only the user's access to computers in Deep Security Manager, but also what information is visible, including events and alerts. As well, email notifications will only be sent if they relate to data that the user has access rights to.

The screenshot shows the 'Computer Rights' configuration window. The 'Computer and Group Rights' section is expanded, showing a list of actions with checkboxes and radio buttons. The 'View' action is checked, and the 'All Computers' radio button is selected. The 'Selected Computers' radio button is also visible. Below this, there are expandable tree views for 'Computers' and 'Groups'. The 'Advanced Rights' section is also visible, with several unchecked options. At the bottom, there are 'OK', 'Cancel', and 'Apply' buttons.

Four basic options are available:

- **Allow viewing of non-selected computers and data:** If users in this role have restricted edit, delete, or dismiss-alerts rights, you can still allow them to view but not change information about other computers by checking this box.


- **Allow viewing of events and alerts not related to computers:** Set this option to allow users in this role to view non-computer-related information (for example, system events, like users being locked out, new firewall rules being created, IP Lists being deleted, and so on)

**Note:** The previous two settings affect the data that users have access to. Although the ability of a user to make changes to computers have been restricted, these two settings control whether they can see information relating to computers they don't otherwise have access to. This includes receiving email notifications related to those computers.

- **Allow new computers to be created in selected Groups:** Set this option to allow users in this role to create new computers in the computer groups they have access to.
- **Allow sub-groups to be added/removed in selected Groups:** Set this option to allow users in this role to create and delete subgroups within the computer groups they have access to.

You can also enable these in the Advanced Rights section:

- **Allow computer file imports:** Allow Users in this Role to import computers using files created using the Deep Security Manager's **Computer Export** option.
  - **Allow Directories to be added, removed and synchronized:** Allow Users in this Role to add, remove, and synchronize computers that are being managed using an LDAP-based directory like MS Active Directory.
  - **Allow VMware vCenters to be added, removed and synchronized:** Allow Users in this Role to add, remove and synchronize VMware vCenters. (Not available with Deep Security as a Service)
  - **Allow Cloud Providers to be added, removed, and synchronized:** Allow Users in this Role to add, remove, and synchronize Cloud Providers. (Not available with Deep Security as a Service)
6. Use the **Policy Rights** tab to confer viewing, editing, and deleting rights to users in a role. These rights can apply to all policies or they can be restricted to only certain policies. If you wish to restrict access, click **Selected Policies** and put a check mark next to the policies that users in this role will have access to.



When you allow rights to a policy that has "child" policies, users automatically get rights to the child policies as well.

Two basic options are available:

- **Allow viewing of non-selected Policies:** If users in this role have restricted edit or delete rights, you can still allow them to view but not change information about other policies by checking this box.
- **Allow new Policies to be created:** Set this option to allow users in this role to create new policies.

You can also enable this in the Advanced Rights section:

- **Allow Policy imports:** Allow users in this role to import policies using files created with the Deep Security Manager **Export** option on the **Policies** tab.

7. The options on the **User Rights** tab allow you to define permissions for administrator accounts.

The screenshot shows a dialog box with the following structure:

- Tabbed interface with tabs: General, Computer Rights, Policy Rights, **User Rights**, Other Rights, Assigned To.
- Title: **User Rights**
- Section: Allow Users to:
- Options (radio buttons):
  - Change own password and contact information only
  - Create and manage Users with equal or less access
  - Have full control over all Roles and Users
  - Custom
- Buttons: OK, Cancel, Apply

- **Change own password and contact information only:** Users in this role can change their own password and contact information only.
- **Create and manage Users with equal or less access:** Users in this role can create and manage any users who do not have any privileges greater than theirs. If there is even a single privilege that exceeds those of the users with this role, the users with this role will not be able to create or manage them.
- **Have full control over all Roles and Users:** Gives users in this role the ability to create and edit and users or roles without restrictions. Be careful when using this option. If you assign it to a role, you may give a user with otherwise restricted privileges the ability to create and then sign in as a user with full unrestricted access to all aspects of the Deep Security Manager.
- **Custom:** You can further restrict the ability of a user to view, create, edit, or delete users and roles by selecting **Custom** and using the options in the **Custom Rights** section. Some options may be restricted for certain users if the **Can only manipulate**


**Users with equal or lesser rights** option is selected.

The **Can only manipulate Users with equal or lesser rights** option limits the authority of users in this role. They will only be able to effect changes to users that have equal or lesser rights than themselves. Users in this Role will not be able to create, edit, or delete roles. Selecting this option also places restrictions on some of the options in the **Custom Rights** section:

- **Can Create New Users:** Can only create users with equal or lesser rights.
- **Can Edit User Properties:** Can only edit a user (or set or reset password) with equal or lesser rights.
- **Can Delete Users:** Can only delete users with equal or lesser rights.

8. The **Other Rights** tab enables you to restrict roles' permissions so that they can only access specific Deep Security features, and sometimes specific actions with those features. This can be useful if, for example, you have a team of administrators, and you want to make sure that they don't accidentally impact each others' work. By default, roles are View Only or Hide for each feature. To allow to full control or customized access, select

Custom from the list.



9. The **Assigned To** tab displays a list of the users who have been assigned this role.

### Default settings for full access, auditor, and new roles

The following table identifies the default rights settings for the full access role and the auditor role. Also listed are the rights settings that are in place when creating a new role by clicking New in the toolbar on the Roles page.

RIGHTS	SETTINGS BY ROLE		
	Full Access Role	Auditor Role	New Role Defaults
General			
Access to DSM User Interface	Allowed	Allowed	Allowed
Access to Web Service API	Allowed	Allowed	Not allowed

## Trend Micro Deep Security for Azure Marketplace 11.1

RIGHTS	SETTINGS BY ROLE		
<b>Computer Rights</b>	Full Access Role	Auditor Role	New Role Defaults
<b>View</b>	Allowed, All Computers	Allowed, All Computers	Allowed, All Computers
<b>Edit</b>	Allowed, All Computers	Not allowed, All Computers	Not allowed, All Computers
<b>Delete</b>	Allowed, All Computers	Not allowed, All Computers	Not allowed, All Computers
<b>Dismiss Alerts for</b>	Allowed, All Computers	Not allowed, All Computers	Not allowed, All Computers
<b>Tag Items for</b>	Allowed, All Computers	Not allowed, All Computers	Not allowed, All Computers
<b>Allow viewing of non-selected computers and data (e.g. events, reports)</b>	Allowed	Allowed	Allowed, All Computers
<b>Allow viewing of events and alerts not related to computers</b>	Allowed	Allowed	Allowed, All Computers
<b>Allow new computers to be created in selected Groups</b>	Allowed	Not allowed	Not allowed
<b>Allow sub-groups to be added or removed in selected Groups</b>	Allowed	Not allowed	Not allowed

## Trend Micro Deep Security for Azure Marketplace 11.1

RIGHTS	SETTINGS BY ROLE		
<b>Allow computer file imports</b>	Allowed	Not allowed	Not allowed
<b>Allow Cloud Accounts to be added, removed and synchronized</b>	Allowed	Not allowed	Not allowed
<b>Policy Rights</b>	Full Access Role	Auditor Role	New Role Defaults
<b>View</b>	Allowed, All Policies	Allowed, All Policies	Allowed, All Policies
<b>Edit</b>	Allowed, All Policies	Not allowed, All Policies	Not allowed, All Policies
<b>Delete</b>	Allowed, All Policies	Not allowed, All Policies	Not allowed, All Policies
<b>View non-selected Policies</b>	Allowed	Allowed	Allowed
<b>Create new Policies</b>	Allowed	Not allowed	Not allowed
<b>Import Policies</b>	Allowed	Not allowed	Not allowed
<b>User Rights (See note on User rights below)</b>	Full Access Role	Auditor Role	New Role Defaults
<b>View Users</b>	Allowed	Allowed	Not allowed
<b>Create Users</b>	Allowed	Not allowed	Not allowed
<b>Edit User Properties</b>	Allowed	Not	Not

## Trend Micro Deep Security for Azure Marketplace 11.1

RIGHTS	SETTINGS BY ROLE		
		allowed	allowed
<b>Delete Users</b>	Allowed	Not allowed	Not allowed
<b>View Roles</b>	Allowed	Allowed	Not allowed
<b>Create Roles</b>	Allowed	Not allowed	Not allowed
<b>Edit Role Properties</b>	Allowed	Not allowed	Not allowed
<b>Delete Roles</b>	Allowed	Not allowed	Not allowed
<b>Delegate Authority</b>	Allowed	Not allowed	Not allowed
<b>Other Rights</b>	Full Access Role	Auditor Role	New Role Defaults
<b>Alerts</b>	Full (Can Dismiss Global Alerts)	View-Only	View-Only
<b>Alert Configuration</b>	Full (Can Edit Alert Configurations)	View-Only	View-Only
<b>IP Lists</b>	Full (Can Create, Edit, Delete)	View-Only	View-Only
<b>Port Lists</b>	Full (Can Create, Edit, Delete)	View-Only	View-Only
<b>Schedules</b>	Full (Can Create, Edit, Delete)	View-Only	View-Only
<b>System Settings (Global)</b>	Full (Can View, Edit System Settings (Global))	View-Only	Hide
<b>Diagnostics</b>	Full (Can Create Diagnostic Packages)	View-Only	View-Only
<b>Tagging</b>	Full (Can Tag (Items not belonging to Computers), Can Delete Tags, Can Update Non-Owned Auto-Tag Rules, Can Run Non-Owned Auto-Tag Rules, Can Delete Non-	View-Only	View-Only

## Trend Micro Deep Security for Azure Marketplace 11.1

RIGHTS	SETTINGS BY ROLE		
	Owned Auto-Tag Rules)		
<b>Tasks</b>	Full (Can View, Add, Edit, Delete Tasks, Execute Tasks)	View-Only	Hide
<b>Multi-Tenant Administration</b>	Full	Hide	View-Only
<b>Scan Cache Configuration Administration</b>	Full	View-Only	View-Only
<b>Contacts</b>	Full (Can View, Create, Edit, Delete Contacts)	View-Only	Hide
<b>Licenses</b>	Full (Can View, Change License)	View-Only	Hide
<b>Updates</b>	Full (Can Add, Edit, Delete Software; Can View Update For Components; Can Download, Import, Apply Update Components; Can Delete Deep Security Rule Updates)	View-Only	Hide
<b>Asset Values</b>	Full (Can Create, Edit, Delete Asset Values)	View-Only	View-Only
<b>Certificates</b>	Full (Can Create, Delete SSL Certificates)	View-Only	View-Only
<b>Relay Groups</b>	Full	View-Only	View-Only
<b>Proxy</b>	Full	View-Only	View-Only
<b>SAML Identity Providers</b>	Full	Hide	Hide
<b>Malware Scan Configuration</b>	Full (Can Create, Edit, Delete Malware Scan Configuration)	View-Only	View-Only
<b>Quarantined File</b>	Full (Can Delete, Download Quarantined File)	View-Only	View-Only
<b>Web Reputation Configuration</b>	Full	View-Only	View-Only
<b>Directory Lists</b>	Full (Can Create, Edit, Delete)	View-Only	View-Only

## Trend Micro Deep Security for Azure Marketplace 11.1

RIGHTS	SETTINGS BY ROLE		
<b>File Lists</b>	Full (Can Create, Edit, Delete)	View-Only	View-Only
<b>File Extension Lists</b>	Full (Can Create, Edit, Delete)	View-Only	View-Only
<b>Firewall Rules</b>	Full (Can Create, Edit, Delete Firewall Rules)	View-Only	View-Only
<b>Firewall Stateful Configurations</b>	Full (Can Create, Edit, Delete Firewall Stateful Configurations)	View-Only	View-Only
<b>Intrusion Prevention Rules</b>	Full (Can Create, Edit, Delete)	View-Only	View-Only
<b>Application Types</b>	Full (Can Create, Edit, Delete)	View-Only	View-Only
<b>MAC Lists</b>	Full (Can Create, Edit, Delete)	View-Only	View-Only
<b>Contexts</b>	Full (Can Create, Edit, Delete)	View-Only	View-Only
<b>Integrity Monitoring Rules</b>	Full (Can Create, Edit, Delete)	View-Only	View-Only
<b>Log Inspection Rules</b>	Full (Can Create, Edit, Delete)	View-Only	View-Only
<b>Log Inspection Decoders</b>	Full (Can Create, Edit, Delete)	View-Only	View-Only

The custom settings corresponding to the **Change own password and contact information only** option are listed in the following table:

Custom settings corresponding to "Change own password and contact information only" option	
Users	
<b>Can View Users</b>	Not allowed
<b>Can Create New Users</b>	Not allowed
<b>Can Edit User Properties (User can always edit select properties of own account)</b>	Not allowed

## Trend Micro Deep Security for Azure Marketplace 11.1

Custom settings corresponding to "Change own password and contact information only" option	
Can Delete Users	Not allowed
Roles	
Can View Roles	Not allowed
Can Create New Roles	Not allowed
Can Edit Role Properties (Warning: conferring this right will let Users with this Role edit their own rights)	Not allowed
Can Delete Roles	Not allowed
Delegate Authority	
Can only manipulate Users with equal or lesser rights	Not allowed

The custom settings corresponding to the **Create and manage Users with equal or less access** option are listed in the following table:

Custom settings corresponding to "Create and manage Users with equal or less access" option	
Users	
Can View Users	Allowed
Can Create New Users	Allowed
Can Edit User Properties (User can always edit select properties of own account)	Allowed
Can Delete Users	Allowed
Roles	
Can View Roles	Not allowed

## Trend Micro Deep Security for Azure Marketplace 11.1

Custom settings corresponding to "Create and manage Users with equal or less access" option	
Can Create New Roles	Not allowed
Can Edit Role Properties (Warning: conferring this right will let Users with this Role edit their own rights)	Not allowed
Can Delete Roles	Not allowed
Delegate Authority	
Can only manipulate Users with equal or lesser rights	Allowed

The custom settings corresponding to the **Have full control over all Roles and Users** option are listed in the following table:

Custom settings corresponding to "Have full control over all Roles and Users" option	
Users	
Can View Users	Allowed
Can Create New Users	Allowed
Can Edit User Properties (User can always edit select properties of own account)	Allowed
Can Delete Users	Allowed
Roles	
Can View Roles	Allowed
Can Create New Roles	Allowed
Can Edit Role Properties (Warning: conferring this right will let Users with this Role edit their own rights)	Allowed
Can Delete Roles	Allowed

Custom settings corresponding to "Have full control over all Roles and Users" option	
Delegate Authority	
Can only manipulate Users with equal or lesser rights	Not applicable

## Add users who can only receive reports

"Contacts" are users who cannot sign in to the Deep Security Manager but can periodically be sent reports (using scheduled tasks). Contacts can be assigned a "clearance" level that maps to existing roles. When a contact is sent a report, the report will not contain any information not accessible to a user of the same level. For example, three contacts may each be listed as the recipients of a weekly summary report but the contents of the three reports could be entirely different for each contact depending on their computer rights.

### Add or edit a contact

1. In Deep Security Manager go to **Administration > User Management > Contacts**.
2. Click **New** to add a new contact or double-click an existing contact to edit its settings.
3. In the **General Information** section, specify the name, description, and preferred language of this contact.
4. In the **Contact Information** section, enter the email address to which reports will be sent if this contact is included in a report distribution list. (See the **Reports** page for more information.)
5. In the **Clearance** section, specify the role that determines the information this contact will be allowed to see. For example, if a computer report has been scheduled to be sent to this contact, only information on the computers that his role permits him access to will be included in the report.
6. In the **Password Protected Reports** section, select **Reports generated by this user are password protected** to password-protect exported PDF reports with the **Report Password**.

### Delete a contact

To remove a contact from Deep Security Manager, click **Administration > User Management > Contacts**, click the contact, and then click **Delete**.

## Create an API key for a user

To use the Deep Security Manager API, you will need an API key.

**Note:** API keys can only be used with the new ["Use the Deep Security API to automate tasks" on page 216](#) available in Deep Security Manager 11.1 and later.

**Note:** Trend Micro recommends creating one API key for every user needing API access to the Deep Security Manager.

**Tip:** You can automate API key creation using the Deep Security API. For examples, see the [Create and Manage API Keys](#) guide.

To create a new API key:

1. Go to **Administration > User Management > API Keys**.
2. Click **New**.
3. In the Properties window, enter a **Name** and **Description** for the API key.
4. Click on the **Role** list and select a role. **Auditor** grants read-only access to the Deep Security Manager through the API, while **Full Access** grants both read and write access. If you need more specific roles for API key users, you can select **New** and define one. See ["Define roles for users" on page 937](#) for more information on doing so.
5. Select a **Language**.
6. Select a **Time Zone**.
7. Optionally select **Expires on** and select an expiry date for the API key.
8. Click **OK**.
9. Copy the **Secret key value**.

**Note:** Make sure to copy the secret key value now, this is the only time it will be shown.

## Lock out an existing API key

If an existing API key has been compromised you can lock it out:

1. Double click on the API key you want to lock out.
2. Optionally select **Locked Out (Denied permission to authenticate)** to block usage of the API key.
3. Click **OK**.

## Unlock a locked out user name

If you have attempted to sign in multiple times to Deep Security Manager with an incorrect password, your user account will be locked out. The number of sign-in attempts allowed before lock out is configured in **Administration > System Settings > Security > Number of incorrect sign-in attempts allowed (before lock out)**.

You can unlock users in different ways, depending on the following situations:

- If an administrator user is available, see "[Unlock users as an administrator](#)" below.
- If all the administrative users are locked out, see "[Unlock administrative users from a command line](#)" below.

## Unlock users as an administrator

1. Log in to Deep Security Manager with a working administrator user name and password.
2. Go to **Administration > User Management > Users**. Select the user you want to unlock, right-click, and click **Properties**.
3. In the wizard, go to **General > Sign-In Credentials**. Deselect the **Locked Out (Denied permission to sign in)** check box.
4. Click **Save**.

## Unlock administrative users from a command line

1. Go to your local command line interface.

If your Deep Security Manager is Windows, go to the `..\Program Files\Trend Micro\Deep security Manager` directory.

If your Deep Security Manager is Linux, go to the `/opt/dsm` directory.

2. Enter the following command:

```
dsm_c -action unlockout -username <username>
```

## Implement SAML single sign-on

**Note:** SAML single sign-on is not available when FIPS mode is enabled. See ["FIPS 140-2 support" on page 991](#).

To implement SAML single sign-on, see ["Getting started with SAML single sign-on" on page 957](#).

## What are SAML and single sign-on?

Security Assertion Markup Language (or **SAML**) is an open authentication standard that allows for the secure exchange of user identity information from one party to another. SAML supports **single sign-on**, a technology that allows for a single user login to work across multiple applications and services. For Deep Security, implementing SAML single sign-on means that users signing in to your organization's portal would be able to seamlessly sign in to Deep Security without an existing Deep Security account.

## How SAML single sign-on works in Deep Security

### Establishing a trust relationship

In SAML single sign-on, a trust relationship is established between two parties: the **identity provider** and the **service provider**. The identity provider has the user identity information stored on a directory server. The service provider (which in this case is Deep Security) uses the identity provider's user identities for its own authentication and account creation.

The identity provider and the service provider establish trust by exchanging a **SAML metadata document** with one another.

**Note:** At this time, Deep Security supports **only** the HTTP POST binding of the SAML 2.0 identity provider (IdP)-initiated login flow, and not the service provider (SP)-initiated login flow

## Creating Deep Security accounts from user identities


Once Deep Security and the identity provider have exchanged SAML metadata documents and established a trust relationship, Deep Security can access the user identities on the identity provider's directory server. However, before Deep Security can actually create accounts from the user identities, account types need to be defined and instructions for transforming the data format need to be put in place. This is done using **groups**, **roles** and **claims**.

Groups and roles specify the tenant and access permissions that a Deep Security user account will have. Groups are created on the identity provider's directory server. The identity provider assigns user identities to one or more of the groups. Roles are created in the Deep Security Manager. There must be both a group and a role for each Deep Security account type, and their access permissions and tenant assignment must match.

Once there are matching groups and roles for each user type, the group data format needs to be transformed into a format Deep Security can understand. This is done by the identity provider with a claim. The claim contains instructions for transforming the group data format into the matching Deep Security role.

**Tip:** Learn more about the ["SAML claims structure" on page 961](#) required by Deep Security.

Below is a representation of this process:



### Implement SAML single sign-on in Deep Security

Once trust has been established between Deep Security and an identity provider with a SAML metadata document exchange, matching groups and roles have been created, and a claim put in place to translate the group data into roles, Deep Security can use SAML single sign-on to automatically make Deep Security accounts for users signing in through your organization's portal.

For more information on implementing SAML single sign-on, see ["Getting started with SAML single sign-on" below](#).

### Getting started with SAML single sign-on

**Note:** SAML single sign-on is not available when FIPS mode is enabled. See ["FIPS 140-2 support" on page 991](#).

When you configure Deep Security to use SAML single sign-on, users signing in to your organization's portal can seamlessly sign in to Deep Security without an existing Deep Security account. SAML single sign-on also makes it possible to implement user authentication access control features such as:

- Password strength or change enforcement.
- One-Time Password (OTP).
- Two-Factor Authentication (2FA) or Multi-Factor Authentication (MFA).

For a more detailed explanation of Deep Security's implementation of the SAML standard, see ["Implement SAML single sign-on" on page 955](#).

**Note:** At this time, Deep Security supports **only** the HTTP POST binding of the SAML 2.0 identity provider (IdP)-initiated login flow, and not the service provider (SP)-initiated login flow

To use SAML single sign-on with Deep Security, you will need to do the following:

1. ["Configure pre-set up requirements" on the next page](#)
2. ["Configure Deep Security as a SAML service provider" on the next page](#)
3. ["Configure SAML in Deep Security" on page 960](#)

4. ["Provide information for your identity provider administrator" on page 960](#)
5. ["SAML claims structure" on page 961](#)
6. ["Test SAML single sign-on" on page 964](#)
7. ["Service and identity provider settings" on page 964](#)

### Configure pre-set up requirements

1. Ensure your Deep Security Manager is functioning properly.
2. Contact the identity provider administrator to:
  - Establish a naming convention for mapping directory server groups to Deep Security roles.
  - Obtain their identity provider SAML metadata document.
  - Ask them to add any required user authentication access control features to their policy.

Support is available to assist with the following identity providers that have been tested in Deep Security with SAML single sign-on:

- Active Directory Federation Services (ADFS)
- Okta
- PingOne
- Shibboleth

### Configure Deep Security as a SAML service provider

As the first step in the SAML single sign-on configuration, you will need to set up Deep Security as a service provider.

For a more detailed explanation of Deep Security's implementation of the SAML standard, see ["Implement SAML single sign-on" on page 955](#).

**Note:** In multi-tenant Deep Security installations, only the primary tenant administrator can configure Deep Security as a SAML service provider.

1. On the **Administration** page, go to **User Management > Identity Providers > SAML**.
2. Click **Get Started**.

3. Enter an **Entity ID** and a **Service Name**, and then click **Next**.

**Note:** The **Entity ID** is a unique identifier for the SAML service provider. The SAML specification recommends that the entity ID is a URL that contains the domain name of the entity, and industry practices use the SAML metadata URL as the entity ID. The SAML metadata is served from the `/saml` endpoint on the Deep Security Manager, so an example value might be `https://<DSMServerIP:4119>/saml`.

4. Select a certificate option, and click **Next**. The service provider certificate is not used at this time, but would be used in the future to support service-provider-initiated login or single sign-out features. When creating the service provider, you can import a certificate and private key or create a new self-signed certificate and private key.

### Import a Certificate and Private Key

1. Click **Choose File** and open the PKCS #12 keystore file containing your certificate.
2. Enter the password for the keystore.
3. Click **Next**.

You will be shown a summary of your certificate details.

4. Click **Finish**.

### Generate a new self-signed server certificate

1. Enter the following details for your certificate:
  - Common Name (CN)
  - Organization (O)
  - Organizational Unit (OU)
  - Email Address (E)

2. Click **Next**.

You will be shown a summary of your certificate details.

3. Click **Finish**.

### Keep the current Server Certificate

1. Click **Next**, and then click **Finish**.

Deep Security is now set up as a SAML service provider.

### Configure SAML in Deep Security

#### Import your identity provider's SAML metadata document

**Note:** Your Deep Security account must have both administrator and "Create SAML identity provider" permissions.

1. On the Administration page, go to **User Management > Identity Providers > SAML**.
2. Click **Get Started**.
3. Click **Choose File**, select the SAML metadata document provided by your identity provider, and click **Next**.
4. Enter a **Name** for the identity provider, and then click **Finish**.

You will be brought to the Roles page.

#### Create Deep Security roles for SAML users

You need to create a role for each of your expected user types. Each role must have a corresponding group in your identity provider's directory server, and match the group's access permissions and tenant assignment.

Your identity provider's SAML integration will have a mechanism to transform group membership into SAML claims. Consult the documentation that came with your identity provider to learn more about claim rules.

For information on how to create roles, see ["Define roles for users" on page 937](#).

#### Provide information for your identity provider administrator

##### Download the Deep Security Manager service provider SAML metadata document

1. On the Administration page, go to **User Management > Identity Providers > SAML**.
2. Under SAML Service Provider, click **Download**.

Your browser will download the Deep Security service provider SAML metadata document (`ServiceProviderMetadata.xml`).

Send URNs and the Deep Security SAML metadata document to the identity provider administrator

You need to give the identity provider administrator Deep Security's service provider SAML metadata document, the identity provider URN and the URN of each Deep Security role you created.

**Tip:**

To view role URNs, go to **Administration > User Management > Roles** and look under the URN column.

To view identity provider URNs, go to **Administration > User Management > Identity Providers > SAML > Identity Providers** and look under the URN column.

Once the identity provider administrator confirms they have created groups corresponding to the Deep Security roles and any required rules for transforming group membership into SAML claims, you are done with configuring SAML single sign-on.

**Note:** If necessary, you can inform the identity provider administrator about the ["SAML claims structure" below](#) required by Deep Security.

### SAML claims structure

The following SAML claims are supported by Deep Security :

- ["Deep Security user name \(required\)" below](#)
- ["Deep Security user role \(required\)" on the next page](#)
- ["Maximum session duration \(optional\)" on page 963](#)
- ["Preferred language \(optional\)" on page 963](#)

### Deep Security user name (required)

The claim must have a SAML assertion that contains an `Attribute` element with a `Name` attribute of `https://deepsecurity.trendmicro.com/SAML/Attributes/RoleSessionName` and a single `AttributeValue` element. The Deep Security Manager will use the `AttributeValue` as the Deep Security user name.

### Sample SAML data (abbreviated)

```
<samlp:Response xmlns:samlp="urn:oasis:names:tc:SAML:2.0:protocol">
  <Assertion xmlns="urn:oasis:names:tc:SAML:2.0:assertion">
    <AttributeStatement>
      <Attribute
Name="https://deepsecurity.trendmicro.com/SAML/Attributes/RoleSessionName">
        <AttributeValue>alice</AttributeValue>
      </Attribute>
    </AttributeStatement>
  </Assertion>
</samlp:Response>
```

### Deep Security user role (required)

The claim must have a SAML assertion that contains an `Attribute` element with a `Name` attribute of `https://deepsecurity.trendmicro.com/SAML/Attributes/Role` and between one and ten `AttributeValue` elements. The Deep Security Manager uses the attribute value(s) to determine the tenant, identity provider, and role of the user. A single assertion may contain roles from multiple tenants.

### Sample SAML data (abbreviated)

**Note:** The line break in the `AttributeValue` element is present for readability; in the claim it must be on a single line.

```
<samlp:Response xmlns:samlp="urn:oasis:names:tc:SAML:2.0:protocol">
  <Assertion xmlns="urn:oasis:names:tc:SAML:2.0:assertion">
    <AttributeStatement>
      <Attribute Name="https://deepsecurity.trendmicro.com/SAML/Attributes/Role">
        <AttributeValue>urn:tmds:identity:[pod ID]:[tenant ID]:saml-provider/[IDP
name],
          urn:tmds:identity:[pod ID]:[tenant ID]:role/[role name]</AttributeValue>
      </Attribute>
    </AttributeStatement>
  </Assertion>
</samlp:Response>
```

## Trend Micro Deep Security for Azure Marketplace 11.1

### Maximum session duration (optional)

If the claim has a SAML assertion that contains an `Attribute` element with a `Name` attribute of `https://deepsecurity.trendmicro.com/SAML/Attributes/SessionDuration` and an integer-valued `AttributeValue` element, the session will automatically terminate when that amount of time (in seconds) has elapsed.

### Sample SAML data (abbreviated)

```
<samlp:Response xmlns:samlp="urn:oasis:names:tc:SAML:2.0:protocol">
  <Assertion xmlns="urn:oasis:names:tc:SAML:2.0:assertion">
    <AttributeStatement>
      <Attribute
Name="https://deepsecurity.trendmicro.com/SAML/Attributes/SessionDuration">
        <AttributeValue>28800</AttributeValue>
      </Attribute>
    </AttributeStatement>
  </Assertion>
</samlp:Response>
```

### Preferred language (optional)

If the claim has a SAML assertion that contains an `Attribute` element with the `Name` attribute of `https://deepsecurity.trendmicro.com/SAML/attributes/PreferredLanguage` and a string-valued `AttributeValue` element that is equal to one of the supported languages, the Deep Security Manager will use the value to set the user's preferred language.

The following languages are supported:

- `en-US` (US English)
- `ja-JP` (Japanese)
- `zh-CN` (Simplified Chinese)

### Sample SAML data (abbreviated)

```
<samlp:Response xmlns:samlp="urn:oasis:names:tc:SAML:2.0:protocol">
  <Assertion xmlns="urn:oasis:names:tc:SAML:2.0:assertion">
    <AttributeStatement>
```

## Trend Micro Deep Security for Azure Marketplace 11.1

```
<Attribute
Name="https://deepsecurity.trendmicro.com/SAML/Attributes/PreferredLanguage">
  <AttributeValue>en-US</AttributeValue>
</Attribute>
</AttributeStatement>
</Assertion>
</samlp:Response>
```

### Test SAML single sign-on

Navigate to the single sign-on login page on the identity provider server, and log in to the Deep Security Manager from there. You should be redirected to the Deep Security Manager console. If SAML single sign-on is not functioning, follow the steps below:

#### Review the set-up

1. Review the "[Configure pre-set up requirements](#)" on page 958 section.
2. Ensure that the user is in the correct directory group.
3. Ensure that the identity provider and role URNs are properly configured in the identity provider federation service.

#### Create a Diagnostic Package

1. Go to **Administration > System Information** and click **Diagnostic Logging**.
2. Select **SAML integration Issues** and click **Save**.
3. Generate logs. Replicate the issue by logging in to the Deep Security Manager through your identity provider.
4. After the login fails, generate a diagnostic package by navigating to **Administration > System Information** and clicking on **Create Diagnostic Package**.
5. Once the diagnostic package has been created, navigate to <https://success.trendmicro.com> to open a Technical Support Case, and upload the diagnostic package during the case creation.

#### Service and identity provider settings

You can set how far in advance Deep Security will alert you to the expiry date of the server and identity provider certificates, as well as how much time must pass before inactive user accounts added through SAML single sign-on are automatically deleted.

To change these settings, go to **Administration > System Settings > Security > Identity Providers**.

## Navigate and customize Deep Security Manager

You can customize the Deep Security Manager console to suit your needs and to display useful information about your deployment.

- ["Group computers dynamically with smart folders" below](#)
- ["Customize the dashboard" on page 734](#)
- ["View active Deep Security Manager nodes" on page 978](#)
- ["Check your license information" on page 676](#)

### Group computers dynamically with smart folders


A smart folder is a dynamic group of computers that you define with a saved search query. It finds matching computers each time you click the group. For example, if you want to view your computers grouped by attributes such as operating system or AWS project tags, you can do this using smart folders.

**Tip:** If you prefer to search for resources programmatically, you can automate resource searches using the Deep Security API. For examples, see the [Search for Resources](#) guide.

You create smart folders by defining:

1. What to search (1 - computer properties)
2. How to determine a match (2 - operator)

3. What to search for (3 - value)



## Create a smart folder

1. Go to **Computers > Smart Folders**.
2. Click **Create a Smart Folder**.

A default, empty search criteria group ("rule group") appears. You must configure this first. If you need to define more or alternative possible matches, you can add more rule groups later.

3. Type a name for your smart folder.
4. In the first dropdown, select a property that all matching computers have, such as **Operating System**. (See "[Searchable Properties](#)" on page 970.)

If you selected AWS Tag, also type the tag's name.

5. Select the [operator](#): whether to match identical, similar, or opposite computers, such as **CONTAINS**.

**Note:** Some operators are not available for all properties.

6. Type all or part of the search term.

**Note:** Wild card characters are not supported.

## Trend Micro Deep Security for Azure Marketplace 11.1

**Tip:** If you enter multiple words, it compares the *entire phrase* - not each word separately. No match occurs if the property's value has words in a different order, or only some of the words.

To match *any* of the words, instead click **Add Rule** and **OR**, and then add another value: one word per rule.

7. If computers must match multiple properties, click **Add Rule** and **AND**. Repeat steps 4-6.

For more complex smart folders, you can chain multiple search criteria. Click **Add Group**, then click **AND** or **OR**. Repeat steps 4-7.

For example, you might have Linux computers deployed both on-premises and in clouds such as AWS, Azure, or vCloud. You could create a smart folder that contains all of them by using 3 rule groups based on:

- a. local physical computers' operating system
- b. AWS tag
- c. vCenter or vCloud name

The screenshot displays a search rule configuration interface with three nested rule groups. Each group has an 'AND' or 'OR' selector and 'Add Rule' and 'Delete Group' buttons. The top group is set to 'OR' and contains two rules: 'Operating System CONTAINS Linux' and 'Operating System CONTAINS Red Hat'. The middle group is set to 'AND' and contains two rules: 'AWS Tag Tag Key: EQUALS Operating System Tag Value: CONTAINS Amazon Linux' and 'AWS Tag Tag Key: EQUALS Operating System Tag Value: CONTAINS Red Hat'. The bottom group is set to 'OR' and contains two rules: 'vCenter Name CONTAINS Linux' and 'vCloud Name CONTAINS Red Hat'.

**Tip:** To test the results of your query before saving your smart folder, click **Preview**.

8. Click **Save**.
9. To verify, click your new smart folder. Verify that it contains all expected computers.

**Tip:** For faster smart folders, remove unnecessary AND operations, and reduce sub-folder depths. They increase query complexity, which reduces performance.

Also verify that it omits computers that shouldn't match the query. If you need to edit your smart folder's query, double-click the smart folder.

**Note:** If your account's role doesn't have the permissions, some computers won't appear, or you won't be able to edit their properties. For more information, see "[Define roles for users](#)" on page 937.

## Edit a smart folder

If you need to edit your smart folder's query, double-click the smart folder.

To reorder search criteria rules or rule groups, move your cursor onto a rule or group until it changes to a , then drag it to its destination.

## Clone a smart folder

To duplicate and modify an existing smart folder as a template for a new smart folder, right-click the original smart folder, then select **Copy Smart Folder**.


## Focus your search using sub-folders

You can use sub-folders to filter a smart folder's search results.

Smart folders can be nested up to 10 levels deep.

- Smart folder 1
  - Sub-folder 2
    - Sub-folder 3 ...

For example, you might have a smart folder for all your Windows computers, but want to focus on computers that are specifically Windows 7, and maybe specifically either 32-bit or 64-bit. To do this, under the "Windows" parent folder, you could create a child smart folder for Windows 7. Then, under the "Windows 7" folder, you would create two child smart folders: 32-bit and 64-bit.



1. Right-click a smart folder and select **Create Child Smart Folder**.
2. Edit your child smart folder's query groups or rules. Click **Save**.
3. Click your new smart folder. Verify that it contains all expected computers. Also verify that it omits computers that shouldn't match the query.

## Automatically create sub-folders

**Note:** Applies to AWS computers only.

Instead of manually creating child folders, if you use Amazon's cloud, you can automatically create sub-folders for each value of an AWS tag. For information on how to apply AWS tags to your computers, see Amazon's guide on [Tagging Your Amazon EC2 Resources](#).

**Note:** AWS tag-based sub-folders replace any existing manually created child folders under the parent folder.

1. Select the **Automatically create sub-folders for each value of a specific AWS tag key:** check box located below the smart folder groups.
2. Type name of the AWS tag. Sub-folders are automatically created for each of this tag's values.
3. Click **Save**.

**Tip:** Empty sub-folders can appear if an AWS tag value is not being used anymore. To remove them, right-click the smart folder and select **Synchronize Smart Folder**.

## Searchable Properties

Properties are an attribute that some or all computers you want to find have. Smart folders show computers that have the selected property, and its value matches.

**Note:** Type your search *exactly as that property appears in Deep Security Manager*- not, for example, vCenter/AWS/Azure. Otherwise your smart folder query won't match.

To find the exact matching text, (unless otherwise noted) go to **Computers** and look in the navigation pane on the left.

### General

Property	Description	Data type	Examples
Hostname	The computer's host name, as seen on <b>Computers &gt; Details</b> in Hostname.	string	ca-staging-web1
Computer Display Name	The computer's display name in Deep Security (if any), as seen on <b>Computers &gt; Details</b> in Display Name.	string	nginxTest
Folder Name	The computer's assigned group.	string	US-East
Operating System	The computer's operating system, as seen on <b>Computers &gt; Details</b> in Platform.	string	Microsoft Windows 7 (64 bit) Service Pack 1 Build 7601
IP Address	<p>The computer's IP address.</p> <p>You can find the IP address in Deep Security Manager. To find the IP of:</p> <ul style="list-style-type: none"> <li>an AWS instance or Azure VM that was added to Deep Security through <b>Add &gt; Add AWS Account</b> or <b>Add &gt; Add Azure Account</b>, go the AWS or</li> </ul>	IPv4 or IPv6 address, or an IPv4 range	172.20.1.5- 172.20.1.55  2001:db8:face::5

Property	Description	Data type	Examples
	<p>Azure computer's details page, and under the <b>General</b> tab, scroll to the <b>Virtual machine Summary</b> section. The AWS IP addresses are listed in these fields:</p> <ul style="list-style-type: none"> <li>• <b>Private IP Address</b></li> <li>• <b>Public IP (PIP) Address</b></li> </ul> <p><b>Note:</b> If you added the AWS or Azure computer through <b>Add &gt; Add Computers</b>, its IP is located in the same place as a physical computer's.</p> <ul style="list-style-type: none"> <li>• a physical computer (not AWS, Azure, vCenter, or vCloud), go to the computer's details page and on the left, click <b>Interfaces</b></li> </ul> <p><b>Note:</b> If "DHCP" is displayed instead of a static IP address, it won't match the smart folder query.</p> <ul style="list-style-type: none"> <li>• a vCenter or vCloud VM, go to the vCenter computer's details page, and under the <b>General</b> tab, scroll to the <b>Virtual machine Summary</b> section. The vCenter or vCloud IP address is listed in the <b>IP Address</b> field.</li> </ul>		
Policy	The computer's assigned Deep Security policy, as seen on <b>Computers &gt; Details</b> .	string	Base Policy

## Trend Micro Deep Security for Azure Marketplace 11.1

Property	Description	Data type	Examples
		(option in drop-down list)	
Activated	Whether or not the computer has been activated with Deep Security Manager, as seen on <b>Computers &gt; Details</b> .	Boolean	Yes
Docker Host	Whether or not <a href="#">Docker</a> is installed on the computer, as seen on <b>Computers &gt; Details</b> .	Boolean	No
Computer Type	The type of computer. Options are: Physical Computer, Amazon EC2 Instance, Amazon WorkSpace, vCenter VM, Azure Instance, Azure ARM Instance.	string (option in drop-down list)	Examples: Physical Computer, Amazon EC2 Instance
Last Successful Recommendation Scan	Whether or not the computer has had a successful recommendation scan within a specified time period. The last recommendation scan date and results can be seen on <b>Computers &gt; Details &gt; General &gt; Intrusion Prevention or Integrity Monitoring or Log Inspection &gt; Recommendations</b> .	Date operator drop-down list, String, Date unit drop-down list	<b>OLDER THAN, 7, DAYS</b>

## AWS

Property	Description	Data type	Examples
Tag	The computer's AWS tag key:value pair, as seen on <b>Computers &gt; Details &gt; Overview &gt; General</b> under Virtual machine Summary, in Cloud Instance Metadata.	string	Tag Key: env Tag Value: staging

## Trend Micro Deep Security for Azure Marketplace 11.1

Property	Description	Data type	Examples
	Type the tag name, then its value. Case-sensitive.		
Security Group Name	The computer's associated AWS security group name, as seen on <b>Computers &gt; Details &gt; Overview &gt; General</b> under Virtual machine Summary, in Security Group(s).	string	SecGrp1
Security Group ID	The computer's AWS security group ID, as seen on <b>Computers &gt; Details &gt; Overview &gt; General</b> under Virtual machine Summary, in Security Group(s).	string	sg-12345678
AMI ID	The computer's Amazon Machine AMI ID, as seen on <b>Computers &gt; Details &gt; Overview &gt; General</b> under Virtual machine Summary, in AMI ID.	string	ami-23c44a56
Account ID	The computer's associated 12-digit <a href="#">AWS Account ID</a> , as seen on <b>Computers</b> when you right-click <b>Amazon Account</b> and select <b>Properties</b> .  Results include computers in sub-folders.	string	123456789012
Account Name	The computer's associated <a href="#">AWS Account Alias</a> , as seen on <b>Computers</b> when you right-click the AWS Cloud Connector and select <b>Properties</b> .  Results include computers in sub-folders.	string	MyAccount-123
Region ID	The computer's <a href="#">AWS region suffix</a> .  Results include computers in sub-folders.	string	us-east-1
Region Name	The computer's associated AWS region name.  Results include computers in sub-folders.	string	US East (Ohio)
VPC ID	The computer's Virtual Private Cloud (VPC) ID.  If an alias exists, the folder name is the alias, followed	string	vpc-3005e48a

## Trend Micro Deep Security for Azure Marketplace 11.1

Property	Description	Data type	Examples
	<p>by the VPC ID in parentheses. Otherwise the folder's name is the VPC ID.</p> <p>Results include computers in sub-folders.</p>		
Subnet ID	<p>The computer's associated Virtual Private Cloud (VPC) subnet ID.</p> <p>If an alias exists, the folder name is the alias, followed by the VPC subnet ID in parentheses. Otherwise the folder's name is the VPC subnet ID.</p> <p>Results include computers in sub-folders.</p>	string	subnet-b1c2e468
Directory ID	<p>The ID of the AWS directory where the user entry associated with an Amazon WorkSpace resides. The directory ID is seen on the <b>Computers &gt; Details &gt; Virtual machine Summary</b>, in the <b>WorkSpace Directory</b> field. That field takes the format &lt;directory_alias&gt;( &lt;directory_ID&gt;), for example, myworkspacedir(d-9367232d89).</p>	string	d-9367232d89

## Azure

Property	Description	Data type	Examples
Subscription Name	<p>The computer's associated Azure subscription account ID, as seen on <b>Computers</b> when you right-click <b>Azure</b> and select <b>Properties</b>.</p> <p>Results include computers in sub-folders.</p>	string	MyAzureAccount
Resource Group	<p>The computer's associated resource group.</p>	string	MyResourceGroup

## vCenter

Property	Description	Data type	Examples
Name	The computer's associated vCenter. Results include computers in sub-folders.	string	vCenter - lab13-vc.example.com
Datacenter	The computer's associated vCenter data center. Results include computers in sub-folders.	string	lab13-datacenter
Folder	The computer's vCenter folder. Results include computers in sub-folders.	string	db_dev
Parent ESX Hostname	The host name of the ESX or ESXi hypervisor where the computer's guest VM is running, as seen on <b>Computers</b> .	string	lab13-esx2.example.com
Custom Attribute	The computer's assigned vCenter custom attribute, as seen on <b>Computers &gt; Details</b> in Virtual machine Summary.	string (comma-separated attribute name and value)	env, production

## vCloud

Property	Description	Data type	Examples
Name	The computer's associated vCloud. Results include computers in sub-folders.	string	vCloud-lab23
Datacenter	The computer's associated vCloud data center. Results include computers in sub-folders.	string	lab13-datacenter

## Trend Micro Deep Security for Azure Marketplace 11.1

Property	Description	Data type	Examples
vApp	The computer's associated vCloud data center folder.  Results include computers in sub-folders.	string	db_dev

### Folder

Property	Description	Data type	Examples
Name	The host name of the Microsoft Active Directory or LDAP directory.  Results include computers in sub-folders.	string	ad01.example.com
Folder	The computer's Microsoft Active Directory or LDAP folder name.  Results include computers in sub-folders.	string	Computers

### Operators

Smart folder operators indicate whether matching computers should have a property value that is identical, similar, or dissimilar to your search term. Not all operators are available for every property.

Operator	Description	Example usage
EQUALS	The search query only finds computers that are an exact match.	A search query for 'Windows' in the Operating System property does not find computers with 'Windows 7' or 'Microsoft Windows'.
DOES NOT EQUAL	The search query finds any computers that are not an exact match.	A search query for 'Amazon Linux (64 bit)' in the Operating System property finds all computers other than Amazon Linux 64-bit machines.
CONTAINS	The search query finds any computers that contain the search term.	A search query for '203.0.113.' in the IP Address property finds any computers on the 203.0.113.xxx subnet.

## Trend Micro Deep Security for Azure Marketplace 11.1

Operator	Description	Example usage
DOES NOT CONTAIN	The search query finds any computers that do not contain the search term.	A search query for 'Windows' in the Operating System property finds any computers that do not have 'Windows' in their operating system name.
ANY VALUE	The search query finds all computers with the selected property.	A search query in the Group Name property finds all computers in that group.
IN RANGE	The search query finds all computers between the specified start and end range.	A search query in the IP Address property with Start Range 10.0.0.0 and End Range 10.255.255.255 would find all computers with IP addresses between 10.0.0.0 and 10.255.255.255.
NOT IN RANGE	The search query finds all computers that are not between the specified start and end range.	A search query in the IP Address property with Start Range 10.0.0.0 and End Range 10.255.255.255 finds all computers that have IP addresses outside the range of 10.0.0.0 and 10.255.255.255.
Yes	The search query finds all computers with the selected property.	A search query with 'Yes' selected for the Docker property finds any computers with the Docker service running.
No	The search query finds all computers that do not have the selected property.	A search query with 'No' selected for the Docker property would find any computers that do not have the Docker service running.
OLDER THAN	The search query finds all computers prior to the specified date for the property.  Used with an accompanying DAYS, WEEKS, HOURS, or MINUTES operator.	A search query with 'OLDER THAN', '7', 'DAYS' for the 'Last Successful Recommendation Scan' property finds computers that have had a successful recommendation scan 8 days or longer ago.
MORE RECENTLY THAN	The search query finds all computers more recent than the	A search query with 'MORE RECENTLY THAN', '1', 'MONTH' for the 'Last Successful Recommendation Scan' property finds computers that have had a successful recommendation scan earlier than 1 month ago.

Operator	Description	Example usage
	<p>specified date for the property.</p> <p>Used with an accompanying DAYS, WEEKS, HOURS, or MINUTES operator.</p>	
NEVER	The search query finds all computers that do not match the property.	A search query with 'NEVER' for the 'Last Successful Recommendation Scan' property finds computers that have never had a successful recommendation scan.

## View active Deep Security Manager nodes

To display a list of all active Deep Security Manager nodes, go to **Administration > Manager Nodes** . (See also ["Run Deep Security Manager on multiple nodes" on page 126.](#) )

To display details about one of the manager nodes, double-click its row in the list. The Properties window will display:

- **Hostname:** The hostname of the computer where Deep Security Manager is installed.
- **Description:** A description of the manager node.
- **Performance Profile:** Deep Security Manager's performance can be affected by several factors including number of CPUs, available bandwidth, and database responsiveness. The manager's default performance settings are designed to be suited for most installation environments. However, if you experience performance issues your support provider may suggest that you change the performance profile assigned to one or more of your Deep Security Manager nodes. (You should not change these settings without first consulting your support provider.)

**Note:** The "Simultaneous Endpoint Disk and Network Jobs" referred to in the tables below include anti-malware scans, integrity monitoring scans, reconnaissance scans, sending policy updates to computers, and distributing security updates.

- **Aggressive:** This performance profile is optimized for installations where the Deep Security Manager is installed on a dedicated server. For example, this is how some common concurrent operations could be distributed per manager node using the **Aggressive** performance profile:

Operation	2-core system	8-core system
Activations	10	20
Updates	25	50
Recommendation Scans	5	12
Check Status	100	Same (100)
Agent- or Appliance-Initiated Heartbeats	20 Active 40 Queued	50 Active 40 Queued
Simultaneous Endpoint Disk and Network Jobs	50	50
Simultaneous Endpoint Disk and Network Jobs per ESXi	3	3

- **Standard:** This Performance Profile is optimized for installations where the Deep Security Manager and the database share the same host. For example, this is how some common concurrent operations could be distributed per manager node using the **Standard** performance profile:

Operation	2-core system	8-core system
Activations	5	10
Updates	16	46
Recommendation Scans	3	9
Check Status	65	100
Agent- or Appliance-Initiated Heartbeats	20 Active 40 Queued	50 Active 40 Queued
Simultaneous Endpoint Disk and Network Jobs	50	50
Simultaneous Endpoint Disk and Network Jobs per ESXi	3	3

- **Unlimited Agent Disk and Network Usage:** This setting is identical to **Aggressive** but has no limit on computer disk and network usage operations.

Operation	2-core system	8-core system
Activations	10	20
Updates	25	25
Recommendation Scans	5	12

Operation	2-core system	8-core system
Check Status	100	Same (100)
Agent- or Appliance-Initiated Heartbeats	20 Active 40 Queued	50 Active 40 Queued
Simultaneous Endpoint Disk and Network Jobs	Unlimited	Unlimited
Simultaneous Endpoint Disk and Network Jobs per ESXi	Unlimited	Unlimited

**Note:** All performance profiles limit the number of concurrent component updates to 100 per relay group.

- **Status:** Indicates the node's online and active status from the perspective of the Deep Security Manager node you are currently logged into.
- **Options:** You can choose to decommission a manager node. The node must be offline (uninstalled or service halted) to be decommissioned.

## Customize advanced system settings

Several features for advanced users are located on **Administration > System Settings > Advanced**.

**Tip:** You can automate system setting changes using the Deep Security API. For examples, see the [Configure Policy, Computer, and System Settings](#) guide.

## Primary Tenant Access

By default, the primary tenant can access your Deep Security environment.

If the primary tenant enabled the "Primary Tenant Access" settings in your environment, however, you can prevent the primary tenant from accessing your Deep Security environment, or grant access for a limited amount of time.

## Load Balancers

**Note:** The load balancer settings are not available when FIPS mode is enabled. See "[FIPS 140-2 support](#)" on page 991.

## Trend Micro Deep Security for Azure Marketplace 11.1

Agents are configured with a list of Deep Security Manager and Deep Security Relays. When multiple managers and relays are deployed *without* a load balancer, agents will automatically contact the managers and relays using a round robin sequence.

To better scale your network, you can put a load balancer in front of the managers or relays. When you configure the load balancer hostname and [port numbers](#), it will override the IP address or hostname and port numbers currently used by the agents.

The script generator uses the address of the Deep Security Manager that you are connected to. This ensures that the scripts continue to function even if one of the Deep Security Manager nodes fails or is down for maintenance or upgrades.

**Note:** The load balancer must be non-terminating for the SSL or TLS session with the agent's heartbeat port number because it uses mutual authentication. SSL inspection that terminates (for example, if you try to use SSL offloading) will break the session.

## Multi-tenant Mode

1. Select **Enable Multi-Tenant Mode**.
2. In the wizard that appears, enter your **Multi-Tenant Activation Code** and click **Next**.
3. Select the license mode, either:
  - **Inherit Licensing from Primary Tenant:** All tenants use the same licenses as the primary tenant.
  - **Per Tenant Licensing:** Tenants themselves enter a license when they log in for the first time.
4. Click **Next**.

## Deep Security Manager Plug-ins

Plug-ins are modules, reports and other add-ons for the Deep Security Manager. Trend Micro occasionally produces new or additional versions of these which are distributed as self-installing packages.

## SOAP Web Service API

Much of the Deep Security Manager's functionality can be controlled via SOAP-invoked Web services. The WSDL (Web Services Description Language) can be found at the URL displayed in the panel on the page. For assistance with Deep Security Manager's Web services API contact your support provider.

**Note:** A User's ability to access Web Services in the Deep Security Manager will depend on that User being granted the appropriate privileges. These privileges are associated with the Role the User has been assigned. The setting is found on the **General** tab of the **Role properties window** found at **Administration > User Management > Roles**.

## Status Monitoring API

The REST Status Monitoring API lets you query the Deep Security Manager (including individual Manager Nodes) for status information such as CPU and memory usage, number of queued jobs, total and Tenant-specific database size. For assistance with Deep Security Manager's REST Status Monitoring API contact your support provider.

## Export

**Export file character encoding:** The character encoding used when you export data files from the Deep Security Manager. The encoding must support characters in your chosen language.

**Exported Diagnostics Package Language:** Your support provider may ask you generate and send them a Deep Security diagnostics package. This setting specifies the language the package will be in. The diagnostic package is generated on **Administration > System Information**.

## Whois

Whois can be used to look up which domain name is associated with an IP address when you review logged intrusion prevention and firewall events. Enter the search URL using "[IP]" as a placeholder for the IP address to look up.

(For example, "http://reports.internic.net/cgi/whois?whois\_nic=[IP]&type=nameserver".)

## Licenses

**Hide unlicensed Protection Modules for new Users** determines whether unlicensed modules are hidden rather than simply grayed out for subsequently created Users. (This setting can be overridden on a per-user basis on **Administration > User Management > Users > Properties**).


## Scan Cache Configurations

### CPU Usage During Recommendation Scans

This setting controls the amount of CPU resources dedicated to performing Recommendation Scans. If you notice that CPU usage is reaching unreasonably high levels, try changing to a lower setting to remedy the situation. For other performance controls, see **Administration > Manager Nodes > Properties > Performance Profiles**.

## Logo

You can replace the Deep Security logo that appears on the login page, at the top right of the Deep Security Manager GUI, and at the top of reports. Your replacement image must be in PNG format, be 320 px wide and 35 px high, and have a file size smaller than 1 MB. A template is available in the `installfiles` directory of the Deep Security Manager.



Click **Import Logo** to import your own logo, or click **Reset Logo** to reset the logo to its default image.

## Manager AWS Identity

You can configure cross-account access. Select either:

- **Use Manager Instance Role:** The more secure option to configure cross-account access. Attach a policy with the `sts:AssumeRole` permission to the Deep Security Manager's instance role, then select this option. Does not appear if the Deep Security Manager does not have an instance role, or if you're using an Azure Marketplace or on-premise

installation of Deep Security Manager.

- **Use AWS Access Keys:** Create the keys and attach a policy with the sts:AssumeRole permission before you select this option, and then type the **Access Key** and **Secret Key**. Does not appear if you're using an Azure Marketplace or on-premise installation of Deep Security Manager.

## Application control


Each time you create an [application control](#) ruleset or change it, it must be distributed to all computers that use it. Shared rulesets are bigger than local rulesets. Shared rulesets are also often applied to many servers. If they all downloaded the ruleset directly from the manager at the same time, high load could cause slower performance. Global rulesets have the same considerations.

Using Deep Security Relays can solve this problem. (For information on configuring relays, see ["Distribute security and software updates with relays" on page 189.](#))

Steps vary by whether or not you have a multi-tenant deployment.

### Single tenant deployments


Go to **Administration > System Settings > Advanced** and then select **Serve application control rulesets from relays**.



## Multi-tenant deployments

The primary tenant (t0) can't access other tenants' (tN) configurations, so t0 relays don't have tN application control rulesets. (Other features like IPS don't have this consideration, because their rules come from Trend Micro, not a tenant.)

Other tenants (Tn) must create their own [relay group](#), then select **Serve application control rulesets from relays**.



**Warning:**

Verify compatibility with your deployment before using relays. If the agent doesn't have any previously downloaded ruleset currently in effect, and if it doesn't receive new application control rules, then the computer won't be protected by application control. If application control ruleset download fails, a [ruleset download failure event will be recorded on the manager](#) and on the agent.

Relays might either change performance, break application control ruleset downloads, or be required; it varies by proxy location, multi-tenancy, and global/shared vs. local rulesets.

Required for...	Faster performance for...	Slower performance for...	Don't enable for...
Agent > Proxy > Manager  <b>Note:</b> In Deep Security	Shared rulesets  Global ruleset	Local rulesets	Multi-tenant configurations when non-primary tenants (tN) use the default, primary (t0) relay group: <ul style="list-style-type: none"> <li>• Agent (tN) &gt; DSR (t0) &gt; DSM (tN)</li> <li>• Agent (tN) &gt; Proxy &gt; DSR (t0) &gt; DSM (tN)</li> </ul>

## Trend Micro Deep Security for Azure Marketplace 11.1

Required for...	Faster performance for...	Slower performance for...	Don't enable for...
<p>Agent 10.0 GM and earlier, agents didn't have support for connections through a proxy to relays. If a <a href="#">ruleset download fails</a> due to a proxy, and if your agents <a href="#">require a proxy to access the relay</a> or <a href="#">manager (including Deep</a></p>			

Required for...	Faster performance for...	Slower performance for...	Don't enable for...
<p><a href="#">Security as a Service</a>), then you must either:</p> <ul style="list-style-type: none"> <li>• <a href="#">update agents' software</a>, then <a href="#">configure the proxy</a></li> <li>• <a href="#">bypass the proxy</a></li> <li>• <a href="#">add a rela</a></li> </ul>			

Required for...	Faster performance for...	Slower performance for...	Don't enable for...
y and then sele ct <b>Ser</b> <b>ve</b> <b>appl</b> <b>icati</b> <b>on</b> <b>cont</b> <b>rol</b> <b>rule</b> <b>sets</b> <b>fro</b> <b>m</b> <b>rela</b> <b>ys</b>			

## Accelerate compliance

Trend Micro helps to accelerate compliance by consolidating multiple security controls into one product, while also delivering comprehensive auditing and reporting. For more information, see [Regulatory Compliance](#) on the Trend Micro website.

Depending on your requirements, see:

- ["Meet PCI DSS requirements with Deep Security" on the next page](#)
- ["FIPS 140-2 support" on page 991](#)

- [Set up AWS Config Rules](#)
- ["Bypass vulnerability management scan traffic in Deep Security" on page 1001](#)

## Meet PCI DSS requirements with Deep Security

Coalfire (a PCI auditor) has written a commissioned white paper that examines how Trend Micro Deep Security can be used to help secure Payment Card Industry (PCI) data in accordance with the PCI Data Security Standard (PCI DSS).

For more information, see the white paper [Using Trend Micro's Hybrid Cloud Security Solution to Meet PCI DSS 3.2 Compliance](#).

**Tip:** For tips on how to:

- accelerate PCI DSS compliance in AWS, see [Accelerating PCI Compliance in AWS using Deep Security](#).
- enable TLS 1.2 for PCI compliance, see ["Use TLS 1.2 with Deep Security" on page 1003](#).

Trend Micro Deep Security as a Service is now a PCI DSS Level 1 Service Provider! This means you can further streamline your PCI DSS certification process and take more items off of your to do list. For more information, see [Trend Micro Deep Security as a Service Achieves PCI DSS Level 1 Certification](#).

## GDPR

The European Union's (EU) General Data Protection Regulation (GDPR) mandates that organizations anywhere in the world processing EU citizen data reassess their data processing controls and put a plan in place to better protect it. For information about GDPR and Trend Micro, see the [Trend Micro GDPR Compliance](#) site.

For information about personal data collection in Deep Security, see ["Privacy and personal data collection disclosure" on page 54](#).

## FIPS 140-2 support

Federal Information Processing Standard (FIPS) is a set of standards for cryptographic modules. For in-depth information about FIPS, see the [National Institute of Standards and Technology \(NIST\) website](#). Deep Security provides settings that enable cryptographic modules to run in a mode that is compliant with FIPS 140-2 standards. We have obtained certification for our [Java crypto module](#) and [Native crypto module \(OpenSSL\)](#).

There are some differences between a Deep Security deployment running in FIPS mode instead of non-FIPS mode (see "[Differences when operating Deep Security in FIPS mode](#)" on the next page).

**Tip:** If you intend to replace the Deep Security Manager SSL certificate, do so before enabling FIPS mode. If you need to replace the certificate after enabling FIPS mode, you will need to disable FIPS mode, follow the instructions in "[Replace the Deep Security Manager SSL certificate](#)" on page 702, and then re-enable FIPS mode.

To operate Deep Security in a FIPS 140-2 mode, you will need to:

1. Review "[Differences when operating Deep Security in FIPS mode](#)" on the next page to make sure the Deep Security features you require are available when operating in FIPS 140-2 mode.
2. Ensure that your Deep Security Manager and Deep Security Agents meet the "[System requirements for FIPS mode](#)" on page 993.
3. "[Enable FIPS mode for your Deep Security Manager](#)" on page 994.
4. If your Deep Security Manager needs to connect to an external service (such as an Active Directory, vCenter, or NSX Manager) using SSL, see "[Connect to external services when in FIPS mode](#)" on page 995.
5. "[Enable FIPS mode for the operating system of the computers you are protecting](#)" on page 995.
6. "[Enable FIPS mode for the Deep Security Agent on the computers you are protecting](#)" on page 996
7. With some versions of the Linux kernel, you must enable Secure Boot to enable FIPS mode. See "[Linux Secure Boot support for agents](#)" on page 184 for instructions.

## Trend Micro Deep Security for Azure Marketplace 11.1

Release	Kernel Version	Secure Boot Required
RHEL 7.4	3.10.0-693	No
RHEL 7.3	3.10.0-514	No
RHEL 7.2	3.10.0-327	No
RHEL 7.1	3.10.0-229	No
RHEL 7.0 GA	3.10.0-123	Yes

This section also includes instructions on how to ["Disable FIPS mode" on page 1001](#).

## Differences when operating Deep Security in FIPS mode

These Deep Security features are **not available** when operating in FIPS mode:

- Agentless protection, including connecting to an NSX Manager and settings related to the Deep Security Virtual Appliance
- Connecting to a Microsoft Azure account using the methods described in ["Add a Microsoft Azure account to Deep Security" on page 258](#). Key Pair Generation for use with Azure is also not available with FIPS mode.
- Connecting to virtual machines hosted on VMware vCloud, as described in ["Add virtual machines hosted on VMware vCloud" on page 265](#). The **Administration > System Settings > Agents > Agentless vCloud Protection** settings are also unavailable.
- Multi-tenant environment
- Load balancer settings (**Administration > System Settings > Advanced > Load Balancers**)
- Deep Security Scanner (integration with SAP Netweaver)
- The Connected Threat Defense feature
- Identity provider support via SAML 2.0
- When configuring SMTP settings, the STARTTLS option is not available.

## System requirements for FIPS mode

### Deep Security Manager requirements

The Deep Security Manager requirements with FIPS mode enabled are the same as those described in ["System requirements" on page 61](#), with the following exceptions.

Only these operating systems are supported:

- Red Hat Enterprise Linux 7 (64bit)
- Windows Server 2016 (64-bit)
- Windows Server 2012 or 2012 R2 (64-bit)
- Windows Server 2008 or 2008 R2 (64-bit)

Only these databases are supported:

- PostgreSQL 9.6 (see ["Using FIPS mode with a PostgreSQL database" on page 996](#))
- Microsoft SQL Server 2016 Enterprise Edition (See ["Using FIPS mode with a Microsoft SQL Server database" on page 999](#))
- Microsoft SQL Server 2014 Enterprise Edition (See ["Using FIPS mode with a Microsoft SQL Server database" on page 999](#))
- Microsoft SQL Server 2012 Enterprise Edition (See ["Using FIPS mode with a Microsoft SQL Server database" on page 999](#))
- Microsoft SQL Server 2008 R2 Enterprise Edition (See ["Using FIPS mode with a Microsoft SQL Server database" on page 999](#))
- Microsoft SQL Server 2008 Enterprise Edition (See ["Using FIPS mode with a Microsoft SQL Server database" on page 999](#))

**Note:** Oracle Database is not supported, even if it has enabled FIPS mode for SSL connections.

**Note:** Microsoft SQL Server named pipes are not supported.

### Deep Security Agent requirements

The Deep Security Agent requirements with FIPS mode enabled are the same as those described in "[System requirements](#)" on page 61, except that only these operating systems are supported:

- Windows Server 2016 (64-bit)
- Windows Server 2012 or 2012 R2 (64-bit)
- Windows Server 2008 or 2008 R2 (64-bit)
- Windows 10 (64-bit)
- Windows 8 (64-bit)
- Windows 7 (64-bit)
- Red Hat Enterprise Linux 7 (64bit)
- CentOS 7 (64-bit)

## Enable FIPS mode for your Deep Security Manager

### Enable FIPS mode for a Deep Security Manager on Windows

1. Use the Services window of the Microsoft Management Console to stop the "Trend Micro Deep Security Manager" service.
2. In the Windows command line, go to the Deep Security Manager's working folder, for example, `C:\Program Files\Trend Micro\Deep Security Manager`.
3. Enter this command to enable FIPS mode:

```
dsm_c -action enablefipsmode
```

4. Restart the Deep Security Manager service.

### Enable FIPS mode for a Deep Security Manager on Linux

1. On the Deep Security Manager computer, open a command line and go to the Deep Security Manager's working folder, for example, `/opt/dsm`.
2. Enter this command to stop the Deep Security Manager service:

```
service dsm_s stop
```

## Trend Micro Deep Security for Azure Marketplace 11.1

3. Enter this command to enable FIPS mode:

```
dsm_c -action enablefipsmode
```

4. Enter this command to restart the Deep Security Manager service:

```
service dsm_s start
```

## Connect to external services when in FIPS mode

When Deep Security Manager is operating in FIPS mode and you want to connect to an external service (such as an Active Directory, vCenter, or NSX Manager) with an SSL connection, you must import the SSL certificate for that external service into the manager before connecting to it. For instructions on how to import the certificate, see ["Manage trusted certificates" on page 175](#).

For instructions on importing computers from an Active Directory, see ["Add computer groups from Microsoft Active Directory" on page 268](#).

For instructions on synchronizing user information with an Active Directory, see ["Create and manage users" on page 931](#).

For instructions on adding a VMware vCenter to Deep Security Manager, see [Add a vCenter when Deep Security Manager is in FIPS mode](#).

## Enable FIPS mode for the operating system of the computers you are protecting

For instructions on enabling FIPS mode on Windows 7, please refer to the Microsoft Support site: [System cryptography: Use FIPS compliant algorithms for encryption, hashing, and signing" security setting effects in Windows XP and in later versions of Windows](#).

For instructions on enabling FIPS mode on RHEL 7 or CentOS 7, please refer to Red Hat documentation: [Federal Standards and Regulations](#) and [How can I make RHEL 6 or RHEL 7 FIPS 140-2 compliant](#).

## Enable FIPS mode for the Deep Security Agent on the computers you are protecting

**Note:** This step is not required for new Deep Security 11.0 or higher agents that you install after enabling FIPS mode in Deep Security Manager. In that situation, FIPS mode is already enabled for the agent.

### Enable FIPS mode for a Windows 7 agent

1. In the Windows system root folder (for example, `C:\Windows`), look for a file named `ds_agent.ini`. Open the file in a text editor or create a new file if you don't have one already.
2. Add this line to the file:

```
FIPSMODE=1
```

3. Restart the Deep Security Agent service.

### Enable FIPS mode for an RHEL 7 or CentOS 7 agent

1. In the `/etc/`, look for a file named `ds_agent.conf`. Open the file in a text editor or create a new file if you don't have one already.
2. Add this line to the file:

```
FIPSMODE=1
```

3. Restart the Deep Security Agent:

```
/etc/init.d/ds_agent restart
```

## Using FIPS mode with a PostgreSQL database

If you are using PostgreSQL as your Deep Security Manager database, there are some extra requirements in addition to those outlined in ["Prepare a database for Deep Security Manager" on page 109](#).

In FIPS mode, the keystore must be the BCFKS type. Instead of converting the java default keystore (`C:\Program Files\Trend Micro\Deep Security Manager\jre\lib\security\cacerts` or `/opt/dsm/jre/lib/security/cacerts`) directly, copy the default keystore to another location and use it as the default keystore for SSL connection.

## Trend Micro Deep Security for Azure Marketplace 11.1

1. Create the PostgreSQL environment
2. Copy the "server.crt" file from the PostgreSQL server and paste them into <Deep Security Manager install folder>.
3. Install Deep Security Manager.
4. ["Enable FIPS mode for your Deep Security Manager" on page 994.](#)
5. Copy the default Java cacerts file into the Deep Security Manager root installation folder.

### On Windows:

```
copy "C:\Program Files\Trend Micro\Deep Security Manager\jre\lib\security\cacerts" "C:\Program Files\Trend Micro\Deep Security Manager\cacerts"
```

### On Linux:

```
cp "/opt/dsm/jre/lib/security/cacerts" "/opt/dsm/cacerts"
```

6. Convert the keystore file from JKS to BCFKS. The following command will create a cacerts.bcfks file in the Deep Security Manager installation folder:

### On Windows:

```
cd C:\Program Files\Trend Micro\Deep Security Manager\jre\bin

keytool -importkeystore -srckeystore "C:\Program Files\Trend Micro\Deep Security Manager\cacerts" -srcstoretype JKS -deststoretype BCFKS -destkeystore "C:\Program Files\Trend Micro\Deep Security Manager\cacerts.bcfks" -srcstorepass <changeit> -deststorepass <changeit> -providerpath "C:\Program Files\Trend Micro\Deep Security Manager\jre\lib\ext\ccj-3.0.0.jar" -providerclass com.safelogic.cryptocomply.jcajce.provider.CryptoComplyFipsProvider
```

### On Linux:

```
cd /opt/dsm/jre/bin

keytool -importkeystore -srckeystore "/opt/dsm/cacerts" -srcstoretype JKS -deststoretype BCFKS -destkeystore "/opt/dsm/cacerts.bcfks" -srcstorepass <changeit> -deststorepass <changeit> -providerpath "/opt/dsm/jre/lib/ext/ccj-3.0.0.jar" -providerclass com.safelogic.cryptocomply.jcajce.provider.CryptoComplyFipsProvider
```

### 7. Import the certificate ("Deep Security Manager root folder/server.crt"):

On Windows:

```
cd C:\Program Files\Trend Micro\Deep Security Manager\jre\bin

keytool -import -alias psql -file "C:\Program Files\Trend Micro\Deep Security Manager\server.crt" -keystore "C:\Program Files\Trend Micro\Deep Security Manager\cacerts.bcfks" -storepass <changeit> -provider com.safelogic.cryptocomply.jcajce.provider.CryptoComplyFipsProvider -providerpath "C:\Program Files\Trend Micro\Deep Security Manager\jre\lib\ext\ccj-3.0.0.jar" -storetype BCFKS
```

On Linux:

```
cd /opt/dsm/jre/bin

keytool -import -alias psql -file "/opt/dsm/server.crt" -keystore "/opt/dsm/cacerts.bcfks" -storepass <changeit> -provider com.safelogic.cryptocomply.jcajce.provider.CryptoComplyFipsProvider -providerpath "/opt/dsm/jre/lib/ext/ccj-3.0.0.jar" -storetype BCFKS
```

### 8. The Deep Security installer can use a `.vmoptions` file to assign the JVM parameter:

On Windows, create a file named `Deep Security Manager.vmoptions` in the installation folder and add the following text in the file: `-Djavax.net.ssl.keyStoreProvider=CCJ`

```
-Djavax.net.ssl.trustStore=C:\Program Files\Trend Micro\Deep Security Manager\cacerts.bcfks

-Djavax.net.ssl.trustStorePassword=<changeit>

-Djavax.net.ssl.keyStoreType=BCFKS

-Djavax.net.ssl.trustStoreType=BCFKS
```

On Linux, create a file named `dsm_s.vmoptions` in the installation folder and add the following text in the file:

```
-Djavax.net.ssl.keyStoreProvider=CCJ

-Djavax.net.ssl.trustStore=/opt/dsm/cacerts.bcfks

-Djavax.net.ssl.trustStorePassword=<changeit>
```

## Trend Micro Deep Security for Azure Marketplace 11.1

```
-Djavax.net.ssl.keyStoreType=BCFKS
```

```
-Djavax.net.ssl.trustStoreType=BCFKS
```

9. Open the `<Deep Security Manager directory>\webclient\webapps\ROOT\WEB-INF\dsm.properties` file in a text editor and add:

```
database.PostgreSQL.connectionParameters=ssl=true
```

10. Open the `/opt/postgresql/data/postgresql.conf` file in a text editor and add:

```
ssl= on
```

```
ssl_cert_file= 'server.crt'
```

```
ssl_ksy_file= 'server.key'
```

11. Restart PostgreSQL and then restart the Deep Security Manager service.
12. Check the connection:

```
cd /opt/postgresql/bin
```

```
./psql -h 127.0.0.1 -Udsm dsm
```

Enter the password when prompted. You should see:

```
dsm=> select a.client_addr, a.application_name, a.username, s.* from pg_stat_
ssl s join pg_stat_activity a using (pid) where a.datname='dsm';
```

## Using FIPS mode with a Microsoft SQL Server database

If you are using Microsoft SQL Server as your Deep Security Manager database, you must set up the database SSL encryption using the instructions below **before** enabling FIPS mode.

1. Stop the Deep Security Manager service.
2. Create a BCFKS keystore file with the SQL server certificate. You can use the keytool in `C:\Program Files\Trend Micro\Deep Security Manager\jre\bin`.
3. Use the following command to import the SQL server certificate (`C:\sqlserver_cert.cer`) to a new keystore file (`C:\Program Files\Trend Micro\Deep Security Manager\mssql_keystore.bcfks`):

**Note:** If the Deep Security Manager package doesn't contain a `ccj-3.0.0.jar` file, get the jar file from the FIPS page.

## Trend Micro Deep Security for Azure Marketplace 11.1

```
keytool -import -alias mssql -file "C:\sqlserver_cert.cer" -keystore "C:\Program Files\Trend Micro\Deep Security Manager\mssql_keystore.bcfks" -storepass <changeit> -provider com.safelogic.cryptocomply.jcajce.provider.CryptoComplyFipsProvider -providerpath "C:\Program Files\Trend Micro\Deep Security Manager\jre\lib\ext\ccj-3.0.0.jar" -storetype BCFKS
```

During the import process, answer "YES" to trust this certificate.

4. If the keystore file is created successfully, you will be able to use the following command to list see the certificate listed in the keystore:

```
keytool -list -v -keystore "C:\Program Files\Trend Micro\Deep Security Manager\mssql_keystore.bcfks" -provider com.safelogic.cryptocomply.jcajce.provider.CryptoComplyFipsProvider -providerpath "C:\Program Files\Trend Micro\Deep Security Manager\jre\lib\ext\ccj-3.0.0.jar" -storetype BCFKS -storepass <changeit>
```

5. Open the `C:\Program Files\Trend Micro\Deep Security Manager\webclient\webapps\ROOT\WEB-INF\dsm.properties` file in a text editor and add the following lines enable SSL/TLS and FIPS settings:

```
database.SqlServer.encrypt=true
```

```
database.SqlServer.trustServerCertificate=false
```

```
database.SqlServer.fips=true
```

```
database.SqlServer.trustStorePassword=<changeit>
```

```
database.SqlServer.fipsProvider=CCJ
```

```
database.SqlServer.trustStoreType=BCFKS
```

```
database.SqlServer.trustStore=C:\Program Files\Trend Micro\Deep Security Manager\mssql_keystore.bcfks
```

6. Optionally, you can also change the SQL server/client connection protocols from Named Pipes to TCP/IP. This will allow for FIPS support after upgrading to Deep Security 10.2:
  - a. In the SQL Server Configuration Manager, go to **SQL Network Configuration > Protocols for MSSQLSERVER** and enable TCP/IP.
  - b. Go to **SQL Native Client 11.0 Configuration > Client Protocols** and enable TCP/IP.

- c. Follow the instruction provided by Microsoft to enable encrypted connections for an instance of the SQL Server database. [See Enable Encrypted Connections to the Database Engine](#).
  - d. Edit the `dsm.properties` file to change `database.sqlserver.driver=MSJDBC` and `database.SqlServer.namedPipe=false`.
7. Restart the Deep Security Manager service.
  8. ["Enable FIPS mode for your Deep Security Manager" on page 994](#).

## Disable FIPS mode

1. To disable FIPS mode for the Deep Security Manager, follow the instructions that you used to enable it (see ["Enable FIPS mode for your Deep Security Manager" on page 994](#)), but use this command in place of step 3:

```
dsm_c -action disablefipsmode
```

2. To disable FIPS mode for the Deep Security Agent, follow the instructions that you used to enable it (see ["Enable FIPS mode for the Deep Security Agent on the computers you are protecting" on page 996](#)), but instead of `FIPSMODE=1`, use `FIPSMODE=0`.

## Bypass vulnerability management scan traffic in Deep Security

If you are using a vulnerability management provider such as Qualys or Nessus (for PCI compliance, for example), you need to set up Deep Security to bypass or allow this provider's scan traffic through untouched.

- ["Create a new IP list from the vulnerability scan provider IP range or addresses" on the next page](#)
- ["Create firewall rules for incoming and outbound scan traffic" on the next page](#)
- ["Assign the new firewall rules to a policy to bypass vulnerability scans" on page 1003](#)

After these firewall rules have been assigned to the new policy, the Deep Security Manager will ignore ANY traffic from the IPs you have added in your IP List.

Deep Security will not scan the vulnerability management provider traffic for stateful issues or vulnerabilities - it will be allowed through untouched.

## Create a new IP list from the vulnerability scan provider IP range or addresses

Have handy the IP addresses that the vulnerability scan provider has given you.

1. In the Deep Security Manager, go to **Policies**.
2. In the left pane, expand **Lists > IP Lists**.
3. Click **New > New IP List**.
4. Type a **Name** for the new IP List, for example "Qualys IP list".
5. Paste the IP addresses that the vulnerability management provider has given you into the **IP(s)** box, one per line.
6. Click **OK**.

## Create firewall rules for incoming and outbound scan traffic

After you've created the IP list, you need to create two firewall rules: one for incoming and one for outgoing traffic.

Name them as suggested, below:

```
<name of provider> Vulnerability Traffic - Incoming
```

```
<name of provider> Vulnerability Traffic - Outgoing
```

1. In the main menu, click **Policies**.
2. In the left pane, expand **Rules**.
3. Click **Firewall Rules > New > New Firewall Rule**.
4. Create the first rule to bypass Inbound AND Outbound for TCP and UDP connections that are incoming to and outgoing from vulnerability management provider.

*Tip: For settings not specified, you can leave them as the default.*

**Name:** (suggested) <name of provider> Vulnerability Traffic - Incoming

**Action:** Bypass

**Protocol:** Any

**Packet Source:** IP List and then select the new IP list created above.

5. Create a second rule:

**Name:** <name of provider> Vulnerability Traffic - Outgoing

**Action:** Bypass

**Protocol:** Any

**Packet Destination:** IP List and then select the new IP list created above.

### Assign the new firewall rules to a policy to bypass vulnerability scans

Identify which policies are already used by computers that will be scanned by the vulnerability management provider.

Edit the policies individually to assign the rules in the firewall module.

1. Click **Policies** on the main menu.
2. Click **Policies** in the left pane.
3. In the right pane, for each policy, double-click to open the policy details.
4. In the pop-up, in the left pane, click **Firewall**.
5. Under **Assigned Firewall Rules**, click **Assign/Unassign**.
6. Ensure your view at the top-left shows **All** firewall rules in the .
7. Use the search window to find the rules you created and select them.
8. Click **OK**.

### Use TLS 1.2 with Deep Security

In Deep Security Manager 11.1 and higher, TLS 1.2 is enforced by default for new installations.

Review the table below to determine whether you need to take action.

## Trend Micro Deep Security for Azure Marketplace 11.1

If you are doing...	And your deployment includes...	Do this...
A new installation of Deep Security Manager 11.1+	Only 10.0+ Deep Security Agents, Relays, and Virtual Appliances	<p>Nothing.</p> <p>By default, TLS 1.2 is used between all components and enforced on the manager and relays.</p>
	Pre-10.0 Deep Security Agents, Relays, or Virtual Appliances	<p>(Recommended.) Upgrade all of your components to 10.0+ versions which support TLS 1.2. See <a href="#">"Upgrade components to use TLS 1.2" on page 1010</a>. This is the best option to increase the security of your deployment.</p> <p>Alternatively, you can re-enable TLS 1.0 to ensure backward compatibility with older components. See <a href="#">"Re-enable early TLS (1.0)" on page 1016</a>.</p>
An upgrade to Deep Security Manager 11.1+	Only 10.0+ Deep Security Agents, Relays, or Virtual Appliances	<p>(Recommended.) Enable TLS 1.2 enforcement to increase the security of your deployment. See <a href="#">"Enforce TLS 1.2" on page 1012</a>.</p> <p>Alternatively, you can do nothing. Whatever your TLS settings were in your previous deployment are preserved. If you had enforced TLS 1.2 before, then your enforcement settings are preserved after the upgrade. Conversely, if you had disabled enforcement, then those settings are preserved as well.</p>
	Pre-10.0 Deep Security Agents, Relays, or Virtual Appliances	<p>(Recommended.) Although no immediate action is required, you should plan to upgrade older components to 10.0+ which support TLS 1.2, and then enforce TLS 1.2. See <a href="#">"Upgrade components to use TLS 1.2" on page 1010</a> and <a href="#">"Enforce TLS 1.2" on page 1012</a>. This is the best option to increase the security of your deployment.</p>

If you are doing...	And your deployment includes...	Do this...
		Alternatively, you can do nothing. Whatever your TLS settings were in your previous deployment are preserved. If TLS 1.0 was allowed before, then it will also be allowed after the upgrade.

Topics on this page:

- ["Benefits of TLS 1.2" below](#)
- ["TLS 1.2 architectures" on the next page](#)
- ["Upgrade components to use TLS 1.2" on page 1010](#)
- ["Enforce TLS 1.2" on page 1012](#)
- ["Re-enable early TLS \(1.0\)" on page 1016](#)
- ["Determine whether TLS 1.2 is enforced" on page 1017](#)
- ["Guidelines for deploying agents, and relays after TLS 1.2 is enforced" on page 1018](#)

## Benefits of TLS 1.2

Transport Layer Security (TLS), and the earlier Secure Sockets Layer (SSL), are encryption protocols that enable secure connections between different endpoints. When Deep Security components need to communicate, they determine the latest mutually-supported version of the encryption protocol and then use that version to secure all communication for the duration of their session. The latest version of TLS is 1.2. SSL has been discontinued due to security issues.

Trend Micro strongly recommends that you use TLS 1.2 communication between all its components. This page describes the benefits of TLS 1.2, and how to use and enforce it in your Deep Security environment.

The main benefits of TLS 1.2 are:

- **additional security.** TLS 1.2 has been enhanced to safeguard against the latest exploits.
- **PCI compliance.** The [Payment Card Industry Data Security Standard](#) (PCI DSS) is an information security standard that promotes the safety of cardholder data. To be PCI-compliant, organizations must disable Secure Sockets Layer (SSL) and early TLS on applicable connections. For more information on PCI compliance, see "[Meet PCI DSS requirements with Deep Security](#)" on page 990.

## TLS 1.2 architectures

The diagrams below show the TLS communication in the Deep Security architecture.

Figure 1 shows the TLS communication when TLS 1.2 *is* enforced (This is the default for new 11.1+ Deep Security Manager installations.) You can see that the 9.6 agents can no longer communicate with Deep Security Manager, and neither can older third-party applications.

Figure 2 shows the TLS communication when TLS 1.2 is *not* enforced. You can see that 10.0 or higher agents communicate with Deep Security Manager over TLS 1.2, while 9.6 versions communicate over early TLS. Similarly, newer third-party applications use TLS 1.2, while older ones use early TLS.

### Figure 1: TLS 1.2 is enforced





Figure 2: TLS 1.2 is *not* enforced



## Upgrade components to use TLS 1.2

If you want your Deep Security components to use TLS 1.2, but do not necessarily want to enforce TLS 1.2, all you need to do is make sure that each component supports TLS 1.2. When two components support TLS 1.2, they automatically use TLS 1.2 to communicate. If one component does not support TLS 1.2 and another does, then they negotiate an earlier version of TLS.

Follow the instructions below to verify that your Deep Security components support TLS 1.2 and upgrade them if needed.

**Note:** If you want to *enforce* TLS 1.2 and prevent the use of early TLS, see instead ["Enforce TLS 1.2" on page 1012](#).

### Verify and upgrade your Deep Security Manager

- Make sure you're using one of the following versions of Deep Security Manager, and if not, upgrade it:
  - Use Deep Security Manager 10.0 *update 8* or later if you're planning to ["Enforce TLS 1.2" on page 1012](#) on the manager. Only 10.0 update 8 and later managers support TLS 1.2 enforcement.
  - Using Deep Security Manager 10.0 or later if you're *not* planning to ["Enforce TLS 1.2" on page 1012](#) on the manager. Only 10.0 and later managers support TLS 1.2 communication.
- For upgrade instructions, see ["Upgrade Deep Security Manager VM for Azure Marketplace" on page 686](#).

### Verify your Deep Security Manager database

- If you're using Microsoft SQL Server as your Deep Security Manager database, make sure the database supports TLS 1.2, and if not, upgrade it. See [this Microsoft article](#) for guidance.
- If you're using a PostgreSQL database, it supports TLS 1.2 so no action is necessary.
- If you're using an Oracle database, only Oracle's native encryption is supported for database-manager communication, not TLS, so no action is necessary.

## Trend Micro Deep Security for Azure Marketplace 11.1

- By default, there is no encryption between the database (SQL Server, PostgreSQL, or Oracle) and Deep Security Manager. You can [enable it manually](#).

### Verify your Deep Security Agents

- If you have existing Deep Security Agents, make sure they're at version 10.0 or higher. Only 10.0 or higher agents support TLS 1.2.

**Note:** If some agents are left un-upgraded (that is, they are pre-10.0), those agents communicate over early TLS, and you may need to re-enable early TLS. For details, see "[Re-enable early TLS \(1.0\)](#)" on page 1016.

To upgrade your agents:

1. Import the latest Deep Security Agent software into Deep Security Manager, either manually or automatically. See "[Update the Deep Security Agent](#)" on [page 683](#) for details.
2. Upgrade your Deep Security Agents:
  - To automatically upgrade an agent, see "[Initiate an agent update](#)" on [page 684](#).

### Verify your Deep Security Relays

- Make sure you're using one of the following versions of Deep Security Relay, and if not, upgrade it:
  - Use Deep Security Relay 10.0 *update 8* or later if you're planning to "[Enforce TLS 1.2](#)" on the next page on the relay. Only 10.0 update 8 and higher relays support TLS 1.2 enforcement.
  - Use Deep Security Relay 10.0 or later if you're *not* planning to "[Enforce TLS 1.2](#)" on the next page on the relay. Only 10.0 and higher relays support TLS 1.2 communication.

To upgrade a relay, follow the same process as upgrading an agent:

1. Import the latest Deep Security Relay software into Deep Security Manager, either manually or automatically. See "[Update the Deep Security Agent](#)" on

[page 683](#) for details.

2. Upgrade the relay:

- To automatically upgrade a relay, see ["Initiate an agent update"](#) on [page 684](#).

## Enforce TLS 1.2

Topics in this section:

- ["Where can TLS 1.2 be enforced?"](#) below
- ["What happens when TLS 1.2 enforced?"](#) below
- ["Is TLS 1.2 enforced by default?"](#) on the next page
- ["Under what circumstances is TLS 1.2 enforcement possible?"](#) on the next page
- ["Enforce TLS 1.2 on Deep Security Manager"](#) on the next page
- ["Enforce TLS 1.2 on the Deep Security Relay"](#) on page 1014
- ["Enforce TLS 1.2 on just the manager's GUI port \(4119\)"](#) on page 1014
- ["Test that TLS 1.2 is enforced"](#) on page 1015

### Where can TLS 1.2 be enforced?

There are two enforcement points:

- on the Deep Security Manager
- on the Deep Security Relays

### What happens when TLS 1.2 enforced?

When TLS 1.2 is enforced, the manager and relays stop accepting early TLS connections, and any applications that try to use early TLS are denied access and cease to function properly.

If you choose *not* to enforce TLS 1.2, the manager and relays still accept early TLS as well as TLS 1.2 connections. This means that both older and newer applications are able to connect.

### Is TLS 1.2 enforced by default?

- If you have a new installation of Deep Security Manager 11.1+ (not an upgrade), TLS 1.2 is enforced by default.
- If you are upgrading an existing Deep Security Manager to 11.1 or higher, then your existing TLS settings are preserved, so if TLS was not enforced previously, it will continue to not be enforced after the upgrade. Conversely, if it was enforced, it will continue to be enforced.

### Under what circumstances is TLS 1.2 enforcement possible?

You can only enforce TLS 1.2 if *all* Deep Security Agents have been upgraded to 10.0+, which is the version at which TLS 1.2 is supported.

### Enforce TLS 1.2 on Deep Security Manager

1. Before you begin:

- Make sure that Deep Security Manager is at version *10.0 Update 8* or higher. You need this version to enforce TLS 1.2.
- Make sure that all other components support TLS 1.2. See "[Upgrade components to use TLS 1.2](#)" on page 1010.

2. On the Deep Security Manager computer, run this [dsm\\_c command](#):

```
dsm_c -action settlsprotocol -MinimumTLSProtocol ShowValue
```

A TLS version appears. This is the minimum TLS version that Deep Security Manager currently accepts.

3. Run this `dsm_c` command:

```
dsm_c -action settlsprotocol -MinimumTLSProtocol TLSv1.2
```

This command sets the minimum TLS version to 1.2. Deep Security Manager now accepts TLS 1.2 connections and disallows TLS 1.0 connections.

The Deep Security Manager service is restarted automatically.

### Enforce TLS 1.2 on the Deep Security Relay

1. Before you begin:
  - Make sure that Deep Security Relay is at version *10.0 Update 8* or higher. You need this version to enforce TLS 1.2.
  - Make sure that all your components support TLS 1.2. See ["Upgrade components to use TLS 1.2" on page 1010](#).
  - Make sure that you have [enforced TLS 1.2 on Deep Security Manager](#).
2. Resend the policies associated with your relays:
  - a. In Deep Security Manager, click **Computers** and find one of your relays in the list of computers. If you're not sure which ones are your relays, at the top, click **Administration**. On the left, expand **Updates** and then click **Relay Management**. In the main pane, expand a relay group to see your relays.
  - b. Double-click the relay in the list of computers.
  - c. In the main pane, click the **Actions** tab.
  - d. Click **Send Policy** to resend the policy.
  - e. Resend the policy to each of your relays.

### Enforce TLS 1.2 on just the manager's GUI port (4119)

Only read this section if you were unable to do a full enforcement on the Deep Security Manager and Relays as described previously in ["Enforce TLS 1.2 on Deep Security Manager" on the previous page](#) and ["Enforce TLS 1.2 on the Deep Security Relay" above](#).

This section describes how to set the minimum TLS version to TLS 1.2 on port 4119. Applications that connect on port 4119 are typically web browsers and REST or SOAP API clients. Older Deep Security components that do not support TLS 1.2 can continue to connect to the manager (on port 4120, by default) using TLS 1.0.

1. On Deep Security Manager, enable TLS 1.0 by running this [dsm\\_c command](#):

```
dsm_c -action settlsprotocol -MinimumTLSProtocol TLSv1
```

Deep Security Manager now accepts TLS 1.0 connections from older agents and applications.

## Trend Micro Deep Security for Azure Marketplace 11.1

2. Disable early TLS on the manager's GUI port (4119) (it is possible that it's already disabled):
  - a. Open the `configuration.properties` file in the root of the Deep Security Manager installation directory.
  - b. Under `serviceName=`, look for the `protocols=` setting.

This setting defines the protocols that can be used to connect to Deep Security Manager when it is acting as a server to web browsers and REST or SOAP API clients.
  - c. If the `protocols=` setting is present, remove it so that only TLS 1.2 is allowed on port 4119.
  - d. Save the file.
3. Restart the Deep Security Manager service.

### Test that TLS 1.2 is enforced

1. On a Deep Security component where early TLS 1.2 is enforced, run the following nmap command:

```
nmap --script ssl-enum-ciphers <ds_host> -p <ds_port> -Pn
```

where:

- `<ds_host>` is replaced with the IP address or hostname of the manager or relay
- `<ds_port>` is replaced with the listening port where TLS is being used (4119 for manager, 4122 for the relay, and 4118 for the agent—if manager-initiated activation is used)

The response should only list TLS 1.2. Example response:

```
PORT STATE SERVICE
443/tcp open  https
| ssl-enum-ciphers:
| | TLSv1.2:
| ciphers:
| TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384 (secp256r1) - A
```

## Trend Micro Deep Security for Azure Marketplace 11.1

```
| TLS_ECDHE_RSA_WITH_AES_128_GCM_SHA256 (secp256r1) - A
| TLS_ECDHE_RSA_WITH_AES_256_CBC_SHA384 (secp256r1) - A
| TLS_ECDHE_RSA_WITH_AES_128_CBC_SHA256 (secp256r1) - A
| TLS_RSA_WITH_AES_256_GCM_SHA384 (rsa 2048) - A
| TLS_RSA_WITH_AES_128_GCM_SHA256 (rsa 2048) - A
| TLS_RSA_WITH_AES_256_CBC_SHA256 (rsa 2048) - A
| TLS_RSA_WITH_AES_128_CBC_SHA256 (rsa 2048) - A
| TLS_RSA_WITH_AES_256_CBC_SHA (rsa 2048) - A
| TLS_RSA_WITH_AES_128_CBC_SHA (rsa 2048) - A
| TLS_RSA_WITH_3DES_EDE_CBC_SHA (rsa 2048) - C
| compressors:
```

### Re-enable early TLS (1.0)

You'll need to re-enable early TLS (1.0) if you have a *new* installation of Deep Security Manager 11.1+ (not an upgrade) and:

- you are using pre-10.0 agents. These only support early TLS. [Go here](#) to see if a 10.0+ agent is available for your OSs.
- you are using third-party components that are older and need to use early TLS to communicate with Deep Security Manager.
- you are using a 9.5 version of the Deep Security Virtual Appliance with an un-upgraded embedded agent.

To re-enable early TLS (1.0), follow the instructions below.

### Re-enable TLS 1.0 on Deep Security Manager and the Deep Security Relay

1. On the Deep Security Manager computer, run this [dsm\\_c command](#):

```
dsm_c -action settlsprotocol -MinimumTLSProtocol ShowValue
```

## Trend Micro Deep Security for Azure Marketplace 11.1

A TLS version appears. This is the minimum TLS version that Deep Security Manager currently accepts.

2. Run this `dsm_c` command:

```
dsm_c -action settlsprotocol -MinimumTLSProtocol TLSv1
```

This command sets the minimum TLS version to 1.0.

TLS 1.0 is now re-enabled on your Deep Security Manager.

The Deep Security Manager service is restarted automatically.

3. Resend the policies associated with your relays:
  - a. In Deep Security Manager, click **Computers** and find one of your relays in the list of computers. If you're not sure which ones are your relays, at the top, click **Administration** On the left, expand **Updates** and then click **Relay Management**. In the main pane, expand a relay group to see your relays.
  - b. Double-click the relay in the list of computers.
  - c. In the main pane, click the **Actions** tab.
  - d. Click **Send Policy** to resend the policy.
  - e. Resend the policy to each of your relays.

TLS 1.0 is now re-enabled on your relays.

### Re-enable TLS 1.0 on the manager's GUI port (4119)

Read this section if you previously enforced TLS 1.2 only on the manager's GUI port (4119) and now want to re-enable TLS 1.0 on this port.

1. Follow the instructions in [Re-enabled TLS 1.0 on Deep Security Manager](#). This re-enables TLS 1.0 on the GUI port (4119).

### Determine whether TLS 1.2 is enforced

If you're not sure whether TLS 1.2 is enforced on Deep Security Manager, follow the instructions below to find out.

1. On the Deep Security Manager computer, open a command prompt and run the following [dsm\\_c command](#):

## Trend Micro Deep Security for Azure Marketplace 11.1

```
dsm_c -action settlsprotocol -MinimumTLSProtocol ShowValue
```

The minimum TLS protocol accepted by the manager is displayed. If it shows TLS 1.2, then TLS 1.2 is enforced. If it shows TLS 1.0, then early TLS is allowed and TLS 1.2 is not enforced.

Determining whether TLS 1.2 is enforced on the relay is harder. If you pushed out your TLS settings to the relay through policy according to ["Enforce TLS 1.2 on the Deep Security Relay" on page 1014](#) or ["Re-enable TLS 1.0 on Deep Security Manager and the Deep Security Relay" on page 1016](#), then those TLS settings apply to the relay. If you did not push out TLS settings through policy, then the relay's default TLS settings apply. The relay's default settings depend on its version: if you're using an 11.1+ relay, then TLS 1.2 is enforced by default. For pre-11.1 relays, TLS 1.2 is not enforced by default.

## Guidelines for deploying agents, and relays after TLS 1.2 is enforced

This section discusses special considerations when deploying agents and relays when TLS 1.2 is enforced. If you [re-enabled early TLS \(1.0\)](#), then there are no special considerations, and you do not need to read this section.

Topics in this section:

- ["Guidelines for deploying agents, and relays when TLS 1.2 is enforced" below](#)
- ["Guidelines for using deployment scripts when TLS 1.2 is enforced" below](#)

## Guidelines for deploying agents, and relays when TLS 1.2 is enforced

- You must deploy 10.0+ agents, and relays. Only 10.0+ agents and relays support TLS 1.2.
- If you need to deploy a 9.6 or earlier agent or relay you must [re-enable early TLS \(1.0\)](#) wherever it was enforced (either on the manager, on the relay, or on the manager's GUI port 4119).

## Guidelines for using deployment scripts when TLS 1.2 is enforced

If TLS 1.2 is enforced, you can install 10.0+ agents and relays using [deployment scripts](#). Below are some guidelines to ensure the deployment scripts work:

## Trend Micro Deep Security for Azure Marketplace 11.1

1. If you are deploying an agent or relay onto Windows computers, use PowerShell 4.0 or higher, which supports TLS 1.2.
2. If you are deploying onto Windows XP, 2003, or 2008, where PowerShell 4.0 is not supported, see the ["Workaround" below](#) below.
3. If you are deploying an agent or relay onto Linux, use curl 7.34.0 or higher, which supports TLS 1.2.
4. If you are deploying onto Red Hat Enterprise Linux 6, which uses curl 7.19 by default, do one of the following:
  - upgrade to curl 7.34.0 or later

OR

  - See the ["Workaround" below](#) below

### Workaround

If TLS 1.2 is enforced, and...

- you are deploying onto Windows XP, 2003, or 2008, where PowerShell 4.0 is not supported...

OR

- you are deploying onto a Red Hat Enterprise Linux 6 computer with curl 7.19 that cannot be upgraded...

Do this:

1. From Deep Security Manager, download the agent installation package for your operating system. See ["Get Deep Security Agent software" on page 135](#) for details.
2. Copy the installation package to your web server.
3. Follow the instructions in ["Use deployment scripts to add and protect computers" on page 233](#) to add and protect computers, but instead of using Deep Security Manager to generate the script, use the Windows script or Linux script that is provided below.

Windows script:

## Trend Micro Deep Security for Azure Marketplace 11.1

**Note:** You must set the `baseUrl` variable to the URL of your agent package on your web server.

```
$env:LogPath = "$env:appdata\Trend Micro\Deep Security Agent\installer"

New-Item -path $env:LogPath -type directory

Start-Transcript -path "$env:LogPath\dsa_deploy.log" -append

echo "$(Get-Date -format T) - DSA download started"

$baseUrl=<server/package>

echo "$(Get-Date -format T) - Download Deep Security Agent Package" $sourceUrl

(New-Object System.Net.WebClient).DownloadFile($sourceUrl,
"$env:temp\agent.msi")

if ( (Get-Item "$env:temp\agent.msi").length -eq 0 ) {

echo "Failed to download the Deep Security Agent. Please check if the package
is on the server. "

exit 1 }

echo "$(Get-Date -format T) - Downloaded File Size:" (Get-Item
"$env:temp\agent.msi").length

echo "$(Get-Date -format T) - DSA install started"

echo "$(Get-Date -format T) - Installer Exit Code:" (Start-Process -FilePath
msiexec -ArgumentList "/i $env:temp\agent.msi /qn ADDLOCAL=ALL /l*v
`"$env:LogPath\dsa_install.log`"" -Wait -PassThru).ExitCode

Stop-Transcript

echo "$(Get-Date -format T) - DSA Deployment Finished"
```

Linux script:

Use the script that is appropriate for your Linux distribution.

**Note:** Replace `<server/package>` with the URL of the agent package on your web server.

For Linux distributions that use the RPM Package Manager:

```
#!/usr/bin/env bash  
curl <server/package> -o /tmp/agent.rpm -silent  
rpm -ihv /tmp/agent.rpm
```

For Debian-based Linux distributions:

```
#!/usr/bin/env bash  
curl <server/package> -o /tmp/agent.deb -silent  
dpkg -i /tmp/agent.deb
```

## Migrate a Microsoft SQL Server Express database to Enterprise

Microsoft SQL Server Express is supported in very limited deployments (see "[Microsoft SQL Server Express considerations](#)" on page 121 for details). If you are using a Microsoft SQL Server Express database but find its limitations too constricting, you can migrate it to a [supported database](#).

1. Stop the Deep Security Manager service so that it stops writing to the database.

Deep Security Agents will continue to apply their current protection policies while the manager is stopped. Events will be kept and transmitted when Deep Security Manager returns online.

2. Back up the database(s).
3. Back up the database connection settings file:

```
[Deep Security install directory]/webclient/webapps/ROOT/WEB-INF/dsm.properties
```

4. Move the database to the new database engine. Restore the backup.
5. Edit `dsm.properties` to connect to the migrated database:

```
database.SqlServer.user
```

```
database.name
```

## Trend Micro Deep Security for Azure Marketplace 11.1

```
database.SqlServer.instance
```

```
database.SqlServer.password
```

```
database.type
```

```
database.SqlServer.server
```

If using the default instance, you can delete the `database.SqlServer.instance` setting.

You can enter a plain text password for `database.SqlServer.password`; Deep Security Manager will encrypt it when the service starts, like this:

```
database.SqlServer.password=!CRYPT!20DE3D96312D6803A53C0D1C691FE6DEB7476104C0A
```

6. Restart the Deep Security Manager service.
7. To verify that it has successfully reconnected to the database, log in to Deep Security Manager.

Existing protected computers and event logs should appear. As new events such as administrator logins or policy changes occur, they should be added. If not, verify that you have granted permissions to the database user account on the new database server.

## Uninstall Deep Security

When you manually uninstall an activated agent or relay from a computer, the computer doesn't notify Deep Security Manager that the software has been uninstalled. On the Computers page in Deep Security Manager, the computer's status will be "Managed (Offline)" or similar, depending on the context. To avoid this, on Deep Security Manager, either:

- Deactivate the agent or relay *before* you uninstall it, or
- Delete the computer from the list *after* you uninstall

## Uninstall Deep Security Relay

A Deep Security Relay is an agent where you have enabled the relay feature, so in order to remove the relay, you must uninstall the agent software.

## Uninstall a relay (Windows)

**Note:** Before updating or uninstalling a Deep Security agent or relay on Windows, you must disable agent self-protection. To do this, on the Deep Security Manager, go to **Computer editor**<sup>1</sup> > **Settings** > **General**. In **Agent Self Protection**, and then either deselect **Prevent local end-users from uninstalling, stopping, or otherwise modifying the Agent** or enter a password for local override.

From the Windows Control Panel, select **Add/Remove Programs**. Double-click **Trend Micro Deep Security Agent**, and click **Remove**.

Alternatively, you can uninstall from the command line:

```
msiexec /x <package name including extension>
```

For a silent uninstall, add `/quiet`.

## Uninstall a relay (Linux)

To completely remove the relay and any configuration files it created on a platform that uses the Red Hat package manager (rpm), such as CentOS, Amazon Linux, Oracle Linux, SUSE, or Cloud Linux, enter the command:

```
# sudo rpm -ev ds_agent
Stopping ds_agent: [ OK ]
Unloading dsa_filter module [ OK ]
```

If iptables was enabled prior to the installation of the relay-enabled agent, it will be re-enabled when the relay-enabled agent is uninstalled.

**Note:** Remember to remove the relay-enabled agent from Deep Security Manager's list of managed computers, and to remove it from the relay group.

---

<sup>1</sup>To open the Computer editor, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

## Uninstall Deep Security Agent

### Uninstall an agent (Windows)

**Note:** Before updating or uninstalling a Deep Security Agent or Relay on Windows, you must disable agent self-protection. To do this, on the Deep Security Manager, go to **Computer editor**<sup>1</sup> > **Settings** > **General**. In **Agent Self Protection**, and then either deselect **Prevent local end-users from uninstalling, stopping, or otherwise modifying the Agent** or enter a password for local override.

1. Deactivate the agent using the Deep Security Manager by going to the **Computers** page, right-clicking the computer and selecting **Actions** > **Deactivate**.  
If you are unable to deactivate the agent because the Deep Security Manager is unable to communicate with the agent, you will need to do the following before continuing to the next step:  

```
C:\Program Files\Trend Micro\Deep Security Agent>dsa_control --selfprotect 0
```
2. Go to the Control Panel and select **Uninstall a program**. Look for the Trend Micro Deep Security Agent and then select **Uninstall**.

Alternatively, you can uninstall from the command line:

```
msiexec /x <package name including extension>
```

For a silent uninstall, add `/quiet`.

### Uninstall an agent (Linux)

If your version of Linux provides a graphical package management tool, you can search for the `ds_agent` package and use the tool to remove the package. Otherwise, use the command line instructions below.

---

<sup>1</sup>To open the Computer editor, go to the Computers page and double-click the computer that you want to edit (or select the computer and click Details).

## Trend Micro Deep Security for Azure Marketplace 11.1

To completely remove the agent and any configuration files it created on a platform that uses the Red Hat package manager (rpm), such as CentOS, Amazon Linux, Oracle Linux, SUSE, or Cloud Linux, enter the command:

```
# sudo rpm -ev ds_agent
Stopping ds_agent: [ OK ]
Unloading dsa_filter module [ OK ]
```

If iptables was enabled prior to installing Deep Security Agent, it will be re-enabled when the agent is uninstalled.

If the platform uses Debian package manager (dpkg), such as Debian and Ubuntu, enter the command:

```
$ sudo dpkg -r ds-agent
Removing ds-agent...
Stopping ds_agent: .[OK]
```

## Uninstall an agent (Solaris 9 or 10)

Enter the command:

```
pkgrm ds-agent
```

(Note that uninstall may require a reboot.)

## Uninstall an agent (Solaris 11)

Enter the command:

```
pkg uninstall ds-agent
```

Uninstall may require a reboot.

## Uninstall an agent (AIX)

Enter the command:

```
installp -u ds_agent
```

## Uninstall an agent (HP-UX)

Enter the command:

```
swremove ds_agent
```

## Uninstall Deep Security Notifier

From the Windows Control Panel, select **Add/Remove Programs**. Double-click **Trend Micro Deep Security Notifier**, and click **Remove**.

To uninstall from the command line:

```
msiexec /x <package name including extension>
```

For a silent uninstall, add `/quiet`.

## Uninstall Deep Security Manager

### Uninstall the manager (Windows)

From the Windows Start Menu, go to **Trend Micro > Trend Micro Deep Security Manager Uninstaller**, and follow the wizard steps to complete the uninstallation.

To initiate the same Windows GUI uninstall procedure from the command line, go to the installation folder and enter:

```
<installation folder>\Uninstall.exe
```

For a silent uninstall from the command line (without the Windows GUI prompts), add `-q`.

```
<installation folder>\Uninstall.exe -q
```

During a silent uninstall via command line, the configuration files are kept so that if you re-install in future, the installer repairs or upgrades using existing settings, without asking you to input them again.

### Uninstall the manager (Linux)

To uninstall via command line, go to the installation folder and enter:

```
sudo ./uninstall
```

For a silent uninstall, add `-q`.

During a silent uninstall via command line, by default, the configuration files are kept so that if you re-install in future, the installer repairs upgrades using existing settings, without asking you to input them again.

If you selected not to keep the configuration files during the uninstallation, and you later want to reinstall Deep Security Manager, you should perform a manual clean-up before reinstalling. To remove the Deep Security Manager installation directory enter the command:

```
sudo rm -rf <installation location>
```

The default installation location is `/opt/dsm`.

## FAQs

### Deep Security release life cycle and support policy

Trend Micro provides two types of Deep Security releases:

- Major releases: Released annually, major releases provide new features, bug fixes, and feature enhancements, and include long-term support.
- Feature releases: Released between major releases, feature releases provide early access to new features. (For more information, see ["Feature releases" on page 57.](#)) Feature releases include shorter support periods. Feature release functionality is cumulative and is ultimately rolled into the next major release.

You might choose to obtain major releases because they are more compatible with longer adoption cycles, and you value sustainability over early adoption of new features. However, if

## Trend Micro Deep Security for Azure Marketplace 11.1

new features are more critical to your immediate requirements, you can obtain feature releases before the next major release becomes available.

Additionally, you should understand the release life cycle and corresponding support that is provided for major releases:

- ["Support milestones for major releases" below](#)
- ["Major release support services" below](#)

## Support milestones for major releases

The following table lists the life cycle milestones for major releases and indicates their timing relative to the initial availability of the release.

Life cycle milestone	Timing (Global)
General Availability (GA)	GA (Annually)
End of standard support (Only extended support is subsequently available.)	GA + 3 years
End of life (End of extended support.)	GA + 4 years

Trend Micro publishes a [list of end-of-life products](#).

## Major release support services

The following table indicates which support items are available during the life cycle of Deep Security major releases.

Support item	Standard support	Extended support
Small enhancements (no change to core functionality)	✓	
Linux kernel updates	✓	On request
General bug fixes	✓	
Critical bug fixes (system crash or hang, or loss of major functionality)	✓	✓

Support item	Standard support	Extended support
Critical and high vulnerability fixes	✓	✓
Medium and low vulnerability fixes	✓	
Anti-Malware pattern updates	✓	✓
Intrusion prevention system, integrity monitoring, and log inspection rules updates	✓	✓
Support for Agents and Deep Security Manager on new versions of supported operating systems	✓	

For a list of support items that are provided for feature releases, see ["Feature releases" on page 57](#).

## Why does my Windows machine lose network connectivity when I turn on protection?

A Windows machine will lose connectivity for a brief period of time during the network driver installation while the Deep Security Agent installs a network driver to examine traffic. This only happens the *first* time a policy is applied that includes one of the following:


- Web reputation
- Firewall
- Intrusion prevention

A Windows machine uses the same driver is used for all three protection modules listed above. Turning on web reputation, firewall or intrusion prevention after one of those features already turned on will not cause another network blip. You may see a similar interruption in network connectivity when the agent is upgraded (as the driver may also need to be upgraded).

## How do I get news about Deep Security?

Deep Security publishes a news feed to inform you of upcoming events, emerging threat trends, product updates, and tips to improve your Deep Security deployment.

You can access the news feed by clicking **News** at the top of the Deep Security Manager:



You can also access the news feed in an RSS and Atom feed reader by subscribing to:

<https://news.deepsecurity.trendmicro.com/news.atom>

## How can I minimize heartbeat alerts for offline environments in an AWS Elastic Beanstalk environment?

AWS Elastic Beanstalk allows you to create multiple environments so that you can run different versions of an application at the same time. These environments usually include a production and development environment and often the development environment is powered down at night. When the development environment is brought back online in the morning, Deep Security will generate alerts related to communication problems for the period of time that it was offline. Although these alerts are actually false from your perspective, they are legitimate alerts from the perspective of Deep Security because an alert is generated whenever a specified number of heartbeats is missed.

You can minimize these heartbeat-related alerts or even prevent them from being generated for environments that you know will be offline for a period of time every day by creating a policy with specific heartbeat settings and applying that policy to the servers in those partially offline environments.

1. Go to the **Policies** tab in the main Deep Security Manager window.
2. Create a new policy or edit an existing one.
3. Click the **Settings** tab in the **Policy editor**<sup>1</sup> and go to the **Computer** tab.
4. Change one or both of the **Heartbeat Interval** and **Number of Heartbeats that can be missed before an alert is raised** setting to numbers that take into account the number of hours your Elastic Beanstalk environment will be offline.  
*For example, if you know that a server will be offline for 12 hours a day and the Heartbeat Interval is set at 10 minutes, you could change the Number of Heartbeats that can be missed before an alert is raised setting to unlimited to never get an alert or you could increase the Heartbeat Interval to something greater than 10 to get fewer alerts.*
5. Click **Save** and apply the policy to all relevant servers.

For more information on using Deep Security in an AWS Elastic Beanstalk environment, you can watch the Trend Micro webinar [Deploying Scalable and Secure Web Apps with AWS Elastic Beanstalk and Deep Security](#).

## Why can't I add my Azure server using the Azure cloud connector?

If an Azure server loses connectivity to the Azure metadata service, the Deep Security Manager will no longer be able to identify it as an Azure server and you will be unable to add it using the Azure cloud connector.

This situation can happen if the server's public or private IP address is changed outside of the Azure console. The Azure server relies on DHCP to communicate with the metadata service and changing the IP outside of the console disables DHCP.

Microsoft recommends against changing the Azure VM's IP address from within its operating system, unless necessary, such as when assigning multiple IP addresses to a Windows VM. For details, see [this Azure article](#).

---

<sup>1</sup>To open the Policy editor, go to the Policies page and double-click the policy that you want to edit (or select the policy and click Details).

To check if your Azure server is able to connect to the Azure metadata service, run the [Detect Windows Azure Virtual Machine](#) PowerShell script from the Microsoft Script Center.

## Why can't I view all of the VMs in an Azure subscription in Deep Security?

If not all of the virtual machine resources in an Azure subscription are being displayed on the Computers page of Deep Security Manager, this could be because they were deployed using the Azure deployment model Resource Manager. All resources are deployed using this model unless you select **Classic** from the **Select a deployment model** list.

Not all VMs are displayed because older versions of the Deep Security Manager use the [Service Management API](#) provided by the classic Azure deployment model (the Service Management model) to connect to Azure virtual machines so it can only enumerate VMs deployed with the Classic model.

To see both Classic or Resource Manager VMs, upgrade your cloud connector. For more information, see "[Why should I upgrade to the new Azure Resource Manager connection functionality?](#)" on page 264.

**Note:** If you are unable to upgrade your Resource Manager servers as per the article above, you can still protect them by using the deployment script on the VM and letting the activation create a new computer object outside of the connector.

## Troubleshooting

### "Activation Failed" agent status

When activating or re-activating a Deep Security Agent, if you receive an "Activation Failed" error message, see:

- [Deep Security Manager \(DSM\) imported via vCenter shows "Activation Failed \(Duplicate Computer\)".](#)
- [Event ID 705: Activation Failed appears when activating the Deep Security Agent \(DSA\).](#)

## "Offline" agent

A computer [status](#) of "Offline" or "Managed (Offline)" means that the Deep Security Manager hasn't communicated with the agent's instance for some time and has exceeded the missed heartbeat threshold. (See ["Configure the heartbeat" on page 155.](#)) The status change can also appear in alerts and events.

## Causes

Heartbeat connections can fail because:

- The agent is installed on a workstation or other computer that has been shut down. If you are using Deep Security to protect computers that sometimes get shut down, make sure the policy assigned to those computers does not raise an alert when there is a missed heartbeat. In the policy editor, go to **Settings > General > Number of Heartbeats that can be missed before an alert is raised** and change the setting to "Unlimited".
- Firewall, IPS rule, or security groups block the heartbeat [port number](#)
- Bi-directional communication is enabled, but only one direction is allowed or reliable (see ["Configure communication directionality" on page 157](#))
- Computer is powered off
- Computer has left the [context](#) of the private network  
This can occur if roaming endpoints (such as a laptop) cannot connect to Deep Security Manager at their current location. Guest Wi-Fi, for example, often restricts open ports, and has NAT when traffic goes across the Internet.
- Amazon WorkSpace computer is being powered off, and the heartbeat interval is fast, for example, one minute; in this case, wait until the WorkSpace is fully powered off, and at that point, the status should change from 'Offline' to 'VM Stopped'
- DNS was down, or could not resolve the Deep Security Manager's host name

## Trend Micro Deep Security for Azure Marketplace 11.1

- Deep Security Manager, the agent, or both are under very high system resource load
- Deep Security Agent process might not be running
- Certificates for [mutual authentication](#) in the SSL or TLS connection have become invalid or revoked (see "[Replace the Deep Security Manager SSL certificate](#)" on page 702)
- Deep Security Agent's or Deep Security Manager's system time is incorrect (required by SSL/TLS connections)
- Deep Security [rule update](#) is not yet complete, temporarily interrupting connectivity
- On AWS EC2, ICMP traffic is required, but is blocked

**Tip:** If you are using manager-initiated or bi-directional communication, and are having communication issues, we strongly recommend that you change to agent-initiated activation (see "[Use agent-initiated communication with cloud accounts](#)" on page 161).

To troubleshoot the error, verify that the Deep Security Agent is running, and then that it can communicate with Deep Security Manager.

### Verify that the agent is running

On the computer with Deep Security Agent, verify that the Trend Micro Deep Security Agent service is running. Method varies by operating system.

- On Windows, open the Microsoft Windows Services Console (services.msc) or Task Manager. Look for the service named ds\_agent.
- On Linux, open a terminal and enter the command for a process listing. Look for the service named ds\_agent or ds-agent, such as:

```
sudo ps -aux | grep ds_agent
```

```
sudo service ds_agent status
```

### Verify DNS

If agents connect to the Deep Security Manager via its domain name or hostname, not its IP address, test the DNS resolution:

```
nslookup [manager domain name]
```

### DNS service must be reliable.

If the test fails, verify that the agent is using the correct DNS proxy or server (internal domain names can't be resolved by a public DNS server such as Google or your ISP). If a name such as `dsm.example.com` cannot be resolved into its IP address, communication will fail, even though correct routes and firewall policies exist for the IP address.

If the computer uses DHCP, in the computer or policy settings, in the **Advanced Network Engine** area, you might need to enable **Force Allow DHCP DNS** (see "[Network engine settings](#)" on [page 324](#)).

## Allow outbound ports (agent-initiated heartbeat)

Telnet to [required port numbers](#) on Deep Security Manager to verify that a route exists, and the port is open:

```
telnet [manager IP]:4120
```

### Tip:

Telnet success proves most of the same things as a ping: that a route and correct firewall policy exist, and that Ethernet frame sizes are correct. (Ping is disabled on computers that use the default security policy for Deep Security Manager. Networks sometimes block ICMP ping and traceroute to block attackers' reconnaissance scans. So usually, you can't ping the Manager to test.)

If telnet fails, trace the route to discover which point on the network is interrupting connectivity. Methods vary by operating system.

- On Linux, enter the command:

```
traceroute [agent IP]
```

- On Windows, enter the command:

```
tracert [agent IP]
```

## Trend Micro Deep Security for Azure Marketplace 11.1

Adjust firewall policies, routes, NAT port forwarding, or all three to correct the problem. Verify both network and host-based firewalls, such as Windows Firewall and Linux iptables. For an AWS EC2 instance, see Amazon's documentation on [Amazon EC2 Security Groups for Linux Instances](#) or [Amazon EC2 Security Groups for Windows Instances](#). For an Azure VM instance, see Microsoft's Azure documentation on [modifying a Network Security Group](#).

If connectivity tests from the agent to the manager succeed, then next you must test connectivity in the other direction. (Firewalls and routers often require policy-route pairs to allow connectivity. If only 1 of the 2 required policies or routes exist, then packets will be allowed in one direction, but not the other.)

### Allow inbound ports (manager-initiated heartbeat)

On the Deep Security Manager, ping the Deep Security Agent and telnet to the heartbeat port number to verify that heartbeat and configuration traffic can reach the agent:

```
ping [agent IP]
```

```
telnet [agent IP]:4118
```

If the ping and telnet fail, use:

```
tracert [agent IP]
```

to discover which point on the network is interrupting connectivity. Adjust firewall policies, routes, NAT port forwarding, or all three to correct the problem.

If IPS or firewall rules are blocking the connection between the Deep Security Agent and the Deep Security Manager, then the manager cannot connect in order to unassign the policy that is causing the problem. To solve this, enter the command on the computer to reset policies on the agent:

```
dsa_control -r
```

**Note:** You must re-activate the agent after running this command.

## Allow ICMP on Amazon AWS EC2 instances

In the AWS cloud, routers require ICMP type 3 code 4. If this traffic is blocked, connectivity between agents and the manager may be interrupted.

You can force allow this traffic in Deep Security. Either create a firewall policy with a force allow, or in the computer or policy settings, in the **Advanced Network Engine** area, enable **Force Allow ICMP type3 code4** (see "[Network engine settings](#)" on page 324).

## High CPU usage

On a computer protected by Deep Security Agent, you can use these steps to determine and resolve the cause of high CPU usage.

1. Verify that the Trend Micro Deep Security Agent process (ds\_agent.exe on Windows) has unusually high CPU usage. Method varies by operating system.

Windows: Task Manager

Linux: `top`

2. Verify that the agent is updated to the latest version.
3. Apply the best practices on "[Performance tips for anti-malware](#)" on page 456 and "[Performance tips for intrusion prevention](#)" on page 527.
4. If you have just enabled application control, wait until the initial baseline ruleset is complete. Time required varies by the number of files on the file system. The CPU usage should decrease.
5. If a recommendation scan is being performed, try running scans during a time when the computer is less busy, or (if the computer is a VM) allocating more vCPUs.
6. Temporarily disable each protection feature (anti-malware etc.), one at a time. Check CPU usage each time to determine if a specific module is the cause.
7. If high CPU usage still continues, try temporarily stopping the agent. Verify that the issue stops when the agent is stopped. If it does, [collect diagnostic information](#) and give it to your support provider.

## Security update connectivity

Verify the connectivity between the relay server and its Active Update source or proxy server.

1. To verify that both a route exists and that the [relay port number](#) is open, enter the command:

```
telnet [relay IP] [port number]
```

If the telnet fails, verify that a route exists and that firewall policies (if any) allow the traffic by pinging or using traceroute. Also verify that the port number is open, and doesn't have a port conflict.

2. To verify that the DNS server can resolve the domain name of the relay, enter the command:

```
nslookup [relay domain name]
```

If the test fails, verify that the agent is using the correct DNS proxy or server (internal domain names can't be resolved by a public DNS server such as Google or your ISP).

If you are using Deep Security as a Service, you might not be using your own relays; instead, you will be using the relays that are built into the service: `relay.deepsecurity.trendmicro.com`.

3. If you use a proxy server, on Deep Security, confirm that the [proxy settings](#) are correct.
4. To determine if your Deep Security settings are blocking connectivity, unassign the current policy.

## Purple screen of death

If you encounter a Purple Screen of Death issue, collect the necessary files and submit them to [Trend Micro Technical Support](#) to determine if the issue is coming from the VMware side or Trend Micro side.

1. Capture a screen shot of the Purple Diagnostic Screen via remote KVM or take a picture of the physical console's Purple Diagnostic Screen prior to reboot.

2. Get the core dump from the VMkernel sent to the ESXi Dump Collector Network Service.
  - a. Log in to the vSphere client and navigate to the Home page.
  - b. Click **Hosts and Clusters** and select the host.
  - c. Click **Export > Export System Logs**.
  - d. Click **Select all** and choose the log store location to complete the process.
3. Extract the log from the dump using the procedure in this VMware article: [Extracting the log file after an ESX or ESXi host fails with a purple screen error \(1006796\)](#).
4. Gather a vm-support log bundle from the host by typing "vm-support" in ESXi command line.

## Prevent MTU-related agent communication issues across Amazon Virtual Private Clouds (VPC)

Agents in different VPCs might experience problems when trying to communicate with Deep Security Manager. This could be because the network [maximum transmission unit \(MTU\)](#) supported by Amazon Web Services is 1500 and Deep Security Agent communication traffic can exceed this, which results in fragmented and dropped packets.

You can prevent this MTU-related communication issue from happening by adding a new firewall rule to all firewall policies. The key settings for this new firewall rule are shown in the image below.

**General** | Options | Assigned To

---

**General Information**

Name:

Description:

Action:   Not

Priority:   Not

Packet direction:   Not

Frame Type:   Not

Protocol:   Not

---

**Packet Source**

IP:   Not

MAC:   Not

Port:   Not

---

**Packet Destination**

IP:   Not

MAC:   Not

Port:   Not

---

**Specific Flags**

Any Flags

Type:  Code:   Not

OK Cancel

## Create a diagnostic package and logs

To diagnose an issue, your support provider may ask you to send a diagnostic package containing debug information for either or both:

- [Deep Security Manager](#)
- [Deep Security Agent](#)

### Deep Security Manager diagnostics

#### Create a diagnostic package for Deep Security Manager

1. Go to **Administration > System Information**.
2. Click **Create Diagnostic Package**.

The package will take several minutes to create. After the package has been generated, a summary will be displayed and your browser will download a ZIP file containing the diagnostic package.

#### Enable debug logs for Deep Security Manager

In addition to a diagnostic package, your support provider may ask you to enable diagnostic logging.

**Warning:** Don't enable diagnostic logging unless recommended by your support provider. Diagnostic logging can consume large amounts of disk space and increase CPU usage.

1. Go to **Administration > System Information**.
2. Click **Diagnostic Logging**.
3. In the wizard that appears, select the options requested by your support provider.

While diagnostic logging is running, Deep Security Manager will display the message "Diagnostic Logging enabled" on the status bar. If you changed the default options, the

status bar will display the message "Non default logging enabled" upon diagnostic logging completion.

4. To find diagnostic logging files, go to the root directory of the Deep Security Manager, and look for file names with the pattern `server#.log`.

## Deep Security Agent diagnostics

For an agent, you can create a diagnostic package either:

- via the Deep Security Manager
- using the CLI on a protected computer (if the Deep Security Manager cannot reach the agent remotely)

For Linux-specific information on increasing or decreasing the anti-malware debug logging for the diagnostic package, see "[Increase debug logging for anti-malware in protected Linux instances](#)" on page 482.

Your support provider may also ask you collect:

- a screenshot of Task Manager (Windows) or output from `top`(Linux)
- [debug logs](#)
- [Perfmon log](#) (Windows) or Syslog
- [memory dumps](#) (Windows) or core dumps ([Linux](#))

## Create an agent diagnostic package via Deep Security Manager

**Note:** Deep Security Manager must be able to connect to an agent remotely to create a diagnostic package for it. If the Deep Security Manager cannot reach the agent remotely, or if the agent is using agent-initiated activation, you must create the diagnostic package directly from the agent.

1. Go to **Computers** .
2. Double-click the name of the computer you want to generate the diagnostic package for.
3. Select the **Actions** tab.
4. Under **Support**, click **Create Diagnostics Package**.

### 5. Click **Next**.

The package will take several minutes to create. After the package has been generated, a summary will be displayed and your browser will download a ZIP file containing the diagnostic package.

## Create an agent diagnostic package via CLI on a protected computer

### Linux

1. Connect to the server that you want to generate the diagnostic package for.
2. Enter the command:

```
sudo /opt/ds_agent/dsa_control -d
```

The output shows the name and location of the diagnostic package: `/var/opt/ds_agent/diag`

### Windows

1. Connect to the computer that you want to generate the diagnostic package for.
2. Open a command prompt as an administrator.
3. Enter these commands:

```
cd C:\Program Files\Trend Micro\Deep Security Agent
```

```
dsa_control.cmd -d
```

The output shows the name and location of the diagnostic package: `C:\ProgramData\Trend Micro\Deep Security Agent\diag`

## Collect debug logs with DebugView

On Windows computers, you can collect debug logs using DebugView software.

**Warning:** Only collect debug logs if your support provider asks for them. During debug logging, CPU usage will increase, which will make high CPU usage issues worse.

1. Download the [DebugView utility](#).
2. If self-protection is enabled, disable it.
3. Stop the Trend Micro Deep Security Agent service.

## Trend Micro Deep Security for Azure Marketplace 11.1

4. In the C:\Windows directory, create a plain text file named ds\_agent.ini.
5. In the ds\_agent.ini file, add this line:

```
trace=*
```

6. Launch DebugView.exe.
7. Go to **Menu > Capture**.
8. Enable these settings:
  - **Capture Win32**
  - **Capture Kernel**
  - **Capture Events**
9. Start the Trend Micro Deep Security Agent service.
10. Export the information in DebugView to a CSV file.
11. Re-enable self-protection if you disabled it at the beginning of this procedure.